

## REFERENCES

- Abdel-Moati AR (1990) Speciation and behavior of arsenic in the Nile Delta lakes. *Water Air Soil Pollut*, **51**: 117–132.
- Abdelghani AA, Reimers RS, Anderson AC, Englande AJ, Lo CP & Shariatpanahi M (1981) Transport and distribution of arsenic in sediments. Heavy metals in the environment. Proceedings of the 3rd International Conference. Amsterdam, September 1981, Geneva, WHO, pp 665–668.
- Abdelghani AA, Anderson AC, Jaghabir M & Mather F (1986) Arsenic levels in blood, urine, and hair of workers applying monosodium methanearsonate (MSMA). *Arch Environ Health*, **41**: 163–169.
- Abdo KM, Elwell MR, Montgomery CA, Thompson MB, Thompson RB & Prejean JD (1989) Toxic responses in F344 rats and B6C3F1 mice given roxarsone in their diets for up to 13 weeks. *Toxicol Lett*, **45**: 55–66.
- Acharyya SK, Chakraborty P, Lahiri S, Raymahashay BC, Guha S & Bhowmik A (1999) Arsenic poisoning in the Ganges delta. *Nature* **401**(6753): 545.
- Adkison DL & Sundberg JP (1991) 'Lipomatous' hamartomas and choristomas in inbred laboratory mice. *Vet Pathol*, **28**: 305–312.
- Agahian B, Lee JS, Nelson JH & Johns RE (1990) Arsenic levels in fingernails as a biological indicator of exposure to arsenic. *Am Ind Hyg Assoc J*, **51**: 646–651.
- Aggett J & Aspell AC (1980) Arsenic contamination in an apple orchard. *Environ Pollut*, **22**: 39–46.
- Aggett J & Kriegman MR (1988) The extent of formation of arsenic(III) in sediment interstitial waters and its release to hypolimnetic waters in Lake Ohakuri. *Water Res*, **22**(4): 407–411.
- Aggett J & O'Brien GA (1985) Detailed model for the mobility of arsenic in Lacustrine sediments based on measurements in Lake Ohakuri. *Environ Sci Technol*, **19**(3): 231–238.
- Aggett J & Roberts LS (1986) Insight into the mechanism of accumulation of arsenate and phosphate in hydro lake sediments by measuring the rate of dissolution with ethylenediaminetetraacetic acid. *Environ Sci Technol*, **20**(2): 183–186.
- Ahmann D, Roberts AL, Krumholz LR & Morel FMM (1994) Microbe grows by reducing arsenic. *Nature*, **371**: 750.
- Ahmann D, Krumholz LR, Hemond HF, Lovley DR & Morel FMM (1997) Microbial mobilization of arsenic from sediments of the Aberjona watershed. *Environ Sci Technol*, **31**: 2923–2930.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Aichberger K & Hofer GF (1989) [Contents of arsenic, mercury and selenium in agricultural soils of Upper Austria]. (in German) *Bodenkultur*, **40**(1): 1–11.

Akeredolu FA, Barrie LA, Olson MP, Oikawa KK, Pacyna JM & Keeler GJ (1994) The flux of anthropogenic trace metals into the Arctic from the mid-latitudes in 1979/80. *Atmos Environ*, **28**(8): 1557–1572.

Akkari KH, Frans RE & Lavy TL (1986) Factors affecting degradation of MSMA in soil. *Weed Sci*, **34**: 781–787.

Albores A, Koropatnick J, Cherian MG & Zelazowski AJ (1992) Arsenic induces and enhances rat hepatic metallothionein production in vivo. *Chem Biol Interact*, **85**: 127–140.

Albores A, Sinal CJ, Cherian MG & Bend JR (1995) Selective increase of rat lung cytochrome P450 1A1 dependent monooxygenase activity after acute sodium arsenite administration. *Can J Physiol Pharmacol*, **73**: 153–158.

Alexander J & Aaseth J (1985) Excretion of arsenic in rat bile: a role of complexing ligands containing sulphur and selenium. *Nutr Res Suppl I*: 515–519.

Amonoo-Neizer EH, Nyamah D & Bakiamoh SB (1996) Mercury and arsenic pollution in soil and biological samples around the mining town of Obuasi, Ghana. *Water Air Soil Pollut* **91**(3/4): 363–373.

Amundsen CE, Hanssen JE, Semb A & Steinnes E (1992) Long-range atmospheric transport of trace elements to southern Norway. *Atmos Environ* **26A**(7): 1309–1324.

Anastasia FB & Kender WJ (1973) Influence of soil arsenic on the growth of lowbush blueberry. *J Environ Qual*, **2**(3): 335–337.

Anderson AC, Abdelghani AA, Smith PM, Mason JW & Englande AJ (1975) The acute toxicity of MSMA to black bass (*Micropterus dolomieu*), crayfish (*Procambarua* sp.) and channel catfish (*Ictalurus lacustris*). *Bull Environ Contam Toxicol*, **14**(3): 330–333.

Anderson LCD & Bruland KW (1991) Biogeochemistry of arsenic in natural waters: the importance of methylated species. *Environ Sci Technol*, **25**(3): 420–427.

Andreae MO (1978) Distribution and speciation of arsenic in natural waters and some marine algae. *Deep Sea Res*, **25**: 391–402.

Andreae MO (1979) Arsenic speciation in seawater and interstitial waters: the influence of biological-chemical interactions on the chemistry of a trace element. *Limnol Oceanogr*, **24**(3): 440–452.

Andreae MO (1980) Arsenic in rain and the atmospheric mass balance of arsenic. *J Geophys Res* **85**(8C): 4512–4518.

## References

---

- Andreae MO (1983) Biotransformation of arsenic in the marine environment. In: Lederer WH & Fensterheim RJ ed. *Arsenic: industrial, biochemical, environmental perspectives*. New York, Van Nostrand Reinhold, pp 378–392.
- Andreae MO & Andreae TW (1989) Dissolved arsenic species in the Schelde Estuary and watershed, Belgium. *Estuar Coast Mar Sci*, **29**: 421–433.
- Andreae MO & Froelich PN (1984) Arsenic, antimony, and germanium biogeochemistry in the Baltic Sea. *Tellus* 36B: 101–117.
- Andreae MO & Klumpp DW (1979) Biosynthesis and release of organoarsenic compounds by marine algae. *Environ Sci Technol*, **13**(6): 741.
- Andren S, Schutz A, Vahter M, Attewell R, Johansson L, Wallers S & Skerfving S (1988) Environmental exposure to lead and arsenic among children living near a glassworks. *Sci Total Environ*, **77**(1): 25–34.
- ANZFA (Australia New Zealand Food Authority) (1994) *The 1994 Australian Market Basket Survey. A total diet survey of pesticides and contaminants*. Canberra, Australia New Zealand Food Authority.
- Apel M & Stoepler M (1983) Speciation of arsenic in urine of occupationally non-exposed persons. *International Conference Heavy Metals in the Environment, 1983, Heidelberg*. Vol. 1. Edinburgh, CEP Consultants.
- Aposhian HV (1989) Biochemical toxicology of arsenic. In: Hodgson E, Bend JR, Philpot RM eds. *Reviews in biochemical toxicology*, Vol. 10. New York, Elsevier Science.
- Aposhian HV, Gurzau ES, Le CX, Gurzau A, Healy SM, Lu X, Ma M, Yip L, Zakharyan RA, Maiorino RM, Dart RC, Tircus MG, Gonzalez-Ramirez D, Morgan DL, Avram D & Aposhian MM (2000) Occurrence of monomethylarsonous acid in urine of humans exposed to inorganic arsenic. *Chem Res Pharmacol*, **13**: 693–697.
- Arbouine MW & Wilson HK (1992) The effect of seafood consumption on the assessment of occupational exposure to arsenic by urinary arsenic speciation. *J Trace Elem Electrolytes Health Dis*, **6**: 153–160.
- Arle HF & Hamilton KC (1971) Topical applications of DSMA and MSMA in irrigated cotton. *Weed Sci*, **19**(5): 545–547.
- Armstrong BK, McNulty JC, Levitt LJ, Williams KA & Hobbs MST (1979) Mortality in gold and coal miners in Western Australia with special reference to lung cancer. *Br J Ind Med*, **36**: 199–205.
- Armstrong CW, Stroube RB, Rubio T, Siudyla EA & Miller GB Jr (1984) Outbreak of fatal arsenic poisoning caused by contaminated drinking water. *Arch Environ Health*, **39**: 276–279.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Arrighi HM & Hertz-Picciotto I (1996) Controlling the healthy worker survivor effect: an example of arsenic exposure and respiratory cancer. *Occup Environ Med*, **53**: 455–462.

Aschengrau A, Zierler S & Cohen A (1989) Quality of community drinking water and the occurrence of spontaneous abortion. *Arch Environ Health*, **44**(5): 283–289.

Asher CJ & Reay PF (1979) Arsenic uptake by barley seedlings. *Aust J Plant Physiol*, **6**: 459–466.

Astolfi E, Maccagno A, Garcia Fernandez JC, Vaccaro R & Stimola R (1981) Relation between arsenic in drinking water and skin cancer. *Biol Trace Elem Res*, **3**(2): 133–143.

ATSDR (1993) Toxicological profile for arsenic. TP-92/02. Atlanta, GA, Agency for Toxic Substances and Disease Registry, U.S. Department of Health & Human Services.

ATSDR (2000) Toxicological Profile for Arsenic (update). Atlanta, GA, Agency for Toxic Substances and Disease Registry, U.S. Department of Health & Human Services.

Attar KM, El Faer MZ, Rawdah TN & Tawabini BS (1992) Levels of arsenic in fish from the Arabian Gulf. *Mar Pollut Bull*, **24**(2): 94–97.

Aurilio AC, Mason RP & Hemond HF (1994) Speciation and fate of arsenic in three lakes of the Aberjona watershed. *Environ Sci Technol*, **28**(4): 577–585.

Axelsson O, Dahlgren E, Jansson CD & Rehnlund SO (1978) Arsenic exposure and mortality: a case-referent study from a Swedish copper smelter. *Br J Ind Med*, **35**: 8–15.

Azcue JM, Mudroch A, Rosa F & Hall GEM (1994a) Effects of abandoned gold mine tailings on the arsenic concentrations in water and sediments of Jack of Clubs Lake, BC. *Environ Technol*, **15**(7): 669–678.

Azcue JM, Nriagu JO & Schiff S (1994b) Role of sediment porewater in the cycling of arsenic in a mine-polluted lake. *Environ Int*, **20**(4): 517–527.

Babich H, Martin-Alguacil N & Borenfreund E (1989) Arsenic-selenium interactions determined with cultured fish cells. *Toxicol Lett*, **45**: 157–164.

Baker MD, Inniss WE, Mayfield CI, Wong PTS & Chau YK (1983a) Effect of pH on the methylation of mercury and arsenic by sediment microorganisms. *Environ Technol Lett*, **4**: 89–100.

Baker MD, Wong PTS, Chau YK, Mayfield CI & Inniss WE (1983b) Methylation of arsenic by freshwater green algae. *Can J Fish Aquat Sci*, **40**: 1254–1257.

Baker RS, Arle HF, Miller JH & Holstun JT (1969) Effects of organic arsenical herbicides on cotton response and chemical residues. *Weed Sci*, **17**: 37–40.

## References

---

- Baldi F, Bianco MA & Pepi M (1995) Mercury, arsenic and boron resistant bacteria isolated from the phyllosphere as positive bioindicators of airborne pollution near geothermal plants. *Sci Total Environ*, **164**(2): 99–107.
- Ball AL, Rom WN & Glenne B (1983) Arsenic distribution in soil surrounding the Utah copper smelter. *Am Ind Hyg Assoc J*, **44**(5): 341–348.
- Barbaris B & Betterton EA (1996) Initial snow chemistry survey of the Mogollon Rim in Arizona. *Atmos Environ*, **30**(17) 3093–3103.
- Barbaud A, Mougeolle JM & Schmutz JL (1995) Contact hypersensitivity to arsenic in a crystal factory worker. *Contact Dermatitis*, **33**: 272–273.
- Barchowsky A, Dudek EJ, Treadwell MD & Wetterhahn KE (1996) Arsenic induces oxidant stress & NF-B activation in cultured aortic endothelial cells. *Free Radical Biol Med*, **21**: 783–790.
- Barrows ME, Petrocelli SR, Macek KJ & Carroll JJ (1980) Bioconcentration and elimination of selected water pollutants by bluegill sunfish (*Lepomis macrochirus*). In: Haque R ed. Dynamics, exposure and hazard assessment of toxic chemicals. Ann Arbor, MI, Ann Arbor Science Publishers, pp 379–392.
- Barry GA, Chudek PJ, Best EK & Moody PW (1995) Estimating sludge application rates to land based on heavy metal and phosphorus sorption characteristics of soil. *Water Res*, **29**(9): 2031–2034.
- Bartolomé B, Cordoba S, Nieto S, Fernandez-Herrera J & Garcia-Diez A (1999) Acute arsenic poisoning: clinical and histopathological features. *Br J Dermatol*, **141**: 1106–1109.
- Bates MN, Smith AH & Cantor KP (1995) Case-control study of bladder cancer and arsenic in drinking water. *Am J Epidemiol*, **141**: 523–530.
- Baxley MN, Hood RD, Vedel GC, Harrison WP & Szczech GM (1981) Prenatal toxicity of orally administered sodium arsenite in mice. *Bull Environ Contam Toxicol*, **26**: 749–756.
- Beard HC & Lyerly LA (1961) Separation of arsenic from antimony and bismuth by solvent extraction. *Anal Chem*, **33**(12) 1781–1782.
- Beauchemin D, Siu KWM, McLaren JW & Berman SS (1989) Determination of arsenic species by high-performance liquid chromatography-inductively coupled plasma mass spectrometry. *J Anal At Spectrom*, **4**: 285–289.
- Beavington F & Cawse PA (1978) Comparative studies of trace elements in air particulate in northern Nigeria. *Sci Total Environ*, **10**: 239–244.
- Beceiro-Gonzalez E, Gonzalez-Soto E, Lopez-Mahia P & Prada-Rodriguez D (1997) Total arsenic and selenium levels in atmospheric particulate matter of La Coruna (Spain). *Sci Total Environ*, **208**: 207–211.
- Bech J, Poschenrieder C, Llugany M, Barceló J, Tume P, Tobias FJ, Barranzuela JL &

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Vásquez ER (1997) Arsenic and heavy metal contamination of soil and vegetation around a copper mine in Northern Peru. *Sci Total Environ*, **203**: 83–91.

Becket WAS, Moore JL, Keogh JP & Bleecker ML (1986) Acute encephalopathy due to occupational exposure to arsenic. *Br J Ind Med*, **43**: 66–67.

Beckman L & Nordenson I (1986) Interaction between some common genotoxic agents. *Hum Hered*, **36**: 397–401.

Bekemeier H & Hirschelmann R (1989) Reactivity of resistance blood vessels ex vivo after administration of toxic chemicals to laboratory animals: arteriolotoxicity. *Toxicol Lett*, **49**: 49–54.

Bell E, Sher S, Hull B, Merrill C, Rose S, Chamson A, Asselineau D, Dubertwot L, Coulomb B & Lapiere C, Nusgens B, Neveux Y (1983) The reconstitution of living skin. *J Invest Dermatol*, **81**: 2s–10s.

Belzile N (1988) The fate of arsenic in sediments of the Laurentian Trough. *Geochim Cosmochim Acta*, **52**: 2293–2302.

Bencko V & Symon K (1969) Dynamics of arsenic accumulation in hairless mice after per oral administration. *J Hyg Epidemiol Microbiol Immunol*, **13**: 248–253.

Bencko V, Dvorak V & Symon K (1973) Organ retention of parenterally administered arsenic (labeled with <sup>74</sup>As) in mice preliminarily exposed to the element in drinking water: a study in arsenic tolerance. *J Hyg Epidemiol Microbiol Immunol*, **17**: 165–168.

Bencko V, Rossner P, Havrankova H, Puzanova A & Tucek M (1978) Effects of the combined action of selenium & arsenic on mice versus suspension culture of mice fibroblasts. In: Fours JR, Gut I eds. *Industrial and environmental xenobiotics. In vitro versus in vivo biotransformation and toxicity*. Amsterdam, Excerpta Medica, pp 312–316.

Bengtsson BE & Bergstrom B (1987) A flowthrough fecundity test with *Nitocra spinipes* (Harpacticoida, crustacea) for aquatic toxicity. *Ecotoxicol Environ Saf*, **14**(3): 260–268.

Benramdane L, Accominotti M, Fanton L, Malicier D & Vallon J-J (1999) Arsenic speciation in human organs following fatal arsenic trioxide poisoning: A case report. *Clin Chem*, **45**: 301–306.

Benson AA & Summons RE (1981) Arsenic accumulation in Great Barrier Reef invertebrates. *Science*, **211**: 482–483.

Benson AA, Katayama M & Knowles FC (1988) Arsenate metabolism in aquatic plants. *Appl Organomet Chem*, **2**: 349–352.

Benson LM, Porter EK & Peterson PJ (1981) Arsenic accumulation, tolerance, and geotypic variation in plants on arsenical mine wastes in S.W. England. *J Plant Nutr*, **3**(1–4): 655–666.

Berg T, Røyset O & Steinnes E (1995a) Moss (*Hylocomium splendens*) used as

## References

---

- biomonitor of atmospheric trace element deposition: estimation of uptake efficiencies. *Atmos Environ*, **29**(3): 353–360.
- Berg T, Røyset O, Steinnes E & Vadset M (1995b) Atmospheric trace element deposition: Principal component analysis of ICP-MS data from moss samples. *Environ Pollut*, **88**(1): 67–77.
- Bertholf LM & Pilon JE (1941) Studies on toxicity to honeybees of acid lead arsenate, calcium arsenate, phenothiazine and cryolite. *J Econ Entomol*, **34**(1): 24–33.
- Bertolero F, Marafante E, Rade JE, Pietra R & Sabbioni E (1981) Biotransformation and intracellular binding of arsenic in tissues of rabbits after intraperitoneal administration of <sup>74</sup>As labelled arsenite. *Toxicology*, **20**(1): 35–44.
- Bertolero F, Pozzi G, Sabbioni E & Saffiotti U (1987) Cellular uptake and metabolic reduction of pentavalent to trivalent arsenic as determinants of cytotoxicity and morphological transformation. *Carcinogenesis*, **8**: 803–808.
- Beyer WN & Cromartie EJ (1987) A survey of Pb, Cu, Zn, Cd, Cr, As, and Se in earthworms and soil from diverse sites. *Environ Monit Assess*, **8**(1): 27–36.
- BGS (British Geological Survey) (2000) [http://www.bgs.ac.uk/arsenic/bphase1/B\\_find.htm#](http://www.bgs.ac.uk/arsenic/bphase1/B_find.htm#)
- BGS & DPHE (2001). Arsenic contamination of groundwater in Bangladesh. Kinniburgh DG & Smedley PL ed. Vol 2: Final report. British Geological Survey Report WC/00/19 Keyworth, UK, British Geological Survey.
- Bhumbla DK & Keefer RF (1994) Arsenic mobilization and bioavailability in soils. In: Nriagu JO ed. *Arsenic in the environment: Part I: Cycling and characterization*. New York, John Wiley & Sons, pp 51–82.
- Biesinger KE & Christensen GM (1972) Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. *J Fish Res Board Can*, **29**: 1691–1700.
- Binder S, Forney D, Kaye W & Paschal D (1987) Arsenic exposure in children living near a copper smelter. *Bull Environ Contam Toxicol*, **39**: 114–121.
- Birge WJ (1978) Aquatic toxicology of trace elements of coal and fly ash. In: Thorp JH & Gibbons JW ed. *Energy and stress in aquatic systems*. Springfield, VA, NTIS, pp 219–240.
- Birge WJ, Hudson JE, Black JA & Westerman AG (1978) Embryo-larval bioassays on inorganic coal elements and *in situ* biomonitoring of coal-waste effluents. In: Samuel DE, Stauffer JR, Hocutt CH & Mason WT ed. *Surface mining and fish/wildlife needs in the Eastern United States* (PB 298353). Springfield, VA, NTIS, pp 97–104.
- Bishop RF & Chisholm D (1962) Arsenic accumulation in Annapolis valley orchard soils.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Can J Soil Sci, **42**: 77–80.

Biswas BK, Dhar RK, Samanta G, Mandal BK, Chakraborti D, Faruk I, Islam KS, Chowdhury MM, Islam A & Roy S (1998) Detailed study report of Samta, one of the arsenic-affected villages of Jessore District, Bangladesh. *Curr Sci*, **74**(2): 134–145.

Blackwell RQ & Yang TH, Ai I (1961) Preliminary report on arsenic levels in water and food from the endemic blackfoot area. *J Formos Med Assoc*, **60**: 1139–1140.

Blakley BR, Sisodia CS & Mukkur TK (1980) The effect of methylmercury, tetraethyl lead, and sodium arsenite on the humoral immune response in mice. *Toxicol Appl Pharmacol*, **52**: 245–254.

Blanck H & Wängberg S-Å (1988a) Induced community tolerance in marine periphyton established under arsenate stress. *Can J Fish Aquat Sci*, **45**: 1816–1819.

Blanck H & Wängberg S-Å (1988b) Validity of an ecotoxicological test system: short-term and long-term effects of arsenate on marine periphyton communities in laboratory systems. *Can J Fish Aquat Sci*, **45**(10) 1807–1815.

Blanck H & Wängberg S-Å (1991) Pattern of cotolerance in marine periphyton communities established under arsenate stress. *Aquat Toxicol*, **21**(1/2): 1–14.

Blasco F (1975) Réduction partielle de l'arséniate en arsénite et exsorption de l'arsenic par *Chlorella pyrenoidosa*. *Physiol Vég*, **13**(2): 185–201.

Blot W & Fraumeni JF Jr (1975) Arsenical air pollution and lung cancer. *Lancet*, **2**: 142–144.

Blum JJ (1966) Phosphate uptake by phosphate-starved *Euglena*. *J Gen Physiol*, **49**: 1125–1136.

Blus LJ, Neely BS, Lamont TG & Mulhern B (1977) Residues of organochlorines and heavy metals in tissues and eggs of brown pelicans, 1969–1973. *Pestic Monit J*, **11**(1): 40–53.

Boampong C, Brindle ID, Le XC, Pidwerbesky L & Ceccarelli-Ponzoni CM (1988) Interference reduction by L-cysteine in the determination of arsenic by hydride generation. *Anal Chem*, **60**: 1185–1188.

Bodewig FG, Valenta P & Nürnberg HW (1982) Trace determination of As(III) and As(V) in natural waters by differential pulse anodic stripping voltammetry. *Fresenius Z Anal Chem*, **311**: 187–191.

Bohn A (1975) Arsenic in marine organisms from West Greenland. *Mar Pollut Bull*, **6**(6): 87–89.

Bolla-Wilson K & Bleecker ML (1987) Neuropsychological impairment following inorganic

## References

---

- arsenic exposure. *J Occup Med*, **29**: 500–503.
- Bollinger CT, van Zijl P & Louw JA (1992) Multiple organ failure with the adult respiratory distress syndrome in homicidal arsenic poisoning. *Respiration*, **59**: 57–61.
- Borgmann U, Cove R & Loveridge C (1980) Effects of metals on the biomass production kinetics of freshwater copepods. *Can J Fish Aquat Sci*, **37**: 567–575.
- Borgono JM, Vicent P, Venturino H & Infante A (1977) Arsenic in the drinking water of the city of Antofagasta: epidemiological and clinical study before and after the installation of a treatment plant. *Environ Health Perspect*, **19**: 103–105.
- Borum DR & Abernathy CO (1994) Human oral exposure to inorganic arsenic. In: Chappell WR, Abernathy CO, & Cothorn CR eds. *Arsenic exposure and health*. London, Science, pp 21–29.
- Borzsonyi M, Bereczky A, Rudnai P, Csanady M & Horvath A (1992) Epidemiological studies on human subjects exposed to arsenic in drinking water in Southeast Hungary. *Arch Toxicol*, **66**: 77–78.
- Bottino NR, Newman RD, Cox ER, Stockton R, Hoban M, Zingaro RA & Irgolic KJ (1978) The effects of arsenate and arsenite on the growth and morphology of the marine unicellular algae *Tetraselmis chuii* (Chlorophyta) and *Hymenomonas carterae* (Chrysophyta). *J Exp Mar Biol Ecol*, **33**: 153–168.
- Bowen HJM (1979) *Elemental chemistry of the elements*. London, Academic Press.
- Boyce AP & Verme IJ (1954) Toxicity of arsenite debarkers to deer in Michigan. *Proceedings of the 16th Midwest Wildlife Conference, 1954, St Louis, Mo.* Cited in NAS (1977).
- Boyle RW & Jonasson IR (1973) The geochemistry of arsenic and its use as an indicator element in geochemical prospecting. *J Geochem Explor*, **2**: 251–296.
- Braman RS & Foreback CC (1973) Methylated forms of arsenic in the environment. *Science*, **182**: 1247–1249.
- Brannon JM & Patrick WH (1987) Fixation, transformation, and mobilization of arsenic in sediments. *Environ Sci Technol*, **21**(5): 450–459.
- Brayer AF, Callahan CM, Wax PM (1997) Acute arsenic poisoning from ingestion of 'snakes'. *Pediatr Emerg Care*, **13**(6): 394–396.
- Bright DA, Coedy B, Dushenko WT & Reimer KJ (1994) Arsenic transport in a watershed receiving gold mine effluent near Yellowknife, Northwest Territories, Canada. *Sci Total Environ*, **155**(3): 237–252.
- Bright DA, Dodd M & Reimer KJ (1996) Arsenic in subArctic lakes influenced by gold

## ***EHC 224: Arsenic and Arsenic Compounds***

---

mine effluent: the occurrence of organoarsenicals and 'hidden' arsenic. *Sci Total Environ*, **180**: 165–182.

Brimblecombe P (1979) Atmospheric arsenic. *Nature*, **280**: 104–105.

Bringmann G & Kühn R (1977) Grenzwerte der Schädwirkung wassergefährdender Stoffe gegen Bakterien (*Pseudomonas putida*) und Grünalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest. *Z Wasser Abwasser Forsch*, **10**: 87–98.

Bringmann G & Kühn R (1978) Testing of substances for their toxicity threshold: model organisms *Microcystis (Diplocystis) aeruginosa* and *Scenedesmus quadricauda*. *Mitt Int Ver Limnol*, **21**: 275–284.

Brockbank CI & Batley GE, Low GC (1988) Photochemical decomposition of arsenic species in natural waters. *Environ Technol Lett*, **9**(12): 1361–1366.

Brooke PJ & Evans WH (1981) Determination of total inorganic arsenic in fish, shellfish and fish products. *Analyst* **106**(1262): 514–520.

Brouwer OF, Okenhout W, Edelbroek PM, de Kom JFM, de Wolff FA & Peters ACB (1992) Increased neurotoxicity of arsenic in methylenetetrahydrofolate reductase deficiency. *Clin Neurol Neurosurg*, **94**: 307–310.

Brown CC & Chu KC (1983a) Implications of the multistage theory of carcinogenesis applied to occupational arsenic exposure. *J Natl Cancer Inst*, **70**: 455–463.

Brown CC & Chu KC (1983b) A new method for the analysis of cohort studies: implications of the multistage theory of carcinogenesis applied to occupational arsenic exposure. *Environ Health Perspect*, **50**: 293–308.

Brown IR & Rush SJ (1984) Induction of a 'stress' protein in intact mammalian organs after the intravenous administration of sodium arsenite. *Biochem Biophys Res Commun*, **120**: 150–155.

Brown JL & Kitchin KT (1996) Arsenite, but not cadmium, induces ornithine decarboxylase and heme oxygenase in rat liver: relevance to arsenic carcinogenesis. *Cancer Lett*, **98**: 227–231.

Brown JL, Kitchin KT & George M (1997) Dimethylarsinic acid treatment alters six different rat biochemical parameters: relevance to arsenic carcinogenesis. *Teratogenesis Carcinog Mutagen*, **17**: 71–84.

Brown LM, Pottern LM & Blot JW (1984) Lung cancer in relation to environmental pollutants emitted from industrial sources. *Environ Res*, **34**: 250–261.

Brown RM, Newton D, Pickford CJ & Sherlock JC (1990) Human metabolism of arsenobetaine ingested with fish. *Human Exp Toxicol*, **9**: 41–46.

Brumbaugh WG, Ingersoll CG, Kemble NE, May TW & Zajicek JL (1994) Chemical

## References

---

characterization of sediments and pore water from the upper Clark Fork River and Milltown Reservoir, Montana. *Environ Toxicol Chem*, **13**(12) 1971–1983.

Bryant V, Newbery DM, McLusky DS & Campbell R (1985) Effect of temperature and salinity on the toxicity of arsenic to three estuarine invertebrates (*Corophium volutator*, *Macoma balthica*, *Tubifex costatus*). *Mar Ecol Progr Ser*, **24**: 129–137.

Bröer S, Ji G, Bröer A & Silver S (1993) Arsenic efflux governed by the arsenic resistance determinant of *Staphylococcus aureus* plasmid pI258. *J Bacteriol*, **175**(11): 3480–3485.

Buchancova J, Klimentova G, Knizkova M, Mesko D, Galikova E, Kubik J, Fabianova E & Jakubis M. (1998) Health status of workers of a thermal power station exposed for prolonged periods to arsenic and other elements from fuel. *Cent Eur J Public Health*, **6**(1): 29–36.

Buchet J & Lison D (1998) Mortality by cancer in groups of the Belgian population with a moderately increased intake of arsenic. *Int Arch Environ Health*, **71**: 125–130.

Buchet JP & Lauwerys R (1981) Evaluation of exposure of inorganic arsenic in man. In: Facchetti S ed. *Analytical techniques for heavy metals in biological fluids*. Amsterdam, Elsevier Science, pp 75–90.

Buchet JP & Lauwerys R (1985) Study of inorganic arsenic methylation by rat liver in vitro: relevance for the interpretation of observations in man. *Arch Toxicol*, **57**: 125–129.

Buchet JP & Lauwerys R (1987) Study of factors influencing the in vivo methylation of inorganic arsenic in rats. *Toxicol Appl Pharmacol*, **91**: 65–74.

Buchet JP & Lauwerys R (1988) Role of thiols in the in vitro methylation of inorganic arsenic by rat liver cytosol. *Biochem Pharmacol*, **37**: 3149–3153.

Buchet JP, Roels H, Lauwerys R, Bruaux P, Thoreau-Claeys F, Lafontaine A & Verduyn G (1980) Repeated surveillance of exposure to cadmium, manganese, and arsenic in school-age children living in rural, urban, and nonferrous smelter areas in Belgium. *Environ Res*, **22**: 95–108.

Buchet JP, Lauwerys R & Roels H (1981a) Comparison of the urinary excretion of arsenic metabolites after a single oral dose of sodium arsenite, monomethylarsonate, or dimethylarsinate in man. *Int Arch Occup Environ Health*, **48**: 71–79.

Buchet JP, Lauwerys R & Roels H (1981b) Urinary excretion of inorganic arsenic and its metabolites after repeated ingestion of sodium metaarsenite by volunteers. *Int Arch Occup Environ Health*, **48**: 111–118.

Buchet JP, Geubel A, Pauwels S, Mahieu P & Lauwerys R (1984) The influence of liver disease on the methylation of arsenite in humans. *Arch Toxicol*, **55**: 151–154.

Buchet JP, Pauwels J & Lauwerys R (1994) Assessment of exposure to inorganic arsenic following ingestion of marine organisms by volunteers. *Environ Res*, **66**: 44–51.

Buchet JP, Lauwerys RR & Yager JW (1995) Lung retention & bioavailability of arsenic

## ***EHC 224: Arsenic and Arsenic Compounds***

---

after single intratracheal administration of sodium arsenite, sodium arsenate, fly ash & copper smelter dust in the hamster. *Environ Geochem Health*, **17**: 182–188.

Buchet JP, Lison D, Ruggeri M, Foa V & Elia G (1996) Assessment of exposure to inorganic arsenic, a human carcinogen, due to the consumption of seafood. *Arch Toxicol*, **70**: 773–778.

Buck WM, Osweiler GD & VanGelder GA (1976) Arsenic I: Inorganic, aliphatic and trivalent organic arsenicals. In: *Clinical and diagnostic veterinary toxicology*, 2nd ed. Dubuque, Kendall-Hunt, pp 281–288.

Budd K & Craig SR (1981) Resistance to arsenate toxicity in the bluegreen alga *Synechococcus leopoliensis*. *Can J Bot*, **59**: 1518–1521.

Budd K, Casey JR & MacArthur JD (1986) Arsenite toxicity and arsenite tolerance in the cyanobacterium *Synechococcus leopoliensis*. *Can J Bot*, **64**: 2433–2440.

Buhl KJ & Hamilton SJ (1990) Comparative toxicity of inorganic contaminants released by placer mining to early life stages of salmonids. *Ecotoxicol Environ Saf*, **20**(3): 325–342.

Buhl KJ & Hamilton SJ (1991) Relative sensitivity of early life stages of arctic grayling, coho salmon, and rainbow trout to nine inorganics. *Ecotoxicol Environ Saf*, **22**(2): 184–197.

Buiatti E, Kriebel D, Geddes M, Santucci M & Pucci N (1985) A case control study of lung cancer in Florence, Italy. I. Occupational risk factors. *J Epidemiol Community Health*, **39**: 244–250.

Bulbulyan MA, Jourenkova NJ, Boffetta P, Astashevsky SV, Mukeria AF & Zaridze DG (1996) Mortality in a cohort of Russian fertilizer workers. *Scand J Work Environ Health*, **22**(1): 27–33.

Burkhard EG, Dutkiewicz VA & Husain L (1994) A study of SO<sub>2</sub>, SO<sub>4</sub><sup>2-</sup> and trace elements in clear air and clouds above the midwestern United States. *Atmos Environ*, **28**(8): 1521–1533.

Burleson FG, Simeonova PP, Germolec DR & Luster MI (1996) Dermatotoxic chemical stimulate of c-jun and c-fos transcription and AP-1 binding in human keratinocytes. *Res. Commun Molec Pathol Pharmacol*, **93**: 131–148.

Burns LA, Sikorski EE, Saady JJ & Munson AE (1991) Evidence for arsenic as the immunosuppressive component of gallium arsenide. *Toxicol Appl Pharmacol*, **110**: 157–169.

Burns LA, McCay JA, Brown R & Munson AE (1993) Arsenic in the sera of gallium arsenide-exposed mice inhibits bacterial growth and increases host resistance. *J Pharmacol Exp Ther*, **265**(2): 795–800.

Burton GA (1987) Occurrence of bacterial resistance to arsenite, copper, and selenite in

## References

---

- adverse habitats. *Bull Environ Contam Toxicol*, **39**(6): 990–997.
- Burton GA, Lazorchak JM, Waller WT & Lanza GR (1987) Arsenic toxicity changes in the presence of sediment. *Bull Environ Contam Toxicol*, **38**(3): 491–499.
- Bustamante J, Dock L, Vahter M, Fowler B & Orrenius S (1997) The semiconductor arsenic and indium induce apoptosis in rat thymocytes. *Toxicology*, **118**: 129–136.
- Byrd JT (1988) The seasonal cycle of arsenic in estuarine and nearshore waters of the South Atlantic Bight. *Mar Chem*, **25**: 383–394.
- Byrne AR & Tusek-Znidaric M (1983) Arsenic accumulation in the mushroom *Laccaria amethystina*. *Chemosphere*, **12**: 1113–1117.
- Callahan MA, Slimak MW, Gabel NW, May IP, Fowler CF, Freed JR, Jennings P, Durfee RL, Whitmore FC, Maestri B, Mabey WR, Holt BR & Gould C (1979) Water-related environmental fate of 129 priority pollutants. Vol I. Introduction and technical background, metals and inorganics, pesticides and PCBs. EPA-440/4-79-029a. Washington, DC, U.S. Environmental Protection Agency, Office of Water Planning and Standards.
- Caltabiano MM, Koesler TP, Poste G & Greig RG (1986) Induction of 32- and 34-kDa stress proteins by sodium arsenite, heavy metals, and thiol-reactive agents. *J Biol Chem*, **261**: 13381–13386.
- Camardese MB, Hoffman DJ, LeCaptain LJ & Pendleton GW (1990) Effects of arsenate on growth and physiology in mallard ducklings. *Environ Toxicol Chem*, **9**(6): 785–795.
- Capar SG & Yess NJ (1996) US Food and Drug administration survey of cadmium, lead and other elements in clams and oysters. *Food Add Contam*, **13**(5): 553–560.
- Carbonell-Barrachina AA, Aarabi MA, DeLaune RD, Gambrell RP & Patrick WH (1998) The influence of arsenic chemical form and concentration on *Spartina patens* and *Spartina alterniflora* growth and tissue arsenic concentration. *Plant Soil*, **198**: 33–43.
- Cardwell RD, Foreman DG, Payne TR & Wilbur DJ (1976) Acute toxicity of selected toxicants to six species of fish. EPA/600/3-76/008. Duluth, MN: U.S. Environmental Protection Agency.
- Carey PL, McLaren RG & Adams JA (1996) Sorption of cupric, dichromate and arsenate ions in some New Zealand soils. *Water Air Soil Pollut*, **87**(1–4): 189–203.
- Carlin A, Shi W, Dey S & Rosen BP (1995) The *ars* operon of *Escherichia coli* confers arsenical and antimonial resistance. *J Bacteriol*, **177**(4): 981–986.
- Carlson CL & Carlson CA (1994) Impacts of coal pile leachate on a forested wetland in South Carolina. *Water Air Soil Pollut*, **72**: 89–109.
- Carmignani M, Boscolo P & Iannaccone A (1983) Effects of chronic exposure to arsenate

## ***EHC 224: Arsenic and Arsenic Compounds***

---

on the cardiovascular function of rats. *Br J Ind Med*, **40**: 280–284.

Carmignani M, Boscolo P & Castellino N (1985) Metabolic fate and cardiovascular effects of arsenic in rats and rabbits chronically exposed to trivalent and pentavalent arsenic. *Arch Toxicol Suppl*, **8**: 452–455.

Carpenter R, Peterson ML & Jahnke RA (1978) Sources, sinks, and cycling of arsenic in the Puget Sound region. In: Wiley ML ed. *Estuarine interactions*. New York, Academic Press, pp 459–480.

Carpenter SJ (1987) Developmental analysis of cephalic axial dysraphic disorders. *Anat Embryol*, **176**: 345–365.

Castilla MI, Cortazar Y & Buigues JP (1993) Determination of arsenic (III/IV) by X-ray fluorescence spectroscopy in waters. *Agrochimica*, **37**(3): 211–218.

Cebrian ME, Albores A, Aguilar M & Blakely E (1983) Chronic arsenic poisoning in the North of Mexico. *Human Toxicol*, **2**: 121–133.

Cebrian ME, Albores A, Connelly JC & Bridges JW (1988) Assessment of arsenic effects on cytosolic heme status using tryptophan pyrrolase as an index. *J Biochem Toxicol*, **3**: 77–86.

Cervantes C (1995) Bacterial resistance to arsenic compounds. *Rev Latinoam Microbiol*, **37**(4): 387–395.

Ch'i IC & Blackwell RQ (1968) A controlled retrospective study on blackfoot disease, an endemic peripheral gangrene disease in Taiwan. *Am J Epidemiol*, **88**: 7–24.

Chaineau E, Binet S, Pol D, Chatellier G & Meininger V (1990) Embryotoxic effects of sodium arsenite and sodium arsenate on mouse embryos in culture. *Teratology*, **41**: 105–112.

Chakraborti D, Adams F & Irgolic KJ (1986) Compound-specific determination of arsenite at sub-nanogram concentrations in freshwater and seawater. *Fresenius Z Anal Chem*, **323**(4): 340–342.

Chakraborti D, Das D, Chatterjee A, Jin Z & Jiang SG (1992) Direct determination of some heavy metals in urban air particulates by electrothermal atomic absorption spectrometry using Zeeman background correction after simple acid decomposition. Part IV: Application to Calcutta air particulates. *Environ Technol*, **13**(1): 95–100.

Chakraborti D, Samanta G, Mandal BK, Roy Chowdhury T, Chanda CR, Biswas BK, Dhar RK, Basu GK & Saha KC (1998) Calcutta's industrial pollution: Groundwater arsenic contamination in a residential area and sufferings of people due to industrial effluent discharge – an eight-year study report. *Curr Sci*, **74**(4): 346–355.

Challenger F (1945) Biological methylation. *Chem Rev*, **36**: 315–361.

Chan TYK (1994) The prevalence use and harmful potential of some Chinese herbal

## References

---

- medicines in babies and children. *Vet Human Toxicol*, **36**(3): 238–240.
- Chang TK, Shyu GS, Lin YP & Chang NC (1999) Geostatistical analysis of soil arsenic content in Taiwan. *J Environ Sci Health A: Toxic Hazardous Subst Environ Eng*, **34**(7): 1485–1501.
- Chang WC, Chen SH, Wu HL, Shi GY, Murota S & Morita I (1991) Cytoprotective effect of reduced glutathione in arsenical-induced endothelial cell injury. *Toxicology*, **69**: 101–110.
- Chappell J, Chiswell B & Olszowy H (1995) Speciation of arsenic in a contaminated soil by solvent extraction. *Talanta*, **42**(3): 323–329.
- Chatterjee A & Mukherjee A (1999) Hydrogeological investigation of ground water arsenic contamination in South Calcutta. *Sci Total Environ*, **225**(3): 249–262.
- Chatterjee A, Das D & Chakraborti D (1993) A study of ground water contamination by arsenic in the residential area of Behala, Calcutta due to industrial pollution. *Environ Pollut*, **80**: 57–65.
- Chatterjee A, Das D, Mandal BK, Chowdhury TR, Samanta G & Chakraborti D (1995) Arsenic in ground water in six districts of West Bengal, India: the biggest arsenic calamity in the world. Part 1. Arsenic species in drinking water and urine of the affected people. *Analyst*, **120**: 643–650.
- Chen C-J & Wang C-J (1990) Ecological correlation between arsenic level in well water and age-adjusted mortality from malignant neoplasms. *Cancer Res*, **50**: 5470–5474.
- Chen C-J, Chuang Y-C, Lin T-M & Wu H-Y (1985) Malignant neoplasms among residents of a blackfoot disease endemic area in Taiwan: high-arsenic artesian well water and cancers. *Cancer Res*, **45**: 5895–5899.
- Chen C-J, Chuang Y-C, You S-L, Lin T-M & Wu H-Y (1986) A retrospective study on malignant neoplasms of bladder, lung and liver in blackfoot disease endemic area in Taiwan. *Br J Cancer*, **53**: 399–405.
- Chen C-J, Kuo TL & Wu MM (1988a) Arsenic and cancers. *Lancet*, **1**: 414–415.
- Chen C-J, Wu M-M, Lee S-S, Wang J-D, Cheng S-H & Wu H-Y (1988b) Atherogenicity and carcinogenicity of high-arsenic artesian well water. Multiple risk-factors and related malignant neoplasms of blackfoot disease. *Arteriosclerosis*, **8**: 452–460.
- Chen C-J, Chen CW, Wu MM & Kuo TL (1992) Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. *Br J Cancer*, **66**: 888–892.
- Chen C-J, Hsueh Y-M, Lai M-S, Shyu M-P, Chen S-Y, Wu M-M, Kuo T-L & Tai T-Y (1995) Increased prevalence of hypertension and long-term arsenic exposure. *Hypertension*, **25**: 53–60.
- Chen C-J, Chiou H-Y, Chiang M-H, Lin L-J & Tai T-Y (1996) Dose-response relationship between ischemic heart disease mortality and long-term arsenic exposure. *Arterioscler*

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Thromb Vasc Biol, **16**(4): 504–510.

Chen GS, Asai T, Suzuki Y, Nishioka K & Nishiyama S (1990) A possible pathogenesis for Blackfoot disease. *J Dermatol*, **17**: 599–608.

Chen KP & Wu HY (1962) Epidemiologic studies on blackfoot disease 2. A study of source of drinking water in relation to the disease. *J Formos Med Assoc*, **61**: 611–618.

Chen KP, Wu HY & Wu TC (1962) Epidemiologic studies on blackfoot disease in Taiwan: III. Physicochemical characteristics of drinking water in endemic blackfoot disease areas. *Mem Coll Med Natl Taiwan Univ*, **8**: 115–129.

Chen SL, Dzung SR, Yang MH, Chiu KH, Shieh GM & Wai CM (1994) Arsenic species in groundwaters of the blackfoot disease area, Taiwan. *Environ Sci Technol*, **28**(5): 877–881.

Cheng CN & Focht DD (1979) Production of arsine and methylarsines in soil and in culture. *Appl Environ Microbiol*, **38**(3): 494–498.

Chiang H-S, Guo H-R, Hong C-L, Lin S-M & Lee E-F (1993) The incidence of bladder cancer in the blackfoot disease endemic area in Taiwan. *Br J Urol*, **71**: 274–8.

Chiang HS, Hong CL, Guo HR, Lee EF & Chen TY (1988) Comparative study on the high prevalence of bladder cancer in the blackfoot disease endemic area in Taiwan. *Taiwan I Hsueh Hui Tsa Chih*, **87**: 1074–1080.

Chilvers DC & Peterson PJ (1987) Global cycling of arsenic. In: Hutchinson TC & Meema KM ed. *Lead, mercury, cadmium and arsenic in the environment*. Chichester, John Wiley & Sons, pp 279–303.

Chin KV, Tanaka S, Darlington G, Pastan I & Gottesman MM (1990) Heat shock and arsenite increase expression of the multidrug resistance (MDR1) gene in human renal carcinoma cells. *J Biol Chem*, **265**: 221–226.

Chiou H-Y, Hsueh Y-M, Liaw K-F, Horng S-F, Chiang M-H, Pu Y-S, Lin JS-N, Huang C-H & Chen C-J (1995) Incidence of internal cancers and ingested inorganic arsenic: a seven-year follow-up study in Taiwan. *Cancer Res*, **55**: 1296–1300.

Chiou H-Y, Huang W-I, Su C-L, Chang S-F, Hsu Y-H & Chen C-J (1997a) Dose-response relationship between prevalence of cerebrovascular disease and ingested inorganic arsenic. *Stroke*, **28**: 1717–1723.

Chiou PW-S, Chen K-L & Yu B (1997b) Effects of roxarsone on performance, toxicity, tissue accumulation and residue of eggs and excreta in laying hens. *J Sci Food Agric*, **74**: 229–236.

Chiou H-Y, Chiou S-T, Hsu Y-H, Tseng C-H, Wei M-L & Chen C-J (2001) Incidence of transitional cell carcinoma and arsenic in drinking water: A follow-up study of 8102

## References

---

- residents in an arseniasis-endemic area in Northeastern Taiwan. *Am J Epidemiol*, **153**: 411–418.
- Chisholm D & MacPhee AW (1972) Persistence and effects of some pesticides in soil. *J Econ Entomol*, **65**(4): 1010–1013.
- Choucair AK & Ajox ET (1988) Hair and nails in arsenical neuropathy. *Ann Neurol*, **23**: 628–629.
- Chowdhury TR, Mandal BK, Samanta G, Basu GK, Chowdhury PP, Chanda CR, Karan NK, Lodh D, Dhar RK, Das D, Saha KC & Chakraborti D (1997) Arsenic in groundwater in six districts of West Bengal, India: Arsenic in groundwater in six districts of West Bengal, India: the biggest arsenic calamity in the world: the status report up to August, 1995. In: Abernathy CO, Calderon RL, & Chappell WR ed. *Arsenic. Exposure and health effects*. London, Chapman & Hall, pp 93–112.
- Chrostek WJ, Elesh E & Taylor JS (1980) Health Hazard Evaluation Report. Jeannette Glass Company, Jeannette, PA. HE 80-19-765. Cincinnati, OH, National Institute for Occupational Health.
- Chunguo C & Zihui L (1988) Chemical speciation and distribution of arsenic in water, suspended solids and sediment of Xiangjiang River, China. *Sci Total Environ*, **77**(1): 69–82.
- Chutke NL, Ambulkar MN & Weginwar RG, Garg AN (1994) Substoichiometric isotope dilution analysis of arsenic in biological and environmental standard reference materials by solvent extraction using toluene-3,4-dithiol in benzene. *J Radioanal Nucl Chem*, **185**(1): 145–156.
- Chutke NL, Ambulkar MN & Garg AN (1995) An environmental pollution study from multielemental analysis of pedestrian dust in Nagpur city, Central India. *Sci Total Environ*, **164**(3): 185–194.
- Civantos DP, Lopez Rodriguez A, Aguado-Borruey JM & Julia Narvaez JA (1995) Fulminant malignant arrhythmia and multiorgan failure in acute arsenic poisoning. *Chest*, **108**(6): 1774–1775.
- Clark DR, Cantu R, Cowman DF & Maxson DJ (1998) Uptake of arsenic and metals by tadpoles at an historically contaminated Texas site. *Ecotoxicology*, **7**: 61–67.
- Clement WH & Faust SD (1981) The release of arsenic from contaminated sediments and muds. *J Environ Sci Health*, **A16**(1): 87–122.
- Cockell KA & Hilton JW (1985) Chronic toxicity of dietary inorganic and organic arsenicals to rainbow trout (*Salmo gairdneri* R.). *Fed Proc*, **44**(4): 938.
- Cockell KA & Hilton JW (1988) Preliminary investigations on the comparative chronic toxicity of four dietary arsenicals to juvenile rainbow trout (*Salmo gairdneri* R.). *Aquat*

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Toxicol, **12**: 73–82.

Cockell KA, Hilton JW & Bettger WJ (1991) Chronic toxicity of dietary disodium arsenate heptahydrate to juvenile rainbow trout (*Oncorhynchus mykiss*). Arch Environ Contam Toxicol, **21**(4): 518–527.

Coles DG, Ragaini RC, Ondov JM, Fisher GL, Silberman D, Prentice BA (1979) Chemical studies of stack fly ash from a coal-fired power plant. Environ Sci Technol, **13**(4): 455–459.

Collecchi P, Esposito M, Brera S, Mora E, Mazzucotelli A & Oddone M (1985) The distribution of arsenic and cobalt in patients with laryngeal carcinoma. J Appl Toxicol, **6**: 287–289.

Collinson LP & Dawes IW (1995) Isolation, characterization & overexpression of the yeast gene, GLR1, encoding glutathione reductase. Gene, **156**: 123–127.

Concha G, Nermell B & Vahter M (1998a) Metabolism of inorganic arsenic in children with chronic high arsenic exposure in Northern Argentina. Environ Health Perspec, **106**: 355–359.

Concha G, Nermell B & Vahter M (1998b) Exposure to inorganic arsenic metabolites during early human development. Toxicol Sci, **44**(2): 185–90.

Concha G, Vogler G, Nermell B & Vahter M (1998c) Low-level arsenic excretion in breast milk of native Andean women exposed to high levels of arsenic in the drinking water. Int Arch Occup Environ Health, **71**: 42–46.

Conway HL (1978) Sorption of arsenic and cadmium and their effects on growth, micronutrient utilization, and photosynthetic pigment composition of *Asterionella formosa*. J Fish Res Board Can, **35**: 286–294.

Cook D (1953) Chemi-peeling and wildlife. NY State Conserv, **7**(6): 8.

Cordier S, Thériault G & Iturra H (1983) Mortality pattern in a population living near a copper smelter. Environ Res, **31**: 311–322.

Corr JJ (1997) Measurement of molecular species of arsenic and tin using elemental and molecular dual mode analysis by ionspray mass spectrometry. J Anal At Spectrom, **12**: 537–546.

Corr JJ & Larsen EH (1996) Arsenic speciation by liquid chromatography coupled with ionspray tandem mass spectrometry. J Anal At Spectrom, **11**: 1215–1224.

Counts JL & Goodman JI (1995) Alterations in DNA methylation may play a variety of roles in carcinogenesis. Cell, **83**: 13–15.

Cowell BC (1965) The effects of sodium arsenite and silvex on the plankton populations in farm ponds. Trans Am Fish Soc, **94**: 371–377.

## References

---

- Cox CD & Ghosh MM (1994) Surface complexation of methylated arsenates by hydrous oxides. *Water Res*, **28**(5): 1181–1188.
- Cox DP & Alexander M (1973) Production of trimethylarsine gas from various arsenic compounds by three sewage fungi. *Bull Environ Contam Toxicol*, **9**: 84–88.
- Crane RK & Lipmann F (1953) The effect of arsenate on aerobic phosphorylation. *J Biol Chem*, **201**: 235–243.
- Crearley JE (1973) Arsenic contamination of Finfeather and Municipal Lakes in the City of Bryan. Austin, TX, Texas Water Quality Board.
- Crecelius EA (1975) The geochemical cycle of arsenic in Lake Washington and its relation to other elements. *Limnol Oceanogr*, **20**: 441–451.
- Crecelius EA (1978) Modification of the arsenic speciation technique using hydride generation. *Anal Chem*, **50**(6): 826–827.
- Crecelius EA, Bothner MH & Carpenter R (1975) Geochemistries of arsenic, antimony, mercury, and related elements in sediments of Puget Sound. *Environ Sci Technol*, **9**(4): 325–333.
- Crecelius EA, Bloom NS, Cowan CE & Jenne EA (1986) Speciation of selenium and arsenic in natural waters and sediments: arsenic speciation. Research Report, EA-4641, Vol 2. Palo Alto, CA, EPRI (Electrical Power Research Institute).
- Crecelius EA, Apts CW, Binger LS & Cotter OA (1994) The cycling of arsenic species in coal-fired power plant cooling reservoirs. In: Nriagu JO ed. *Arsenic in the environment: Part I: Cycling and characterization*. New York, John Wiley & Sons, pp 83–97.
- Crossen PE (1983) Arsenic and SCE in human lymphocytes. *Mutat Res*, **119**: 415–419.
- Cruz AC, Fomsgaard IS & Lacayo J (1994) Lead, arsenic, cadmium and copper in Lake Asososca, Nicaragua. *Sci Total Environ*, **155**(3): 229–236.
- Cullen NM, Wolf LR & St Clair D (1995) Pediatric arsenic ingestion. *Am J Emerg Med*, **13**: 432–435.
- Cullen WR & Reimer KJ (1989) Arsenic speciation in the environment. *Chem Rev*, **89**(4): 713–764.
- Cullen WR, Froese CL, Lui A, McBride BC, Patmore DJ & Reimer M (1977) The aerobic methylation of arsenic by microorganisms in the presence of L-methionine-methyl-d<sub>3</sub>. *J Organomet Chem*, **139**: 61–69.
- Cullen WR, McBride BC & Pikett AW (1979a) The transformation of arsenicals by *Candida humicola*. *Can J Microbiol*, **25**: 1201–1205.
- Cullen WR, McBride BC & Reimer M (1979b) Induction of the aerobic methylation of arsenic by *Candida humicola*. *Bull Environ Contam Toxicol*, **21**: 157–161.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Cullen WR, McBride BC & Reglinski J (1984a) The reaction of methylarsenicals with thiols: some biological implications. *J Inorg Biochem*, **21**: 179–194.

Cullen WR, McBride BC & Reglinski J (1984b) The reduction of trimethylarsine oxide to trimethylarsine by thiols: a mechanistic model for the biological reduction of arsenicals. *J Inorg Biochem*, **21**: 45–60.

Cullen WR, Li H, Pergantis SA, Eigendorf GK & Harrison LG (1994) The methylation of arsenate by a marine alga *Polyphysa peniculus* in the presence of L-methionine-methyl-3. *Chemosphere*, **28**(5): 1009–1019.

Curtis MW, Copeland TL & Ward CH (1979) Acute toxicity of 12 industrial chemicals to freshwater and saltwater organisms. *Water Res*, **13**: 137–141.

Custer TW & Hohman WL (1994) Trace elements in canvasbacks (*Aythya valisineria*) wintering in Louisiana, USA, 1987–1988. *Environ Pollut*, **84**(3): 253–259.

Cuzick J, Sasieni P & Evans S (1992) Ingested arsenic, keratoses, and bladder cancer. *Am J Epidemiol*, **136**: 417–421.

Da Costa EWB (1972) Variation in the toxicity of arsenic compounds to microorganisms and the suppression of the inhibitory effects by phosphate. *Appl Microbiol*, **23**(1): 46–53.

Dabeka RW, McKenzie AD, Lacroix GMA, Cleroux C, Bowe S, Graham RA & Conacher HBS (1993) Survey of arsenic in total diet food composites and estimation of the dietary intake of arsenic by Canadian adults and children. *J AOAC Int*, **76**: 14–25.

Daghir NJ & Hariri NN (1977) Determination of total arsenic residues in chicken eggs. *J Agric Food Chem*, **25**(5): 1009–1010.

Dang HS, Jaiswal DD & Somasundaram S (1983) Distribution of arsenic in humans tissues and milk. *Sci Total Environ*, **29**: 171–175.

Darland JE & Inskeep WP (1997) Effects of pH and phosphate competition on the transport of arsenate. *J Environ Qual*, **26**: 1133–1139.

Das D, Chatterjee A, Mandal BK, Samanta G & Chakraborti D (1995) Arsenic in ground water in six districts of West Bengal, India: the biggest arsenic calamity in the world. Part 2. Arsenic concentration in drinking water, hair, nails, urine, skin-scale and liver tissue (biopsy) of the affected people. *Analyst*, **120**: 917–924.

Das D, Samanta G, Mandal BK, Chowdhury TR, Chanda CR, Chowdhury PP, Basu GK & Chakraborti D (1996) Arsenic in groundwater in six districts of West Bengal, India. *Environ Geochem Health*, **18**: 5–15.

Das T, Roy Choudhury A, Sharma A & Talukder G (1993) Modification of clastogenicity of three known clastogens by garlic extract in mice in vivo. *Environ Mol Mutagen*, **21**: 383–

## References

---

388.

Davenport JR & Peryea FJ (1991) Phosphate fertilizers influence leaching of lead and arsenic in a soil contaminated with lead arsenate. *Water Air Soil Pollut*, **58**: 101–110.

Davidson CI, Goold WD, Mathison TP, Wiersma GB, Brown KW & Reilly MT (1985) Airborne trace elements in Great Smoky Mountains, Olympic, and Glacier National Parks. *Environ Sci Technol*, **19**(1): 27–35.

Davies PJ (1974) Arsenic in sediments on the continental shelf of southeast Australia. *Search*, **5**(8): 394–397.

Davis A, Ruby MV & Bergstrom PD (1992) Bioavailability of arsenic and lead in soils from the Butte, Montana, mining district. *Environ Sci Technol*, **26**: 461–468.

Davis RD, Beckett PHT & Wollan E (1978) Critical levels of twenty potentially toxic elements in young spring barley. *Plant Soil*, **49**: 395–408.

de Bettencourt AMM (1988) On arsenic speciation in the Tagus Estuary. *Neth J Sea Res*, **22**(3): 205–212.

De Koe T (1994) *Agrostis castellana* and *Agrostis delicatula* on heavy metal and arsenic enriched sites in NE Portugal. *Sci Total Environ*, **145**(1/2): 103–109.

De Sastre MSR, Varillas A, Kirschbaum P (1992) Arsenic content in water in the northwest area of Argentina. Arsenic in the environment and its incidence on health (International seminar proceedings), 1992, Universidad de Chile (Santiago). pp 91–99.

DeKimpe J, Cornelis R, Mees L & Vanholder R (1996) Basal metabolism of intraperitoneally injected carrier-free <sup>74</sup>As-labeled arsenate in rabbits. *Fundam Appl Toxicol*, **34**: 240–248.

Deknudt G, Leonard A, Arany J, Jenar-Du Boisson G & Delavignette E (1986) In vivo studies in male mice on the mutagenic effects of inorganic arsenic. *Mutagenesis*, **1**: 33–34.

Del Razo LM, Arellano MA, Cebrián ME (1990) The oxidation states of arsenic in well-water from a chronic arsenicism area of northern Mexico. *Environ Pollut*, **64**(2): 143–153.

Delnomdedieu M, Basti MM, Otvos JD & Thomas DJ (1993) Transfer of arsenite from glutathione to dithiols: a model of interaction. *Chem Res Toxicol*, **6**(5): 598–602.

Delnomdedieu M, Basti MM, Otvos JD & Thomas DJ (1994a) Reduction of binding of arsenate and dimethylarsinate by glutathione: a magnetic resonance study. *Chem Biol Interact*, **90**: 139–155.

Delnomdedieu M, Basti MM, Otvos JD & Thomas DJ (1994b) Complexation of arsenic species in rabbit erythrocytes. *Chem Res Toxicol*, **7**: 621–627.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Deuel LE & Swoboda AR (1972a) Arsenic solubility in a reduced environment. *Soil Sci Soc Am Proc*, **36**: 276–278.

Deuel LE & Swoboda AR (1972b) Arsenic toxicity to cotton and soybeans. *J Environ Qual*, **1**(3): 317–320.

DFG (Deutsche Forschungsgemeinschaft) (1999) List of MAK and BAT Values 1999. Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area, Report No 35. Weinheim, Wiley-VCH.

DG Environment (2000) Ambient air pollution by As, Cd and Ni compounds. Position paper, Final version, October 2000. Brussels, European Commission DG Environment.

Dhar RK, Biswas BK, Samanta G, Mandal BK, Chakraborti D, Roy S, Farar A, Islam A, Ara G, Kabir S, Khan AW, Ahmed SA & Hadi SA (1997) Groundwater arsenic calamity in Bangladesh. *Curr Sci*, **73**(1): 48–59.

Diamadopoulos E, Ioannidis S & Sakellariopoulos GP (1993) As(v) removal from aqueous solutions by fly ash. *Water Res*, **27**(12) 1773–1777.

Diamond ML (1995) Application of a mass balance model to assess in-place arsenic pollution. *Environ Sci Technol*, **29**(1): 29–42.

Diaz-Barriga F, Llamas E, Mejia JJ, Carrizales L, Santoyo ME, Vega-Vega L & Yanez L (1990) Arsenic-cadmium interaction in rats. *Toxicology*, **64**: 191–203.

Diaz-Barriga F, Santos MA, Mejia JD, Batres L, Yanez L, Carrizales L, Vera E, Razo LM Del & Cebrian ME (1993) Arsenic and cadmium exposure in children living near a smelter complex in San Luis Pososi, Mexico. *Environ Res*, **62**: 242–250.

Dickens R & Hiltbold AE (1967) Movement and persistence of methanearsonates in soil. *Weeds*, **15**: 299–304.

Ding H, Wang J, Dorsey JG & Caruso JA (1995) Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection. *J Chrom A*, **694**: 425–431.

Dmuchowski W & Bytnerowicz A (1995) Monitoring environmental pollution in Poland by chemical analysis of Scots pine (*Pinus sylvestris* L.) needles. *Environ Pollut*, **87**(1): 87–104.

Dolan R, Loon J Van, Templeton D & Paudyn A (1990) Assessment of ICP-MS for routine multielement analysis of soil samples in environmental trace element studies. *Fresenius J Anal Chem*, **336**(2): 99–105.

Domingo JL, Bosque MA & Piera V (1991) *meso*-2,3-dimercaptosuccinic acid and prevention of arsenite embryotoxicity and teratogenicity in the mouse. *Fundam Appl*

## References

---

- Toxicol, **17**: 314–320.
- Done AK & Peart AJ (1971) Acute toxicities of arsenical herbicides. *Clin Toxicol*, **4**: 343–355.
- Dong JT & Luo XM (1994) Effects of arsenic on DNA damage and repair in human fetal lung fibroblasts. *Mutat Res*, **315**: 11–15.
- Doyle MO & Otte ML (1997) Organism-induced accumulation of iron, zinc and arsenic in wetland soils. *Environ Pollut*, **96**(1): 1–11.
- Dubreuilh W (1910) Kératose arsenicale et cancer arsenical. *Ann Derm Syph*, **1**: 65–83.
- Dudas MJ (1984) Enriched levels of arsenic in post-active acid sulfate soils in Alberta. *Soil Sci Soc Am J*, **48**: 1451–1452.
- Dudas MT (1987) Accumulation of native arsenic in acid sulphate soils in Alberta, Canada. *J Soil Sci*, **67**: 317–331.
- Dudka S & Markert B (1992) Baseline concentrations of AS, Ba, Be, Li, Nb, Sr and V in surface soils of Poland. *Sci Total Environ*, **122**(3): 279–290.
- Dulout FN, Grill CA, Seoane AI, Maderna CR, Nilsson R, Vahter M, Darroudi F & Natarajan AT (1996) Chromosomal aberrations in peripheral blood lymphocytes from native Andean women and children from Northwestern Argentina exposed to arsenic in drinking water. *Mutat Res*, **370**: 151–158.
- Dwyer FJ, Burch SA, Ingersoll CG & Hunn JB (1992) Toxicity of trace element and salinity mixtures to striped bass (*Morone saxatilis*) and *Daphnia magna*. *Environ Toxicol Chem*, **11**: 513–520.
- Ebdon L, Walton AP, Millward GE & Whitfield M (1987) Methylated arsenic species in estuarine porewaters. *Appl Organomet Chem*, **1**: 427–433.
- Ebdon L, Hill S, Walton AP & Ward RW (1988) Coupled chromatography–atomic spectrometry for arsenic speciation – a comparative study. *Analyst*, **113**: 1159–1165.
- Edmonds JS & Francesconi KA (1977) Methylated arsenic from marine fauna. *Nature*, **265**: 436.
- Edmonds JS & Francesconi KA (1981a) Arseno-sugars from brown kelp (*Ecklonia radiata*) as intermediates in cycling of arsenic in a marine ecosystem. *Nature*, **289**: 602–604.
- Edmonds JS & Francesconi KA (1981b) Isolation and identification of arsenobetaine from the American lobster *Homarus americanus*. *Chemosphere*, **10**(9): 1041–1044.
- Edmonds JS & Francesconi KA (1981c) The origin and chemical form of arsenic in the school whiting. *Mar Pollut Bull*, **12**(3): 92–96.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Edmonds JS & Francesconi KA (1987a) Transformations of arsenic in the marine environment. *Experientia*, **43**: 553–557.

Edmonds JS & Francesconi KA (1987b) Trimethylarsine oxide in estuary catfish (*Cnidogobius macrocephalus*) and school whiting (*Sillago bassensis*) after oral administration of sodium arsenate; and as a natural component of estuary catfish. *Sci Total Environ*, **64**: 317–323.

Edmonds JS & Francesconi KA (1988a) The methylation of arsenic by marine macroalgae. In: Craig PJ & Glockling F ed. *The biological alkylation of heavy elements. Proceedings of a conference, 17–18 September 1987, London. Special Publication No. 66.* Cambridge, Royal Society of Chemistry, pp 138–141.

Edmonds JS & Francesconi KA (1988b) The origin of arsenobetaine in marine animals. *Appl Organomet Chem*, **2**: 297–302.

Edmonds JS & Francesconi KA (1993) Arsenic in seafoods: human health aspects and regulations. *Marine Pollut Bull*, **26**(12) 665–674.

Edmonds JS, Francesconi KA & Hansen JA (1982) Dimethylarsylethanol from anaerobic decomposition of brown kelp (*Ecklonia radiata*): a likely precursor of arsenobetaine in marine fauna. *Experientia*, **38**: 643–644.

Edmonds JS, Shibata Y, Francesconi KA, Yoshinaga J & Morita M (1992) Arsenic lipids in the digestive gland of the western rock lobster *Panulirus cygnus*: An investigation by HPLC ICP-MS. *Sci Total Environ*, **122**(3): 321–335.

Eguchi N, Kuroda K & Endo G (1997) Metabolites of arsenic induced tetraploids and mitotic arrest in cultured cells. *Arch Environ Contam Toxicol*, **32**: 141–145.

Eisler R (1988) Arsenic hazards to fish, wildlife, and invertebrates: a synoptic review. *Biological Report 85*(1.12). Laurel, MD, U.S. Department of the Interior,

Elfving DC, Stehn RA, Pakkala IS & Lisk DJ (1979) Arsenic content of small mammals indigenous to old orchard soils. *Bull Environ Contam Toxicol*, **21**: 62–64.

Elfving DC, Wilson KR, Ebel JG, Manzell KL, Gutenmann WH & Lisk DJ (1994) Migration of lead and arsenic in old orchard soils in the Georgian Bay region of Ontario. *Chemosphere*, **29**(2): 407–413.

Elkhatib EA, Bennett OL & Wright RJ (1984) Arsenite sorption and desorption in soils. *Soil Sci Soc Am J*, **48**(5): 1025–1030.

Endo G, Kuroda K, Okamoto A & Horiguchi S (1992) Dimethylarsenic acid induces tetraploids in Chinese hamster cells. *Bull Environ Contam Toxicol*, **48**: 131–137.

Engel R & Smith A (1994) Arsenic in drinking water and mortality from vascular disease: an ecologic analysis in 30 counties in the United States. *Arch Environ Health*, **49**:

## References

---

418–427.

Engman J & Jorhem L (1998) Toxic and essential elements in fish from Nordic waters with the results seen from the perspective of analytical quality assurance. *Food Add Contam*, **15**: 884–892.

Enserink EL, Maas-Diepeveen JL & Van Leeuwen CJ (1991) Combined effects of metals; an ecotoxicological evaluation. *Water Res*, **25**(6): 679–687.

Enterline PE (1983) Sorting out multiple causal factors in individual cases. In: Chiazzè L, Lundin FE, Watkins D eds. *Methods and issues in occupational and environmental epidemiology*. Ann Arbor, MI, Ann Arbor Science, pp 177–182.

Enterline PE & Marsh GM (1980) Mortality studies of smelter workers. *Am J Ind Med*, **1**: 251–259.

Enterline PE & Marsh GM (1982) Cancer among workers exposed to arsenic and other substances in a copper smelter. *Am J Epidemiol*, **116**(6): 895–911.

Enterline PE, Henderson VL & Marsh GM (1987a) Exposure to arsenic and respiratory cancer. A reanalysis. *Am J Epidemiol*, **125**: 929–938.

Enterline PE, Marsh GM, Esmen NA, Henderson VL, Callahan CM & Paik M (1987b) Some effects of cigarette smoking, arsenic, and SO<sub>2</sub> on mortality among US copper smelter workers. *J Occup Med*, **29**: 831–841.

Enterline PE, Day R & Marsh GM (1995) Cancers related to exposure to arsenic at a copper smelter. *Occup Environ Med*, **52**: 28–32.

ERG (1997) Report on the Expert panel on arsenic carcinogenicity: Review and workshop, Prepared by Eastern Research Group, Inc. 110 Hartwell Avenue, Lexington, MA 02173, EPA contract No. 68-C6-0041. Washington, DC, National Center for Environmental Assessment, U.S. Environmental Protection Agency.

Erry BV, Macnair MR, Meharg AA, Shore RF & Newton I (1999) Arsenic residues in predatory birds from an area of Britain with naturally and anthropogenically elevated arsenic levels. *Environ Pollut*, **106**(1): 91–95.

Esser KB (1996) Reference concentrations for heavy metals in mineral soils, oat, and orchard grass (*Dactylis glomerata*) from three agricultural regions in Norway. *Water Air Soil Pollut*, **89**(3/4): 375–397.

Esteban M, Arino C, Ruisanchez I, Larrechi MS & Rius FX (1994) Expert system for the voltammetric determination of trace metals, Part IV. Methods for speciation of chromium and arsenic. *Anal Chim Acta*, **285**: 193–208.

Ettajani H, Amiard-Triquet C, Jeantet AY & Amiard JC (1996) Fate and effects of soluble or sediment-bound arsenic in oysters (*Crassostrea gigas* Thun.). *Arch Environ Contam*

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Toxicol, **31**(1): 38–46.

Falk H, Caldwell GG, Ishak KG, Thomas LB & Popper H (1981a) Arsenic-related hepatic angiosarcoma. *Am J Ind Med*, **2**: 43–50.

Falk H, Herbert J, Crowley S, Ishak KG, Thomas LB, Popper H & Caldwell GG (1981b) Epidemiology of hepatic angiosarcoma in the United States: 1964–1974. *Environ Health Perspect*, **41**: 107–113.

Falkner KC, McCallum GP & Bend JR (1993a) Effects of arsenite treatment on NAD(P)H:quinone acceptor oxidoreductase activity in liver, lung, kidney and heart of the rat. *Drug Metab Dispos*, **21**: 334–337.

Falkner KC, McCallum GP, Cherian MG & Bend JR (1993b) Effects of acute sodium arsenite administration on the pulmonary chemical metabolizing enzymes, cytochrome P-450 monooxygenase, NAD(P)H:quinone acceptor oxidoreductase and glutathione S-transferase in guinea pig: comparison with effects in liver and kidney. *Chem Biol Interactions*, **86**: 51–68.

Fargasová A (1994a) Comparative toxicity of five metals on various biological subjects. *Bull Environ Contam Toxicol*, **53**(2): 317–324.

Fargasová A (1994b) Effect of Pb, Cd, Hg, As, and Cr on germination and root growth of *Sinapis alba* seeds. *Bull Environ Contam Toxicol*, **52**(3): 452–456.

Farmer JG & Lovell MA (1986) Natural enrichment of arsenic in Loch Lomond sediments. *Geochim Cosmochim Acta*, **50**: 2059–2067.

Farmer JG & Johnson LR (1990) Assessment of occupational exposure to inorganic arsenic based on urinary concentrations and speciation of arsenic. *Br J Ind Med*, **47**(5): 342–348.

Faust SD, Winka A, Belton T & Tucker R (1983) Assessment of the chemical and biological significance of arsenical compounds in a heavily contaminated watershed. Part II. Analysis and distribution of several arsenical species. *J Environ Sci Health*, **A18**(3): 389–411.

Faust SD, Winka AJ & Belton T (1987a) An assessment of chemical and biological significance of arsenical species in the Maurice River drainage basin (N.J.). Part I. Distribution in water and river and lake sediments. *J Environ Sci Health*, **22A**(3): 209–237.

Faust SD, Winka AJ & Belton T (1987b) An assessment of chemical and biological significance of arsenical species in the Maurice River drainage basin (N.J.). Part II. Partitioning of arsenic into bottom sediments. *J Environ Sci Health*, **22A**(3): 239–262.

Featherstone AM, Butler ECV, O'Grady BV & Michel P (1998) Determination of arsenic species in sea water by hydride generation atomic fluorescence spectroscopy. *J Anal*

## References

---

- Energy Spectrom, **13**(12) 1355–1360.
- Feldman RG, Niles CA, Kelly-Hayes M, Sax DS, Dixon WJ, Thompson DJ & Landau E (1979) Peripheral neuropathy in arsenic smelter workers. *Neurology*, **29**: 939–944.
- Ferguson JF & Gavis J (1972) A review of the arsenic cycle in natural waters. *Water Res*, **6**: 1259–1274.
- Ferm VH & Hanlon DP (1985) Constant rate exposure of pregnant hamsters to arsenate during early gestation. *Environ Res*, **37**: 425–432.
- Ferreccio C, Gonzalez C, Solari J & Noder C (1996) Bronchopulmonary cancer in workers exposed to arsenic: a case control study. *Rev Med Chil*, **124**(1): 119–123.
- Ferreccio C, Psych CG, Stat VM, Gredis GM & Sancha AM (1998) Lung cancer and arsenic exposure in drinking water: a case-control study in northern Chile. *Cad Saude Publica* **14**(Suppl 3): 193–198.
- Ferreccio C, Gonzalez C, Milosavjlevic V, Marshall G, Sancha AM & Smith AH (2000) Lung cancer and arsenic concentrations in drinking water in Chile. *Epidemiology*, **11**: 673–679.
- Fesmire FM, Schauben JL & Roberge RJ (1988) Survival following massive arsenic ingestion. *Am J Emerg Med*, **6**: 602–606.
- Fierz U (1965) Catamnestic research into the side effects of inorganic arsenotherapy in skin diseases. *Dermatologica*, **131**: 41–58.
- Fincher RME & Koerker RM (1987) Long term survival in acute arsenic encephalopathy follow-up using newer measures of electrophysiologic parameters. *Am J Med*, **82**: 549–552.
- Fisher DL (1982) Cultured rat embryo accumulation of DNA, RNA, and protein following maternal administration of sodium arsenate. *Environ Res*, **28**: 1–9.
- Flanjak J (1982) Inorganic and organic arsenic in some commercial East Australian crustacea. *J Sci Food Agric*, **33**(6): 579–83.
- Florence TM, Stauber JL & Ahsanullah M (1994) Toxicity of nickel ores to marine organisms. *Sci Total Environ*, **148**: 139–156.
- Foa V, Colombi A, Maroni M, Buratti M & Calzaferri G (1984) The speciation of the chemical forms of arsenic in the biological monitoring of exposure to inorganic arsenic. *Sci Total Environ*, **34**: 241–259.
- Fordyce FM, Williams TM, Palittapapoon A & Charoenchaisei P (1995) Hydrogeochemistry of arsenic in an area of chronic mining-related arsenism, Ron Phibun

## ***EHC 224: Arsenic and Arsenic Compounds***

---

District. Keyworth, UK: British Geological Survey.

Forget J, Pavillon JF, Menasria MR & Bocquené G (1998) Mortality and LC<sub>50</sub> values for several stages of the marine copepod *Tigriopus brevicornis* (Müller) exposed to the metals arsenic and cadmium and the pesticides atrazine, carbofuran, dichlorvos, and malathion. *Ecotoxicol Environ Saf*, **40**: 239–244.

Fowler SW & Ünlü MY (1978) Factors affecting bioaccumulation and elimination of arsenic in the shrimp *Lysmata seticaudata*. *Chemosphere*, **7**(9): 711–720.

Francesconi KA, Micks P, Stockton RA & Irgolic KJ (1985) Quantitative determination of arsenobetaine, the major water-soluble arsenical in three species of crab, using high pressure liquid chromatographic and an inductively coupled argon plasma emission spectrometer as the arsenic-specific detector. *Chemosphere*, **14**(10) 1443–1453.

Francesconi KA, Edmonds JS & Stick RV (1989) Accumulation of arsenic in yelloweye mullet (*Aldrichetta forsteri*) following oral administration of organoarsenic compounds and arsenate. *Sci Total Environ*, **79**(1): 59–67.

Franke KW & Moxon AL (1936) A comparison of the minimum fatal doses of selenium, tellurium, arsenic and vanadium. *J Pharm Exp Ther*, **58**: 454–459.

Freeman GB, Johnson JD, Killinger JM, Liao SC, Davis OA, Ruby MV, Chaney RL, Lovre SC & Bergstrom PD (1993) Bioavailability of arsenic in soil impacted by smelter activities following oral administration in rabbits. *Fundam Appl Toxicol*, **21**: 83–88.

Freeman GB, Schoof RA, Ruby MV, Davis OA, Dill JA, Liao SC, Lapin CA & Bergstrom PD (1995) Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. *Fundam Appl Toxicol*, **28**: 215–222.

Freeman HC, Uthe JF, Fleming RB, Odense PH, Ackman RG, Landry G & Musial C (1979) Clearance of arsenic ingested by man from arsenic contaminated fish. *Bull Environ Contam Toxicol*, **22**: 224–229.

Freeman JW & Couch JR (1956) Prolonged encephalopathy with arsenic poisoning. *Neurology*, **28**: 853–855.

Freeman MC (1985) The reduction of arsenate to arsenite by an *Anabaena*-bacteria assemblage isolated from the Waikato River. *N Z J Mar Freshw Res*, **19**: 277–282.

Freeman MC, Aggett J & O'Brien G (1986) Microbial transformations of arsenic in Lake Ohakuri, New Zealand. *Water Res*, **20**(3): 283–294.

Frost F, Harter L, Milham S, Royce R, Smith AH, Hartley J & Enterline P (1987) Lung cancer among women residing close to an arsenic emitting copper smelter. *Arch Environ Health*, **42**: 148–152.

Gailer J & Irgolic KJ (1996) Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column

## References

---

- with benzenesulfonates as ion-pairing reagents. *J Chromatogr A*, **730**: 219–229.
- Gaines TB (1960) The acute toxicity of pesticides to rats. *Toxicol Appl Pharm*, **2**: 88–99.
- Gaines TB & Linder RE (1986) Acute toxicity of pesticides in adult and weanling rats. *Fundam Appl Toxicol*, **7**: 299–308.
- Galba J (1972) [Desorption of arsenates from soil by water]. (in Slovakian) *Pol'nohospodarstvo*, **18**(11) 945–952.
- Galy P, Touraine R, Brune J, Gallois P, Roudier P, Loire R, Lheureux P & Wiesendanger T (1963a) Les cancers broncho-pulmonaires de l'intoxication arsenicale chronique chez les viticulteurs du Beaujolais. *Lyon Méd*, **43**: 735–744.
- Galy P, Touraine R, Brune J, Roudier R & Gallois P (1963b) Le cancer pulmonaire d'origine arsenical des vigneronns du Beaujolais. *J Fr Med Chir Thorac*, **17**: 303–311.
- Gao S & Burau RG (1997) Environmental factors affecting rates of arsine evolution from and mineralization of arsenicals in soil. *J Environ Qual*, **26**: 753–763.
- Garcia-Vargas G, Cebrian ME, Albores A, Lim CK & De Matteis F (1995) Time-dependent porphyric response in mice subchronically exposed to arsenic. *Hum Exp Toxicol*, **14**(6): 475–483.
- Garland M, Morris JS, Rosner BA, Stampfer MJ, Spate VL, Baskett CJ, Willett WC & Hunter DJ (1993) Toenail trace element levels as biomarkers: reproducibility over a 6-year period. *Cancer Epidemiol Biomarkers Prev*, **2**: 493–497.
- Geiszinger A, Goessler W, Kuehnelt D, Francesconi K & Kosmus W (1998) Determination of arsenic compounds in earthworms. *Environ Sci Technol*, **32**(15) 2238–2243.
- George GM, Frahm LJ & McDonnell JP (1973) Dry ashing method for determination of total arsenic in animal tissues: collaborative study. *J AOAC Int*, **56**(4): 793–797.
- George RK & Roscoe RS (1951) Microdetermination of arsenic and its application to biological material. *Anal Chem*, **23**(6): 914–919.
- Georis B, Cardenas A, Buchet JP & Lauwerys R (1990) Inorganic arsenic methylation by rat tissue slices. *Toxicology*, **63**: 73–84.
- Gerhardsson L, Dahlgren E, Eriksson A, Lagerkvist BEA, Lundstrom J & Nordberg GF (1988) Fatal arsenic poisoning – a case report. *Scand J Work Environ Health*, **14**: 130–133.
- German J (1984) The embryonic stress hypothesis of teratogenesis. *Am J Med*, **76**: 293–301.
- German J & Louie E, Banerjee D (1986) The heat-shock response in vivo: experimental induction during mammalian organogenesis. *Teratogen Carcinog Mutagen*, **6**: 555–562.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Germolec DR, Spalding J, Boorman GA, Wilmer JL, Yoshida T, Simeonova PP, Bruccoleri A, Kayama F, Gaido K, Tennant R, Burleson F, Dong W, Lang RW & Luster MI (1997) Arsenic can mediate skin neoplasia by chronic stimulation of keratinocyte-derived growth factors. *Mutat Res*, **386**: 209–281.

Geubel AP, Mairlot MC, Buchet JP, Dive C & Lauwerys R (1988) Abnormal methylation capacity in human liver cirrhosis. *Int J Clin Pharm Res*, VIII: 117–122.

Geyer L (1898) Über die chronischen Hautveränderungen beim Arsenicismus und Betrachtungen über die Masserkrankungen in Reichenstein in Schlesien. *Arch Derm Syphilol* (Berlin), **43**: 221–280.

Gibbs PE, Langston W, Burt GR & Pascoe PL (1983) *Tharyx marioni* (Polychaeta): a remarkable accumulator of arsenic. *J Mar Biol Assoc UK*, **63**: 313–325.

Gibson DP, Brauning R, Shaffi HS, Kerckaert GA, LeBoeuf RA, Isfort RJ & Aardema MJ (1997) Induction of micronuclei in Syrian hamster embryo cells: comparison to results in the SHE cell transformation assay for national toxicology program test chemicals. *Mutat Res*, **392**: 61–70.

Giddings JM & Eddlemon GK (1977) The effects of microcosm size and substrate type on aquatic microcosm behavior and arsenic transport. *Arch Environ Contam Toxicol*, **6**: 491–505.

Ginsburg JM & Lotspeich WD (1963) Interrelations of arsenate and phosphate in the dog kidney. *Am J Physiol*, **205**: 707–714.

Gjerde DT, Wiederin DR, Smith FG & Mattson BM (1993) Metal speciation by means of microbore columns with direct-injection nebulization by inductively coupled plasma atomic emission spectroscopy. *J Chromatogr*, **640**: 73–78.

Glooschenko WA & Arafat N (1988) Atmospheric deposition of arsenic and selenium across Canada using Sphagnum moss as a biomonitor. *Sci Total Environ*, **73**(3): 269–275.

Goebel HH, Schmidt PF, Bohl J, Tettenborn B, Kramer G & Gutmann L (1990) Polyneuropathy due to acute arsenic intoxication: biopsy studies. *J Neuropathol Exp Neurol*, **49**: 137–149.

Goede AA (1985) Mercury, selenium, arsenic and zinc in waders from the Dutch Wadden Sea. *Environ Pollut*, **37**: 287–309.

Goering PL, Maronpot RR & Fowler BA (1988) Effect of intratracheal gallium arsenide administration on  $\alpha$ -aminolevulinic acid dehydratase in rats: relationship to urinary excretion of aminolevulinic acid. *Toxicol Appl Pharmacol*, **92**: 179–193.

Goldberg S & Glaubig RA (1988) Anion sorption on a calcareous, montmorillonitic soil – arsenic. *Soil Sci Soc Am J*, **52**(5): 1297–1300.

## References

---

- Golding LA, Timperley MH & Evans CW (1997) Non-lethal responses of the freshwater snail *Potamopyrgus antipodarum* to dissolved arsenic. *Environ Monit Assess*, **47**(3): 239–254.
- Goldstein SH & Babich H (1989) Differential effects of arsenite and arsenate to *Drosophila melanogaster* in a combined adult/developmental toxicity assay. *Bull Environ Contam Toxicol*, **42**: 276–282.
- Gomez-Ariza JL, Sanchez Rodas D & Giraldez I (1998) Selective extraction of iron oxide associated arsenic species from sediments for speciation with coupled HPLC HG AAS. *J Anal Energy Spectrom*, **13**(12) 1375–1379.
- Goncalo S, Silva MS, Goncalo M & Baptista AP (1980) Occupational contact dermatitis to arsenic trioxide. In: Forsch PJ & Dooms-Goossens A ed. *Current topics in contact dermatitis*. Berlin. Springer-Verlag, pp 333–336.
- Gonsebatt ME, Vega L, Montero R, Garcia-Vargas G, Razo LM Del, Albores A, Cebrian ME & Ostrosky-Wegman P (1994) Lymphocyte replicating ability in individuals exposed to arsenic via drinking water. *Mutat Res*, **313**: 293–99.
- Gonsebatt ME, Vega L, Salazar AM, Montero R, Guzmán P, Blas J, Del Razo LM, García-Vargas G, Albores A, Cebrian ME, Kelsh M & Ostrosky-Wegman P (1997) Cytogenetic effects in human exposure to arsenic. *Mutat Res*, **386**: 219–28.
- Gonzalez MJ, Aguilar MV & Para MCC (1995) Gastrointestinal absorption of inorganic arsenic (V): the effect of concentration and interactions with phosphate and dichromate. *Vet Hum Toxicol*, **37**: 131–136.
- Gottlieb K, Koehler JR & Tessari J (1993) Non-analytic problems in detecting arsenic and cadmium in children living near a cadmium refinery in Denver, Colorado. *J Exposure Anal Environ Epidemiol*, **3**: 139–153.
- Grandjean P, Weihe P, Needham LL, Burse VW, Patterson DGJ, Sampson EJ, Jorgensen PJ & Vahter M (1995) Relation of a seafood diet to mercury, selenium, arsenic, and polychlorinated biphenyl and organochlorine concentrations in human milk. *J Environ Sci Health A: Environ Sci Eng Toxic Hazardous Substance Contr*, **30**(4): 921–938.
- Greaves W, Rom W, Lyon J, Varley G, Wright DD & Chiu G (1981) Relationship between lung cancer and distance of residence from non-ferrous smelter stack effluent. *Am J Ind Med*, **2**: 15–23.
- Gregus Z, Gyurasics A & Csanaky I (2000) Biliary and urinary excretion of inorganic arsenic: Monomethylarsonous acid as a major biliary metabolite in rats. *Toxicol Sci*, **56**: 18–25.
- Greshonig H & Irgolic KJ (1997) The mercuric-bromide-stain method and the Natelson method for the determination of arsenic: implications for assessment of risks from

## ***EHC 224: Arsenic and Arsenic Compounds***

---

exposure to arsenic in Taiwan. In: Abernathy CO, Calderon RL & Chappell WR ed. Arsenic. Exposure and health effects. London, Chapman & Hall, pp 17–32.

Gresser MJ (1981) ADP-arsenate, formation by submitochondrial particles under phosphorylating conditions. *J Biol Chem*, **256**: 5981–5983.

Greulach U & Henze G (1995) Analysis of arsenic(V) by cathodic stripping voltammetry. *Anal Chim Acta*, **306**: 217–223.

Groen K, Vaessen HAMG, Kliet JGG, de Boer JLM, van Ooik T, Timmerman A & Vlug RF (1994) Bioavailability of inorganic arsenic from bog ore containing soil in the dog. *Environ Health Perspect*, **102**: 182–184.

Guitart R, Torra M, Cerradelo S, Puig Casado P, Mateo R & To Figueras J (1994) Pb, Cd, As, and Se concentrations in livers of dead wild birds from the Ebro Delta, Spain. *Bull Environ Contam Toxicol*, **52**(4): 523–529.

Gulens J, Champ DR & Jackson RE (1979) Influence of redox environments on the mobility of arsenic in ground water. In: Jenne EA ed. Chemical modeling in aqueous systems, ACS Symposium Series 93. Washington, D.C, American Chemical Society, pp 81–95.

Gunderson EL (1995) FDA total diet study-1986–1991-dietary intakes of pesticides, selected elements, and other chemicals. *J AOAC Int*, **78**: 1353–1363.

Guo H-R, Chiang H-S, Hu H, Lipsitz SR & Monson RR (1994) Arsenic in drinking water and urinary cancers: a preliminary report. In: Chappell WR, Abernathy CO & Cothorn CR ed. Arsenic exposure and health. Northwood, UK, Science and Technology Letters, pp 119–128.

Guo HR, Chiang HS, Hu H, Lipsitz SR & Monson RR (1997) Arsenic in drinking water and incidence of urinary cancers. *Epidemiology*, **8**: 545–550.

Guo HR, Lipsitz SR, Hu H & Monson RR (1998) Using ecological data to estimate a regression model for individual data: the association between arsenic in drinking water and incidence of skin cancer. *Environ Res*, **79**: 82–93.

Gupta SK & Chen KY (1978) Arsenic removal by adsorption. *J Water Pollut Control Fed*, **50**: 493–506.

Gustafsson JP & Tin NT (1994) Arsenic and selenium in some Vietnamese acid sulphate soils. *Sci Total Environ*, **151**(2): 153–158.

Gyurasics A, Varga F & Gregus Z (1991) Glutathione-dependent biliary excretion of arsenic. *Biochem Pharm*, **42**: 465–468.

Haddad E & Zikovsky L (1985) Determination of Al, As, Co, Cr, Cs, Fe, Mn, Sb, Sc, W and Zn in the workroom air by instrumental neutron activation analysis. *J Radioanal Nucl*

## References

---

- Chem Lett, **93**(6): 371–378.
- Haeghele MA & Tucker RK (1974) Effects of 15 common environmental pollutants on eggshell thickness in mallards and *Coturnix*. Bull Environ Contam Toxicol, **11**(1): 98–102.
- Hakala E & Pyy L (1992) Selection determination of toxicologically important arsenic species in urine by high-performance liquid chromatography-hydride generation atomic absorption spectrometry. J Anal Energy Spectrom, **7**: 191–195.
- Hakala E & Pyy L (1995) Assessment of exposure to inorganic arsenic by determining the arsenic species excreted in urine. Toxicol Lett, **77**: 249–258.
- Hall LL, George SE, Kohan MJ, Styblo J & Thomas DJ (1997) In vitro methylation of inorganic arsenic in mouse intestinal cecum. Toxicol Appl Pharm, **147**: 101–109.
- Hamamoto E (1955) [Infant arsenic poisoning by powdered milk.] (in Japanese) Nihon Iji Shimpo, **1649**: 3–12.
- Hamilton SJ & Buhl KJ (1990) Safety assessment of selected inorganic elements to fry of chinook salmon (*Oncorhynchus tshawytscha*). Ecotoxicol Environ Saf, **20**(3): 307–324.
- Hamilton SJ & Buhl KJ (1997) Hazard assessment of inorganics, individually and in mixtures, to two endangered fish in the San Juan River, New Mexico. Environ Toxicol Water Qual, **12**(3): 195–209.
- Hanaoka K, Matsumoto T, Tagawa S & Kaise T (1987) Microbial degradation of arsenobetaine, the major water soluble organoarsenic compound occurring in marine animals. Chemosphere, **16**(10–12): 2545–2550.
- Hanaoka K, Hasegawa S, Kawabe N, Tagawa S & Kaise T (1990) Aerobic and anaerobic degradation of several arsenicals by sedimentary microorganisms. Appl Organomet Chem, **4**: 239–243.
- Hanaoka K, Koga H, Tagawa S & Kaise T (1992) Degradation of arsenobetaine to inorganic arsenic by the microorganisms occurring in the suspended substances. Comp Biochem Physiol, **101B**(4): 595–599.
- Hansen SH, Larsen EH, Pritzl G & Cornett C (1992) Speciation of seven arsenic compounds by high performance liquid chromatography with on-line detection by hydrogen-argon flame atomic absorption spectrometry and inductively coupled plasma mass spectrometry. J Anal Spectrom, **7**: 629–634.
- Harako A (1986) Studies on arsenic in environment around the Osorezan Volcano region (Part 3). Arsenic in soil. Hiroasaki Med J, **38**: 232–243.
- Harrington JM, Middaugh JP, Morse DL & Housworth J (1978) A survey of a population exposed to high concentrations of arsenic in well water in Fairbanks, Alaska. Am J

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Epidemiol, **108**(5): 377–385.

Harrison JWE, Packman EW & Abbott DD (1958) Acute oral toxicity and chemical and physical properties of arsenic trioxides. *AMA Arch Ind Health*, **17**: 118–123.

Hartwell SI, Jin JH, Cherry DS & Cairns J (1989) Toxicity versus avoidance response of golden shiner, *Notemigonus crysoleucas*, to five metals. *J Fish Biol*, **35**(3): 447–456.

Hartwig A, Groblinghoff UD, Beyersmann D, Natarajan AT, Filon R & Mullenders LHF (1997) Interaction of arsenic (III) with nucleotide excision repair in UV irradiated human fibroblasts. *Carcinog Oxf*, **18**(2): 399–405.

Häsänen E, Lipponen M, Kattainen R, Markkanen K, Minkinen P & Brjukhanov P (1990) Elemental concentrations of aerosol samples from the Baltic Sea area. *Chemosphere*, **21**(3): 339–347.

Hasegawa H, Sohrin Y, Matsui M, Hojo M & Kawashima M (1994) Speciation of arsenic in natural waters by solvent extraction and hydride generation atomic absorption spectrometry. *Anal Chem*, **66**: 3247–3252.

Haswell SJ, O'Neill P & Bancroft KC (1985) Arsenic speciation in soil-pore waters from mineralized and unmineralized areas of south-west England. *Talanta*, **32**: 69–72.

Hayakawa O & Watanabe N (1982) Characteristics of arsenite and arsenate adsorption on soils. *Mem Hokkaido Inst Technol*, **10**: 179–187.

Healy SM, Zakharyan RA & Aposhian HV (1997) Enzymatic methylation of arsenic compounds: IV. in vitro and in vivo deficiency of the methylation of arsenite and monomethylarsonic acid in the guinea pig. *Mutat Res*, **386**: 229–239.

Healy SM, Casarez EA, Ayala-Fierro F & Aposhian HV (1998) Enzymatic methylation of arsenic compounds, V. arsenite methyltransferase activity in tissues of mice. *Toxicol Appl Pharm*, **148**: 65–70.

Hei TK, Liu SX & Waldren C (1998) Mutagenicity of arsenic in mammalian cells: role of reactive oxygen species. *Proc Natl Acad Sci U S A*, **95**: 8103–8107.

Heitkemper D, Creed J & Caruso J (1989) Speciation of arsenic in urine using high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection. *J Anal Spectrom*, **4**: 279–284.

Helgesen H & Larsen EH (1998) Bioavailability and speciation of arsenic in carrots grown in contaminated soil. *Analyst*, **123**(5): 791–6.

Hellou J, Fancey LL & Payne JF (1992) Concentrations of twenty-four elements in bluefin tuna, *Thunnus thynnus* from the Northwest Atlantic. *Chemosphere*, **24**(2): 211–218.

Hertz-Picciotto I & Smith A (1993) Observations on the dose–response curve for arsenic exposure and lung cancer. *Scand J Work Environ Health*, **19**: 217–26.

## References

---

- Hertz-Picciotto I, Smith AH, Holtzman D, Lipsett M & Alexeeff G (1992) Synergism between occupational arsenic exposure and smoking in the induction of lung cancer. *Epidemiology*, **3**: 23–31.
- Hertz-Picciotto I, Arrighi HM & Hu SW (2000) Does arsenic exposure increase the risk for circulatory disease? *Am J Epidemiol*, **151**: 174–181.
- Heyman A, Preiffer JB, Willett RW & Talor HM (1956) Peripheral neuropathy caused by arsenical intoxication. A study of 41 cases with observations on the effects of BAL (2,3-dimercapto-propanol). *N Engl J Med*, **254**: 401–409.
- Higham AM & Tomkin RPT (1993) Determination of trace quantities of selenium and arsenic in canned tuna fish by using electroanalytical techniques. *Food Chem*, **48**: 85–93.
- Hill AB & Fanning EL (1948) Studies on the incidence of cancer in a factory handling inorganic compounds of arsenic: mortality experience in the factory. *Br J Ind Med*, **5**: 1–6.
- Hill EF & Camardese MB (1986) Lethal dietary toxicities of environmental contaminants and pesticides to *Coturnix*. Fish and Wildlife Technical Report 2. Washington, DC, U.S. Department of the Interior Fish and Wildlife Service.
- Hiltbold AE, Hajek BF & Buchanan GA (1974) Distribution of arsenic in soil profiles after repeated applications of MSMA. *Weed Sci*, **22**(3): 272–275.
- Hindmarsh J, McLetchie OR, Heffernan LPM, Hayne OA, Ellenberger HA, McCurdy RF & Thiebaut HJ (1977) Electromyographic abnormalities in chronic environmental arsenicalism. In: Brown SS, ed. *Clinical chemistry and chemical toxicology of metals*, 1. Amsterdam, Elsevier/North Holland Biomedical Press, pp 287–293.
- Hinwood AL, Jolley DJ & Sim MR (1999) Cancer incidence and high environmental arsenic concentrations in rural populations: Results of an ecological study. *J Environ Health Res*, **9**: 131–141.
- Hirata M, Hisanaga A, Tanaka A & Ishinishi N (1988) Glutathione and methylation of inorganic arsenic in hamsters. *Appl Organomet Chem*, **2**: 315–321.
- Hirata M, Mohri T, Hisanaga A & Ishinishi N (1989) Conversion of arsenite and arsenate to methylarsenic and dimethylarsenic compounds by homogenates prepared from livers and kidneys of rats and mice. *Appl Organomet Chem*, **3**: 335–341.
- Hirata M, Tanaka A, Hisanaga A & Ishinishi N (1990) Effects of glutathione depletion on the acute nephrotoxic potential of arsenite and on arsenic metabolism in hamsters. *Toxicol Appl Pharm*, **106**: 469–481.
- Hoag WG (1963) Spontaneous cancer in mice. *Ann N Y Acad Sci*, **108**: 805–831.
- Hochadel JF & Waalkes MP (1997) Sequence of exposure to cadmium and arsenic determines the extent of toxic effects in male Fischer rats. *Toxicology*, **116**: 89–98.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Hodgson JT & Jones RD (1990) Mortality of a cohort of tin miners 1941–86. *Br J Ind Med*, **47**: 665–676.

Hoffman DJ, Sanderson CJ, LeCaptain LJ, Cromartie E & Pendleton GW (1992) Interactive effects of arsenate, selenium, and dietary protein on survival, growth, and physiology in mallard ducklings. *Arch Environ Contam Toxicol*, **22**(1): 55–62.

Holak W & Specchio JJ (1991) Determination of total arsenic, As(III) and As(V), in foods by atomic absorption spectrophotometry. *At Spectrosc*, **12**(4): 105–108.

Holcman A & Stibilj V (1997) Arsenic residues in eggs from laying hens fed with a diet containing arsenic (III) oxide. *Arch Environ Contam Toxicol*, **32**: 407–410.

Holcombe GW, Phipps GL & Fiandt JT (1983) Toxicity of selected priority pollutants to various aquatic organisms. *Ecotoxicol Environ Saf*, **7**: 400–409.

Hollibaugh JT, Seibert DLR & Thomas WH (1980) A comparison of the acute toxicities of ten heavy metals to phytoplankton from Saanich Inlet, B.C., Canada. *Estuar Coast Mar Sci*, **10**: 93–105.

Holm TR, Anderson MA, Iverson DG & Stanforth RS (1979) Heterogeneous interactions of arsenic in aquatic systems. In: Jenne EA ed. *Chemical modeling in aqueous systems*, ACS Symposium Series 93. Washington, DC, American Chemical Society, pp 711–736.

Honda K, Hatayama T, Takahashi K & Yukioka M (1992) Heat shock proteins in human and mouse embryonic cells after exposure to heat shock or teratogenic agents. *Teratogen Carcinog Mutagen*, **11**: 235–244.

Hood RD & Harrison WP (1982) Effects of prenatal arsenite exposure in the hamster. *Bull Environ Contam Toxicol*, **29**: 671–678.

Hood RD, Harrison WP & Vedel GC (1982) Evaluation of arsenic metabolites for prenatal effects in the hamster. *Bull Environ Contam Toxicol*, **29**: 679–687.

Hood RD & Vedel-Macrandner GC (1984) Evaluation of the effect of BAL (2,3-dimercaptopropanol) on arsenite-induced teratogenesis in mice. *Toxicol Appl Pharm*, **73**: 1–7.

Hood RD, Vedel-Macrandner GC, Zaworotko MJ, Tatum FM & Meeks RG (1987) Distribution, metabolism, and fetal uptake of pentavalent arsenic in pregnant mice following oral or intraperitoneal administration. *Teratology*, **35**: 19–25.

Hood RD, Vedel GC, Zaworotko MJ, Tatum FM & Meeks RG (1988) Uptake, distribution, and metabolism of trivalent arsenic in the pregnant mouse. *J Toxicol Environ Health*, **25**: 423–434.

Hopenhayn-Rich C, Smith AH & Goeden HM (1993) Human studies do not support the methylation threshold hypothesis for the toxicity of inorganic arsenic. *Environ Res*, **60**:

## References

---

161–177.

Hopenhayn-Rich C, Biggs ML, Smith AH, Kalman DA & Moore LE (1996a) Methylation study of a population environmentally exposed to arsenic in drinking water. *Environ Health Perspect*, **104**: 620–628.

Hopenhayn-Rich C, Biggs ML, Kalman DA, Moore LE & Smith AH (1996b) Arsenic methylation patterns before and after changing from high to lower concentrations of arsenic in drinking water. *Environ Health Perspect*, **104**: 1200–1207.

Hopenhayn-Rich C, Biggs ML, Fuchs A, Bergoglio R, Tello EE, Nicolli H & Smith AH (1996c) Bladder cancer mortality associated with arsenic in drinking water in Argentina. *Epidemiology*, **7**: 117–124.

Hopenhayn-Rich C, Biggs ML & Smith AH (1996d) Arsenic and bladder cancer mortality – Reply. *Epidemiology* **7**: 558.

Hopenhayn-Rich C, Biggs ML & Smith AH (1998) Lung and kidney cancer mortality associated with arsenic in drinking water in Cordoba, Argentina. *Int J Epidemiol*, **27**: 561–569.

Hopenhayn-Rich C, Hertz-Picciotto I, Browning S, Ferreccio C & Peralta C (1999) Reproductive and developmental effects associated with chronic arsenic exposure. *Arsenic exposure and health effects*. Oxford, Elsevier Science, pp 151–164.

Hopenhayn-Rich C, Browning S, Hertz-Picciotto I, Ferreccio C, Peralta C & Gibb H (2000) Chronic arsenic exposure and risk of infant mortality in two areas in Chile. *Environ Health Perspect*, **108**: 667–673.

Hörnström E (1990) Toxicity test with algae – a discussion on the batch method. *Ecotoxicol Environ Saf*, **20**(3): 343–353.

Hothem RL & Welsh D (1994) Contaminants in eggs of aquatic birds from the grasslands of central California. *Arch Environ Contam Toxicol*, **27**(2): 180–185.

Howard AG, Arbab-Zavar MH & Apte S (1984) The behaviour of dissolved arsenic in the estuary of the river Beaulieu. *Estuar Coast Mar Sci*, **19**: 493–504.

Howard AG, Apte SC, Comber SDW & Morris RJ (1988) Biogeochemical control of the summer distribution and speciation of arsenic in the Tamar Estuary. *Estuar Coast Mar Sci*, **27**(4): 427–443.

Howard AG & Apte SC (1989) Seasonal control of arsenic speciation in an estuarine ecosystem. *Appl Organomet Chem*, **3**(6): 499–507.

Hsieh LL, Chen HJ, Hsieh JT, Jee SH, Chen GS & Chen CJ (1994) Arsenic-related Bowen's disease and paraquat-related skin cancerous lesions show no detectable ras

## ***EHC 224: Arsenic and Arsenic Compounds***

---

and p53 gene alterations. *Cancer Lett*, **86**: 59–65.

Hsu YH, Li SY, Chiou HY, Yeh PM, Liou JC & Hsueh YM, Chang SH & Chen CJ (1997) Spontaneous and induced sister chromatid exchanges and delayed cell proliferation in peripheral lymphocytes of Bowen's disease patients and matched controls of arseniasis-hyperendemic villages in Taiwan. *Mutat Res*, **386**(3): 241–251.

Hsu CH, Yang SA, Wang JY, Yu HS & Lin SR (1999) Mutational spectrum of p53 gene in arsenic-related skin cancers from the blackfoot disease endemic area of Taiwan. *Br J Cancer*, **80**(7): 1080–1086.

Hsueh YM, Cheng GS, Wu MM, Yu HS, Kuo TL & Chen CJ (1995) Multiple risk factors associated with arsenic-induced skin cancer: effects of chronic liver disease and malnutritional status. *Br J Cancer*, **71**: 109–114.

Hsueh YM, Wu WL, Huang YL, Chiou HY, Tseng CH & Chen CJ (1998) Low serum carotene level and increased risk of ischemic heart disease related to long-term arsenic exposure. *Atherosclerosis*, **141**: 249–257.

Hu Y, Su L & Snow E (1998) Arsenic toxicity is enzyme specific and its effects on ligation are not caused by the direct inhibition of DNA repair enzymes. *Mutat Res*, **401**: 203–218.

Hua C, Jagner D & Renman L (1987) Automated determination of total arsenic in sea water by flow constant-current stripping analysis with gold fibre electrodes. *Anal Chim Acta*, **201**: 263–268.

Huang RN & Lee TC (1996) Cellular uptake of trivalent arsenite and pentavalent arsenate in KB cells cultured in phosphate-free medium. *Toxicol Appl Pharm*, **136**(2): 243–249.

Hudson RH, Tucker RK & Haegle MA (1984) Handbook of toxicity of pesticides to wildlife. Resource Publication 153. Washington, DC, U.S. Department of the Interior Fish and Wildlife Service.

Huffman GP, Huggins FE, Shah N & Zhao J (1994) Speciation of arsenic and chromium in coal and combustion ash by XAFS spectroscopy. *Fuel Process Technol*, **39**: 47–62.

Hughes JP, Polissar L & van Belle G (1988) Evaluation and synthesis of health effects studies of communities surrounding arsenic producing industries. *Int J Epidemiol*, **17**: 407–13.

Hughes MF & Kenyon EM (1998) Dose-dependent effects on the disposition of monomethylarsonic acid and dimethylarsinic acid in the mouse after intravenous administration. *J Toxicol Environ Health*, **53**: 101–118.

Hughes MF & Thompson DJ (1996) Subchronic dispositional and toxicological effects of arsenate administered in drinking water to mice. *J Toxicol Environ Health*, **49**: 177–196.

Hughes MF, Menache M & Thompson DJ (1994) Dose-dependent disposition of sodium arsenate in mice following acute oral exposure. *Fundam Appl Toxicol*, **22**: 80–89.

## References

---

- Hughes MF, Mitchell CT, Edwards BC & Rahman MS (1995) In vitro percutaneous absorption of dimethylarsenic acid in mice. *J Toxicol Environ Health*, **45**: 101–112.
- Huiliang H, Jagner D & Renman L (1988) Flow potentiometric and constant-current stripping analysis for arsenic (V) without prior chemical reduction to arsenic (III) – application to the determination of total arsenic in seawater and urine. *Anal Chim Acta*, **207**: 37–46.
- Hullinger G, Sangster L, Colvin B & Frazier K (1998) Bovine arsenic toxicosis from ingestion of ashed copper chrome arsenate treated timber. *Vet Hum Toxicol*, **40**: 147–148.
- Hunder F, Nguyen P-T, Schumann K & Fichtl B (1993) Influence of inorganic and organic arsenicals on intestinal transfer of nutrients. *Res Comm Chem Pathol Pharm*, **80**: 83–92.
- Hutchinson J (1887) Arsenic cancer. *Br Med J*, **2**: 1280.
- Hutton M & Symon C (1986) The quantities of cadmium, lead, mercury and arsenic entering the U.K. environment from human activities. *Sci Total Environ*, **57**: 129–150.
- Huysmans KD & Frankenberger WT (1990) Arsenic resistant microorganisms isolated from agricultural drainage water and evaporation pond sediments. *Water Air Soil Pollut*, **53**(1/2): 159–168.
- Huysmans KD & Frankenberger WT (1991) Evolution of trimethylarsine by a *Penicillium* sp. isolated from agricultural evaporation pond water. *Sci Total Environ*, **105**: 13–28.
- IARC (International Agency for Research on Cancer) (1973) Arsenic and inorganic arsenic compounds. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man. Vol. 2. Some inorganic and organometallic compounds. Lyon, International Agency for Research on Cancer, pp 48–73.
- IARC (International Agency for Research on Cancer) (1980) Arsenic and arsenic compounds. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans. Vol. 23. Some metals and metal compounds. Lyon, International Agency for Research on Cancer, pp 39–142.
- IARC (International Agency for Research on Cancer) (1987) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Overall evaluations of carcinogenicity: An Updating of IARC Monographs Vols 1–42, Supplement 7. Lyon, International Agency for Research on Cancer.
- IARC (International Agency for Research on Cancer) (1993) Exposures in the glass manufacturing industry. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 58. Beryllium, cadmium, mercury, and exposure in the glass manufacturing industry. Lyon, International Agency for Research on Cancer, pp 347–375.
- Ihrig MM, Shalat SL & Baynes C (1998) A hospital-based case-control study of stillbirths and environmental exposure to arsenic using an atmospheric dispersion model linked to a geographical information system. *Epidemiology*, **9**: 290–294.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

ILO (International Labour Office)(1991) Occupational exposure limits for airborne toxic substances, 3rd ed. Geneva, International Labour Office.

Inglis A & Davis EL (1972) Effects of water hardness on the toxicity of several organic and inorganic herbicides to fish. Technical Paper 67. Washington, DC, U.S. Department of the Interior, Bureau of Sport Fisheries and Wildlife.

Ip C & Ganther H (1988) Efficacy of trimethylselenonium versus selenite in cancer chemoprevention and its modulation by arsenite. *Carcinogenesis*, **9**: 1481–1484.

Ip C & Ganther H (1992) Biological activities of trimethylselenonium as influenced by arsenite. *J Inorg Biochem*, **46**: 215–222.

IPCS (International Programme on Chemical Safety) (1981) Arsenic. Geneva, World Health Organization.

Ishinishi N, Yamamoto A, Hisanaga A & Inamasu T (1983) Tumorigenicity of arsenic trioxide to the lung in Syrian golden hamsters by intermittent instillations. *Cancer Lett*, **21**: 141–147.

Ismael A & Roberts RD (1992) Arsenic in small mammals. *Environ Technol*, **13**(11): 1091–1095.

Itoh T, Zhang YF, Murai S, Saito H, Nagahama H, Miyate H, Saito Y & Abe E (1990) The effect of arsenic trioxide on brain monoamine metabolism and locomotor activity of mice. *Toxicol Lett*, **54**: 345–353.

Jacobs LW, Syers JK & Keeney DR (1970a) Arsenic sorption by soils. *Soil Sci Soc Am Proc*, **34**: 750–754.

Jacobs LW, Walsh LW & Keeney DR (1970b) Arsenic residue toxicity to vegetable crops grown on plainfield sand. *Agron J*, **62**: 588–591.

Jaghabir MTW, Abdelghani A & Anderson AL (1988) Oral and dermal toxicity of MSMA to New Zealand white rabbits. *Oryctolagus cuniculus*. *Bull Environ Contam Toxicol*, **40**: 119–122.

Jaghabir MTW, Abdelghani A & Anderson AL (1989) Histopathological effect of monosodiummethanearsonate (MSMA) on New Zealand white rabbits (*Oryctolagus cuniculus*). *Bull Environ Contam Toxicol*, **42**: 289–293.

Jaghabir MW, Abdelghani AA & Anderson AC (1994) Absorption, distribution and elimination of arsenic in New Zealand white rabbits (*Oryctolagus cuniculus*) following multiple oral doses of monosodium methane arsonate (MSMA). *Dirasat*, **21B**: 137–145.

Jakubowski M, Trzcinka-Ochocka M, Razniewska G & Matczak W (1998) Biological monitoring of occupational exposure to arsenic by determining urinary content of inorganic arsenic and its methylated metabolites. *Int Arch Occup Environ Health*, **71**:

## References

---

S29–S32.

Järup L (1992) Dose response relations for occupational exposure to arsenic and cadmium. PhD thesis. Karolinska Institutet, Stockholm.

Järup L & Pershagen G (1991) Arsenic exposure, smoking, and lung cancer in smelter workers – a case-control study. *Am J Epidemiol*, **134**: 545–551.

Järup L, Pershagen G & Wall S (1989) Cumulative arsenic exposure and lung cancer in smelter workers: a dose-response study. *Am J Ind Med*, **15**: 31–41.

Jenner HA & Janssen-Mommen JPM (1993) Duckweed *Lemna minor* as a tool for testing toxicity of coal residues and polluted sediments. *Arch Environ Contam Toxicol*, **25**(1): 3–11.

Jensen GE & Hansen ML (1998) Occupational arsenic exposure and glycosylated haemoglobin. *Analyst*, **123**: 77–80.

Jensen GE, Christensen JM & Poulsen OM (1991) Occupational and environmental exposure to arsenic – increase urinary arsenic in children. *Sci Total Environ*, **107**: 169–177.

Jha AN, Noditi M, Nilsson R & Natarajan AT (1992) Genotoxic effects of sodium arsenite on human cells. *Mutat Res*, **284**: 215–221.

Ji G & Silver S (1995) Bacterial resistance mechanisms for heavy metals of environmental concern. *J Ind Microbiol*, **14**(2): 61–75.

Jiang QQ & Singh BR (1994) Effect of different forms and sources of arsenic crop yield and arsenic concentration. *Water Air Soil Pollut*, **74**(3/4): 321–343.

Johns C & Luoma SN (1990) Arsenic in benthic bivalves of San Francisco Bay and the Sacramento/San Joaquin River Delta. *Sci Total Environ*, **97/98**: 673–684.

Johnson CA & Thornton I (1987) Hydrological and chemical factors controlling the concentration of Fe, Cu, Zn and As in a river system contaminated by acid mine drainage. *Water Res*, **21**(3): 359–365.

Johnson DL (1972) Bacterial reduction of arsenate in sea water. *Nature*, **240**: 44–45.

Johnson DL & Burke RM (1978) Biological mediation of chemical speciation. II. Arsenate reduction during marine phytoplankton blooms. *Chemosphere*, **7**(8): 645–648.

Johnson RK, Eriksson L & Wiederholm T (1992) Ordination of profundal zoobenthos along a trace metal pollution gradient in northern Sweden. *Water Air Soil Pollut*, **65**(3/4): 339–351.

Johnston D, Oppermann H, Jackson J & Levinson W (1980) Induction of four proteins in chick embryo cells by sodium arsenite. *J Biol Chem*, **255**: 6975–6980.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Jones CA, Inskeep WP & Neuman DR (1997) Arsenic transport in contaminated mine tailings following liming. *J Environ Qual*, **26**: 433–439.

Jonnalagadda SB & Nenzou G (1996a) Studies on arsenic rich mine dumps: I. Effect on the surface soil. *J Environ Sci Health*, **A31**(8): 1909–1915.

Jonnalagadda SB & Nenzou G (1996b) Studies on arsenic rich mine dumps: III. Effect on the river water. *J Environ Sci Health*, **A31**(10) 2547–2555.

Jonnalagadda SB & Nenzou G (1997) Studies on arsenic rich mine dumps: II. The heavy element uptake by vegetation. *J Environ Sci Health*, **A32**(2): 455–464.

Julshamn K, Andersen A, Ringdal O & Mørkøre J (1987) Trace elements intake in the Faroe Islands. I. Element levels in edible parts of pilot whales (*Globicephalus meleanus*). *Sci Total Environ*, **65**: 53–62.

Julshamn K, Maage A & Larsen EH (1996) Studies of critical factors in the determination of arsenic in standard reference materials of marine origin by ETAAS NMKL interlaboratory study. *Fresenius J Anal Chem* 355(3/4): 304–307.

Jurewicz S & Buikema AL (1980) Effects of arsenate on algae, *Daphnia*, and mosquito fish. *Va J Sci*, **31**: 124.

Kabir H & Bilgi C (1993) Ontario gold miners with lung cancer. Occupational exposure assessment in establishing work-relatedness. *J Occup Med*, **35**: 1203–1207.

Kachinskas DJ, Phillips MA, Qin Q, Stokes JD & Rice RH (1994) Arsenate perturbation of human keratinocyte differentiation. *Cell Growth Differ*, **5**: 1235–1241.

Kachinskas DJ, Qin Q, Phillips MA & Rice RH (1997) Arsenate suppression of human keratinocyte programming. *Mutat Res*, **386**(3): 253–261.

Kagey BT, Bumgarner JE & Creason JP (1977) Arsenic levels in maternal-fetal tissue sets. In: Hemphill DD ed. Trace substances in environmental health XI. A symposium, Columbia, University of Missouri Press, pp 252–256.

Kaise T & Fukui S (1992) The chemical form and acute toxicity of arsenic compounds in marine organisms. *Appl Organomet Chem*, **6**: 155–160.

Kaise T, Watanabe S & Itoh K (1985) The acute toxicity of arsenobetaine. *Chemosphere*, **14**: 1327–1332.

Kaise T, Hanaoka K & Tagawa S (1987) The formation of trimethylarsine oxide from arsenobetaine by biodegradation with marine microorganisms. *Chemosphere*, **16**(10–12): 2551–2558.

Kaise T, Yamauchi H, Horiguchi Y, Tani T, Watanabe S, Hirayama T & Fukui S (1989) A comparative study on acute toxicity of methylarsonic acid, dimethylarsinic acid and trimethylarsine oxide in mice. *Appl Organomet Chem*, **3**: 273–277.

## References

---

- Kalman DA, Hughes J, Belle G van, Burbacher T, Dolgiano D, Coble K, Mottet NK & Polissar L (1990) The effect of variable environmental arsenic contamination on urinary concentrations of arsenic species. *Environ Health Perspect*, **89**: 145–151.
- Karagas MR, Morris JS, Weiss JE, Spate V, Baskett C & Greenberg ER (1996) Toenail samples as an indicator of drinking water arsenic exposure. *Cancer Epidemiol Biomarkers Prev*, **5**: 849–852.
- Kato K, Ito H & Okamoto K (1997) Modulation of the arsenite-induced expression of stress proteins by reducing agents. *Cell Stress Chaperones*, **2**(3): 199–209.
- Kavanagh PJ, Farago ME, Thornton I & Braman RS (1997) Bioavailability of arsenic in soil and mine wastes of the Tamar valley, SW England. *Chem Speciation Bioavailability*, **9**(3): 77–81.
- Kavanagh P, Farago ME, Thornton I, Goessler W, Kuehnelt D, Schlagenhaufen C & Irgolic KJ (1998) Urinary arsenic species in Devon and Cornwall residents, UK. A pilot study. *Analyst*, **123**(1): 27–29.
- Keeley PE & Thullen RJ (1971) Cotton response to temperature and organic arsenicals. *Weed Sci*, **19**(3): 297–300.
- Kelley JA, Jaffe DA, Baklanov A & Mahura A (1995) Heavy metals on the Kola Peninsula: aerosol size distribution. *Sci Total Environ*, **160/161**: 135–138.
- Kenney LJ & Kaplan JH (1988) Arsenate substitutes for phosphate in the human red cell sodium pump and anion exchanger. *J Biol Chem*, **263**(17): 7954–7960.
- Kenyon EM, Hughes MF & Levander OA (1997) Influence of dietary selenium on the disposition of arsenate in the female B6C3F1 mouse. *J Toxicol Environ Health*, **51**: 279–299.
- Kerkvliet NI, Steppan LB, Koller LD & Exon JH (1980) Immunotoxicology studies of sodium arsenate-effects of exposure on tumor growth and cell-mediated tumor immunity. *J Environ Pathol Toxicol*, **4**: 65–79.
- Keyse SM & Tyrrell RM (1989) Heme oxygenase is the major 32-kDa stress protein induced in human skin fibroblasts by UVA radiation, hydrogen peroxide and sodium arsenite. *Proc Natl Acad Sci U S A*, **86**: 99–103.
- Khargarot BS & Ray PK (1989) Sensitivity of midge larvae of *Chironomus tentans* Fabricius (Diptera Chironomidae) to heavy metals. *Bull Environ Contam Toxicol*, **42**(3): 325–330.
- Khargarot BS, Sehgal A & Bhasin MK (1985) Man and biosphere – studies on the Sikkim Himalayas. Part 5: Acute toxicity of selected heavy metals on the tadpoles of *Rana hexadactyla*. *Acta Hydrochim Hydrobiol*, **13**(2): 259–263.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Kipling MD (1977) Arsenic. In: Lenihan J, Fletcher WW eds. The chemical environment. Glasgow, Blackie, pp 93–120.

Klaassen CD (1974) Biliary excretion of arsenic in rats, rabbits, and dogs. *Toxicol Appl Pharm*, **29**: 447–457.

Klemperer NS & Pickart CM (1989) Arsenite inhibits two step in the ubiquitin-dependent proteolytic pathway. *J Biol Chem*, **32**: 19245–19252.

Klimecki WT, Borchers AH, Egbert RE, Nagle RB, Carter DE & Bowden GT (1997) Effects of acute and chronic arsenic exposure of human-derived keratinocytes in an in vitro human skin equivalent system: a novel model of human arsenicism. *Toxicol Vitro*, **11**: 89–98.

Klumpp DW (1980) Characteristics of arsenic accumulation by the seaweeds *Fucus spiralis* and *Ascophyllum nodosum*. *Mar Biol*, **58**: 257–264.

Klumpp DW & Peterson PJ (1979) Arsenic and other trace elements in the waters and organisms of an estuary in SW England. *Environ Pollut*, **19**: 11–20.

Knauer K, Behra R & Hemond H (1999) Toxicity of inorganic and methylated arsenic to algal communities from lakes along an arsenic contamination gradient. *Aquatic Toxicology*, **46**(34): 221–230.

Knox S, Langston WJ, Whitfield M, Turner DR & Liddicoat MI (1984) Statistical analysis of estuarine profiles. II. Application to arsenic in the Tamar Estuary (S.W.England). *Estuar Coast Mar Sci*, **18**: 623–638.

Kochhar TC, Howard W, Hoffmann S & Brammer-Carleton L (1996) Effect of trivalent and pentavalent arsenic in causing chromosome alterations in cultured Chinese hamster ovary (CHO) cells. *Toxicol Lett*, **84**: 37–42.

Kondo M & Ichikawa I (1994) Different acute effects of oral and intratracheal administration of disodium arsenate and gallium arsenide on heme synthesis in rats. *Appl Organomet Chem*, **8**(3): 215–221.

Koons RD & Peters CA (1994) Axial distribution of arsenic in individual human hairs by solid sampling graphite furnace AAS. *J Anal Toxicol*, **18**: 36.

Korte NE & Fernando Q (1991) A review of arsenic (III) in groundwater. *CRC Crit Rev Environ Control*, **21**(1): 1–39.

Kosnett MJ & Becker CE (1988) Dimercaptosuccinic acid: Utility in acute and chronic Arsenic poisoning. *Vet Hum Toxicol*, **30**(4): 369.

Kraus RJ & Ganther HE (1989) Synergistic toxicity between arsenic and methylated selenium compounds. *Biol Trace Elem Res*, **20**: 105–113.

## References

---

- Kreppel H, Bauman JW, Liu J & Klaassen CD (1990) Arsenite induction of metallothionein in mice. *Toxicologist*, **10**: 81.
- Kreppel H, Bauman JW, Liu J, McKim JM & Klaassen CD (1993) Induction of metallothionein by arsenicals in mice. *Fundam Appl Toxicol*, **20**: 184–189.
- Krishnaja AP, Rege MS & Joshi AG (1987) Toxic effects of certain heavy metals (Hg, Cd, Pb, As and Se) on the intertidal crab *Scylla serrata*. *Mar Environ Res*, **21**(2): 109–119.
- Krishnakumari L, Varshney PK, Gajbhiye SN, Govindan K & Nair VR (1983) Toxicity of some metals on the fish *Therapon jarbua* (Forsskal, 1775). *India J Mar Sci*, **12**: 64–66.
- Kristiansen J, Christensen JM, Iversen BS & Sabbioni E (1997) Toxic trace element reference levels in blood and urine: influence of gender and lifestyle factors. *Sci Total Environ*, **204**(2): 147–60.
- Kuehnelt D, Goessler W & Irgolic KJ (1997) Arsenic compounds in terrestrial organisms II: arsenocholine in the mushroom *Amanita muscaria*. *Appl Organom Chem*, **11**: 459–470.
- Kuo TL (1968) Arsenic content of artesian well water in endemic area of chronic arsenic poisoning. *Rep Inst Pathol Natl Taiwan Univ*, **20**: 7–13.
- Kuo TT, Hu S, Lo SK & Chan HL (1997) p53 expression and proliferative activity in Bowen's disease with or without chronic arsenic exposure. *Hum Pathol*, **28**(7): 786–790.
- Kuratsune M, Tokudome S, Shirakusa T, Yoshida M & Tokumitsu Y (1974) Occupational lung cancer among copper smelters. *Int J Cancer* **15**(13) 552–8.
- Kurtio P, Komulainen H, Hakala E, Kahelin H & Pekkanen J (1998) Urinary excretion of arsenic species after exposure to arsenic present in drinking water. *Arch Environ Contam Toxicol*, **34**: 297–305.
- Kurtio P, Pukkala E, Kahelin H, Auvinen A & Pekkanen J (1999) Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. *Environ Health Perspect*, **107**: 705–710.
- Kusiak RA, Springer J, Ritchie AC & Muller J (1991) Carcinoma of the lung in Ontario gold miners: possible aetiological factors. *Br J Ind Med*, **48**: 808–817.
- Kusiak RA, Ritchie AC, Muller J & Springer J (1993) Mortality from lung cancer in Ontario uranium miners. *Br J Ind Med*, **50**: 920–928.
- Lacayo ML, Cruz A, Calero S, Lacayo J, Fomsgaard I (1992) Total arsenic in water, fish, and sediments from Lake Xolotlán, Managua, Nicaragua. *Bull Environ Contam Toxicol*, **49**(3): 463–470.
- Lagerkvist B, Linderholm H & Nordberg GF (1986) Vasospastic tendency and Raynaud's phenomenon in smelter workers exposed to arsenic. *Environ Res*, **39**: 465–474.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Lagerkvist BEA, Linderholm H & Nordberg G (1988) Arsenic and Raynaud's phenomenon. *Int Arch Occup Environ Health*, **60**: 361–364.

Lagunas R (1980) Sugar-arsenate esters: thermodynamics and biochemical behavior. *Arch Biochem Biophys*, **205**(1): 67–75.

Lai M-S, Hsueh Y-M, Chen C-J, Shyu M-P, Chen S-Y, Kuo T-L, Wu M-M & Tai T-Y (1994) Ingested inorganic arsenic and prevalence of diabetes mellitus. *Am J Epidemiol*, **139**: 484–492.

Lai VWM, Cullen WR, Harrington CF & Reimer KJ (1998) Seasonal changes in arsenic speciation in *Fucus* species. *Appl Organomet Chem*, **12**: 243–251.

Laintz KE, Yu JJ & Wai CM (1992) Separation of metal ions with sodium bis(trifluoroethyl)dithio-carbamate chelation and supercritical fluid chromatography. *Anal Chem*, **64**: 311–315.

Landsberger S & Wu D (1995) The impact of heavy metals from environmental tobacco smoke on indoor air quality as determined by Compton suppression neutron activation analysis. *Sci Total Environ*, **173**(174): 323–337.

Langlois C & Langis R (1995) Presence of airborne contaminants in the wildlife of northern Québec. *Sci Total Environ*, **160/161**: 391–402.

Langston WJ (1980) Arsenic in U.K. estuarine sediments and its availability to benthic organisms. *J Mar Biol Assoc UK*, **60**: 869–881.

Langston WJ (1983) The behavior of arsenic in selected United Kingdom estuaries. *Can J Fish Aquat Sci*, **40** (Suppl 2): 143–150.

Larramendy ML, Popescu NC & DiPaolo JA (1981) Induction by inorganic metal salts of sister chromatid exchanges and chromosome aberrations in human and Syrian hamster cell strains. *Environ Mutagen*, **3**: 597–606.

Larsen EH (1991) Electrothermal atomic absorption spectrometry of inorganic and organic arsenic species using conventional and fast furnace programmes. *J Anal Spectrom*, **6**: 375–377.

Larsen EH, Pritzl G & Hansen SH (1993) Arsenic speciation in seafood samples with emphasis on minor constituents – an investigation by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection. *J Anal Spectrom*, **8**: 97–116.

Latarjet R, Galy P, Maret G & Gallois P (1964) Cancers broncho-pulmonaires et intoxication arsenicale chez les vignerons du Beaujolais (Bronchopulmonary cancers and arsenical poisoning among Beaujolais vine-dressers). *Mem Acad Chir*, **90**: 384–390.

Le XC, Ma M (1997) Speciation of arsenic compounds by using ion-pair chromatography with atomic spectrometry and mass spectrometry detection. *J Chromatogr A*, **764**: 55–64.

## References

---

- Le XC, Cullen WR & Reimer KJ (1993) Determination of urinary arsenic and impact of dietary arsenic intake. *Talanta*, **40**(2): 185–193.
- Le XC, Cullen WR & Reimer KJ (1994a) Effect of cysteine on the speciation of arsenic by using hydride generation atomic absorption spectrometry. *Anal Chim Acta*, **285**: 277–285.
- Le XC, Cullen WR & Reimer KJ (1994b) Speciation of arsenic compounds in some marine organisms. *Environ Sci Technol*, **28**: 1598–1604.
- Le XC, Cullen WR & Reimer KJ (1994c) Human urinary arsenic excretion after one-time ingestion of seaweed, crab and shrimp. *Clin Chem*, **40**: 617–624.
- Leder A, Kuo A, Cardiff RD, Sinn E & Leder P (1990) v-Ha-ras transgene abrogates the initiation step I mouse skin tumorigenesis: Effects of phorbol esters and retinoic acid. *Proc Natl Acad Sci U S A*, **87**: 9178–9182.
- Lee AM & Fraumeni JF Jr (1969) Arsenic and respiratory cancer in man: an occupational study. *J Natl Cancer Inst*, **42**: 1045–1052.
- Lee CK, Low KS & Hew NS (1991) Accumulation of arsenic by aquatic plants. *Sci Total Environ*, **103**(2/3): 215–227.
- Lee TC & Ho IC (1994) Differential cytotoxic effects of arsenic on human and animal cells. *Environ Health Perspect*, **102**: 101–105.
- Lee TC, Huang RY & Jan KY (1985a) Sodium arsenite enhances the cytotoxicity, clastogenicity and 6-thioguanine-resistant mutagenicity of ultraviolet light in Chinese hamster ovary cells. *Mutat Res*, **148**: 83–89.
- Lee TC, Oshimura M & Barrett JC (1985b) Comparison of arsenic-induced cell transformation, cytotoxicity, mutation and cytogenetic effects in Syrian hamster embryo cells in culture. *Carcinogenesis*, **6**: 1421–1426.
- Lee TC, Lee KC, Tzeng YJ, Huang RY & Jan KY (1986a) Sodium arsenite potentiates the clastogenicity and mutagenicity of DNA crosslinking agents. *Environ Mutagen*, **8**: 119–128.
- Lee TC, Wang-Wuu S, Huang RY, Lee KCC & Jan KY (1986b) Differential effects of pre- and posttreatment of sodium arsenite on the genotoxicity of methyl methanesulfonate in Chinese hamster ovary cells. *Cancer Res*, **46**: 1854–1857.
- Lee TC, Tanaka N, Lamb PW, Gilmer TM & Barrett JC (1988) Induction of gene amplification by arsenic. *Science*, **241**: 79–81.
- Lee-Feldstein A (1983) Arsenic and respiratory cancer in humans: Follow-up of copper smelter employees in Montana. *J Natl Cancer Inst*, **70**: 601–609.
- Lee-Feldstein A (1986) Cumulative exposure to arsenic and its relationship to respiratory

## ***EHC 224: Arsenic and Arsenic Compounds***

---

cancer among copper smelter employees. *J Occup Med*, **28**: 296–302.

Lee-Feldstein A (1989) A comparison of several measures of exposure to arsenic. Matched case-control study of copper smelter employees. *Am J Epidemiol*, **129**: 112–124.

Leivuori M & Niemistö L (1995) Sedimentation of trace metals in the Gulf of Bothnia. *Chemosphere*, **31**(8): 3839–3856.

Leland HV & Scudder BC (1990) Trace elements in *Corbicula fluminea* from the San Joaquin River, California. *Sci Total Environ*, **97/98**: 641–672.

Leoni L & Sartori F (1996) Heavy metals and arsenic in sediments from the continental shelf of the Northern Tyrrhenian/Eastern Ligurian seas. *Mar Environ Res*, **41**(1): 73–98.

Lerda D (1994) Sister-chromatid exchange (SCE) among individuals chronically exposed to arsenic in drinking water. *Mutat Res*, **312**: 111–120.

Lerman S & Clarkson TW (1983) The metabolism of arsenite and arsenate by the rat. *Fundam Appl Toxicol*, **3**: 309–314.

Lerman SA, Clarkson TW & Gerson RJ (1983) Arsenic uptake and metabolism by liver cells is dependent on arsenic oxidation state. *Chem Biol Interactions*, **45**: 401–406.

Levin-Scherz JK, Patrick JD, Weber FH & Garabedian CJ (1987) Acute arsenic ingestion. *Ann Emerg Med*, **16**: 702–704.

Levine AJ (1997) p53, the cellular gatekeeper for growth and division. *Cell*, **88**: 323–331.

Lewis DR, Southwick JW, Ouellet-Hellstrom R, Rench J & Calderon RL (1999) Drinking water arsenic in Utah: a cohort mortality study. *Environ Health Perspect*, **107**: 359–365.

Li J, Chen SZ, Yang SH, Zhang MX, Yu Z & Sun X (1989) [Distribution and speciation of arsenic in the seawater of the Huanghe River estuary and adjacent areas] (in Chinese) *J Ocean Univ Qingdao*, **19**(4): 87–96.

Li JH & Rossman TG (1989) Inhibition of DNA ligase activity by arsenite: a possible mechanism of its comutagenesis. *Mol Toxicol*, **2**: 1–9.

Li JH & Rossman TG (1991) Comutagenesis of sodium arsenite with ultraviolet radiation in Chinese hamster V79 cells. *Biol Metals*, **4**: 197–200.

Li YM & Broome JD (1999) Arsenic targets tubulins to induce apoptosis in myeloid leukemia cells. *Cancer Res*, **59**(4): 776–780.

Lima AR, Curtis C, Hammermeister DE, Markee TP, Northcott CE & Brooke LT (1984) Acute and chronic toxicities of arsenic(III) to fathead minnows, flagfish, daphnids, and an amphipod. *Arch Environ Contam Toxicol*, **13**: 595–601.

## References

---

- Lin T-H, Huang Y-L & Wang M-Y (1998) Arsenic species in drinking water, hair, fingernails, and urine of patients with blackfoot disease. *J Toxicol Environ Health A*, **53**: 85–93.
- Lin ZQ, Schuepp PH, Schemenauer RS & Kennedy GG (1995) Trace metal contamination in and on Balsam fir (*Abies balsamea* (L) Mill.) foliage in Southern Quebec, Canada. *Water Air Soil Pollut*, **81**(1/2): 175–191.
- Lindgren A, Vahter M & Dencker L (1982) Autoradiographic studies on the distribution of arsenic in mice and hamsters administered <sup>74</sup>As-arsenite or -arsenate. *Acta Pharm Toxicol*, **51**: 253–265.
- Lindgren A, Danielsson BRG, Dencker L & Vahter M (1984) Embryotoxicity of arsenite and arsenate: distribution in pregnant mice and monkeys and effects on embryonic cells *in vitro*. *Acta Pharm Toxicol*, **54**: 311–320.
- Lindsay DM & Sanders JG (1990) Arsenic uptake and transfer in a simplified estuarine food chain. *Environ Toxicol Chem*, **9**(3): 391–395.
- Liou SH, Gu TL & Chen CJ (1996) Hypersensitivity to mitomycin C-induced sister chromatid exchange as a biomarker of past exposure to arsenic. *Epidemiol Biomarkers Prev*, **5**: 103–107.
- Liou SH, Lung JC, Chen YH, Yang T, Hsieh LL, Chen CJ & Wu TN (1999) Increased chromosome-type chromosome aberration frequencies as biomarkers of cancer risk in a blackfoot endemic area. *Cancer Res*, **59**: 1481–1484.
- Liu Y, Lopez-Avila V, Zhu JJ, Wiederin DR & Beckert WF (1995) Capillary electrophoresis coupled on-line with inductively coupled plasma mass spectrometry for elemental speciation. *Anal Chem*, **67**: 2020–2025.
- Liu YT & Chen Z (1996) A retrospective lung cancer mortality study of people exposed to insoluble arsenic and radon. *Inst Occup Med*, **140**: 137–148.
- Livesey NT & Huang PM (1981) Adsorption of arsenate by soil and its relation to selected chemical properties and anions. *Soil Sci*, **131**(2): 88–94.
- Lo MC (1975) Report in the investigation of arsenic content of well water in the province of Taiwan. Nan-Tour, Taiwan Provincial Institute of Sanitary Department.
- Lo MC, Hsen YC & Lin BK (1977) The second report on the investigation of arsenic content in underground water in Taiwan province. Taichung, Provincial Institute of Environmental Sanitation.
- Lopez S, Miyashita Y & Simons SS Jr (1990) Structurally based, selective interaction of arsenite with steroid receptors. *J Biol Chem*, **265**(27) 16039–16042.
- Loppi S & Bargagli R (1996) Lichen biomonitoring of trace elements in a geothermal area

## ***EHC 224: Arsenic and Arsenic Compounds***

---

(central Italy). *Water Air Soil Pollut*, **88**(1/2): 177–187.

Lowe TP, May TW, Brumbaugh WG & Kane DA (1985) National contaminant biomonitoring program: Concentrations of seven elements in freshwater fish, 1978–1981. *Arch Environ Contam Toxicol*, **14**: 363–388.

Lubin JH & Fraumeni JF Jr (2000) Re: 'Does arsenic exposure increase the risk for circulatory disease?'. *Am J Epidemiol*, **152**: 290–293.

Lubin JH, Pottner LM, Blot WJ, Tokudome S, Stone BJ & Fraumeni JF Jr (1981) Respiratory cancer among copper smelter workers: recent mortality statistics. *J Occup Med*, **23**: 779–784.

Lubin JH, Pottner LM, Blot WJ, Stone BJ & Fraumeni JF Jr (2000) Respiratory cancer in a cohort of copper smelter workers: results from more than 50 years of follow-up. *Am J Epidemiol*, **151**: 554–565.

Lüchtrath H (1983) The consequences of chronic arsenic poisoning among Moselle wine growers. Pathoanatomical investigations of post-mortem examinations between 1960 and 1977. *J Cancer Res Clin Oncol*, **105**: 173–182.

Lugo G, Cassady G & Palmisano P (1969) Acute maternal arsenic intoxication with neonatal death. *Ann J Dis Child*, **117**: 328–330.

Lunde G (1977) Occurrence and transformation of arsenic in the marine environment. *Environ Health Perspect*, **19**: 47–52.

Luten JB, Riekwel-Booy G & Rauchbaar A (1982) Occurrence of arsenic in plaice (*Pleuronectes platessa*), nature of organo-arsenic compound present and its excretion by man. *Environ Health Perspect*, **45**: 165–170.

MAFF UK (1997) Survey of arsenic in food. The eighth report of the steering group on food surveillance, the working party on the monitoring of foodstuffs for heavy metals. Food surveillance paper No. 8. MAFF, UK.

Ma M & Le SC (1998) Effect of arsenosugar ingestion on urinary arsenic speciation. *Clin Chem*, **44**: 539–550.

Mabuchi K, Lilienfeld AM & Snell LM (1979) Lung cancer among pesticide workers exposed to inorganic arsenicals. *Arch Environ Health*, **34**: 312–320.

Mabuchi K, Lilienfeld AM & Snell LM (1980) Cancer and occupational exposure to arsenic: a study of pesticide workers. *Prev Med*, **9**: 51–77.

Macnair MR & Cumbes Q (1987) Evidence that arsenic tolerance in *Holcus lanatus* L. is caused by an altered phosphate uptake system. *New Phytol*, **107**: 387–394.

Macy JM, Nunan K, Hagen KD, Dixon DR, Harbour PJ, Cahill M & Sly LI (1996)

## References

---

- Chrysiogenes arsenatis* gen. nov., sp. nov., a new arsenate-respiring bacterium isolated from gold mine wastewater. *Int J Syst Bacteriol*, **46**(4): 1153–1157.
- Madany IM, Wahab AAA & Al-Alawi Z (1996) Trace metals concentrations in marine organisms from the coastal areas of Bahrain, Arabian Gulf. *Water Air Soil Pollut*, **91**(3/4): 233–248.
- Maeda S, Nakashima S, Takeshita T & Higashi S (1985) Bioaccumulation of arsenic by freshwater algae and the application to the removal of inorganic arsenic from an aqueous phase. Part II. *Chlorella vulgaris* isolated from arsenic-polluted environment. *Sep Sci Technol*, **20**(2/3): 153–161.
- Maeda S, Kumeda K, Maeda M, Higashi S & Takeshita T (1987a) Bioaccumulation of arsenic by freshwater algae (*Nostoc* sp.) and the application to the removal of inorganic arsenic from an aqueous phase. *Appl Organomet Chem*, **1**: 363–370.
- Maeda S, Wada H, Kumeda K, Onoue M, Ohki A, Higashi S & Takeshita T (1987b) Methylation of inorganic arsenic by arsenic-tolerant freshwater algae. *Appl Organomet Chem*, **1**: 465–472.
- Maeda S, Fujita S, Ohki A, Yoshifuku I, Higashi S & Takeshita T (1988) Arsenic accumulation by arsenic-tolerant freshwater blue-green alga (*Phormidium* sp.). *Appl Organomet Chem*, **2**: 353–357.
- Maeda S, Inoue R, Kozono T, Tokuda T, Ohki A & Takeshita T (1990a) Arsenic metabolism in a freshwater food chain. *Chemosphere*, **20**(1/2): 101–108.
- Maeda S, Ohki A, Miyahara K, Takeshita T & Higashi S (1990b) Growth characteristics and arsenic metabolism of two species of arsenic-tolerant bacteria. *Appl Organomet Chem*, **4**: 245–250.
- Maeda S, Ohki A, Tokuda T & Ohmine M (1990c) Transformation of arsenic compounds in a freshwater food chain. *Appl Organomet Chem*, **4**: 251–254.
- Maeda S, Kusadome K, Arima H, Ohki A & Naka K (1992a) Uptake and excretion of total inorganic arsenic by the freshwater alga *Chlorella vulgaris*. *Appl Organomet Chem*, **6**: 399–405.
- Maeda S, Kusadome K, Arima H, Ohki A & Naka K (1992b) Biomethylation of arsenic and its excretion by the alga *Chlorella vulgaris*. *Appl Organomet Chem*, **6**: 407–413.
- Maeda S, Ohki A, Kusadome K, Kuroiwa T, Yoshifuku I & Naka K (1992c) Bioaccumulation of arsenic and its fate in a freshwater food chain. *Appl Organomet Chem*, **6**: 213–219.
- Maekawa A, Takizawa H & Hayashi Y (1981) Spontaneous tumors of mice, rats and hamsters used for carcinogenicity studies. *Mutagens Toxicol*, **4**: 22–41.
- Maenhaut W (1987) Particle-induced X-ray emission spectrometry: an accurate technique

## ***EHC 224: Arsenic and Arsenic Compounds***

---

in the analysis of biological environmental and geological samples. *Anal Chim Acta*, **195**: 125–140.

Magnuson ML, Creed JT & Brockhoff CA (1996) Speciation of arsenic compounds by ion chromatography with inductively coupled plasma mass spectrometry detection utilizing hydride generation with a membrane separator. *J Anal Spectrom*, **11**: 893–898.

Maher WA (1983) Inorganic arsenic in marine organisms. *Mar Pollut Bull*, **14**(8): 308–310.

Maher WA (1985a) Arsenic in coastal waters of South Australia. *Water Res*, **19**(7): 933–934.

Maher WA (1985b) The presence of arsenobetaine in marine animals. *Comp Biochem Physiol* **80C**(1): 199–201.

Maher WA (1988) Arsenic in the marine environment of south Australia. In: Craig PJ & Glocking F ed. *The biological alkylation of heavy elements. Proceedings of a conference, 17–18 September 1987, London. Special Publication no.66. Royal Society of Chemistry, Cambridge, pp 120–126.*

Maher W & Butler E (1988) Arsenic in the marine environment. *Appl Organomet Chem*, **2**: 191–214.

Mahieu B, Buchet JP & Lauwerys R (1987) Evolution clinique et biologique d'une intoxication orale aiguë par l'anhydride arsénieux et considérations sur l'attitude thérapeutique. *J Toxicol Clin Exp*, **7**: 273–278 (in French)

Maitani T, Saito N, Abe M, Uchiyama S & Saito Y (1987) Chemical form-dependent induction of hepatic zinc-thionein by arsenic administration and effect of co-administered selenium in mice. *Toxicol Lett*, **39**: 63–70.

Mäki-Paakkanen J, Kurttio P, Paldy A & Pekkanen J (1998) Association between the clastogenic effect in peripheral lymphocytes and human exposure to arsenic through drinking water. *Environ Mol Mutagenesis*, **32**: 301–313.

Mandal BK, Chowdhury TR, Samanta G, Basu GK, Chowdhury PP, Chanda CR, Lodh D, Karan NK, Dhar RK, Tamili DK, Das D, Saha KC & Chakraborti D (1996) Arsenic in groundwater in seven districts of West Bengal, India – The biggest arsenic calamity in the world. *Curr Sci*, **70**(11): 976–986.

Mankovska B (1986) Accumulation of As, Sb, S, and Pb in soil and pine forest. *Ekológia*, **5**(1): 71–79.

Manning BA & Goldberg S (1997) Arsenic(III) and arsenic(V) adsorption on three California soils. *Soil Sci*, **162**(12) 886–895.

Mannio J, Järvinen O, Tuominen R & Verta M (1995) Survey of trace elements in lake waters of Finnish Lapland using the ICP-MS technique. *Sci Total Environ*, **160/161**: 433–439.

## References

---

- Marafante E & Vahter M (1987) Solubility, retention, and metabolism of intratracheally and orally administered inorganic arsenic compounds in the hamster. *Environ Res*, **42**: 72–82.
- Marafante E, Bertolero F, Edel J, Pietra R & Sabbioni E (1982) Intracellular interaction and biotransformation of arsenite in rats and rabbits. *Sci Total Environ*, **24**: 27–39.
- Marafante E, Vahter M & Dencker L (1984) Metabolism of arsenocholine in mice, rats and rabbits. *Sci Total Environ*, **34**: 223–240.
- Marafante E, Vahter M & Envall J (1985) The role of the methylation in the detoxication of arsenate in the rabbit. *Chem Biol Interact*, **56**: 225–238.
- Marafante E, Vahter M, Norin H, Envall J, Sandstrom M, Christakopoulos A & Ryhage R (1987) Biotransformation of dimethylarsinic acid in mouse, hamster and man. *J Appl Toxicol*, **7**: 111–117.
- Marsh GM, Stone RA, Esmen NA, Gula MJ, Gause CK, Petersen NJ, Meaney FJ, Rodney S & Prybylski D (1997) A case-control study of lung cancer mortality in six Gila Basin, Arizona smelter towns. *Environ Res*, **75**: 56–72.
- Marsh GM, Stone RA, Esmen NA, Gula MJ, Gause CK, Petersen NJ, Meaney FJ, Rodney S & Prybylski D (1998) A case-control study of lung cancer mortality in four rural Arizona smelter towns. *Arch Environ Health*, **53**: 15–28.
- Martin M, Osborn KE, Billig P & Glickstein N (1981) Toxicities of ten metals to *Crassostrea gigas* and *Mytilus edulis* embryos and *Cancer magister* larvae. *Mar Pollut Bull*, **12**(9): 305–308.
- Martin WE & Nickerson PR (1973) Mercury, lead, cadmium, and arsenic residues in starlings – 1971. *Pestic Monit J*, **7**(1): 67–72.
- Martinez G, Cebrian M & Chamorro G, Jauge P (1983) Urinary uroporphyrin as an indicator of arsenic exposure in rats. *Proc West Pharm Soc*, **26**: 171–174.
- Mass MJ & Wang L (1997) Arsenic alters cytosine methylation patterns of the promoter of the tumor suppressor gene *p53* in human lung cells: a model for a mechanism of carcinogenesis. *Mutat Res*, **386**: 263–277.
- Masscheleyn PH, Delaune RD & Patrick WH (1991a) Effect of redox potential and pH on arsenic speciation and solubility in a contaminated soil. *Environ Sci Technol*, **25**(8): 1414–1419.
- Masscheleyn PH, Delaune RD & Patrick WH (1991b) Heavy metals in the environment: arsenic and selenium chemistry as affected by sediment redox potential and pH. *J Environ Qual*, **20**(3): 522–527.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Mast TJ, Greenspan BJ, Dill JA, Stoney KH, Evanoff JJ & Rommereim RL (1990) Inhalation developmental toxicology studies: gallium arsenide in mice and rats: final report. Technical Report NTIS/DE91 005300. Springfield, VA, National Technical Information Service.

Mast TJ, Dill JA, Greenspan BJ, Evfanoff JJ, Morrissey RE & Schwetz BA (1991) The developmental toxicity of inhaled gallium arsenide in rodents. *Teratology*, **43**: 455–461.

Matanoski G, Landau E, Tonascia J, Lazar C, Elliott EA, McEnroe W & King K (1981) Cancer mortality in an industrial area of Baltimore. *Environ Res*, **25**: 8–28.

Mathieu D, Mathieu-Nolf M, Germain-Alonso M, Neviere R, Furon D & Wattel F (1992) Massive arsenic poisoning – effect of hemodialysis and dimercaprol on arsenic kinetics. *Intensive Care Med*, **18**: 47–50.

Matisoff G, Khourey CJ, Hall JF, Varnes AW & Strain WH (1982) The nature and source of arsenic in Northeastern Ohio ground water. *Ground Water*, **20**(4): 446–456.

Matsuto S, Kasuga H, Okumoto H & Takahashi A (1984) Accumulation of arsenic in blue-green alga, *Phormidium* sp. *Comp Biochem Physiol*, **78C**(2): 377–382.

Matsuto S, Stockton RA & Irgolic KJ (1986) Arsenobetaine in the red crab, *Chionoecetes opilio*. *Sci Total Environ*, **48**: 133–140.

May TW & McKinney GL (1981) Cadmium, lead, mercury, arsenic, and selenium concentrations in freshwater fish, 1976–77 – National Pesticide Monitoring Program. *Pestic Monit J*, **15**(1): 14–38.

Mayer FL (1987) Acute toxicity handbook of chemicals to estuarine organisms. PB87–188686. Gulf Breeze, FL, Environmental Research Laboratory, US EPA.

Mayer FL & Eilersieck MR (1986) Manual of acute toxicity: interpretation and data base for 410 chemicals and 66 species of freshwater animals. Resource Publication 160. Washington, DC, U.S. Department of the Interior Fish and Wildlife Service.

Mayes PA (1983) In: Martin, DW, Mayes, PA & Rodwell VW ed. Harper's review of biochemistry, 19th ed. Los Altos, CA, Lange Medical Publishers, p 165.

Mazumder DNG, Haque R, Ghosh N, De BK, Santra A, Chakraborty D & Smith AH (1998) Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. *Int J Epidemiol*, **27**: 871–877.

McBride BC & Wolfe RS (1971) Biosynthesis of dimethylarsine by methanobacterium. *Biogeochemistry*, **10**: 4312–4317.

McBride BC, Merilees H, Cullen WR & Pickett W (1978) Anaerobic and aerobic alkylation of arsenic. *ACS Symp Ser*, **82**: 94–115.

McGeachy SM & Dixon DG (1989) The impact of temperature on the acute toxicity of

## References

---

- arsenate and arsenite to rainbow trout (*Salmo gairdneri*). *Ecotoxicol Environ Saf*, **17**(1): 86–93.
- McGeehan SL (1996) Arsenic sorption and redox reactions: Relevance to transport and remediation. *J Environ Sci Health*, **A31**(9): 2319–2336.
- McLaren RG, Naidu R, Smith J & Tiller KG (1998) Fractionation and distribution of arsenic in soils contaminated by cattle dip. *J Environ Qual*, **27**: 348–354.
- McLaren SJ & Kim ND (1995) Evidence for a seasonal fluctuation of arsenic in New Zealand's longest river and the effect of treatment on concentrations in drinking water. *Environ Pollut*, **90**(1): 67–73.
- Mealey J Jr, Brownell GL & Sweet WH (1959) Radioarsenic in plasma, urine, normal tissues, and intracranial neoplasma. *Arch Neurol Psychiatr*, **81**: 310–320.
- Meharg AA & Macnair MR (1990) An altered phosphate uptake system in arsenate-tolerant *Holcus lanatus* L. *New Phytol*, **116**: 29–35.
- Meharg AA & Macnair MR (1991a) The mechanisms of arsenate tolerance in *Deschampsia cespitosa* (L.) Beauv. and *Agrostis capillaris* L. Adaptation of the arsenate uptake system. *New Phytol*, **119**: 291–297.
- Meharg AA & Macnair MR (1991b) Uptake, accumulation and translocation of arsenate in arsenate-tolerant and non-tolerant *Holcus lanatus* L. *New Phytol*, **117**: 225–231.
- Meharg AA & Macnair MR (1992) Suppression of the high affinity phosphate uptake system: a mechanism of arsenate tolerance in *Holcus lanatus* L. *J Exp Bot*, **43**(249): 519–524.
- Meharg AA, Naylor J & Macnair MR (1994) Phosphorus nutrition of arsenate-tolerant and nontolerant phenotypes of velvetgrass. *J Environ Qual*, **23**(2): 234–238.
- Meharg AA, Shore RF & Broadgate K (1998) Edaphic factors affecting the toxicity and accumulation of arsenate in the earthworm *Lumbricus terrestris*. *Environ Toxicol Chem*, **17**(6): 1124–1131.
- Merry RH, Tiller KG & Alston AM (1983) Accumulation of copper, lead and arsenic in some Australian orchard soils. *Aust J Soil Res*, **21**(4): 549–561.
- Merry RH, Tiller KG & Alston AM (1986) The effects of contamination of soil with copper, lead and arsenic on the growth and composition of plants. I. Effects of season, genotype, soil temperature and fertilizers. *Plant Soil*, **91**(1): 115–128.
- Merwin I, Pruyne PT, Ebel JG, Manzell KL & Lisk DJ (1994) Persistence, phytotoxicity, and management of arsenic, lead and mercury residues in old orchard soils of New York State. *Chemosphere*, **29**(6): 1361–1367.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Metcalf-Smith JL (1994) Influence of species and sex on metal residues in freshwater mussels (Family Unionidae) from the St. Lawrence River, with implications for biomonitoring programs. *Environ Toxicol Chem*, **13**(9): 1433–1443.

Michiels L, Rauwelaert E Van der, Hasselt F Van, Kas K & Merregaert J (1993) *fau* cDNA encodes a ubiquitin-like-S30 fusion protein and is expressed as an antisense sequence in the Finkel-Biskis-Reilly murine sarcoma virus. *Oncogene*, **8**(9): 2537–2546.

Michnowicz CJ & Weaks TE (1984) Effects of pH on toxicity of As, Cr, Cu, Ni, and Zn to *Selenastrum capricornutum* Printz. *Hydrobiologia*, **118**: 299–305.

Miles AK, Calkins DG & Coon NC (1992) Toxic elements and organochlorines in harbor seals (*Phoca vitulina richardsi*), Kodiak, Alaska, USA. *Bull Environ Contam Toxicol*, **48**(5): 727–732.

Millward GE, Kitts HJ, Ebdon L, Allen JI & Morris AW (1997) Arsenic in the Thames plume, UK. *Mar Environ Res*, **44**(1): 51–67.

Ministerie van Sociale Zaken en Werkgelegenheid (2000) [National list of maximal accepted concentrations 2000] (in Dutch). Den Haag, Sdu Uitgevers.

Minkinen P & Yliruokanen I (1978) The arsenic distribution in Finnish peat bogs. *Kem Kemi*, **7/8**: 331–335.

Minkowitz S (1964) Multiple carcinomata following ingestion of medicinal arsenic. *Ann Intern Med*, **61**: 296–299.

Mirkes PE & Cornel L (1992) A comparison of sodium arsenite-hyperthermia-induced stress responses and abnormal development in cultured postimplantation rat embryos. *Teratology*, **46**: 251–259.

Mirkes PE, Dogget B & Cornel L (1994) Induction of a heat shock response (HSP 72) in rat embryos exposed to selected chemical teratogens. *Teratology*, **49**: 135–142.

Misaelides P, Samara C, Noli F, Kouimtzi T & Anousis I (1993) Toxic element concentrations in airborne particulate matter in the area of Thessaloniki, Greece. *Sci Total Environ*, **130/131**: 139–146.

Mizuta N, Mizuta M, Ito F, Ito T, Uchida H, Watanabe Y, Akama H, Murakami T, Hayashi F, Nakamura K, Yamaguchi T, Mizuizawa W, Oishi S & Matsumura H (1956) An outbreak of acute arsenic poisoning caused by arsenic contaminated soy soyce (shoyu): A clinical report of 220 cases. *Bull Yamaguchi Med Sch*, **4**: 131–150.

Mohri T, Hisanaga A & Ishinishi N (1990) Arsenic intake & excretion by Japanese adults: A 7-day duplicate diet study. *Food Chem Toxicol*, **28**: 521–529.

Mok WM & Wai CM (1989) Distribution and mobilization of arsenic species in the creeks around the Blackbird mining district, Idaho. *Water Res*, **23**(1): 7–13.

Mok WM & Wai CM (1990) Distribution and mobilization of arsenic and antimony species

## References

---

in the Coeur d'Alene River, Idaho. *Environ Sci Technol*, **24**(1): 102–108.

Mok WM & Wai CM (1994) Mobilization of arsenic in contaminated river waters. In: Nriagu JO ed. *Arsenic in the environment: Part I: Cycling and characterization*. New York, John Wiley & Sons, pp 99–117.

Moore DF, O'Callaghan CA, Berlyne G, Ogg CS, Davies HA, House IM & Henry JA (1994) Acute arsenic poisoning: Absence of polyneuropathy after treatment with 2,3-dimercaptopropanesulphonate (DMPS). *J Neurol Neurosurg Psychiatry*, **57**: 1133–1135.

Moore JN, Ficklin WH & Johns C (1988) Partitioning of arsenic and metals in reducing sulfidic sediments. *Environ Sci Technol*, **22**(4): 432–437.

Moore LE, Warner ML, Smith AH, Kalman D & Smith MT (1996) Use of the fluorescent micronucleus assay to detect the genotoxic effects of radiation and arsenic exposure in exfoliated human epithelial cells. *Environ Mol Mutagen*, **27**: 176–184.

Moore LE, Smith AH, Hopenhayn-Rich C, Biggs ML, Kalman DA & Smith MT (1997b) Micronuclei in exfoliated bladder cells among individuals chronically exposed to arsenic in drinking water. *Cancer Epidemiol Biomarkers Prev*, **6**: 31–6.

Moore LE, Smith AH, Hopenhayn-Rich C, Biggs ML, Kalman DA & Smith MT (1997c) Decrease in bladder cell micronucleus prevalence after intervention to lower the concentration of arsenic in drinking water. *Cancer Epidemiol Biomarkers Prev*, **6**: 1051–6.

Moore MM, Harrington-Brock K & Doerr CL (1997a) Relative genotoxic potency of arsenic and its methylated metabolites. *Mutat Res*, **386**: 279–290.

Morales KH, Ryan L, Kuo TL, Wu MM & Chen CJ (2000) Risk of internal cancers from arsenic in drinking water. *Environ Health Perspect*, **108**: 655–661.

Morrissey RE & Mottet NK (1983) Arsenic-induced exencephaly in the mouse and associated lesions occurring during neurulation. *Teratology*, **28**: 399–411.

Morse DL, Harrington JM, Housworth J, Landrigan PJ & Kelter A (1979) Arsenic exposure in multiple environmental media in children near a smelter. *Clin Toxicol*, **14**(4): 389–399.

Morton WE & Caron GA (1989) Encephalopathy: an uncommon manifestation of workplace arsenic poisoning? *Am J Ind Med*, **15**: 1–5.

Mudroch A & Capobianco JA (1979) Effects of mine effluent on uptake of Co, Ni, Cu, As, Zn, Cd, Cr and Pb by aquatic macrophytes. *Hydrobiologia*, **64**(3): 223–231.

Muir DCG, Wagemann R, Grift NP, Norstrom RJ, Simon M & Lien J (1988) Organochlorine chemical and heavy metal contaminants in white-beaked dolphins (*Lagenorhynchus albirostris*) and pilot whales (*Globicephala melaena*) from the coast of Newfoundland, Canada. *Arch Environ Contam Toxicol*, **17**(5): 613–629.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Muller WU, Streffer C & Fischer-Lahdo C (1986) Toxicity of sodium arsenite in mouse embryos in vitro and its influence on radiation risk. *Arch Toxicol*, **59**: 172–175.

Murai T, Iwata H, Otoshi T, Endo G, Horiguchi S & Fukushima S (1993) Renal lesions induced in F344/DuCrj rats by 4-weeks oral administration of dimethylarsinic acid. *Toxicol Lett*, **66**: 53–61.

Murphy MJ, Lyon LW & Taylor JW (1981) Subacute arsenic neuropathy: clinical and electrophysiological observations. *J Neurol Neurosurg Psychiatry*, **44**: 896–900.

Muse JO, Tudino MB, d'Huicque L, Troccoli OE & Carducci CN (1989) Atomic absorption spectrometric determination of inorganic and organic arsenic in some marine benthic algae of the southern Atlantic coasts. *Environ Pollut*, **58**(4): 303–312.

NAS (National Academy of Sciences) (1977) Medical and biological effects of environmental pollutants: arsenic. Washington, DC, National Academy of Sciences.

Naddy RB, La Point TW & Klaine SJ (1995) Toxicity of arsenic, molybdenum and selenium combinations to *Ceriodaphnia dubia*. *Environ Toxicol Chem*, **14**(2): 329–336.

Nagyrajtenyi L, Selyes A & Berencsi G (1985) Chromosomal aberrations and fetotoxic effects of atmospheric arsenic exposure in mice. *J Appl Toxicol*, **5**: 61–63.

Nakadaira H, Yamamoto M & Kato K (1995) Arsenic levels in soil of a town polluted 35 years ago (Nakajo, Japan). *Bull Environ Contam Toxicol*, **55**(5): 650–657.

Nakamura M, Matsuzono Y, Tanaka S & Hashimoto Y (1990) Chemical form of arsenic compounds and distribution of their concentrations in the atmosphere. *Appl Organomet Chem*, **4**: 223–230.

Naqvi SM & Flagge CT (1990) Chronic effects of arsenic on American red crayfish, *Procambarus clarkii*, exposed to monosodium methanearsonate (MSMA) herbicide. *Bull Environ Contam Toxicol*, **45**(1): 101–106.

Naqvi SM, Davis VO & Hawkins RM (1985) Percent mortalities and LC<sub>50</sub> values for selected microcrustaceans exposed to Treflan, Cutrine-plus, and MSMA herbicides. *Bull Environ Contam Toxicol*, **35**: 127–132.

Naqvi SM, Hawkins R & Naqvi NH (1987) Mortality response and LC<sub>50</sub> values for juvenile and adult crayfish, *Procambarus clarkii* exposed to Thiodan (insecticide), Treflan, MSMA, Oust (herbicides) and Cutrine-plus (Algicide). *Environ Pollut*, **48**: 275–283.

Naqvi SM, Flagge CT & Hawkins RL (1990) Arsenic uptake and depuration by red crayfish, *Procambarus clarkii*, exposed to various concentrations of monosodium methanearsonate (MSMA) herbicide. *Bull Environ Contam Toxicol*, **45**(1): 94–100.

## References

---

- Narang APS & Datta DV (1983) Brain arsenic concentrations in fulminant hepatitis. *J Assoc Phys India*, **31**: 518–519.
- Navarro M, Sánchez M, López H & López MC (1993) Arsenic contamination levels in waters, soils, and sludges in southeast Spain. *Bull Environ Contam Toxicol*, **50**(3): 356–362.
- Neff JM (1997) Ecotoxicology of arsenic in the marine environment. *Environ Toxicol Chem*, **16**(5): 917–927.
- Neiger RD & Osweiler GD (1989) Effect of subacute low level dietary sodium arsenite on dogs. *Fundam Appl Toxicol*, **13**: 439–451.
- Nelson DA, Calabrese A, Nelson BA, MacInnes JR & Wenzloff DR (1976) Biological effects of heavy metals on juvenile bay scallops, *Argopecten irradians*, in short-term exposures. *Bull Environ Contam Toxicol*, **16**: 275–282.
- Nelson WC, Lykins MH, Mackey J, Newill VA, Finklea JF & Hammer DI (1973) Mortality among orchard workers exposed to lead arsenate spray: a cohort study. *J Chronic Dis*, **26**: 105–118.
- Nemec MD, Holson JF, Farr CH & Hood RD (1998) Developmental toxicity assessment of arsenic acid in mice and rabbits. *Reprod Toxicol*, **12**: 647–658.
- Neubauer O (1947) Arsenical cancer: a review. *Br J Cancer*, **1**: 192–251.
- Neumann H, Bode-Kirchhoff A, Madeheim A & Wetzel A (1998) Toxicity testing of heavy metals with the *Rhizobium*-legume symbiosis: High sensitivity to cadmium and arsenic compounds. *Environ Sci Pollut Res*, **5**(1): 28–36.
- Ng JC (1999) Speciation, bioavailability and toxicology of arsenic in the environment. PhD Thesis. University of Queensland,.
- Ng JC & Moore MR (1996) Bioavailability of arsenic in soils from contaminated sites using a 96 hour rat blood model. In: Langley A, Markey B & Hill H eds. The health risk assessment and management of contaminated sites. Contaminated Sites Monograph Series. No. 5. South Australia, Commonwealth Department of Human Services and Health and the Environmental Protection Agency, pp 355–363.
- Ng JC, Johnson D, Imray P, Chiswell B & Moore M (1998a) Speciation of arsenic metabolites in the urine of occupational workers and experimental rats using an optimised hydride cold-trapping method. *Analyst*, **123**: 929–933.
- Ng JC, Kratzmann SM, Qi L, Crawley H, Chiswell B & Moore MR (1998b) Speciation and absolute bioavailability: risk assessment of arsenic-contaminated sites in a residential suburb in Canberra. *Analyst*, **123**: 889–892.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Ng JC, Seawright AA, Qi L, Garnett CM, Moore MR & Chiswell B (1998c) Tumours in mice induced by chronic exposure of high arsenic concentration in drinking water. Third International Conference on Arsenic Exposure and Health Effects, 12–15 July 1998, San Diego, CA. p 28.

Ng JC, Seawright AA, Qi L, Garnett CM, Chiswell B & Moore MR (1999) Tumours in mice induced by exposure to sodium arsenate in drinking water. In: Abernathy C, Caldron R & Chappell W eds. Arsenic exposure and health effects. Oxford, Elsevier Science, pp 217–223.

NHMRC (National Health and Medical Research Council) (1996) Australian drinking water guidelines. Canberra, Commonwealth of Australia.

NHW/DOE (National Health & Welfare/Department of the Environment) (1993) Arsenic and its compounds – supporting documentation. Canadian Environmental Protection Act Priority Substances List. Ottawa, National Health & Welfare/Department of the Environment.

Nichols JW, Wedemeyer GA, Mayer FL, Dickhoff WW, Gregory SV, Yasutake WT & Smith SD (1984) Effects of freshwater exposure to arsenic trioxide on the parr-smolt transformation of coho salmon (*Oncorhynchus kisutch*). Environ Toxicol Chem, **3**: 142–149.

Nickson R, McArthur J, Burgess W, Ahmed KM, Ravenscroft P & Rahman M (1998) Arsenic poisoning of Bangladesh groundwater [letter]. Nature, **395**(6700): 338.

Nicolli HB, Suriano JM, Gomez Peral MA, Ferpozzi LH & Baleani OA (1989) Groundwater contamination with arsenic and other trace elements in an area of the Pampa province of Cordoba, Argentina. Environ Geol Water Sci, **14**: 3–16.

Nordenson I & Beckman L (1991) Is the genotoxic effect of arsenic mediated by oxygen free radicals? Hum Hered, **41**: 71–73.

Nordstrom S, Beckman L & Nordenson I (1978a) Occupational and environmental risks in and around a smelter in northern Sweden; I. Variations in birth weight. *Hereditas*, **88**: 43–46.


Nordstrom S, Beckman L & Nordenson I (1978b) Occupational and environmental risks in and around a smelter in northern Sweden; III. Frequencies of spontaneous abortion. *Hereditas*, **88**: 51–54.

Nordstrom S, Beckman L & Nordenson I (1979a) Occupational and environmental risks in and around a smelter in northern Sweden; V. Spontaneous abortion among female employees and decrease birth weight in their offspring. *Hereditas*, **90**: 291–296.

Nordstrom S, Beckman L & Nordenson I (1979b) Occupational and environmental risks in and around a smelter in northern Sweden; VI. Congenital malformations. *Hereditas*, **90**: 297–302.

## References

---

- Norheim G, Skaare JU & Wiig Ø (1992) Some heavy metals, essential elements, and chlorinated hydrocarbons in polar bear (*Ursus maritimus*) at Svalbard. *Environ Pollut*, **77**(1): 51–57.
- Norin H & Christakopoulos A (1982) Evidence for the presence of arsenobetaine and another organoarsenical in shrimps. *Chemosphere*, **11**(3): 287–298.
- Norin H, Vahter M, Christakopoulos A & Sandström M (1985) Concentration of inorganic and total arsenic in fish from industrially polluted water. *Chemosphere*, **14**(3/4): 325–334.
- Norstrom RJ, Schweinsberg RE & Collins BT (1986) Heavy metals and essential elements in livers of the polar bear (*Ursus maritimus*) in the Canadian Arctic. *Sci Total Environ*, **48**: 195–212.
- NRC (National Research Council) (1999) Arsenic in drinking water. Subcommittee on Arsenic in Drinking Water, Committee on Toxicology, Board on Environmental Studies and Toxicology Commission on Life Science. Washington, DC, National Academy Press.
- NRCC (National Research Council of Canada) (1978) Effects of arsenic in the Canadian environment. Ottawa, NRCC.
- Nunoshiba T & Nishioka H (1987) Sodium arsenite inhibits spontaneous and induced mutations in *Escherichia coli*. *Mutat Res*, **184**: 99–105.
- Nygren O, Nilsson CA & Lindahl R (1992) Occupational exposure to chromium, copper & arsenic during work with impregnated wood in joinery shops. *Ann Occup Hyg*, **36**: 509–517.
- O'Neil P (1990) Arsenic. In: Alloway BJ ed. *Heavy metals in soils*. Glasgow, Blackie and Sons, pp 83–99.
- OSHA (2000) Occupational Safety and Health Agency.  [www.osha-slc.gov/OshStd\\_data/1910\\_1018.html](http://www.osha-slc.gov/OshStd_data/1910_1018.html).
- Oberly TJ, Piper CE & McDonald DS (1982) Mutagenicity of metal salts in the L5178Y mouse lymphoma assay. *J Toxicol Environ Health*, **9**: 367–376.
- Ochi T, Nakajima F, Sakurai T, Kaise T & Oya-Ohta Y (1996) Dimethylarsinic acid causes apoptosis in HL-60 cells via interaction with glutathione. *Arch Toxicol*, **70**: 815–821.
- Odanaka Y, Matano O & Goto S (1980) Biomethylation of inorganic arsenic by the rat and some laboratory animals. *Bull Environ Contam Toxicol*, **24**: 452–459.
- Offergelt JA, Roels H, Buchet JP, Boeckx M & Lauwerys R (1992) Relation between airborne arsenic trioxide and urinary excretion of inorganic arsenic and its methylated metabolites. *Br J Ind Med*, **49**: 387–393.
- Oh SJ (1991) Electrophysiological profile in arsenic neuropathy. *J Neurol Neurosurg Psychiatr*, **54**: 1103–1105.
- Ohlendorf HM, Marois KC, Lowe RW, Harvey TE & Kelly PR (1991) Trace elements and

## ***EHC 224: Arsenic and Arsenic Compounds***

---

organochlorines in surf scoters from San Francisco Bay, 1985. *Environ Monit Assess*, **18**(2): 105–122.

Ohyama S, Ishinishi N, Hisanaga A & Yamamoto A (1988) Comparative chronic toxicity, including tumorigenicity, of gallium arsenide & arsenic trioxide intratracheally instilled into hamsters. *Appl Organomet Chem*, **2**: 333–337.

Okui T & Fujiwara Y (1986) Inhibition of human excision DNA repair by inorganic arsenic and the co-mutagenic effect in V79 Chinese hamster cells. *Mutat Res*, **172**: 69–76.

Oladimeji AA, Qadri SU & deFreitas ASW (1984) Long-term effects of arsenic accumulation in rainbow trout, *Salmo gairdneri*. *Bull Environ Contam Toxicol*, **32**: 732–741.

Oladimeji AA, Qadri SU, Tam GKH & DeFreitas ASW (1979) Metabolism of inorganic arsenic to organoarsenicals in rainbow trout (*Salmo gairdneri*). *Ecotoxicol Environ Saf*, **3**: 394–400.

Olesik JW, Kinzer JA & Olesik SV (1995) Capillary electrophoreses – inductively coupled plasma spectrometry for rapid elemental speciation. *Anal Chem*, **67**: 1–12.

Omura M, Hirata M, Tanaka A, Zhao M, Makitar Y, Inoue N, Gotoh K & Ishinishi N (1996a) Testicular toxicity evaluation of arsenic-containing binary compound semiconductors, gallium arsenide and indium arsenide, in hamsters. *Toxicol Lett*, **89**: 123–129.

Omura M, Tanaka A, Hirata M, Zhao M, Makita Y, Inoue N, Gotoh K & Ishinishi N (1996b) Testicular toxicity of gallium arsenide, indium arsenide, and arsenic oxide in rats by repetitive intratracheal instillation. *Fundam Appl Toxicol*, **32**: 72–78.

Onishi H (1969) Arsenic. In: Wedepohl KH ed. *Handbook of Geochemistry*, Vol. II-2. New York, Springer.

Onken BM & Hossner LR (1995) Plant uptake and determination of arsenic species in soil solution under flooded conditions. *J Environ Qual*, **24**(2): 373–381.

Orvini E, Gills TE & LaFleur PD (1974) Method for determination of selenium, arsenic, zinc, cadmium, and mercury in environmental matrices by neutron activation analysis. *Anal Chem*, **46**(9): 1294–1297.

Osburn HS (1957) Cancer of the lung in Gwanda. *Centr Afr J Med*, **3**: 215–223.

Osburn HS (1969) Lung cancer in a mining district in Rhodesia. *S Afr Med J*, **43**: 1307–1312.

Oscarson DW, Huang PM & Liaw WK (1980) The oxidation of arsenite by aquatic sediments. *J Environ Qual*, **9**(4): 700–703.

Oowski SL, Brewer LW, Baker OE & Cobb GP (1995) The decline of mink in Georgia,

## References

---

North Carolina, and South Carolina: the role of contaminants. *Arch Environ Contam Toxicol*, **29**(3): 418–423.

Ostrosky-Wegman P, Gonsebatt ME, Montero R, Vega L, Barba H, Espinosa J, Palao A, Cortinas C, Garcia-Vargas G, Del Razo LM & Cebrian M (1991) Lymphocyte proliferation kinetics and genotoxic findings in a pilot study on individuals chronically exposed to arsenic in Mexico. *Mutat Res*, **250**: 477–482.

Ott MG, Holder BB & Gordon HL (1974) Respiratory cancer and occupational exposure to arsenicals. *Arch Environ Health*, **29**: 250–255.

Otte ML, Rozema J, Beek MA, Kater BJ & Broekman RA (1990) Uptake of arsenic by estuarine plants and interactions with phosphate, in the field (Rhine Estuary) and under outdoor experimental conditions. *Sci Total Environ*, **97/98**: 839–854.

Outridge PM & Noller BN (1991) Accumulation of toxic trace elements by freshwater vascular plants. *Rev Environ Contam Toxicol*, **121**: 1–63.

Oya-Ohta Y, Kaise T & Ochi T (1996) Induction of chromosomal aberrations in cultured human fibroblasts by inorganic and organic arsenic compounds and the different roles of glutathione in such induction. *Mutat Res*, **357**: 123–129.

Pacyna JM, Bartonova A, Cornille P & Maenhaut W (1989) Modelling of long-range transport of trace elements. A case study. *Atmos Environ*, **23**(1): 107–114.

Page GW (1981) Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol*, **15**(12): 1475–1481.

Pain DJ, Amiard-Triquet C & Sylvestre C (1992) Tissue lead concentrations and shot ingestion in nine species of waterbirds from the Camargue (France). *Ecotoxicol Environ Saf*, **24**(2): 217–233.

Palawski D, Hunn JB & Dwyer FJ (1985) Sensitivity of young striped bass to organic and inorganic contaminants in fresh and saline waters. *Trans Am Fish Soc*, **114**: 748–753.

Paliouris G & Hutchinson TC (1991) Arsenic, cobalt and nickel tolerances in two populations of *Silene vulgaris* (Moench) Garcke from Ontario, Canada. *New Phytol*, **117**: 449–459.

Parris GE & Brinckman FE (1976) Reactions which relate to environmental mobility of arsenic and antimony. II. Oxidation of trimethylarsine and trimethylstibine. *Environ Sci Technol*, **10**(12): 1128–1134.

Paschal DC, DiPietro ES, Phillips DL & Gunter EW (1989) Age dependence of metals in hair in a selected U.S. population. *Environ Res*, **48**: 17–28.

Passino DRM & KrAm JM (1980) Toxicity of arsenic and PCBs to fry of deepwater ciscoes (*Coregonus*). *Bull Environ Contam Toxicol*, **24**: 527–534.

Passino DRM & Novak AJ (1984) Toxicity of arsenate and DDT to the cladoceran

## ***EHC 224: Arsenic and Arsenic Compounds***

---

*Bosmina longirostris*. Bull Environ Contam Toxicol, **33**: 325–329.

Pedersen GA, Mortensen GK & Larsen EH (1994) Beverages as a source of toxic trace element intake. Food Addit Contaminants, **14**(3): 351–363.

Peirson DH, Cawse PA & Cambray RS (1974) Chemical uniformity of airborne particulate material, and a maritime effect. Nature, **251**: 675–679.

Penrose WR (1975) Biosynthesis of organic arsenic compounds in brown trout (*Salmo trutta*). J Fish Res Board Can, **32**: 2385–2390.

Penrose WR, Black R & Hayward MJ (1975) Limited arsenic dispersion in sea water, sediments and biota near a continuous source. J Fish Res Board Can, **32**: 1275–1281.

Penrose WR, Conacher HBS, Black R, MÉRanger JC, Miles W, Cunningham HM & Squires WR (1977) Implications of inorganic/organic interconversion on fluxes of arsenic in marine food webs. Environ Health Perspect, **19**: 53–59.

Peoples SA (1975) Review of arsenical pesticides. In: Woolson EA ed. Arsenical pesticides. Washington, DC, American Chemical Society, pp 1–12.

Pergantis S, Heithmar EM & Hinners TA (1997) Speciation of arsenic animal feed additives by microbore high-performance liquid chromatography with inductively coupled plasma mass spectrometry. Analyst, **122**: 1063–1068.

Pershagen G (1985) Lung cancer mortality among men living near an arsenic-emitting smelter. Am J Epidemiol, **122**: 684–694.

Pershagen G & Bjorklund N-E (1985) On the pulmonary tumorigenicity of arsenic trisulfide and calcium arsenate in hamsters. Cancer Lett, **27**: 99–104.

Pershagen G, Elinder CG & Bolander AM (1977) Mortality in a region surrounding an arsenic emitting plant. Environ Health Perspect, **19**: 133–137.

Pershagen G, Wall S, Taube A & Linnman L (1981) On the interaction between occupational arsenic exposure and smoking and its relationship to lung cancer. Scand J Work Environ Health, **7**: 302–309.

Pershagen G, Lind B & Bjorklund NE (1982) Lung retention and toxicity of some inorganic arsenic compounds. Environ Res, **29**: 425–434.

Pershagen G, Nordberg G & Bjorklund NE (1984) Carcinomas of the respiratory tract in hamsters given arsenic trioxide and/or benzo(a)pyrene by the pulmonary route. Environ Res, **34**: 227–241.

Pershagen G, Bergman F, Klominek J, Damber L & Wall S (1987) Histological types of lung cancer among smelter workers exposed to arsenic. Br J Ind Med, **44**: 454–458.

Peryea FJ & Creger TL (1994) Vertical distribution of lead and arsenic in soils

## References

---

- contaminated with lead arsenate pesticide residues. *Water Air Soil Pollut*, **78**(3/4): 297–306.
- Peters RA (1955) Biochemistry of some toxic agents. I. Present state of knowledge of biochemical lesions induced by trivalent arsenical poisoning. *Bull Johns Hopkins Hosp*, **97**: 1–20.
- Peterson ML & Carpenter R (1983) Biogeochemical processes affecting total arsenic and arsenic species distributions in an intermittently anoxic fjord. *Mar Chem*, **12**: 295–321.
- Petrick JS, Ayala-Fierro F, Cullen WR, Carter DE & Aposhian VH (2000) Monomethylarsonous acid (MMAIII) is more toxic than arsenite in Chang human hepatocytes. *Toxicol Appl Pharmacol*, **168**: 203–207.
- Pettine M, Camusso M & Martinotti W (1992) Dissolved and particulate transport of arsenic and chromium in the Po River (Italy). *Sci Total Environ*, **119**: 253–280.
- Phillips DJH (1990) Arsenic in aquatic organisms: A review, emphasizing chemical speciation. *Aquat Toxicol*, **16**(3): 151–186.
- Phillips DJH & Depledge MH (1985) Metabolic pathways involving arsenic in marine organisms: a unifying hypothesis. *Mar Environ Res*, **17**: 1–12.
- Phillips DJH & Depledge MH (1986) Chemical forms of arsenic in marine organisms, with emphasis on *Hemifusus* species. *Water Sci Technol*, **18**(4/5): 213–222.
- Pietenpol JA, Holt JT, Stein RW & Moses HL (1990) Transforming growth factor 1 suppression of *c-myc* gene transcription: role in inhibition of keratinocyte proliferation. *Proc Natl Acad Sci U S A*, **87**: 9178–9182.
- Pinto SS & Bennett BM (1963) Effect of arsenic trioxide exposure on mortality. *Arch Environ Health*, **7**: 583–591.
- Pinto SS, Varner MO, Nelson KW, Labbe AL & White LD (1976) Arsenic trioxide absorption & excretion in industry. *J Occup Med*, **18**: 677–680.
- Pinto SS, Enterline PE, Henderson V & Varner MO (1977) Mortality experience in relation to a measured arsenic trioxide exposure. *Environ Health Perspect*, **19**: 127–130.
- Pinto SS, Henderson V & Enterline PE (1978) Mortality experience of arsenic-exposed workers. *Arch Environ Health*, **33**: 325–331.
- Pollard AJ (1980) Diversity of metal tolerances in *Plantago lanceolata* L. from the southeastern United States. *New Phytol*, **86**: 109.
- Pollisar L, Lowry-Coble K, Kalman DA, Hughes JP, Belle G Van, Covert DS, Burvacher TM, Bolgiano D & Mottet NK (1990) Pathways of human exposure to arsenic in a community surrounding a copper smelter. *Environ Res*, **53**: 29–47.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Pomroy C, Charbonneau SM & McCullough RS, Tam GKH (1980) Human retention studies with <sup>74</sup>As. *Toxicol Appl Pharm*, **53**: 550–556.

Porter EK & Peterson PJ (1975) Arsenic accumulation by plants on mine waste (United Kingdom). *Sci Total Environ*, **4**: 365–371.

Porter EK & Peterson PJ (1977) Biogeochemistry of arsenic on polluted sites in S. W. England. In: Hemphill DD ed. Trace substances in environmental health. Proceedings of the University of Missouri's 11th annual conference. Columbia, Mo, 7–9 June 1977, Missouri, University of Missouri, pp 89–99.

Prasad G (1994) Removal of arsenic(V) from aqueous systems by adsorption onto some geological materials. In: Nriagu JO ed. Arsenic in the environment: Part I: Cycling and characterization. New York, John Wiley & Sons, pp 133–154.

Presley BJ, Taylor RJ & Boothe PN (1992) Trace metal concentrations in sediments of the Eastern Mississippi Bight. *Mar Environ Res*, **33**(4): 267–282.

Pretty JR, Bludbaugh EA & Caruso JA (1993) Determination of arsenic (III) and selenium (IV) using an on-line anodic stripping voltammetry flow cell with detection by inductively coupled plasma atomic emission spectrometry and inductively coupled plasma mass spectrometry. *Anal Chem*, **65**: 3396–3403.

Proudfoot FG, Jackson ED, Hulan HW & Salisbury CDC (1991) Arsanilic acid as a growth promoter for chicken broilers when administered via either feed or drinking water. *Can J Anim Sci*, **71**: 221–226.

Prukop JA & Savage NL (1986) Some effects of multiple sublethal doses of monosodium methanearsonate (MSMA) herbicide on hematology, growth and reproduction of laboratory mice. *Bull Environ Contam Toxicol*, **36**: 337–341.

Qiao YL, Taylor PR, Yao SX, Erozan YS, Luo XC, Barrett MJ, Yan QY, Giffen CA, Huang SQ, Maher MM, Forman MR & Tockman MS (1997) Risk factors and early detection of lung cancer in a cohort of Chinese tin miners. *Ann Epidemiol*, **7**: 533–541.

Rabano ES, Castillo NT, Torre KJ, Solomon PA (1989) Speciation of arsenic in ambient aerosols collected in Los Angeles. *J Air Waste Manage Assoc*, **39**(1): 76–80.

Rahman M & Axelson O (1995) Diabetes mellitus and arsenic exposure: a second look at case-control data from a Swedish copper smelter. *Occup Environ Med*, **52**: 773–774.

Rahman M, Wingren G & Axelson O (1996) Diabetes mellitus among Swedish glass workers – an effect of arsenic exposure? *Scand J Work Environ Health*, **22**: 146–149.

Rahman M, Tondel M, Ahmad SA & Axelson O (1998) Diabetes mellitus associated with arsenic exposure in Bangladesh. *Am J Epidemiol*, **148**: 198–203.

Rahman M, Tondel M, Ahmad SA, Chowdhury IA, Faruquee MH & Axelson O (1999a)

## References

---

- Hypertension and arsenic exposure in Bangladesh. *Hypertension*, **33**: 74–78.
- Rahman M, Tondel M, Chowdhury IA & Axelson O (1999b) Relations between exposure to arsenic, skin lesions, and glucosuria. *Occup Environ Med*, **56**: 277–281.
- Rahman MS & Hughes MF (1994) In vitro percutaneous absorption of monosodium methanearsonate and disodium methanearsonate in female B6C3F1 mice. *J Toxicol Environ Health*, **41**: 421–433.
- Rahman MS, Hall LL & Hughes MF (1994) In vitro percutaneous absorption of sodium arsenate B6C3F1 mice. *Toxicol Vitro*, **8**: 441–448.
- Raie RM (1996) Regional variation in As, Cu, HG, and Se and interaction between them. *Ecotoxicol Environ Saf*, **35**: 248–252.
- Ramirez P, Eastmond DA, Lacleste JP & Ostrosky-Wegman P (1997) Disruption of microtubule assembly and spindle formation as a mechanism for the induction of aneuploid cells by sodium arsenite and vanadium pentoxide. *Mutat Res*, **386**(3): 291–298.
- Ramirez-Campos J, Ramos-Peek J, Martinez-Barros M, Zamora-Peralta M & Martinez-Cerrato J (1998) [Peripheral neuropathy caused by acute arsenic poisoning]. (in Spanish) *Gac Med Mex*, **134**: 241–246.
- Rasmussen RE & Menzel DB (1997) Variation in arsenic-induced sister chromatid exchange in human lymphocytes and lymphoblastoid cell lines. *Mutat Res*, **386**: 299–306.
- Ratnam KV, Espy MJ, Muller SA, Smith TF & Su WPD (1992) Clinicopathologic study of arsenic-induced skin lesions: no definite association with human papillomavirus. *J Am Acad Derm*, **27**: 120–122.
- Reay PF (1972) The accumulation of arsenic from arsenic-rich natural waters by aquatic plants. *J Appl Ecol*, **9**: 557–565.
- Reichl FX, Szinicz L, Kreppel H & Forth W (1988) Effect of arsenic on carbohydrate metabolism after single or repeated injection in guinea pigs. *Arch Toxicol*, **62**: 473–475.
- Reichl FX, Szinicz L, Kreppel H, Fichtl B & Forth W (1990) Effect of glucose in mice after acute experimental poisoning with arsenic trioxide (As<sub>2</sub>O<sub>3</sub>). *Arch Toxicol*, **64**: 336–338.
- Reimann C, Caritat P De, Halleraker JH, Volden T, Åyräs M, Niskavaara H, Chekushin VA & Pavlov VA (1997) Rainwater composition in eight arctic catchments in northern Europe (Finland, Norway and Russia). *Atmos Environ*, **31**(2): 159–170.
- Reimer KJ (1989) The methylation of arsenic in marine sediments. *Appl Organomet Chem*, **3**(6): 475–490.
- Reimer KJ & Thompson JAJ (1988) Arsenic speciation in marine interstitial water. The occurrence of organoarsenicals. *Biogeochemistry*, **6**: 211–237.
- Reish DJ (1993) Effects of metals and organic compounds on survival and

## ***EHC 224: Arsenic and Arsenic Compounds***

---

bioaccumulation in two species of marine gammaridean amphipod, together with a summary of toxicological research on this group. *J Nat Hist*, **27**: 781–794.

Rencher AC, Carter MW & McKee DW (1977) A retrospective epidemiological study of mortality at a large western copper smelter. *J Occup Med*, **19**: 754–758.

Repetto G, Sanz P & Repetto M (1994) Comparative in vitro effects of sodium arsenite and sodium arsenate on neuroblastoma cells. *Toxicology*, **92**: 143–153.

Reuther R (1992) Arsenic introduced into a littoral freshwater model ecosystem. *Sci Total Environ*, **115**(3): 219–237.

Richardson CW, Price JD & Burnett E (1978) Arsenic concentrations in surface runoff from small watersheds in Texas. *J Environ Qual*, **7**(2): 189–192.

Riedel GF (1993) The annual cycle of arsenic in a temperate estuary. *Estuaries*, **16**(3A): 533–540.

Riedel GF, Sanders JG & Osman RW (1987) The effect of biological and physical disturbance on the transport of arsenic from contaminated estuarine sediments. *Estuar Coast Mar Sci*, **25**: 693–706.

Riedel GF, Sanders JG & Osman RW (1989) The role of three species of benthic invertebrates in the transport of arsenic from contaminated estuarine sediment. *J Exp Mar Biol Ecol*, **134**: 143–155.

Rin K, Kawaguchi K, Yamanaka K, Tezuka M, Oku N & Okada S (1995) DNA-strand breaks induced by dimethylarsinic acid a metabolite of inorganic arsenics, are strongly enhanced by superoxide anion radicals. *Biol Pharm Bull*, **18**: 45–48.

Rivara MI, Cebrian M, Corey G, Hernandez M & Romieu I (1997) Cancer risk in an arsenic-contaminated area of Chile. *Toxicol Ind Health*, **13**: 321–338.

Robertson FN (1989) Arsenic in ground-water under oxidizing conditions, south-west United States. *Environ Geochem Health*, **11**: 171–185.

Robertson JL & McLean JA (1985) Correspondence of the LC<sub>50</sub> for arsenic trioxide in a diet-incorporation experiment with the quantity of arsenic ingested as measured by X-ray, energy-dispersive spectrometry. *J Econ Entomol*, **78**: 1035–1036.

Rocovich SE & West DA (1975) Arsenic tolerance in a population of the grass *Andropogon scoparius* Michx. *Science*, **188**: 263–264.

Roels H, Buchet J-P, Truc J, Croquet F & Lawerys R (1982) The possible role of direct ingestion on the overall absorption of cadmium or arsenic in workers exposed to CdO and As<sub>2</sub>O<sub>3</sub> dust. *Am J Ind Med*, **3**: 53–65.

## References

---

- Rogers EH, Chernoff N & Kavlock RJ (1981) The teratogenic potential of cacodylic acid in the rat and mouse. *Drug Chem Toxicol*, **4**: 49–61.
- Rom WN, Varley G, Lyon JL & Shopkow S (1982) Lung cancer mortality among residents living near the El Paso smelter. *Br J Ind Med*, **39**: 269–272.
- Romo-Kröger CM & Llona F (1993) A case of atmospheric contamination at the slopes of the Los Andes mountain range. *Atmos Environ*, **27A**(3): 401–404.
- Romo-Kröger CM, Morales JR, Dinator MI, Llona F & Eaton LC (1994) Heavy metals in the atmosphere coming from a copper smelter in Chile. *Atmos Environ*, **28**(4): 705–711.
- Rosemarin A, Notini M & Holmgren K (1985) The fate of arsenic in the Baltic Sea *Fucus vesiculosus* ecosystem. *Ambio*, **14**(6): 342–345.
- Rosen BP (1995) Resistance mechanisms to arsenicals and antimonials. *J Basic Clin Physiol Pharm*, **6**: 251–263.
- Rosenstein R, Peschel A, Wieland B & Gotz F (1992) Expression and regulation of the antimonite, arsenite, and arsenate resistance operon of *Staphylococcus xylosus* plasmid pSX267. *J Bacteriol*, **174**(11) 3676–3683.
- Rosner MH & Carter DE (1987) Metabolism and excretion of gallium arsenide and arsenic oxides by hamsters following intratracheal instillation. *Fundam Appl Toxicol*, **9**: 730–737.
- Rossmann TG (1981) Enhancement of uv-mutagenesis by low concentrations of arsenic in *E. coli*. *Mutat Res*, **91**: 207–211.
- Rossmann TG & Wolosin D (1992) Differential susceptibility to carcinogen-induced amplification of SV40 and dhfr sequences in SV40-transformed human keratinocytes. *Mol Carcinog*, **6**: 203–213.
- Rossmann TG & Wang ZL (1999) Expression cloning for arsenite resistance resulted in isolation of tumor suppressor fau cDNA: possible involvement of the ubiquitin system in arsenic carcinogenesis. *Carcinogenesis*, **20**(2): 311–316.
- Rossmann TG, Stone D, Molina M & Troll W (1980) Absence of arsenite mutagenicity in *E. coli* and Chinese hamster cells. *Environ Mutagen*, **2**: 371–379.
- Rossmann TG, Goncharova EJ, Rajah & Wang Z (1997) Human cells lack the inducible tolerance to arsenite seen in hamsters. *Mutat Res*, **386**: 307–314.
- Roth F (1955) Haemangioendothelioma of the liver after chronic arsenic intoxication. *Zent Allg Pathol*, **93**: 424–425.
- Roth F (1957a) Arsenic-liver tumours (haemangioendothelioma). *Z Krebsforsch*, **61**: 468–503.
- Roth F (1957b) [Late consequences of chronic arsenicism in Moselle vine-dressers] (in

## ***EHC 224: Arsenic and Arsenic Compounds***

---

German). *Dtsch Med Wochenschr*, **82**: 211–217.

Roth F (1958) [On bronchial carcinoma in arsenic-exposed vineyard workers] (in German). *Virchows Arch A Pathol Anat Histopathol*, **331**: 119–137.

Rowland IR & Davies MJ (1981) In vitro metabolism of inorganic arsenic by the gastrointestinal microflora of the rat. *J Appl Toxicol*, **1**: 278–283.

Roy WR, Hassett JJ & Griffin RA (1986) Competitive coefficients for the adsorption of arsenate, molybdate, and phosphate mixtures by soils. *Soil Sci Soc Am J*, **50**(5): 1176–1182.

RoyChoudhury A, Das T, Sharma A & Talukder G (1996) Dietary garlic extract in modifying clastogenic effects of inorganic arsenic in mice: two-generation studies. *Mutat Res*, **359**: 165–170.

Rutishauser U, Acheson A, Hall AK & Sunshine J (1988) N-CAM as a regulator of cell-cell interactions. *Science*, **240**: 53–57.

Sabbioni E, Fischbach M, Possi G, Pietra R, Gallorini M & Piette JL (1991) Cellular retention, toxicity and carcinogenic potential of seafood arsenic. I. Lack of cytotoxicity and transforming activity of arsenobetaine in the BALB/3T3 cell line. *Carcinogenesis*, **12**: 1287–1291.

Sadana RS (1983) Determination of arsenic in the presence of copper by differential pulse cathodic stripping voltammetry at a hanging mercury drop electrode. *Anal Chem*, **55**: 304–307.

Sadiq M (1990) Arsenic chemistry in marine environments: a comparison between theoretical and field observations. *Mar Chem*, **31**: 285–297.

Sadiq M (1997) Arsenic chemistry in soils: an overview of thermodynamic predictions and field observations. *Water Air Soil Pollut*, **93**: 117–136.

Sadiq M, Zaidi TH & Mian AA (1983) Environmental behavior of arsenic in soils: theoretical. *Water Air Soil Pollut*, **20**(4): 369–377.

Sadler R, Olszowy H, Shaw G, Biltoft R & Connell D (1994) Soil and water contamination by arsenic from a tannery waste. *Water Air Soil Pollut*, **78**(1/2): 189–198.

Saffiotti U & Bertolero F (1989) Neoplastic transformation of BALB/3T3 cells by metals and the quest for induction of a metastatic phenotype. *Biol Trace Elem Res*, **21**: 475–482.

Saiki MK & May TW (1988) Trace element residues in bluegills and common carp from the lower San Joaquin River, California, and its tributaries. *Sci Total Environ*, **74**: 199–217.

## References

---

- Saiki MK & Palawski DU (1990) Selenium and other elements in juvenile striped bass from the San Joaquin Valley and San Francisco Estuary, California. *Arch Environ Contam Toxicol*, **19**(5): 717–730.
- Sakata M (1987) Relationship between adsorption of arsenic(III) and boron by soil and soil properties. *Environ Sci Technol*, **21**(11): 1126–1130.
- Sandberg GR & Allen IK (1975) A proposed arsenic cycle in an agronomic ecosystem. *ACS Symp Ser* **7**. Washington, DC, American Chemical Society, pp 124–147.
- Sanders JG (1979a) The concentration and speciation of arsenic in marine macro-algae. *Estuar Coast Mar Sci*, **9**: 95–99.
- Sanders JG (1979b) Effects of arsenic speciation and phosphate concentration on arsenic inhibition of *Skeletonema costatum* (Bacillariophyceae). *J Phycol*, **15**: 424–428.
- Sanders JG (1980) Arsenic cycling in marine systems. *Mar Environ Res*, **3**: 257–266.
- Sanders JG (1986) Direct and indirect effects of arsenic on the survival and fecundity of estuarine zooplankton. *Can J Fish Aquat Sci*, **43**(3): 694–699.
- Sanders JG & Cibik SJ (1985) Adaptive behavior of euryhaline phytoplankton communities to arsenic stress. *Mar Ecol Progr Ser*, **22**: 199–205.
- Sanders JG & Cibik SJ (1988) Response of Chesapeake Bay phytoplankton communities to low levels of toxic substances. *Mar Pollut Bull*, **19**(9): 439–444.
- Sanders JG & Osman RW (1985) Arsenic incorporation in a salt marsh ecosystem. *Estuar Coast Mar Sci*, **20**: 387–392.
- Sanders JG & Riedel GF (1987) Control of trace element toxicity by phytoplankton. *Recent Adv Phytochem*, **21**: 131–149.
- Sanders JG & Vermersch PS (1982) Response of marine phytoplankton to low levels of arsenate. *J Plankton Res*, **4**(4): 881–893.
- Sanders JG & Windom HL (1980) The uptake and reduction of arsenic species by marine algae. *Estuar Coast Mar Sci*, **10**: 555–567.
- Sanders JG, Osman RW & Riedel GF (1989) Pathways of arsenic uptake and incorporation in estuarine phytoplankton and the filter-feeding invertebrates *Eurytemora affinis*, *Balanus improvisus* and *Crassostrea virginica*. *Mar Biol*, **103**(3): 319–325.
- Sanderson KV (1963) Arsenic and skin cancer. *Trans St John's Hosp Dermatol Soc*, **49**: 115–122.
- Sandström A & Wall S (1993) Cancer incidence among male salaried employees at a smeltery in northern Sweden. *Acta Oncol*, **32**: 9–14.
- Sandström AIM, Wall SGI & Taube A (1989) Cancer incidence and mortality among

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Swedish smelter workers. *Br J Ind Med*, **46**: 82–89.

Sandström AM & Wall SG (1992) Continued surveillance of cancer incidence among Swedish smelter workers. *Acta Oncol*, **31**: 11–17.

Sanford RA & Klein DA (1988) Environmental bioremediation for organometallic compounds: microbial growth and arsenic volatilization from soil and retorted shale. *Appl Organomet Chem*, **2**(2): 159–169.

Sanok WJ, Ebel JG, Manzell KL, Gutenmann WH & Lisk DJ (1995) Residues of arsenic and lead in potato soils on Long Island. *Chemosphere*, **30**(4): 803–806.

Sapunar-Postruznik J, Bazulic D & Kubala H (1996) Estimation of dietary intake of arsenic in the general population of the Republic of Croatia. *Sci Total Environ*, **191**: 119–123.

Sarkar A & Jana S (1986) Heavy metal pollutant tolerance of *Azolla pinnata*. *Water Air Soil Pollut*, **27**(1/2): 15–18.

Savabieasfahani M, Lochmiller RL, Rafferty DP & Sinclair JA (1998) Sensitivity of wild cotton rats (*Sigmodon hispidus*) to the immunotoxic effects of low-level arsenic exposure. *Arch Environ Contam Toxicol*, **34**: 289–296.

Schaefer ED & Pipes WO (1973) Temperature and the toxicity of chromate and arsenate to the rotifer *Philodina roseola*. *Water Res*, **7**: 1781–1790.

Schaller KH, Schiele R & Valentin H (1982) [Questions on the action of arsenic in mixing, melting and charging in the lead crystal industry] (in German). *Arbeitsmedizinische Untersuchungen zur Einwirkung von Fremdstoffen und Schadstoffen in der keramischen und Glas-Industrie* [Medical study at work of the action of impurities and hazardous substances in the ceramics and glass industry] No. 31. Würzburg, Berufsgenossenschaft der keramischen und Glas-Industrie.

Schaller KH, Schiele R & Valentin H (1982) [Questions on the action of arsenic in mixing, melting and charging in the lead crystal industry] (in German). No. 31 [Professional Association of the Ceramics and Glass Industry], Würzburg, pp.

Schmitt CJ & Brumbaugh WG (1990) National Contaminant Biomonitoring Program: concentrations of arsenic, cadmium, copper, lead, mercury, selenium, and zinc in U.S. freshwater fish, 1976–1984. *Arch Environ Contam Toxicol*, **19**(5): 731–747.

Schrauzer GN, Seck JA, Holland RJ, Beckham TM, Rubin EM & Sibert JW (1972) Reductive dealkylation of alkylcobaloximes, alkylcobalamins, and related compounds: Stimulation of corrin dependent reductase and methyl group transfer reactions. *Bioinorg Chem*, **2**: 93–124.

Schroeder WH, Dobson M, Kane DM & Johnson ND (1987) Toxic trace elements associated with airborne particulate matter: a review. *J Air Pollut Control Assoc* **37**(11) 1267–1285.

## References

---

- Schults DW, Ferraro SP, Ditsworth GR & Sercu KA (1987) Selected chemical contaminants in surface sediments of Commencement Bay and the Tacoma Waterways, Washington, USA. *Mar Environ Res*, **22**(4): 271–295.
- Schweizer EE (1967) Toxicity of DSMA soil residues to cotton and rotational crops. *Weeds*, **15**: 72–76.
- Scott N, Hatelid KM, MacKenzie NE & Carter DE (1993) Reactions of arsenic(III) and arsenic(V) species with glutathione. *Chem Res Toxicol*, **6**: 102–106.
- Scudlark JR & Church TM (1988) The atmospheric deposition of arsenic and association with acid precipitation. *Atmos Environ*, **22**(5): 937–943.
- Scudlark JR & Johnson DL (1982) Biological oxidation of arsenite in seawater. *Estuar Coast Mar Sci*, **14**: 693–706.
- Scudlark JR, Conko KM & Church TM (1994) Atmospheric wet deposition of trace elements to Chesapeake Bay: CBAD study year 1 results. *Atmos Environ*, **28**(8): 1487–1498.
- Seddon HR (1951) Diseases of domestic animals in Australia, part 3, tick and mite infestations (also animals, miscellaneous insects, etc. harmful to stock). Commonwealth of Australia, Department of Health, Service Publication (Division of Veterinary Hygiene), **7**: 1–200. Canberra, Commonwealth Government Printer.
- Sen AK & De AK (1987) Adsorption of arsenic on coal fly ash. *Indian J Technol*, **25**(6): 259–261.
- Seyler P & Martin JM (1989) Biogeochemical processes affecting arsenic species distribution in a permanently stratified lake. *Environ Sci Technol*, **23**(10): 1258–1263.
- Seyler P & Martin JM (1990) Distribution of arsenite and total dissolved arsenic in major French estuaries: dependence on biogeochemical processes and anthropogenic inputs. *Mar Chem*, **29**(2/3): 277–294.
- Shacklette HT & Boerngen JG (1984) Element concentrations in soils and other surficial materials of the conterminous United States. Professional Paper 1270. Washington, DC, US Geological Survey.
- Shah PV, Fisher HL, Sumler MR, Monroe RJ, Chernoff N & Hall LL (1987) Comparison of the penetration of 14 pesticides through the skin of young and adult rats. *J Toxicol Environ Health*, **21**: 353–366.
- Sharif AKM, Alamgir M, Krishnamoorthy KR & Mustafa AI (1993) Determination of arsenic, chromium, mercury, selenium and zinc in tropical marine fish by neutron activation. *J Radioanal Nucl Chem*, **170**(2): 299–307.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Sharples JM, Meharg AA, Chambers SM & Cairney JWG (1999) Arsenate sensitivity in ericoid and ectomycorrhizal fungi. *Environ Toxicol Chem*, **18**(8): 1848–1855.

Sheely JW & Jones JH (1993) Assessment of arsenic exposures and controls in gallium arsenide production. *Am Ind Hyg Assoc J*, **54**: 61–69.

Sheppard SC (1992) Summary of phytotoxic levels of soil arsenic. *Water Air Soil Pollut*, **64**(3/4): 539–550.

Shibata A, Ohneseit PF, Tsai YC, Spruck CH, Nichols PW, Chiang H, Lai MK & Jones PA (1994) Mutational spectrum in the p53 gene in bladder tumours from the endemic area of black foot disease in Taiwan. *Carcinogenesis*, **15**(6): 1085–7.

Shibata Y, Sekiguchi M, Otsukit A & Morita M (1996) Arsenic compounds in zoo- and phytoplankton of marine origin. *Appl Organomet Chem*, **10**: 713–719.

Shinagawa A, Shiomi K, Yamanaka H & Kikuchi T (1983) Selective determination of inorganic arsenic (III), (V) and organic arsenic in marine organisms. *Bull Jap Soc Sci Fish*, **49**(1): 75–78.

Shiomi K, Shinagawa A, Igarashi T, Yamanaka H & Kikuchi T (1984) Evidence for the presence of arsenobetaine as a major arsenic compound in the shrimp *Sergestes lucens*. *Experientia*, **40**: 1247–1248.

Shiomi K, Kakehashi Y, Yamanaka H & Kikuchi T (1987) Identification of arsenobetaine and a tetramethylarsonium salt in the clam *Meretrix luseria*. *Appl Organomet Chem*, **1**: 177–183.

Shiomi K, Aoyama M, Yamanaka H & Kikuchi T (1988a) Chemical forms of arsenic in sponges, sea anemones and sea hare. *Comp Biochem Physiol*, **90**: 361–366.

Shiomi K, Horiguchi Y & Kaise T (1988b) Acute toxicity and rapid excretion in urine of tetramethylarsonium salts found in some marine animals. *Appl Organomet Chem*, **2**: 385–389.

Shotyk W (1996) Natural and anthropogenic enrichments of As, Cu, Pb, Sb, and Zn in ombrotrophic versus minerotrophic peat bog profiles, Jura Mountains, Switzerland. *Water Air Soil Pollut*, **90**(3/4): 375–405.

Shukla JP, Shukla KN & Dwivedi UN (1987) Survivality and impaired growth in arsenic treated fingerlings of *Channa punctatus*, a fresh water murrel. *Acta Hydrochim Hydrobiol*, **15**(3): 307–311.

Shum SCK, Nedderson R & Houk RS (1992) Elemental speciation by liquid chromatography-inductively coupled plasma mass spectrometry with direct injection nebulization. *Analyst*, **117**: 577–582.

## References

---

- Sikorski EE, McCay JA, White KL, Bradley SG & Munson AE (1989) Immunotoxicity of the semiconductor gallium arsenide in female B6C3F1 mice. *Fundam Appl Toxicol*, **13**: 843–858.
- Sikorski EE, Burns LA, McCoy KL, Stern M & Munson AE (1991a) Suppression of splenic accessory cell function in mice exposed to gallium arsenide. *Toxicol Appl Pharm*, **110**: 143–156.
- Sikorski EE, Burns LA, Stern ML, Luster MI & Munson AE (1991b) Splenic cell targets in galium arsenide-induced suppression of the primary antibody response. *Toxicol Appl Pharm*, **110**: 129–142.
- Simonato L, Moulin JJ, Javelaud B, Ferro G, Wild P, Winkelman R & Saracci R (1994) A retrospective mortality study of workers exposed to arsenic in a gold mine and refinery in France. *Am J Ind Med*, **25**: 625–633.
- Simons SS Jr, Chakraborti PK & Cavanaugh AH (1990) Arsenite and cadmium(II) as probes of glucocorticoid receptor structure and function. *J Biol Chem*, **265**(4): 1938–45.
- Singh DB, Prasad G, Rupainwar DC & Singh VN (1988) As(III) removal from aqueous solution by adsorption. *Water Air Soil Pollut*, **42**(3/4): 373–386.
- Siu KWM, Guevremont R, Le Blanc JCY, Gardner GJ & Berman SS (1991) Electrospray interfacing for the coupling of ion-exchange and ion-pairing chromatography to mass spectrometry. *J Chromatogr*, **554**: 27–38.
- Skaare JU, Markussen NH, Norheim G, Haugen S & Holt G (1990) [Levels of polychlorinated biphenyls, organochlorine pesticides, mercury, cadmium, copper, selenium, arsenic, and zinc in the harbour seal, *Phoca vitulina*, in Norwegian waters]. (in Norwegian) *Environ Pollut*, **66**(4): 309–324.
- Slejkovec Z, vanElteren JT & Byrne AR (1998) A dual arsenic speciation system combining liquid chromatographic and purge and trap gas chromatographic separation with atomic fluorescence spectrometric detection. *Anal Chim Acta*, **20**(358): 51–60.
- Smith A, Goycolea M, Haque R & Biggs ML (1998) Marked increase in bladder and lung cancer mortality in a region of Northern Chile due to arsenic in drinking water. *Am J Epidemiol*, **147**: 660–669.
- Smith AH, Arroyo AP, Mazumder DN, Kosnett MJ, Hernandez AL, Beeris M, Smith MM & Moore LE (2000) Arsenic-induced skin lesions among Atacameno people in Northern Chile despite good nutrition and centuries of exposure. *Environ Health Perspect*, **108**: 617–620.
- Smith RA, Alexander RB & Wolman MG (1987) Water-quality trends in the nation's rivers. *Science*, **235**: 1607–1615.
- Smith TJ, Crecelius EA & Reading JC (1977) Airborne arsenic exposure and excretion of

## ***EHC 224: Arsenic and Arsenic Compounds***

---

methylated arsenic compounds. *Environ Health Perspect*, **19**: 89–93.

Snyder JC (1935) Crops planted in pulled orchards. *Proc Wash State Hortic Assoc*, **31**: 48–54.

Sobel W, Bond GG, Baldwin CL & Ducommun DJ (1988) An update of respiratory cancer and occupational exposure to arsenicals. *Am J Ind Med*, **13**: 263–270.

Soignet SL, Maslak P, Wang ZG, Jhanwar S, Calleja E, Dardashti LJ, Corso D, DeBlasio A, Gabrilove J, Scheinberg DA, Pandolfi PP & Warrell RP Jr (1998) Complete remission after treatment of acute promyelocytic leukemia with arsenic trioxide. *N Engl J Med*, **339**(19): 1341–1348.

Solomon PA, Altshuler SL & Keller ML (1993) Arsenic speciation in atmospheric aerosols at The Geysers. *J Air Waste Manage Assoc*, **43**(5): 765–768.

Sommers SC & McManus RG (1953) Multiple arsenical cancers of skin and internal organs. *Cancer*, **6**: 347–359.

Sonderegger JL & Ohguchi T (1988) Irrigation related arsenic contamination of a thin, alluvial aquifer, Madison River Valley, Montana, USA. *Environ Geol Water Sci*, **11**(2): 153–161.

Sorensen EMB (1976) Toxicity and accumulation of arsenic in green sunfish (*Lepomis cyanellus*) exposed to arsenate in water. *Bull Environ Contam Toxicol*, **15**(6): 756–761.

Sorensen EMB, Henry RE & Ramirez-Mitchell R (1979) Arsenic accumulation, tissue distribution and cytotoxicity in teleosts following indirect aqueous exposures. *Bull Environ Contam Toxicol*, **21**: 162–169.

Sorensen EMB, Ramirez-Mitchell R, Pradzynski A, Bayer TL & Wenz LL (1985) Stereological analyses of hepatocyte changes parallel arsenic accumulation in the livers of green sunfish. *J Environ Pathol Toxicol Oncol*, **6**(2): 195–210.

Spehar RL & Fiandt JT (1986) Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. *Environ Toxicol Chem*, **5**: 917–931.

Spehar RL, Fiandt JT, Anderson RL & DeFoe DL (1980) Comparative toxicity of arsenic compounds and their accumulation in invertebrates and fish. *Arch Environ Contam Toxicol*, **9**: 53–63.

Stanley TR, Spann JW, Smith GJ & Rosscoe R (1994) Main and interactive effects of arsenic and selenium on mallard reproduction and duckling growth and survival. *Arch Environ Contam Toxicol*, **26**(4): 444–451.

Steevans DR, Walsh LM & Keeney DR (1972) Arsenic phytotoxicity on a Plainfield sand as affected by ferric sulfate or aluminum sulfate. *J Environ Qual*, **1**(3): 301–303.

Steinnes E, Solberg W, Petersen HM & Wren CD (1989) Heavy metal pollution by long

## References

---

range atmospheric transport in natural soils of Southern Norway. *Water Air Soil Pollut*, **45**(3/4): 207–218.

Stevens JT, Hall LL, Farmer JD, DiPasquale LC, Chernoff N & Durham WF (1977) Disposition of cacodylic acid in rats after intravenous, intratracheal, or per oral administration. *Environ Health Perspect*, **19**: 151–157.

Stevens JT, DiPasquale LC & Farmer JD (1979) The acute inhalation toxicology of the technical grade organoarsenical herbicides, cacodylic acid and disodium methanearsonic acid; a route comparison. *Bull Environ Contam Toxicol*, **21**: 304–311.

Stilwell DE & Gorny KD (1997) Contamination of soil with copper, chromium, and arsenic under decks built from pressure treated wood. *Bull Environ Contam Toxicol*, **58**: 22–29.

Stocker R, Glazer AN & Ames BN (1987) Antioxidant activity of albumin-bound bilirubin. *Proc Natl Acad Sci USA*, **84**: 5918–5922.

Stoeppler M, Burow M, Backhaus F, Schramm W & Nürnberg HW (1986) Arsenic in seawater and brown algae of the Baltic and the North Sea. *Mar Chem*, **18**(2–4): 321–334.

Stone M & Marsalek J (1996) Trace metal composition and speciation in street sediment: Sault Ste. Marie. *Can Water Air Soil Pollut*, **87**(1–4): 149–169.

Stronkhorst J (1992) Trends in pollutants in blue mussel *Mytilus edulis* and flounder *Platichthys flesus* from two Dutch estuaries, 1985–1990. *Mar Pollut Bull*, **24**(5): 250–258.

Styblo M & Thomas DJ (1995) In vitro inhibition of glutathione reductase by arsenotriglutathione. *Biochem Pharm*, **49**: 971–977.

Styblo M & Thomas DJ (1997) Binding of arsenicals to proteins in an in vitro methylation system. *Toxicol Appl Pharm*, **147**: 1–8.

Styblo M, Delnomdedieu M & Thomas DJ (1995) Biological mechanisms and toxicological consequences of the methylation of arsenic. In: Goyer RA & Cherian MG ed. *Toxicology of metals – biochemical aspects*. Berlin, Springer, pp 407–433.

Styblo M, Delnomdedieu M & Thomas DJ (1996) Mono- and dimethylation of arsenic in rat liver cytosol in vitro. *Chem Biol Interact*, **99**: 147–164.

Styblo M, Serves SV, Cullen WR & Thomas DJ (1997) Comparative inhibition of yeast glutathione reductase by arsenicals and arsenothiols. *Chem Res Toxicol*, **10**: 27–33.

Styblo M, Del Razo LM, LeCluyse EL, Hamilton GA, Wang C, Cullen WR & Thomas DJ (1999) Metabolism of arsenic in primary cultures of human and rat hepatocytes. *Chem Res Toxicol*, **12**(7): 560–565.

Styblo M, Razo LM Del, Vega L, Germolec DR, LeCluyse EL, Hamilton GA, Reed W, Wang C, Cullen WR & Thomas DJ (2000) Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. *Arch Toxicol*, **74**: 289–299.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Subra I, Hubert G, Aubert S, Héry M & Elcsbache JM (1999) Exposition professionnelle aux métaux lors de l'usinage des bois traités au cuivre, chrome, arsenic. INRS Cahiers de notes documentaire – Hygiène et sécurité du travail No. 175. Vandoeuvre, France, Centre de recherche de l'INRS.

Suzuki K, Wakao N, Sakurai Y, Kimura T, Sakka K & Ohmiya K (1997) Transformation of *Escherichia coli* with a large plasmid of *Acidiphilium multivorum* AIU 301 encoding arsenic resistance. *Appl Environ Microbiol*, **63**(5): 2089–2091.

Swiggart RC, Whitehead CJ, Curley A & Kellogg FE (1972) Wildlife kill resulting from the misuse of arsenic acid herbicide. *Bull Environ Contam Toxicol*, **8**(2): 122–128.

Szinicz L & Forth W (1988) Effects of As<sub>2</sub>O<sub>3</sub> on gluconeogenesis. *Arch Toxicol*, **61**: 444–449.

Tabacova S, Little RE, Balabaeva L, Pavlova S & Petrov I (1994a) Complications of pregnancy in relation to maternal lipid peroxides, glutathione, and exposure to metals. *Reprod Toxicol*, **8**: 217–224.

Tabacova S, Baird DD, Balabaeva L, Lolova D & Petrov I (1994b) Placental arsenic and cadmium in relation to lipid peroxides and glutathione levels in maternal-infant pairs from a copper smelter area. *Placenta*, **15**: 873–881.

Tabacova S, Hunter ES III & Gladen BC (1996) Developmental toxicity of inorganic arsenic in whole embryo culture: oxidation state, dose, time, and gestational age dependence. *Toxicol Appl Pharmacol*, **138**: 298–307.

Takahashi A, Kawakami H, Bada A, Okonogi Y & Matsuto S (1990) Effects of phosphate on arsenate inhibition in a marine cyanobacterium, *Phormidium* sp. *Appl Organomet Chem*, **4**: 269–279.

Takamatsu T, Aoki H & Yoshida T (1982) Determination of arsenate, arsenite, monomethylarsonate, and dimethylarsinate in soil polluted with arsenic. *Soil Sci*, **133**(4): 239–246.

Takatsu A & Uchiomi A (1998) Abnormal arsenic accumulation by fish living in a naturally acidified lake. *Analyst*, **123**: 73–75.

Takeuchi IK (1979) Embryotoxicity of arsenic acid: light and electron microscopy of its effect on neurulation-stage rat embryo. *J Toxicol Sci*, **4**: 405–416.

Tam GKH, Charbonneau SM, Bryce F, Pomroy C & Sandi E (1979) Metabolism of inorganic arsenic (<sup>74</sup>As) in humans following oral ingestion. *Toxicol Appl Pharm*, **50**: 319–322.

Tam GKH, Charbonneau SM, Bryce F & Sandi E (1982) Excretion of a single oral dose of fish-arsenic in man. *Bull Environ Contam Toxicol*, **28**: 669–673.

Tamaki S & Frankenberger WT (1992) Environmental biochemistry of arsenic. *Rev*

## References

---

- Environ Contam Toxicol, **124**: 79–110.
- Tammes PM & Lint de MM (1969) Leaching of arsenic from soil. Neth J Agric Sci, **17**(2): 128–132.
- Tan AS, Su HQ, Li XR & Wang TH (1983) [Distribution of arsenic through waters, sediments and benthonic organisms of Bohai Bay]. (in Chinese) Marine Sci Qingdao, **4**: 28–30.
- Tanaka T (1990) Arsenic in the natural environment. Part II: Arsenic concentrations in thermal waters from Japan. Appl Organomet Chem, **4**: 197–203.
- Tanner CC & Clayton JS (1990) Persistence of arsenic 24 years after sodium arsenite herbicide application to Lake Rotoroa, Hamilton, New Zealand. N Z J Mar Freshw Res, **24**: 173–179.
- Tao SSH & Bolger PM (1998) Dietary intakes of arsenic in the United States. 3rd International Conference on arsenic exposure and health effects, 12–15 July 1998, San Diego, CA.
- Tariq J, Jaffar M & Moazzam M (1991) Concentration correlations between major cations and heavy metals in fish from the Arabian sea. Mar Pollut Bull, **22**(11): 562–565.
- Taylor D, Maddock BG & Mance G (1985) The acute toxicity of nine 'grey list' metals (arsenic, boron, chromium, copper, lead, nickel, tin, vanadium and zinc) to two marine fish species: dab (*Limanda limanda*) and grey mullet (*Chelon labrosus*). Aquat Toxicol, **7**: 135–144.
- Taylor PR, Qiao YL, Schatzkin A, Yao SX, Lubin J, Mao BL, Rao JY, McAdams M, Xuan XZ & Li JY (1989) Relation of arsenic exposure to lung cancer among tin miners in Yunnan Province, China. Br J Ind Med, **46**: 881–886.
- Temple PJ, Linzon SN & Chai BL (1977) Contamination of vegetation and soil by arsenic emissions from secondary lead smelters. Environ Pollut, **12**: 311–320.
- Tessier A, Campbell PGC & Bisson M (1979) Sequential extraction procedure for the speciation of particulate trace metals. Anal Chem, **51**(7): 844–850.
- Tezuka M, Hanioka K, Yamanaka K & Okada S (1993) Gene damage induced in human alveolar type II (L-132) cells by exposure to dimethylarsinic acid. Biochem Biophys Res Comm, **191**: 1178–1183.
- Thanabalasingam P & Pickering WF (1986) Arsenic sorption by humic acids. Environ Pollut, **12B**(3): 233–246.
- Thiel T (1988) Phosphate transport and arsenate resistance in the cyanobacterium *Anabaena variabilis*. J Bacteriol, **170**(3): 1143–1147.
- Thiers H, Colomb D, Moulin G & Colin L (1967) Le cancer cutané arsenical des

## ***EHC 224: Arsenic and Arsenic Compounds***

---

viticulteurs du Beaujolais. *Ann Dermatol Syphilol*, **94**: 133–158.

Thomas P, Finnie JK & Williams JG (1997) Feasibility of identification and monitoring of arsenic species in soil and sediment samples by coupled high-performance liquid chromatography inductively coupled plasma mass spectrometry. *J Anal Spectrom*, **12**: 1367–1372.

Thompson D (1993) A chemical hypothesis for arsenic methylation in mammals. *Chem Biol Interact*, **88**: 89–114.

Thorgeirsson UP, Dalgard DW, Reeves J & Adamson RH (1994) Tumor incidence in a chemical carcinogenesis study of nonhuman primates. *Regul Toxicol Pharm*, **19**: 130–151.

Thursby GB & Steele RL (1984) Toxicity of arsenite and arsenate to the marine macroalga *Champia parvula* (Rhodophyta). *Environ Toxicol Chem*, **3**: 391–397.

Tice RR, Yager JW, Andrews P & Crecelius E (1997) Effect of hepatic methyl donor status on urinary excretion and DNA damage in B6C3F1 mice treated with sodium arsenite. *Mutat Res*, **386**: 315–334.

Tiller KG, Merry RH, Zarcinas BA & Ward TJ (1989) Regional geochemistry of metal-contaminated surficial sediments and seagrasses in upper Spencer Gulf, South Australia. *Estuar Coast Mar Sci*, **28**(5): 473–493.

Tinwell H, Stephens SC & Ashby J (1991) Arsenite as the probable active species in the human carcinogenicity of arsenic: mouse micronucleus assays on Na and K arsenite, orpiment, and Fowler's solution. *Environ Health Perspect*, **95**: 205–210.

Tokudome S & Kuratsune M (1976) A cohort study on mortality from cancer and other causes among workers at a metal refinery. *Int J Cancer*, **17**: 310–317.

Tollestrup K, Daling JR & Allard J (1995) Mortality in a cohort of orchard workers exposed to lead arsenate pesticide spray. *Arch Environ Health*, **50**: 221–229.

Tondel M, Rahman M, Magnuson A, Chowdhury IA, Faruquee MH & Ahmad SA (1999) The relationship of arsenic levels in drinking water and the prevalence rate of skin lesions in Bangladesh. *Environ Health Perspect*, **107**: 727–729.

Trappe JM, Stahly EA, Benson NR & Duff DM (1973) Mycorrhizal deficiency of apple trees in high arsenic soils. *HortScience*, **8**(1): 52–53.

Tremblay GH & Gobeil C (1990) Dissolved arsenic in the St Lawrence Estuary and the Saguenay Fjord, Canada. *Mar Pollut Bull* **21**(10) 465–469.

Trepka MJ, Heinrich J, Schulz C, Krause C, Popescu M, Wjst M & Wichmann H-E (1996) Arsenic burden among children in industrial areas of eastern Germany. *Sci Total Environ*, **180**: 95–105.

## References

---

- Tripathi RM, Raghunath R & Krishnamoorthy TM (1997) Arsenic intake by the adult population in Bombay City. *Sci Total Environ*, **208**: 89–95.
- Tsai SM, Wang TN & Ko YC (1998) Cancer mortality trends in a blackfoot disease endemic community of Taiwan following water source replacement. *J Toxicol Environ Health*, **55**: 389–404.
- Tsai SM, Wang TN & Ko YC (1999) Mortality for certain diseases in areas with high levels of arsenic in drinking water. *Arch Environ Health*, **54**: 186–193.
- Tseng C, Chong C, Heng L, Tseng C & Tai T (2000a) The incidence of type 2 diabetes mellitus in Taiwan. *Diabetes Res Clin Pr*, **50** (Suppl 2): S61–S64.
- Tseng CH, Chong CK, Chen CJ, Lin BJ & Tai TY (1995) Abnormal peripheral microcirculation in seemingly normal subjects living in blackfoot-disease-hyperendemic villages in Taiwan. *Int J Microcirc Clin Exp*, **15**: 21–27.
- Tseng CH, Chong CK, Chen CJ & Tai TY (1996) Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. *Atherosclerosis*, **120**: 125–133.
- Tseng CH, Chong CK, Chen CJ & Tai TY (1997) Lipid profile and peripheral vascular disease in arseniasis-hyperendemic villages in Taiwan. *Angiology*, **48**: 321–335.
- Tseng CH, Tai TY, Chong CK, Tseng CP, Lai MS, Lin B, Chiou HY, Hsueh YM, Hsu KH & Chen CJ (2000b) Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: a cohort study in arseniasis-hyperendemic villages in Taiwan. *Environ Health Perspect*, **108**: 847–851.
- Tseng W-P (1977) Effects and dose-response relationship of skin cancer and blackfoot disease with arsenic. *Environ Health Perspect*, **19**: 109–119.
- Tseng W-P, Chu H-M, How S-W, Fong J-M, Lin C-S & Yeh S (1968) Prevalence of skin cancer in an endemic area of chronic arsenicism in Taiwan. *J Natl Cancer Inst*, **40**: 453–463.
- Tsuda T, Kume Y, Yamamoto M, Nagira T & Aoyama H (1987) An epidemiological study on cancer in certified arsenic poisoning patients in Toroku. *Jpn J Ind Health*, **29**: 496–497.
- Tsuda T, Nagira T, Yamamoto M, Kurumatani N, Hotta N, Harada M & Aoyama H (1989) [Malignant neoplasms among residents who drank well water contaminated by arsenic from a King's Yellow factory.] (in Japanese) *Sangyo Ika Daigaku Zasshi*, **11** (Suppl 1): 289–301.
- Tsuda T, Nagira T, Yamamoto M & Kume Y (1990) An epidemiological study on cancer in certified arsenic poisoning patients in Toroku. *Ind Health*, **28**: 53–62.
- Tsuda T, Babazono A, Yamamoto E, Kurumatani N, Mino Y, Ogawa T, Kishi Y & Aoyama

## ***EHC 224: Arsenic and Arsenic Compounds***

---

H (1995) Ingested arsenic and internal cancer: a historical cohort study followed for 33 years. *Am J Epidemiol*, **141**: 198–209.

Tsukamoto H, Parker HR, Gribble DH, Mariassy A & Peoples SA (1983) Nephrotoxicity of sodium arsenate in dogs. *Am J Vet Res*, **44**: 2324–2330.

Turpeinen R, Pansar Kallio M, Haggblom M & Kairesalo T (1999) Influence of microbes on the mobilization, toxicity and biomethylation of arsenic in soil. *Science Total Environ*, **15**(236): 173–180.

Ünlü MY (1979) Chemical transformation and flux of different forms of arsenic in the crab *Carcinus maenas*. *Chemosphere*, **8**(5): 269–275.

Ünlü MY & Fowler SW (1979) Factors affecting the flux of arsenic through the mussel *Mytilus galloprovincialis*. *Mar Biol*, **51**: 209–219.

Umweltbundesamt (1997) [Data about the environment. The condition of the environment in Germany]. (in German) Federal Ministry for the Environment, Berlin. Germany.

Urieta I, Jalon M & Eguilero I (1996) Food surveillance in the Basque Country (Spain), II: Estimation of the dietary intake of organochlorine pesticides, heavy metals, arsenic, aflatoxin M1, iron and zinc through the total diet study, 1990/91. *Food Addit Contam*, **13**: 29–52.

US DOI (US Department of the Interior) (1991) [http://ntp-db.niehs.gov/htdocs/ARC/ARC\\_KC/Arsenic\\_Cmpds.html](http://ntp-db.niehs.gov/htdocs/ARC/ARC_KC/Arsenic_Cmpds.html).

US EPA (US Environmental Protection Agency) (1982) An exposure and risk assessment for arsenic. EPA 440/4-85-005. Washington, DC, US Environmental Protection Agency.

US EPA (US Environmental Protection Agency) (1985) Ambient water quality criteria for arsenic – 1984. EPA/440/5-84/033. Washington, DC, US Environmental Protection Agency.

US EPA (US Environmental Protection Agency) (1992) Second draft for the drinking water criteria document on arsenic. Prepared Under ICAIR Program No. 1524, for EPA Contract 68-C8-0033, ERG Subcontract No. LSI-8700, ERG Work Assignment no. 2-19, Life Systems. Washington, DC, US Environmental Protection Agency.

US EPA (US Environmental Protection Agency) (1996) Bioavailability of arsenic and lead in environmental substrates. 1. results of an oral dosing study of immature swine. Superfund/Office of Environmental Assessment, EPA 910/R-96-002. Washington, DC, US Environmental Protection Agency.

US EPA (US Environmental Protection Agency) (1997) Peer review of EPA's research plan for arsenic in drinking water. Draft report. Ad Hoc Subcommittee On Arsenic Research, Board Of Scientific Counselors (BOSC), Office Of Research and Development. Washington, DC, US Environmental Protection Agency.

## References

---

- Uthus EO (1992) Evidence for arsenic essentiality. *Environ Geochem Health*, **14**: 55–58.
- Vaessen HA & van Ooik A (1989) Speciation of arsenic in Dutch total diets: methodology and results. *Z Lebensm Unters Forsch*, **189**(3): 232–5.
- Vahter M (1981) Biotransformation of trivalent and pentavalent inorganic arsenic in mice and rats. *Environ Res*, **25**: 286–293.
- Vahter M (1988) Biological availability and toxicity of arsenic contaminated soil. Report No. 3. Stockholm, National Institute of Environmental Medicine.
- Vahter M (1999) Methylation of inorganic arsenic in different mammalian species and population groups *Sci Progr*, **82**: 69–88.
- Vahter M & Envall J (1983) In vivo reduction of arsenate in mice and rabbits. *Environ Res*, **32**: 14–24.
- Vahter M & Gustafsson B (1980) Biotransformation of arsenic in germfree and conventional mice. In: Anke M, Schneider H-J, Bruckner C ed. *Proceedings of 3rd Symposium on Trace Elements. Arsenic, 7–11 July 1980, Jena*. Jena, Abteilung Wissenschaftliche Publikationen der Friedrich-Schiller-Universität, pp 123–129.
- Vahter M & Lind B (1986) Concentrations of arsenic in urine of the general population in Sweden. *Sci Total Environ*, **54**: 1–12.
- Vahter M & Marafante E (1983) Intracellular distribution and metabolic fate of arsenite and arsenate in mice and rabbits. *Chem Biol Interact*, **47**: 29–44.
- Vahter M & Marafante E (1985) Reduction and binding of arsenate in marmoset monkeys. *Arch Toxicol*, **57**: 119–124.
- Vahter M & Marafante E (1987) Effects of low dietary intake of methionine, choline or proteins on the biotransformation of arsenite in the rabbit. *Toxicol Lett*, **37**: 41–46.
- Vahter M & Norin H (1980) Metabolism of <sup>74</sup>As-labeled trivalent and pentavalent inorganic arsenic in mice. *Environ Res*, **21**: 446–457.
- Vahter M, Marafante E, Lindgren A & Dencker L (1982) Tissue distribution and subcellular binding of arsenic in marmoset monkeys after injection of <sup>74</sup>As-arsenite. *Arch Toxicol*, **51**: 65–77.
- Vahter M, Marafante E & Dencker L (1983) Metabolism of arsenobetaine in mice, rats and rabbits. *Sci Total Environ*, **30**: 197–211.
- Vahter M, Marafante E, Dencker L (1984) Tissue distribution and retention of <sup>74</sup>As-dimethylarsinic acid in mice and rats. *Arch Environ Contam Toxicol*, **13**: 259–264.
- Vahter M, Friberg L, Rahnster B, Nygren A, Nolinder P (1986) Airborne arsenic and

## ***EHC 224: Arsenic and Arsenic Compounds***

---

urinary excretion of metabolites of inorganic arsenic among smelter workers. *Int Arch Occup Environ Health*, **57**: 79–91.

Vahter M, Concha G, Nermell B, Nilsson R, Dulout F & Natarajan AT (1995a) A unique metabolism of inorganic arsenic in native Andean women. *Eur J Pharmacol Environ Toxicol Pharmacol Sect*, **293**: 455–462.

Vahter M, Couch R, Nermell B & Nilsson R (1995b) Lack of methylation of inorganic arsenic in the chimpanzee. *Toxicol Appl Pharm*, **133**: 262–268.

Valentine JL (1994) Chapter 14 – Review of health assessments for US/Canada populations exposed to arsenic in drinking water. In: Chappell WR, Abernathy CO & Cothorn CR eds. *Arsenic – Exposure and health*. Northwood, UK, Science and Technology Letters, pp 139–152.

Valentine JL, Kang HK & Spivey G (1979) Arsenic levels in human blood, urine, and hair in response to exposure via drinking water. *Environ Res*, **20**: 24–32.

Valkonen S, Savolainen H & Jarvisalo J (1983) Arsenic distribution and neurochemical effects in peroral sodium arsenite exposure of rats. *Bull Environ Contam Toxicol*, **30**(3): 303–308.

Van Cleuvenbergen RJA, Van Mol WE & Adams FC (1988) Arsenic speciation in water by hydride cold trapping – quartz furnace atomic absorption spectrometry: An evaluation. *J Anal Spectrom*, **3**: 169–176.

Van der Hoek EE & Comans RNJ (1996) Modeling arsenic and selenium leaching from acidic fly ash by sorption on iron (hydr)oxide in the fly ash matrix. *Environ Sci Technol*, **30**(2): 517–523.

van der Sloot HA, Hoede D, Wijkstra J, Duinker JC & Nolting RF (1985) Anionic species of V, As, Se, Mo, Sb, Te, and W in the Scheldt and Rhine estuaries and the southern bight (North Sea). *Estuar Coast Mar Sci*, **21**: 633–651.

VanderKop PA & MacNeil JD (1989) Effects of arsenic acid and monensin when given simultaneously in the diet of broiler chicks. *Vet Hum Toxicol*, **31**(3): 209–213.

Varanasi U, Stein JE, Tilbury KL, Meador JP, Sloan CA, Clark RC & Chan SL (1994) Chemical contaminants in gray whales (*Eschrichtius robustus*) stranded along the west coast of North America. *Sci Total Environ*, **145**(1/2): 29–53.

Varsanyi I (1989) Arsenic in deep groundwater. In: Miles DL ed. *Water–rock interaction (WRI-6)*. Rotterdam, A. A. Balkema, pp 715–718.

Vaughan GT & Greenslade PM (1998) Sensitive bioassays for risk assessment of contaminated soils. Investigation Report CET/IR 55. Environmental Research Trust Final Report. Sydney, Australia, CSIRO Division of Coal and Energy Technology.

## References

---

- Velez D, Ybanez N & Montoro R (1996) Monomethylarsonic and dimethylarsinic acid contents in seafood products. *J Agric Food Chem*, **44**: 859–864.
- Vermeer K & Thompson JAJ (1992) Arsenic and copper residues in waterbirds and their food down inlet from the Island Copper Mill. *Bull Environ Contam Toxicol*, **48**(5): 733–738.
- Vermette SJ, Peden ME, Willoughby TC, Lindberg SE & Weiss AD (1995) Methodology for the sampling of metals in precipitation: Results of the National Atmospheric Deposition Program (NADP) pilot network. *Atmos Environ* **29**(11) 1221–1229.
- Vianna NJ, Brady JA & Cardamone AT (1981) Epidemiology of angiosarcoma of liver in New York State. *N Y State J Med*, **81**: 895–899.
- Villanueva C & Kogevinas M (1999) Comments on 'Drinking water arsenic in Utah: a cohort mortality study'. *Environ Health Perspect*, **107**: A544.
- Viren J & Silvers A (1999) Nonlinearity in the lung cancer dose-response for airborne arsenic: Apparent confounding by year of hire in evaluating lung cancer risks from arsenic exposure in Tacoma smelter workers. *Regul Toxicol Pharm*, **30**(21): 117–129.
- Vocke RW, Sears KL, O'Toole JJ & Wildman RB (1980) Growth responses of selected freshwater algae to trace elements and scrubber ash slurry generated by coal-fired power plants. *Water Res*, **14**: 141–150.
- Von Endt DW, Kearney PC & Kaufman DD (1968) Degradation of monosodium methanearsonic acid by soil microorganisms. *J Agric Food Chem*, **16**(1): 17–20.
- Vogel AE (1954) Special tests for small amounts of arsenic. In: Vogel AE (ed) *A textbook of macro and semi-micro qualitative inorganic analysis*, 4th ed. London, Longmans, pp 242–247.
- Wagemann R, Snow NB, Rosenberg DM & Lutz A (1978) Arsenic in sediments, water, and aquatic biota from lakes in the vicinity of Yellowknife, Northwest Territories, Canada. *Arch Environ Contam Toxicol*, **7**: 169–191.
- Wahlberg JE & Boman A (1986) Contact sensitivity to arsenical compounds. *Dermatosen*, **34**: 10–12.
- Wakao N, Koyatsu H, Komai Y, Shimokawara H, Sakurai Y & Shiota H (1988) Microbial oxidation of arsenite and occurrence of arsenite-oxidizing bacteria in acid mine water from a sulfur-pyrite mine. *Geomicrobiol J*, **6**: 11–24.
- Waldman JM, Liroy PJ, Zelenka M, Jing L, Lin YN, He QC, Qian ZM, Chapman R & Wilson WE (1991) Wintertime measurements of aerosol acidity and trace elements in Wuhan, a city in central China. *Atmos Environ*, **25B**(1): 113–120.
- Wall S (1980) Survival and mortality pattern among Swedish smelter workers. *Int J Epidemiol*, **9**: 73–87.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Walsh LM & Keeney DR (1975) Behavior and phytotoxicity of inorganic arsenicals in soils. ACS Symp Ser, **7**: 35–52.

Walsh PR, Duce RA & Fasching JL (1979) Considerations of the enrichment, sources, and flux of arsenic in the troposphere. J Geophys Res, **84**(4C): 1719–1726.

Wang C & Lazarides E (1984) Arsenite-induced changes in methylation of the 70,000 dalton heat shock proteins in chicken embryo fibroblasts. Biochem Biophys Res Commun, **119**: 735–743.

Wang DS, Weaver RW & Melton JR (1984) Microbial decomposition of plant tissue contaminated with arsenic and mercury. Environ Pollut, **34**: 275–282.

Wang HF (1993) Glutathione S-transferase facilitates the excretion of arsenic from arsenic-resistant Chinese hamster ovary cells. Biochem Biophys Res Commun, **192**: 1093–1099.

Wang LF, Liu HD, Lin FF, Su MY, Xu XF, Sun XZ, Aihaidi, Ma L, Yang Y & Huang ZW (1993) Endemic arsenism in a village of Xinjiang: epidemiology, clinical and preventive studies for 9 years. Endemic Dis Bull, **8**: 71–78.

Wang TS & Huang H (1994) Active oxygen species are involved in the induction of micronuclei by arsenite in XRS-5 cells. Mutagenesis, **9**(3): 253–257.

Wang TS, Kuo CF, Jan KY & Huang H (1996a) Arsenite induces apoptosis in Chinese hamster ovary cells by generation of reactive oxygen species. J Cell Physiol, **169**: 256–268.

Wang Z & Rossman TG (1993) Stable and inducible arsenite resistance in Chinese hamster cells. Toxicol Appl Pharmacol, **118**: 80–86.

Wang Z, Dey S, Rosen BP & Rossman TG (1996b) Efflux mediated resistance to arsenicals in arsenic resistant and hypersensitive Chinese hamster cells. Toxicol Appl Pharmacol, **137**(1): 112–119



Wångberg S-Å & Blanck H (1990) Arsenate sensitivity in marine periphyton communities established under various nutrient regimes. J Exp Mar Biol Ecol, **139**: 119–134.

Wanibuchi H, Yamamoto S, Chen H, Yoshida K, Endo G, Hori T & Fukushima S (1996) Promoting effects of dimethylarsinic acid on *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-induced urinary bladder carcinogenesis in rats. Carcinogenesis, **17**: 2435–2439.

Wanibuchi H, Hori T, Meenakshi V, Ichihara T, Yamamoto S, Yano Y, Otani S, Nakae D, Konishi Y & Fukushima S (1997) Promotion of rat hepatocarcinogenesis by dimethylarsinic acid: association with elevated ornithine decarboxylase activity and formation of 8 hydroxydeoxyguanosine in the liver. Jpn J Cancer Res **88**(12) 1149–1154.

## References

---

- Warner ML, Moore LE, Smith MT, Kalman DA, Fanning E & Smith AH (1994) Increased micronuclei in exfoliated bladder cells of individuals who chronically ingest arsenic-contaminated water in Nevada. *Cancer Epidemiol Biomarkers Prev*, **3**: 583–590.
- Warren HV, Jorksy SJ & Gould CE (1983) Quantitative analysis of zinc, copper, lead, molybdenum, bismuth, mercury and arsenic in brain and other tissues from multiple sclerosis and non-multiple sclerosis cases. *Sci Total Environ*, **29**: 163–169.
- Waslenchuk DG (1978) The budget and geochemistry of arsenic in a continental shelf environment. *Mar Chem*, **7**: 39–52.
- Waslenchuk DG & Windom HL (1978) Factors controlling the estuarine chemistry of arsenic. *Estuar Coast Mar Sci*, **7**: 455–464.
- Watson AP, Van Hook RI & Reichle DE (1976) Toxicity of organic and inorganic arsenicals to an insect herbivore. *Environ Sci Technol*, **10**(4): 356–359.
- Watson WA, Veltri JC & Metcalf TJ (1981) Acute arsenic exposure treated with oral d-penicillamine. *Vet Hum Toxicol*, **23**: 164–166.
- Wauchope RD (1975) Fixation of arsenical herbicides, phosphate and arsenate in alluvial soils. *J Environ Qual*, **4**(3): 355–358.
- Wauchope RD & McDowell LL (1984) Adsorption of phosphate, arsenate, methanearsenate and cacodylate by lake and stream sediments: comparison with soils. *J Environ Qual*, **13**(3): 499–504.
- Weaver RW, Melton JR, Wang D & Duple RL (1984) Uptake of arsenic and mercury from soil by Bermuda grass *Cynodon dactylon*. *Environ Pollut*, **33**: 133–142.
- Webb DR, Wilson SE & Carter DE (1986) Comparative pulmonary toxicity of gallium arsenide, gallium (III) oxide or arsenic (III) oxide intratracheally instilled into rats. *Toxicol Appl Pharm*, **82**: 405–416.
- Webb DR, Wilson SE & Carter DE (1987) Pulmonary clearance & toxicity of respirable gallium arsenide particulates intratracheally instilled into rats. *Am Ind Hyg Assoc*, **48**: 660–667.
- Wei M, Wanibuchi H, Yamamoto S, Li W & Fukushima S (1999) Urinary bladder carcinogenicity of dimethylarsinic acid in male F344 rats. *Carcinogenesis*, **20**(9): 1873–1876.
- Weinshilboum RM (1992) Methylation pharmacogenetics: thiopurine methyltransferase as a model system. *Xenobiotica*, **22**: 1055–1071.
- Weir PA & Hine CH (1970) Effects of various metals on behavior of conditioned goldfish. *Arch Environ Health*, **20**: 45–51.
- Welch AH, Lico MS & Hughes JL (1988) Arsenic in groundwater of the western United

## ***EHC 224: Arsenic and Arsenic Compounds***

---

States. Ground Water, **26**(3): 333–347.

Welch K, Higgins I, Oh M & Burchfiel C (1982) Arsenic exposure, smoking, and respiratory cancer in copper smelter workers. Arch Environ Health, **37**(6): 325–335.

Wells JM & Richardson DHS (1985) Anion accumulation by the moss *Hylocomium splendens*: uptake and competition studies involving arsenate, selenate, selenite, phosphate, sulphate and sulphite. New Phytol, **101**: 571–583.

Welz B, Schubert-Jacobs M & Sperling M (1990) Investigation of reactions and atomization of arsine in heated quartz tube using atomic absorption and mass spectrometry. Spectrochim Acta, **45B**(11): 1235–1256.

Wenclawiak BW & Krah M (1995) Reactive supercritical fluid extraction and chromatography of arsenic species. Fresenius J Anal Chem, **351**: 134–138.

Wester RC, Maibach HI, Sedik L, Melendres J & Wade M (1993) In vitro and in vivo percutaneous absorption and skin decontamination of arsenic from water and soil. Fundam Appl Toxicol, **20**: 336–340.

Wewerka EM, Bertino JPL, Wagner P, Williams JM, Wanek PL & Wangen LE (1978) Trace element characterisation of coal wastes, second annual progress report. DOE LA-7360-PR; EPA-600/7-78-028a, Washington DC.

White DH, King KA & Prouty RM (1980) Significance of organochlorine and heavy metal residues in wintering shorebirds at Corpus Christi, Texas, 1976–77. Pestic Monit J, **14**(2): 58–63.

Whitworth MR, Pendleton GW, Hoffman DJ & Camardese MB (1991) Effects of dietary boron and arsenic on the behavior of mallard ducklings. Environ Toxicol Chem, **10**(7): 911–916.

WHO (1996) Guidelines for drinking-water quality, 2nd edition, Vol 2. Health criteria and other supporting information. Geneva, World Health Organization.

WHO (2000) WHO Air quality guidelines for Europe, 2nd edition. Copenhagen, WHO Regional Office for Europe.

Wicklund KG, Daling JR, Allard J & Weiss NS (1988) Respiratory cancer among orchardists in Washington State, 1968 to 1980. J Occup Med, **30**: 561–564.

Wiemayer SN, Lamont TG & Locke LN (1980) Residues of environmental pollutants and necropsy data for eastern United States ospreys, 1964–1973. Estuaries, **3**(3): 155–167.

Wiencke JK & Yager JW (1992) Specificity of arsenite in potentiating cytogenetic damage induced by the DNA crosslinking agent diepoxybutane. Environ Mol Mutagen, **19**: 195–200.

## References

---

- Wiersma D, van Goor BJ & van der Veen NG (1986) Cadmium, lead, mercury, and arsenic concentrations in crops and corresponding soils in The Netherlands. *J Agric Food Chem*, **34**: 1067–1074.
- Wild H (1974) Arsenic tolerant plant species established on arsenical mine dumps in Rhodesia. *Kirkia*, **9**: 265–278.
- Willhite CC (1981) Arsenic-induced axial skeletal (dysraphic) disorders. *Exp Mol Pathol*, **34**: 145–158.
- Williams M, Fordyce F, Pajitprapapon A & Charoenchaisri P (1996) Arsenic contamination in surface drainage and groundwater in part of the southeast Asian tin belt, Nakhon Si Thammarat Province, southern Thailand. *Environ Geol*, **27**: 16–33.
- Windebank AJ (1986) Specific inhibition of myelination by lead in vitro; comparison with arsenic, thallium, and mercury. *Exp Neurol*, **94**: 203–212.
- Wlodarczyk B, Bennett GD, Calvin JA, Craig JC & Finnell RH (1996) Arsenic-induced alterations in embryonic transcription factor gene expression: implications for abnormal neural development. *Develop Genet*, **18**: 306–315.
- Wolfsperger M, Hauser G, Gobler W & Schlagenhaufen C (1994) Heavy metals in human hair samples from Austria and Italy: influence of sex and smoking habits. *Sci Total Environ*, **156**: 235–242.
- Woller A, Mester Z & Fodor P (1995) Determination of arsenic species by high-performance liquid chromatography ultrasonic nebulization atomic fluorescence spectrometry. *J Anal Energy Spectrom*, **10**: 609–613.
- Wong O, Whorton MD, Foliar DE & Lowengart R (1992) An ecologic study of skin cancer and environmental arsenic exposure. *Int Arch Occup Environ Health*, **64**: 235–241.
- Wong PTS, Chau YK, Luxon L & Bengert GA (1977) Methylation of arsenic in the aquatic environment. In: Hemphill DD ed. Trace substances in environmental health. Proceedings of the University of Missouri's 11th Annual Conference, 7–9 June 1977, Columbia, MO, University of Missouri, pp 100–106.
- Wood JM (1974) Biological cycles for toxic elements in the environment. *Science*, **183**: 1049–1052.
- Woods JS & Fowler BA (1978) Altered regulation of mammalian hepatic heme biosynthesis and urinary porphyrin excretion during prolonged exposure to sodium arsenate. *Toxicol Appl Pharm*, **43**(2): 361–71.
- Woods JS & Southern MR (1989) Studies on the etiology of trace metal-induced porphyria: effects of porphyrinogenic metals on coproporphyrinogen oxidase in rat liver and kidney. *Toxicol Appl Pharm*, **97**(1): 183–90.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Woolson EA (1973) Arsenic phytotoxicity and uptake in six vegetable crops. *Weed Sci*, **21**: 524–527.

Woolson EA (1977a) Generation of alkylarsines from soil. *Weed Sci*, **25**(5): 412–416.

Woolson EA (1977b) Fate of arsenicals in different environmental substrates. *Environ Health Perspect*, **19**: 73–81.

Woolson EA (1983) In: Fowler BA ed. *Biological and environmental effects of arsenic*. Amsterdam, Elsevier Science, pp 51–139.

Woolson EA & Kearney PC (1973) Persistence and reactions of <sup>14</sup>C-cacodylic acid in soils. *Environ Sci Technol*, **7**: 47–50.

Woolson EA & Isensee AR (1981) Soil residue accumulation from three arsenic sources. *Weed Sci*, **29**(1): 17–21.

Woolson EA, Axley JH & Kearney PC (1971) Correlation between available soil arsenic, estimated by six methods, and response of corn (*Zea mays* L). *Soil Sci Soc Am Proc*, **35**(1): 101–105.

Woolson EA, Axley JH & Kearney PC (1973) The chemistry and phytotoxicity of arsenic in soil: 2. Effects of time and phosphorus. *Soil Sci Soc Am Proc*, **37**: 254–259.

Wrench JJ & Addison RF (1981) Reduction, methylation, and incorporation of arsenic into lipids by the marine phytoplankton *Dunaliella tertiolecta*. *Can J Fish Aquat Sci*, **38**: 518–523.

Wu HY, Chen KP, Tseng WP & Hsu JL (1961) Epidemiologic studies on Blackfoot disease. 1. Prevalence and incidence of the disease by age, sex, year, occupation and geographic distribution. *Mem Coll Med Nat Taiwan Univ*, **7**: 33–50.

Wu M-M, Kuo T-L, Hwang Y-H & Chen C-J (1989) Dose-response relation between arsenic concentration in well water and mortality from cancers and vascular disease. *Am J Epidemiol*, **130**: 1123–1132.

Wu ZY, Han M, Lin ZC & Ondov JM (1994) Chesapeake Bay atmospheric deposition study, year, **1**: sources and dry deposition of selected elements in aerosol particles. *Atmos Environ*, **28**(8): 1471–1486.

Wytenbach A, Bajo S, Furrer V, Langenauer M & Tobler L (1997) The accumulation of arsenic, bromine and iodine in needles of Norway spruce (*Picea abies* [L.] Karst.) at sites with low pollution. *Water Air Soil Pollut*, **94**: 417–430.

Xu H, Allard B & Grimvall A (1988) Influence of pH and organic substance on the adsorption of As(V) on geologic materials. *Water Air Soil Pollut*, **40**(3/4): 293–305.

Xu H, Allard B & Grimvall A (1991) Effects of acidification and natural organic materials

## References

---

- on the mobility of arsenic in the environment. *Water Air Soil Pollut*, **57/58**: 269–278.
- Xu JL & Thornton I (1985) Arsenic in garden soils and vegetable crops in Cornwall, England: implications for human health. *Environ Geochem Health*, **7**(4): 131–133.
- Xu ZY, Blot WJ, Xiao HP, Wu A, Feng YP, Stone BJ, Sun J, Ershow AG, Henderson BE & Fraumeni JF Jr (1989) Smoking, air pollution, and the high rates of lung cancer in Shenyang, China. *J Natl Cancer Inst*, **81**: 1800–1806.
- Xu ZY, Blot WJ, Fraumeni JF Jr, Zhao DZ, Stone BJ, Yin Q, Wu A, Henderson BE & Guan BP (1991) Environmental determinants of lung cancer in Shenyang, China. In O'Neill IK, Chen J, Bartsch H ed. *Relevance to human cancer of N-nitroso compounds, tobacco smoke and mycotoxins*. IARC Scientific Publication 105. Lyon, International Agency for Research on Cancer, pp 460-465.
- Yadava KP, Tyagi BS & Singh VN (1988) Removal of arsenic(III) from aqueous solution by China clay. *Environ Technol Lett*, **6**(11): 1233–1244.
- Yager JW & Wiencke JK (1998) Inhibition of poly(ADP-ribose)polymerase by arsenite. *Mutat Res*, **386**: 345–351.
- Yager JW, Hicks JB & Fabianova E (1997) Airborne arsenic and urine excretion of arsenic metabolites during boiler cleaning operations in a Slovak coal-fired power plant. *Environ Health Perspec*, **105**: 836–842.
- Yamamoto A, Hisanaga A & Ishinishi N (1987) Tumorigenicity of inorganic arsenic compounds following intratracheal instillations to the lungs of hamsters. *Int J Cancer*, **40**: 220–223.
- Yamamoto S, Konishi Y, Matsuda T, Murai T, Shibata M, Matsui-Yuasa I, Otani S, Kuroda K, Endo G & Fukushima S (1995) Cancer induction by an organic arsenic compound, dimethylarsinic acid (cacodylic acid), in F344/DuCrj rats after pretreatment with five carcinogens. *Cancer Res*, **55**: 1271–1276.
- Yamanaka K & Okada S (1994) Induction of lung-specific DNA damage by metabolically methylated arsenics via the production of free radicals. *Environ Health Perspect*, **102**: 37–40.
- Yamanaka K, Hasegawa A, Sawamura R & Okada S (1989a) DNA strand breaks in mammalian tissues induced by methylarsenics. *Biol Trace Elem Res*, **21**: 413–417.
- Yamanaka K, Hasegawa A, Sawamura R & Okada S (1989b) Dimethylated arsenics induce DNA strand breaks in lung via the production of active oxygen in mice. *Biochem Biophys Res Comm*, **165**: 43–50.
- Yamanaka K, Ohba H, Hasegawa A, Sawamura R & Okada S (1989c) Mutagenicity of dimethylated metabolites of inorganic arsenics. *Chem Pharm Bull*, **37**: 2753–2756.
- Yamanaka K, Hoshino M, Okamoto M, Sawamura R, Hasegawa A & Okada S (1990)

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Induction of DNA damage by dimethylarsine, a metabolite of inorganic arsenics is for the major part likely due to its peroxy radical. *Biochem Biophys Res Comm*, **168**: 58–63.

Yamanaka K, Hasegawa A, Sawamura R & Okada S (1991) Cellular response to oxidative damage in lung induced by the administration of dimethylarsinic acid, a major metabolite of inorganic arsenics, in mice. *Toxicol Appl Pharm*, **108**: 205–213.

Yamanaka K, Tezuka M, Kato K, Hasegawa A & Okada S (1993) Crosslink formation between DNA and nuclear proteins by in vivo and in vitro exposure of cells to dimethylarsinic acid. *Biochem Biophys Res Comm*, **191**: 1184–1191.

Yamanaka K, Hayashi H, Kato K, Hasegawa A & Okada S (1995) Involvement of preferential formation of apurinic/apyrimidinic sites in dimethylarsenic-induced DNA strand breaks and DNA-protein crosslinks in cultured alveolar epithelial cells. *Biochem Biophys Res Comm*, **207**: 244–249.

Yamanaka K, Ohtsubo K, Hasegawa A, Hayashi H, Ohgi H, Kanisawa M & Okada S (1996) Exposure to dimethylarsinic acid, a main metabolite of inorganic arsenics, strongly promotes tumorigenesis initiated by 4-nitroquinoline 1-oxide in the lungs of mice. *Carcinogenesis*, **17**: 767–770.

Yamanaka K, Hayashi H, Kato K, Hasegawa A, Oku N & Okada S (1997) DNA single-strand breaks in L-132 cells resulting from inhibition of repair polymerization shortly after exposure to dimethylarsinic acid. *Biol Pharm Bull*, **20**: 163–167.

Yamaoka Y & Takimura O (1986) Marine algae resistant to inorganic arsenic. *Agric Biol Chem*, **50**(1): 185–186.

Yamaoka Y, Takimura O & Fuse H (1988) Environmental factors relating to arsenic accumulation by *Dunaliella* sp. *Appl Organomet Chem*, **2**: 359–364.

Yamaoka Y, Takimura O, Fuse H & Kamimura K (1992) Effects of arsenic on the organic component of the alga *Dunaliella salina*. *Appl Organomet Chem*, **6**: 357–362.

Yamauchi H & Yamamura Y (1979) Dynamic change of inorganic arsenic and methylarsenic compounds in human urine after oral intake as arsenic trioxide. *Ind Health*, **17**: 79–83.

Yamauchi H & Yamamura Y (1983) Concentration and chemical species of arsenic in human tissue. *Bull Environ Contam Toxicol*, **31**: 267–277.

Yamauchi H & Yamamura Y (1984a) Metabolism and excretion of orally administered dimethylarsinic acid in the hamster. *Toxicol Appl Pharm*, **74**: 134–140.

Yamauchi H & Yamamura Y (1985) Metabolism and excretion of orally administered arsenic trioxide in the hamster. *Toxicology*, **34**: 113–121.

Yamauchi H, Kaise T & Yamamura Y (1986a) Metabolism and excretion of orally

## References

---

- administered arsenobetaine in the hamster. *Bull Environ Contam Toxicol*, **36**: 350–355.
- Yamauchi H, Takahashi K & Yamamura Y (1986b) Metabolism and excretion of orally and intraperitoneally administered gallium arsenide in the hamster. *Toxicology*, **40**: 237–246.
- Yamauchi H, Yamato N & Yamamura Y (1988) Metabolism and excretion of orally and intraperitoneally administered methylarsenic acid in the hamster. *Bull Environ Contam Toxicol*, **40**: 280–286.
- Yamauchi H, Takahashi K, Mashiko M & Yamamura Y (1989a) Biological monitoring of arsenic exposure of gallium arsenide- and inorganic arsenic-exposed workers by determination of inorganic arsenic and its metabolites in urine and hair. *Am Ind Hyg Assoc J*, **50**: 606–612.
- Yamauchi H, Takahashi K, Yamamura Y & Kaise T (1989b) Metabolism and excretion of orally and intraperitoneally administered trimethylarsine oxide in the hamster. *Toxicol Environ Chem*, **22**: 69–76.
- Yamauchi H, Kaise T, Takahashi K & Yamamura Y (1990) Toxicity and metabolism of trimethylarsine in mice and hamster. *Fundam Appl Toxicol*, **14**: 399–407.
- Yamauchi H, Takahashi K, Mashiko M, Saitoh J & Yamamura Y (1992) Intake of different chemical species of dietary arsenic by Japanese, and their blood and urinary arsenic levels. *Appl Organomet Chem*, **6**: 383–388.
- Yamauchi H & Yamamura Y (1984b) Metabolism and excretion of orally ingested trimethylarsenic in man. *Bull Environ Contam Toxicol*, **32**: 682–687.
- Yanez L, Carrizales L, Zanatta MT, Mejia JJ, Batres L & Diaz-Barriga F (1991) Arsenic-cadmium interaction in rats: toxic effects in the heart and tissue metal shifts. *Toxicology*, **67**: 227–234.
- Ybanez N, Cervera ML & Montoro R (1992) Determination of arsenic in dry ahed seafood products by hydride generation atomic absorption spectrometry and a critical comparative study with platform furnace Zeeman-effect atomic absorption spectrometry and inductively coupled plasma atomic emission spectrometry. *Anal Chim Acta*, **258**: 61–71.
- Yen HT, Chiang LC, Wen KH, Chang SF, Tsai CC, Yu CL & Yu HS (1996) Arsenic induces interleukin-8 expression in cultured keratinocytes. *Arch Derm Res*, **288**: 716–717.
- Yoshida K, Chen H, Inoue Y, Wanibuchi H, Fukushima S, Kuroda K & Endo G (1997) The urinary excretion of arsenic metabolites after a single oral administration of dimethylarsinic acid to rats. *Arch Environ Contam Toxicol*, **32**: 416–421.
- Yoshida K, Inoue Y, Kuroda K, Chen H, Wanibuchi H, Fukushima S & Endo G (1998) Urinary excretion of arsenic metabolites after long term oral administration of various arsenic compounds to rats. *J Toxicol Environ Health*, **54**(3): 179192.

## ***EHC 224: Arsenic and Arsenic Compounds***

---

Yost LJ, Schoof RA & Aucoin R (1998) Intake of inorganic arsenic in the North American diet. *Hum Ecol Risk Assess*, **4**: 137–152.

Yu JJ & Wai CM (1991) Chromatographic separation of arsenic species with sodium bis(trifluoroethyl)dithiocarbamate chelation. *Anal Chem*, **63**: 842–845.

Yusof AM, Ikhsan ZB & Wood AKH (1994) The speciation of arsenic in seawater and marine species. *J Radioanal Nucl Chem Artic*, **179**(2): 277–283.

Zakharyan RA, Wildfang E & Aposhian HV (1996) Enzymatic methylation of arsenic compounds: III. the marmoset and tamarin, but not the rhesus, monkeys are deficient in methyltransferases that methylate inorganic arsenic. *Toxicol Appl Pharm*, **140**: 77–84.

Zaldivar R (1974) Arsenic contamination of drinking water and foodstuffs causing endemic chronic poisoning. *Beitr Path Bd*, **151**: 384–400.

Zaman K & Pardini RS (1995) An insect model for assessing arsenic toxicity: arsenic elevated glutathione content in the *Musca domestica* and *Trichoplusia ni*. *Bull Environ Contam Toxicol*, **55**: 845–852.

Zaroogian GE & Hoffman GL (1982) Arsenic uptake and loss in the American oyster, *Crassostrea virginica*. *Environ Monit Assess*, **1**: 345–358.

Zeiger E, Anderson B, Haworth S, Lawlor T & Mortelmans K (1992) Salmonella mutagenicity tests: V. Results from the testing of 311 chemicals. *Environ Mol Mutagen*, **19**(Suppl 21): 2–141.

Zhang L & Zhou K (1992) Background values of trace elements in the source area of the Yangtze River. *Sci Total Environ*, **125**: 391–404.

Zhang X, Cornelis R, Dekimpe J & Mees L (1996a) Arsenic speciation in serum of uraemic patients based on liquid chromatography with hydride generation atomic absorption spectrometry and on-line uv photo-oxidation digestion. *Anal Chim Acta*, **319**: 177–185.

Zhang X, Cornelis R, Kimpe J De, Mees L, Vanderbiesen V, De Cubber A & Vanholder R (1996b) Accumulation of arsenic species in serum of patients with chronic renal disease. *Clin Chem*, **42**: 1231–1237.

Zhang XR, Cornelis R, Dekimpe J, Mees L & Lameire N (1997) Speciation of arsenic in serum, urine, & dialysate of patients on continuous ambulatory peritoneal dialysis. *Clin Chem*, **43**: 406–408.

Zhang X, Cornelis R, Kimpe J De, Mees L & Lameire N (1998a) Study of arsenic-protein binding in serum of patients on continuous ambulatory peritoneal dialysis. *Clin Chem*, **44**: 141–147.

## References

---

- Zhang X, Cornelis R, Mees L, Vanholder R & Lameire N (1998b) Chemical speciation of arsenic in serum of uraemic patients. *Analyst*, **123**: 13–17.
- Zhao CQ, Young MR, Diwan BA, Coogan TP & Waalkes MP (1997) Association of arsenic-induced malignant transformation with DNA hypomethylation and aberrant gene expression. *Proc Natl Acad Sci U S A*, **94**: 10907–10912.
- Zhu B & Tabatabai MA (1995) An alkaline oxidation method for determination of total arsenic and selenium in sewage sludges. *J Environ Qual*, **24**(4): 622–626.
- Zhuang GS, Wang YS, Tan MG, Zhi M, Pan WQ & Cheng YD (1990) Preliminary study of the distribution of the toxic elements As, Cd, and Hg in human hair and tissues by RNAA. *Biol Trace Elem Res*, **12**: 729–736.
- Zierler S, Theodore M, Cohen A & Rothman K (1988) Chemical quality of maternal drinking water and congenital heart disease. *Int J Epidemiol*, **17**: 589–594.
- Zima J & van den Berg CMG (1994) Determination of arsenic in sea water by cathodic stripping voltammetry in the presence of pyrrolidine dithiocarbamate. *Anal Chim Acta*, **289**: 291–298.
- Zoltai SC (1988) Distribution of base metals in peat near a smelter at Flin Flon, Manitoba. *Water Air Soil Pollut*, **37**(1/2): 217–228.

## **LINKS TO THE OTHER SECTIONS OF THE DOCUMENT**

PREAMBLE

ABBREVIATIONS

SUMMARY, RESUME, RESUMEN

PROPERTIES AND ANALYTICAL PROCEDURES

SOURCES AND OCCURRENCE OF ARSENIC IN THE ENVIRONMENT

ENVIRONMENTAL TRANSPORT AND DISTRIBUTION

ENVIRONMENTAL LEVELS AND HUMAN EXPOSURE

KINETICS AND METABOLISM IN LABORATORY ANIMALS AND HUMANS

EFFECTS ON LABORATORY MAMMALS AND *IN VITRO* TEST SYSTEMS

EFFECTS ON HUMANS

EFFECTS ON OTHER ORGANISMS IN THE ENVIRONMENT

EVALUATION OF HUMAN HEALTH RISKS AND EFFECTS ON THE ENVIRONMENT

RECOMMENDATIONS FOR FUTURE RESEARCH

PREVIOUS EVALUATIONS BY INTERNATIONAL BODIES