

## REFERENCES

- Aboul-Dahab, O. and Y. Halim (1981), Relationship between dissolved and dispersed petroleum hydrocarbons and floating tar in Alexandria coastal water. *In: V Journ.etud.pollut.mar.Med.*, Cagliari, 1980. CIESM, pp. 209-214.
- Aboul-Dahab, O. and Y. Halim (1981a), Oil pollution of the marine environment in the area of Alexandria, *In: V Journ. etud. pollut. mar. Med.*, Cagliari, 1980. CIESM, pp. 201-208.
- Aboul Dahab, O. (1988), Speciation of tin compounds in sediments of the Alexandria coastal belt. *Water, Air & Soil Pollution* **40**:433-441.
- Added, A., F. Fernex et J.P. Mangin (1981), Répartition des oligoéléments métalliques dans les sédiments marins devant l'embouchure du grand Rhône. Diverses mobilités de transports. *Journ.Etud.Pollut.CIESM*, **5(1980)**:535-543.
- Albaiges, J., J. Algaba, J.M. Bayona, and J. Grimalt (1983), New perspective in the evaluation of anthropogenic inputs of hydrocarbons in the western Mediterranean coast. *In: VI Journ. etud. pollut. mar. Med.*, Cannes, 1982. CIESM, pp. 199-206.
- Albaiges, J., M. Aubert and J. Aubert (1985), The footprint of life and of man. *In: Western Mediterranean*, R. Margalef ed. Oxford, Pergamon Press, pp. 317-351.
- Albaiges, J., and J.M. Bayona, (1991). Monitoring of carcinogenic and mutagenic marine pollutants in the Mediterranean. Unpublished report.
- Albanis, T.R., P.J. Pomonis and A.Th. Sdoukos (1986), Organophosphorus and carbamate pesticide residues in the aquatic system of Ioannina basin and Kalamas river (Greece), *Chemosphere*, **15**:1023-1034.
- Alonso Molina, J.L., Peris Aguirre, I. and Amoros Munoz, I. (1984). Occurrence of *Pseudomonas aeruginosa* and *Salmonella* in Valencia coastal waters. *VIIes Journées Etud. Pollutions*, Lucerne, pp.587-595. C.I.E.S.M., Monaco.
- Alpha, M., C. Caristi, G. Cimino and M. Ziino (1982), Heavy metals in Ionian and Tyrrhenian waters from a section of the Sicilian coast. *Mar.Pollut.Bull.*, **13**:399-400.
- Alzieu, C. et R. Duguay (1979), Contamination du dauphin bleu et blanc de Méditerranée *Stenella coeruleoalba* par les composés organochlorés. *Journ. Etud. Pollut.CIESM*, **4(1978)**:331-334.
- Alzieu, C., (1986), TBT detrimental effects on oyster culture in France - Evolution since antifouling paint regulation. *In: Oceans 86 Proceedings, Organotin Symposium*, IEEE, New York. **4**:1130-1134.
- Alzieu, C., J. Sanjuan, J.P. Deltreil and M. Borel (1986), Tin contamination in Arcachon bay: Effects on oyster shell anomalies. *Mar.Pollut.Bull.*, **17**:494-498.

- Amico, V., G. Oriente, M. Piatelli and C. Tringali (1979a), Concentrations of PCBs, BHCs and DDTs residues in seaweeds of the east coast of Sicily. *Mar.Pollut.Bull.*, **10**:177-179.
- Amico, V., G. Impellizzeri, G. Oriente, M. Piatelli, S. Sciuto and C. Tringali (1979b), Levels of chlorinated hydrocarbons in marine animals from the central Mediterranean. *Mar.Pollut.Bull.*, **10**:282-284.
- Amico, V., R. Chillemi, G. Impellizzeri, G. Oriente, M. Piatelli, S. Sciuto and C. Tringali (1982), Levels of chlorinated hydrocarbons in sediments from the central Mediterranean. *Sci.Total Environ.*, **24**:91-99.
- Amiel, A.J. and J. Navrot (1978), Nearshore sediment pollution in Israel by trace metals derived from sewage effluent. *Mar.Pollut.Bull.*, **9**(1):10-14.
- Angelidis, M., D. Zafiroopoulos and A.P. Grimanis (1983), Hydrochloric acid extractable and residual trace element concentration in sediments around the Athens sewage outfall. *Journ.Etud.Pollut.CIESM*, **6**(1982):339-343.
- Anonymous (1971), Working party on the monitoring of foodstuffs for mercury and other heavy metals. Survey of mercury in food. London: Her Majesty's Stationary Office.
- Apostolov D., M. Iovchev, L. Kinova, I. Penev, E. Taskaev, A.P. Grimanis, G. Karias, C. Papadopoulou, M. Vassilaki-Grimani, and D. Zafiroopoulos (1985), Studies of nine elements in flesh and liver of the fish *Gobius niger* from Varna Bay, Bulgaria, and Saronikos and Petalion Gulfs, Greece (First part). *Journ.Etud.Pollut.CIESM*, **7**(1984):399-404.
- Arnold, M., A. Seghaier, D. Martin, P. Buat-Menard et R. Chesselet (1983), Géochimie de l'aérosol marin au-dessus de la Méditerranée Occidentale. *Journ.Etud.Pollut.CIESM*, **6**(1982):27-37.
- Arnoux, A., D. Bellan-Santini, J.L. Monod et J. Tatossian (1981a), Polluants minéraux et organiques dans les sédiments prélevés entre la Provence et la Corse (Mission BIOMEDE I). *Journ.Etud.Pollut.CIESM*, **5**(1980):423-432.
- Arnoux, A., A. Blanc, A. Jurajuria, J.L. Momod et J. Tatossian (1981b), Etat actuel de la pollution sur les fonds du secteur de Cortiou (Marseille) (1980), *Journ.Etud.Pollut.CIESM*, **5**(1980):459-470.
- Arnoux, A., J.L. Monod, J. Tatossian, A. Blanc, et F. Oppetit (1981c), La pollution chimique des fonds du Golfe de Fos. *Journ.Etud.Pollut.CIESM*, **5**(1980):447-458.
- Arnoux, A., J. Tatossian, J.L. Monod et A. Blanc (1981d), Etude des teneurs en métaux lourds et composés organochlorés dans des organismes marins prélevés dans le secteur de Cortiou (Marseille), *Journ.Etud.Pollut.CIESM*, **5**(1980):471-482.
- Asso, A. (1985), Etude des teneurs globales en métaux lourds chez la moule *Perna perna* (L) dans la région d'Alger. Variations de ces teneurs en fonction de quelques paramètres biologiques. *Journ.Etud.Pollut.CIESM*, **7**(1984):411-415.

- Astier-Dumas, M. and G. Cumont (1975), Consommation hebdomadaire de poisson et teneur du sang et des cheveux en mercure en France. *Ann.Hyg.L.Fr.-Med.et Nut.* **11**:135-139.
- Australian Working Group (1980), Working group on mercury in fish. Report on mercury in fish and fish products. Canberra: Australian Govt. Publ. Service.
- Aviles, M., E. Hartinez-Manzanares, J.J. Borrego and M. D. Nunez (1986), Heavy metal concentrations in a marine area influenced by river discharges. *Rapp.P-V Réun.CIESM*, **30(2)**:109.
- Bacci, E., G. Angotzi, A. Bralia, L. Lampariello and E. Zanette (1976), Etude sur une population humaine exposée au méthylmercure par la consommation de poisson. *Rev.Int.Oceanogr.Med.*, **41/42**:127-141.
- Bacci, E. and C. Caggi (1989), Organotin compounds in harbour and marina waters from the Northern Tyrrhenian Sea. *Mar.Pollut.Bull.*, **20**:290-292.
- Baine, W.B., Zampieri, A., Mazzotti, M. *et al* (1974). Epidemiology of Cholera in Italy in 1973. *Lancet*, 1974, 1370-1381.
- Baker, J.M. (1983), Impact of oil pollution on living resources. *The Environmentalist*, 3, Suppl. No. 4, pp. 5-12.
- Bakir, F., S.F. Damlougi, L. Amin-Zaki, M. Murtadha, A. Khalidi, N.Y. Al-Rawi, S. Tikriti, H.I. Dhahir, T.W. Clarkson, J.C. Smith, R.A. Doherty (1973), Methyl mercury poisoning in Iraq. *Science, (Wash.)* **181**:230-241.
- Baldi, F., R. Bargagli, S. Focardi and C. Fossi (1983), Mercury and chlorinated hydrocarbons in sediments from the Bay of Naples and adjacent marine areas, *Mar.Pollut.Bull.*, **14**:108-111.
- Baldi, M., A. Bovolenta, L. Penazzi, A. Fantini and D. Finessi (1986), Residui di organoclorurati e di organofosforati in acque superficiali della provincia di Ferrara. Dieci anni di indagini: 1975-1984, *Boll.Chim.Igien.*, **37**:449-480.
- Balkas, T.I., I. Salihoglu, G. Tuncel, S. Tugrul and G. Ramelow (1979), Trace metals and organochlorine residue content of *Mullidae* family fish and sediments in the vicinity of Erdemli (İçel), Turkey. *Journ.Etud.Pollut.CIESM*, **4(1978)**:159-163.
- Ballair, J.T., Parr-Smith, G.A., Wallis, I.G. "Significance of Diurnal Variations in Faecal Coliform Die-off Rates in the Design of Ocean Outfalls", *Journal of Water Pollution Control Federation*, Vol. 49, 1977.
- Ballaster, A., J. Sanchez-Pardo, J.A. Garcia-Regueiro, X. Modamio and A. Julia (1982), Heavy metals, aliphatic hydrocarbons and organochlorinated pesticides in mussels from a pillar of the drilling platform "Amposta" (The Ebro river delta), *Thalassia Jugosl*, **18**:393-409.
- Ballester, A., L. Cros and R. Ras (1978), Contendio en mercurio de algunos organismos marinos comerciales des Mediterraneo Catalan. *Invest.Pesq.* minograph 27 p.

- Barceló, D., C. Porte, J. Cid and J. Albaigés (1990), Determination of organophosphorus compounds in coastal environments by gas chromatography nitrogen phosphorus and main spectrometric detection. *Intern. J. Environ. Anal. Chem.* **38**:199-209.
- Bastürk, O., M. Dogan, I. Salihoglu and T.I. Balkas (1980), DDT, DDE and PCB residues in fish, crustaceans and sediments from the eastern Mediterranean coast of Turkey, *Mar.Pollut.Bull.*, **11**:191-195.
- Bates, M., M. Baker, N. Wilson, L. Lane, and S. Handford (1993). Epidemiologic overview of the New Zealand shellfish toxicity outbreak. In: *Marine Toxins and New Zealand Shellfish*. The Royal Society of New Zealand; Miscellaneous Series No. 23. pp. 35-40.
- Bei, F., E. Papathanassiou and V.A. Catsiki (1990), Heavy metal concentrations in selected marine species from Milos island (Aegean Sea). *Rapp.P.-V.Réun.CIESM*, **32(1)**:126.
- Bergametti, G., A.L. Dutot, P. Buat-Menard, R. Lonso and E. Remoudaki (1989a), Seasonal variability of the elemental composition of atmospheric aerosol particles over the NW Mediterranean. *Tellus*, **41B**:353-361.
- Berland, B. and Bellan, G. (1990). Identification of algae and related biotoxins. Paper presented at WHO Working Group on health impact from human exposure to recreational waters, Rimini, 27 February - 2 March 1990.
- Bernard, P. (1985). Utilisation de la méthode de filtrations par membranes filtrantes pour la recherche de divers *Candida* dans les sables des zones marines à vocation balnéaire. Unpublished report.
- Bernhard, M., P. Cagnetti, A. Nassogne, C. Peroni, A. Piro and A. Zattera (1972), Radioecological investigations in the Gulf of Taranto. 2. Preliminary estimation of the receptivity for low level radioactive wastes of the site in the Gulf of Taranto. In: Proc. Symp. Radiology applied to the protection of man and his environment. Rome: CNEN Rep. EUR 4800d-f-i-e, pp.347-380.
- Bernhard, M. and A. Renzoni (1977), Mercury concentration in Mediterranean marine organisms and their environment: natural or anthropogenic origin. *Thalassia Jugoslavica*, **13**:265-300.
- Bezard, D., A. Veglia and Vaissiere (1985), Mercury and cadmium concentrations in three marine benthic organisms. Variations according to the sampling areas in the canal de Corse. *Journ.Etud.Pollut.CIESM*, **7(1984)**:309-315.
- Bijleveld, M.F.I.J., P. Goeldin and J. Mayol (1979), Persistent pollutants in audouin's gull (*Larus audouinii*) in the western Mediterranean: A case study with wide implications?, *Environ.Conserv.*, **6**:139-142.
- Blejer, H.P. and W. Wagner (1976). Case study 4: Inorganic arsenic - ambient level approach to the control of occupational cancerogenic exposures. *Ann. N.Y. Acad. Sci.*, **271**:179-186.

- Blunden, S.J. and A.H. Chapman (1982), The Environmental degradation of organotin compounds - A review. *Environ.Technol.Letters*, **3**:267-272.
- Blunden, S.J., L.A. Hobbs and P.J. Smith (1984), The environmental chemistry of organotin compounds. *In Environmental chemistry*, H.J.M. Bowen (ed.), The Royal Society of Chemistry, London. pp. 49-77.
- Boccia, A., Montanaro, D., Annino, I. and Schiappa, F. (1978). Isolamento di vibroni alofili riferibili a *Vibrio parahaemolyticus* e *Vibrio alginolyticus* da molluschi bivalvi e da campioni di acqua della zona costiera della città di Napoli. *Ig. Moderna*, **71**: 893- 904.
- Bolognari, A., R. Ferro, V.U. Fossato, M. Piatelli, A. Renzoni and R. Viviani (1979), Monitorage de l'état de la pollution marine le long des côtes italiennes avec l'emploi des indicateurs biologiques, *Journ.Etud.Pollut.CIESM*, **4(1978)**:667-669.
- Borrego, J.J. Romero, P. and Marino, F. (1988). Epidemiological study on bathers from selected beaches in Malaga. M.A.P. Technical Reports Series No. 53, UNEP, Athens.
- Bourcart, C., P. Lubet and H. Ranc (1964), Métabolisme des lipides des réserves chez *Mytilus galloprovincialis* Lmk(mollusque, bivalve), *Compt.Rend.Soc.Biol.*, **158**:1638-40.
- Boyle, E.A., S.D. Chapnick, X.X. Bai and A. Spivack (1985), Trace metals enrichments in the Mediterranean Sea. *Earth Planet.Sci.Lett.*, **74**:405-419.
- Breder, R., H.W. Nurnberg and M. Stoepler (1981), Toxic trace metal levels in water and sediments from the estuaries of the southern Ligurian and northern Tyrrhenian coasts: a comparative study. *Journ.Etud.Pollut.CIESM*, **5(1980)**:285-292.
- Brewer, J.M., Garrette, C.J.R. (1987). Analysis of the issues related to sea dumping of radioactive wastes. *Marine Policy*, April 1987: 105-124.
- Brisou, J. (1976). An environmental sanitation plan for the Mediterranean seaboard: Pollution and Human health. Public Health Papers, No. 62. WHO, Geneva.
- Brisou, J., Tysset, C., Mailloux, M., and Espinasse, S. (1962). Recherches sur les vibroni marins. A propos de 44 souches isolées de moules (*Mytilus galloprovincialis*) du littoral algérois. *Bull. Soc. Pathol. Exot.*, **55**: 260-275.
- Burns, K.A. and J.P. Villeneuve (1982), Dissolved and particulate hydrocarbons in water from a spring sampling off the Var river estuary (S.France), *Toxicol.Environ.Chem.*, **5**:195-203.
- Burns, K.A., J.P. Villeneuve and S.W. Fowler (1985), Fluxes and residence times of hydrocarbons in the coastal Mediterranean: How important are the biota. *Est.Coastal Shelf Science*, **20**, pp. 313-330.

- Buscail, R., G. Cauwet and J.P. Cambon (1985), Apports des éléments métalliques par les fleuves côtiers Méditerranéens: importance du piégeage dans les étangs et devant les embouchures. *Journ.Etud.Pollut.CIESM*, **7**(1984):31-43.
- Cabelli, V.J., (1983). Health effects criteria for marine recreational waters. R & D report No. EPA-600/1-80-031, U.S. Environmental Protection Agency, Research Triangle Park, N.C.
- Cabelli, V.J. *et al.* (1984). A marine recreational water quality criterion consistent with indicator concepts and risk analysis. *Journal of the Water Pollution Control Federation*, **55**: 1306-1314.
- Calderon, R. (1990). Exposure to point and non-point sources of pollution in bathing beach water (fresh and marine). Paper presented at II International Conference on Tourist Health, Venice, November 1990.
- Calmet, D., and A. Granby, (1988). Distribution spatio-temporelle des radio-éléments anthropogènes du bassin méditerranéen occidental 1980-1987. In: *Intr. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 543-568.
- Calmet, D. and P. Guegueniat, (1985). Les rejets d'effluents liquides radioactifs du centre de traitement des combustibles irradiés de La Hague (France) et l'évolution radiologique du domaine marin. In: *Behaviour of Radionuclides released into Coastal Waters*, IAEA-TECDOC-329, Vienna: 111-144.
- Capelli, R., V. Contardi, B. Cosma, V. Minganti and G. Zanicchi (1983), A four-year study on the distribution of some heavy metals in five marine organisms of the Ligurian sea. *Mar.Chem.*, **12**:281-293.
- Capelli, R., V. Contardi, B. Cosma, V. Minganti and G. Zanicchi (1983a), Eléments en traces dans la chair des Langoustines (*Nephrops norvegicus*) pêchées dans le golfe de Gênes. *Journ.Etud.Pollut.CIESM*, **6**(1982):277-282.
- Capelli, R., V. Contardi, B. Cosma, V. Minganti and G. Zanicchi (1983b), A four-year study on the distribution of some heavy metals in five marine organisms of the Ligurian sea. *Mar.Chem.*, **12**:281-293.
- Capone, W., M. Cottiglia, C. Mascia and M. Porcu (1986), Biogeochemical cycle of mercury in a polluted coastal lagoon. *Thalassia Jugosl.*
- Caracciolo, S., A. Perna and C. Di Silvestro (1972), Ricerche sul contenuto in mercurio totale di pesci e di altri prodotti della pesca catturati alla foce del fiume Pescara e nel mare antistante Pescara. *Quaderni Merceologia*, **11**:1-11.
- Careps (Centre Alpin de Recherche Epidémiologique et de Prévention Sanitaire). (1987). Etude épidémiologique des effets sur la santé de la contamination bactériologique des eaux de baignade: cas des eaux de rivière du Bassin de l'Ardèche - Rapport de synthèse. CAREPS, Grenoble.
- Carrasco, J.M., M. Planta, V. Gomez-Casals and V. Moragues (1987), Pesticide residues in lake Albufera, Valencia, Spain, *J. Assoc. Off. Anal. Chem.*, **70**:752-753.

- Catsiki, V.A. and A. Arnoux (1987), Etude de la variabilité des teneurs en Hg, Cu, Zn et Pb de trois espèces de mollusques de l'étang de Berre (France). *Mar. Environ. Res.*, **21**:175-187.
- Catsiki, V.A. and H. Florou (1985), Bioaccumulation des Métaux Cr, Cd, Ni, et Cu dans le Golfe de Geras, Ile de Lesbos, Mer Egée, Grèce. (Note préliminaire). *Journ. Etud. Pollut. CIESM*, **7(1984)**:317-320.
- CEC (1980), Directive du Conseil, du 15 juillet 1980, portant modification des directives fixant les normes de base relatives à la protection sanitaire de la population et des travailleurs contre les dangers résultant des rayonnements ionisants, *Radioprotection-21*, Eur 7330, CEC Luxembourg L 246/1-14.
- CEC (1984), Directive du Conseil, du 3 septembre 1984, fixant les mesures fondamentales relatives à la protection radiologique des personnes soumises à des examens et traitements médicaux. Directive du Conseil, du 3 septembre 1984, modifiant la directive 80:836 / Euratom en ce qui concerne les normes de base relative à la protection sanitaire de la population et des travailleurs contre les dangers résultant des rayonnements ionisants, *Radioprotection-33*, Eur 9728, CEC, Luxembourg: L265/1-156.
- Cenciarini, J and F. Fernex (1980), Dosage de métaux associés à diverses fractions chimiques des sédiments marins du plateau continental devant Nice et Villefranche. *In: Actes 105 Congrès Nat. Soc. Savantes, Caen, Sciences. fasc. II*, pp.351-362.
- Chabert, D. and N. Vicente (1981), Pollution chimique par les métaux lourds et les composés organochlorés d'un milieu lagunaire (Lagune du Brus, Méditerranée, France). *Journ. Etud. Pollut. CIESM*, **5(1980)**:323-334.
- Chang, L.W., T.M. Tiemeyer, G.R. Wenger and D.E. McMillan (1983), Neuropathology of trimethyltin intoxication. III Changes in the brain stem neurons. *Environ. Res.*, **30**:399-411.
- Charoanca, N. and Roger S. Fujioka (1994). Association of Staphylococcal Skin Infections and Swimming. IAWQ 17th Biennial International Conference. Budapest, Hungary, 1994, pp. 26-34.
- Chester, R., A.C. Saydam and E. Joanna Sharples (1981), All approach to the assessment of local trace metal pollution in the Mediterranean marine atmosphere. *Mar. Pollut. Bull.*, **12**:426-43.
- Chester, R., E. Joanna Sharples, K. Murphy, A.C. Saydam and G.S. Sanders (1983), The atmospheric distribution of lead over a number of marine regions. *Mar. Chem.*, **13**:57-72.
- Choi, B.H., L.W. Capham, L. Amin-Zaki and T. Saleem (1978), Abnormal neuronal migration, deranged cerebral cortical organization and diffuse white matter astrocytosis of human foetal brain. A major effect of methyl mercury exposure in utero. *J. Neuropathol. Exp. Neurol.*, **37**:719-733.

- Chrometzka, F. (1936), On zinc vapor poisoning (Giessfieber)-Clinical observations and therapy of the disease aspect. *Dtsch.Arch.Klin.Med.*, **179**:569-576 (in German).
- Cigna-Rossi, L., G.R. Clement and G. Santarossi (1967), Mercury and selenium in a defined area and in its population. *Arch.Environ.Health.*, **31**:160-165.
- Ciusa, W., M. Giaccio, F. di Donato and L. Lucianetti (1973), Il contenuto in rame, zinco, cadmium, mercurio e piombo di alcune specie ittiche del Mar Tirreno. *Quaderni Merceologia*, **12**:33-48.
- Clarkson, T.W., R. Hamada and I. Amin-Zaki (1984), Mercury. *In: Changing metal cycles and human health. Dahlem Workshop Rep. Life Sc. Res. Rep. no. 28.* Berlin: Springer-Verlag. pp.285-310.
- Clayton, G.D. and F.E. Clayton eds, (1981), *Patty's Industrial Hygiene and Toxicology.* J. Wiley & Sons, New York. vol. 2. pp.2359-2383, 4801-4843.
- Colley, J.R.T. (1990). Epidemiological data on health impact of recreational (marine waters). Paper presented at WHO Working Group on health impact from human exposure to recreational waters, Rimini, 27 February - 2 March 1990.
- Conney, A.H. (1967). Pharmacological implications of microsomal enzyme induction. *Pharm.Rev.*, **19**:317-366.
- Contardi, V., R. Capelli, T. Pellacani and G. Zanichchi (1979), PCBs and chlorinated pesticides in organisms from the Ligurian sea, *Mar.Pollut.Bull*, **10**:307-311.
- Contardi, V., G. Zanichchi, D. Mazzone and B. Magro Cosma (1981), Fluctuations saisonnières de DPC, DDT et métabolites dans les organismes de la mer Ligure, *Journ.Etud.Pollut.CIESM*, **5(1980)**:335-340.
- Cook, D.W. (1994). Effect of time and temperature on multiplication of *Vibrio vulnificus* in Postharvest gulf coast shellstock oysters. *Appl. Environ. Microbiology.* **60**:3483-3484.
- Copin-Montegut, G., P. Courau et T. Nicolas, (1984). Distribution et transfert d'éléments traces en Méditerranée occidentale. Nouveaux résultats PHYCEMED. *Journ.Etud.Pollut.CIESM*, **7**.
- Cosma, B., M. Drago, M. Picazzo, G. Scarponi and S. Tucci (1979), Heavy metals in the Ligurian Sea sediments: distribution of Cr, Cu, Ni and Mn in superficial sediments. *Mar.chem.*, **8**:125-142.
- Cosma, B., R. Frache, F. Baffi and A. Dadone (1982), Trace metals in sediments from the Ligurian coast, Italy. *Mar.Pollut.Bull.*, **13(4)**:127-132.
- Cosma, B., V. Contardi, G. Zanichchi and R. Capelli (1983), Heavy metals in superficial sediments of a contaminated estuary (Santa Gilla, Sardinia). *Chem.Ecol.*, **1(4)**:331-344.
- Cousteau, J.Y. (1979), Rapport préliminaire de l'expédition CIESM-Cousteau Society effectuée par le navire Calypso pour contribuer à l'établissement d'un "bulletin de santé" de la Méditerranée, *Journ.Etud.Pollut.CIESM*, **4(1978)**:21-31.

- Crisetig, G., P. Cortesi and E. Carpena (1973), Residui di pesticidi clorurati e bifenili policlorurati in gonadi di clupeiformi adriatici, *La Nova Veterinaria*, **49**:144-149.
- Crovati, P., S. De Flora, A. Vannucci and G. Badolati (1974). The virological monitoring of water. II. Seawater. *Boll.Ist.Sieroter.Milanese*, **53**:525-532.
- Curi, K., "A New Method for the Determination of T<sub>90</sub>" *Problem und Lösungen auf dem Gebiet des Technischen Umweltschutzes* Stuttgarter Berichte zur Abfallwirtschaft, Vol. 8., Erich Schmidt Verlag, Bielefeld, 1977.
- Curi, K., "Use of a Statistical Model for the Determination of the Die-away Rate of Coliforms" in *Environmental Systems Planning, Design and Control*, Pergamon Press, London 1977.
- Davies, I.M. and J.C. Mckie (1987), Accumulation of total tin and tributyltin in muscle tissue of farmed Atlantic salmon. *Mar.Pollut.Bull.*, **18**:405-407.
- De Flora, S., G.P. De Renzi and G. Badolati (1975). Detection of animal viruses in bottom seawaters and in marine sediments. *Appl.Microbiol.*, **30**:472-475.
- De Flora, S., M. Bagnasco and P. Zanicchi (1991). Genotoxic, carcinogenic, and teratogenic hazards in the marine environment, with special reference to the Mediterranean Sea. *Mutat.Res.*, **258**:285-320.
- De Flora, S., C. Bennicelli and M. Bagnasco (1994). Genotoxicity of mercury compounds. A review. *Mutat.Res.*, **317**:57-79.
- De Lappe, B.W., R.W. Risebrough, J.T. Mendola, G.W. Bowes and J.L. Monod (1973), Distribution of polychlorinated biphenyls on the Mediterranean coast of France *Journ.Etud.Pollut.CIESM*, **1**(1972):43-45.
- De Leon, A.R., J. Guerrero and F. Faraco (1983), Evolution of the pollution of the coastal lagoon of Mar Menor. *Journ.Etud.Pollut.CIESM*, **6**(1982):355-358.
- De Leon, A.R., J. Mas, J. Guerrero and A. Jornet (1985), Monitoring of heavy metals in superficial sediment and some marine organisms from the Western Mediterranean coast. *Journ.Etud.Pollut.CIESM*, **7**(1984):321-326.
- Delfanti, R., V., Fiori, O. Lavarello, and C. Papucci, (1988). Environmental radioactivity along the Italian coasts. In: *Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 371-386.
- Delfanti, R., and C. Papucci, (1988). Characteristics of Chernobyl fallout in the Italian coastal marine environment. In: *Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 489-502.
- Demetropoulos, A. (1985), Long Term Programme for Pollution Monitoring and Research in the Mediterranean Sea. MED POL Phase II, Annual Report.

- De Renzi, G.P., G. Rallo, A. Capri, S. Agostino and C. Angioni (1989). Carcinogenic hazards from arsenic in seawater, seafood and marine aerosols. In: Carcinogenic, Mutagenic, and Teratogenic Marine Pollutants: Impact on Human Health and the Environment (published on behalf of World Health Organization Regional Office for Europe and United Nations Environment Programme), Advances in Applied Biotechnology Series, Vol. 5, The Portfolio Publ. Co., The Woodlands, Texas, pp.191-198.
- Dexter, R.N. and S.P. Pavlou (1973), Chlorinated hydrocarbons in sediments from southern Greece, *Mar.Pollut.Bull*, **4**:188-190.
- Doi, R. and J.Ui (1975), The distribution of mercury in fish and its form of occurrence In: P.A. Krenkel (Ed.) Heavy metals in the aquatic environment. Pergamon Press, Oxford, pp.197-222.
- Donazzolo, R., O. Hieke Merlin, L. Menegazzo Vitturi and B. Pavoni (1984), Heavy metal content and lithological properties of recent sediments in the northern Adriatic. *Mar.Pollut.Bull.*, **15**:93-101.
- Dorten, W.S., F. Elbaz-Poulichet, L.R. Mart and J.M. Martin (1991), Reassessment of the river input of trace metals into the Mediterranean Sea. *Ambio*, **20(1)**:2-6.
- Dreisbach, R.H. and W.O. Robertson (1987), Handbook of Poisoning. 12th edition. Appleton & Lange, Norwalk, Connecticut. pp.110-118.
- Dujmov, J., T. Vucetic, M. Picer and N. Picer (1979), Some results of the monitoring of chlorinated hydrocarbons in organisms from the central Adriatic. *Journ.Etud.Pollut.CIESM*, **4(1978)**:137-142.
- E.C. (1976). Council Directive of 8 December 1975 concerning the quality of bathing waters (76/160/E.C.). *Official Journal of the European Communities*, No. L31: 1-4.
- E.C. (1976), Council Directive of 4 May 1976 on pollution caused by certain dangerous substances discharged into the aquatic environment of the Community (76/464/E.C.). *Official Journal of the European Communities*, **L129**:23-29.
- E.C. (1982), Communication from the Commission to the Council on dangerous substances which might be included in List I of Council Directive 76/464/E.C.. *Official Journal of the European Communities*, **C176**:3-10.
- E.C. (1988). Quality of bathing water, 1983-1986: Fifth Report. Document EUR 11588, Commission of the European Communities, Luxembourg.
- Eganhouse, R.P. and I.R. Kaplan (1981), Extractable organic matter in urban stormwater runoff. *Environ. Sci. Technol.*, **15**:310-315.
- Elder, D.L. (1976), PCBs in N.W., Mediterranean coastal waters. *Mar.Pollut.Bull.*, **7**:63-64.
- Elder, D.L. and S.W. Fowler (1977), Polychlorinated biphenyls: penetration into the deep ocean by zooplankton faecal pellet transport. *Science, (Wash.)*, **197**:459-461.

- Elder, D.L., J.P. Villeneuve, P. Parsi and G.R. Harvey (1976), Polychlorinated biphenyls in seawater, sediment and over-ocean air of the Mediterranean, *In activities of the International Laboratory of Marine Radioactivity, 1976 Report, Vienna IAEA*, pp.136-151.
- Elezovic, I., R. Kljajic and C. Gojnic (1980), A survey of a five-year study of pollution by persistent pesticides of the Adriatic seawater of the Montenegro coast, Symposium "The state, protection and development of environment", Herceg-Novci, 6-8, October, 1976. (in Serbian).
- El-Sahn, M.A., El-Banna, A.A. and Shehata, A.M.E.T. (1982). Occurrence of *Vibrio parahaemolyticus* in selected marine invertebrates, sediment and seawater around Alexandria, Egypt, *Can. J. Microbiol.*, **28(11)**: 1261-1264.
- El Samra, M.I., K.Z. El-Deeb and Y. Halim (1983), Transport of pollutants along the Suez Canal and its effects on the southeast Mediterranean. *In: VI Journ. etud. pollut. mar. Med.*, Cannes, 1982. CIESM, pp.227-229.
- El-Sayed, M.A. and M.Kh. El-Sayed (1981), Levels of heavy metals in the surface waters of a semi-enclosed basin along the Egyptian Mediterranean coast. *Journ.Etud.Pollut.CIESM*, **5(1980)**:223-227.
- El-Sharkawi, F.M. and Hassan, M.N.E.R. (1982). The relation between the state of pollution in Alexandria swimming beaches and the occurrence of typhoid among bathers. *Bull. High. Inst. Pub. Hlth. Alexandria*, **12**: 337-351.
- El-Sharkawi, F., El-Derea, H.B., and Akel, M.M. (1982). The effect of marine pollution on the hygienic quality of shellfish caught in Alexandria beaches. *Bull. High. Inst. Pub. Hlth. Alexandria*, **12**: 47-57.
- Emara, H. (1983), Some heavy metals in Abu-Qir bay and lake Idku, Egypt. *Journ.Etud.Pollut.CIESM*, **6(1982)**:395-400.
- EPA (1976). Code of Federal regulations. U.S. Environmental Protection Agency, 40 CFR 180.138. Washington D.C.
- EPA (1987). Drinking water criteria document for Toxaphene. U.S. Environmental Protection Agency. Office of drinking water. EPA 600/87-2-025. Washington D.C.
- EPA (1988). Integrated risk information system (IRIS). Cincinnati O.H. Environmental Criteria and Assessment Office. Cincinnati Ohio, to Bruce Means. July 15, 1988.
- Establier, R. (1973), Nueva aportacion sobre contenido en mercurio de peces, moluscos y crustaceos del golfo de Cadiz y caladero de la costa africana. *Invest.Pesq.*, **37**:107-114.
- Evans, C.J. (1974), Developments in the organotin industry. 2. Di-organotin compounds. *Tin and its uses*, **101**:12-15.

FAO/UNEP/IAEA/WHO (1987), Report of the FAO/UNEP/IAEA/WHO *ad-hoc* Meeting on Organophosphorus compounds (Athens, 18-20 November 1987). Document FAO/OP/4 14p. (mimeo).

FAO/UNEP/IAEA/WHO (1988), Report of the FAO/UNEP/IAEA/WHO review meeting on the organotin pilot survey. Erdemli, Turkey, 7-9 November 1988; FIR/MEDPOL/OT/5, 62 p. (mimeo).

FAO/UNEP/IAEA/WHO (1989), Report of the FAO/UNEP/IAEA/WHO Review Meeting on the Organophosphorus Pilot Survey (Barcelona, 24-26 January 1989), Document FIR/MEDPOL/OP/5, 29 p. (mimeo).

FAO/UNEP/IAEA/WHO (1989a), Report of the FAO/UNEP/IAEA/WHO Review Meeting on Organotin Pilot Survey. Erdemli, Turkey, 7-9 November 1988 FIR/MEDPOL/OP/5, 62p. (mimeo).

FAO/UNEP/IAEA/WHO (1989b), Report of the FAO/UNEP/IAEA/WHO Review Meeting on the organophosphorus Pilot Survey. (Barcelona, 24-26 January, 1989), Document FIR/MEDPOL/OP/5, 29p. (mimeo).

FAO/WHO (1971), Evaluation of some pesticides residues in food. WHO/Food add. Geneva.

FAO/WHO (1972), Evaluation of certain food additives and the contaminants mercury, lead and cadmium. 16th report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva: WHO, Techn. Rep. Ser. No. 505.

FAO/WHO (1979), Pesticide residues in food: 1978 Evaluation. 15. Sup. FAO, Rome.

FAO/WHO (1985). Pesticide residues in food - 1984 evaluations. FAO Plant Production and Protection Paper 67, Rome.

Fattal, B. and Shuval, H.I. (1988). Epidemiological research on the relationship between the microbial quality of coastal seawater and morbidity among bathers on Israeli Mediterranean beaches. M.A.P. Technical Report Series No. 20, UNEP, Athens.

Fattal, B. and Shuval, H.I. (1991). The relationship between the microbiological quality of coastal seawater and rotavirus-induced gastroenteritis among bathers in Mediterranean Israeli beaches. M.A.P. Technical Report Series, No. 46, UNEP, Athens.

Ferro, R., R. Capelli and V. Contardi (1979), Relazione sull'attività svolta nel monitoraggio dei metalli pesanti e degli idrocarburi clorurati in organismi del mar Ligure. Convegno scientifico nazionale P.F. oceanografia e fondi marini, Roma, 5-7 Marzo, 1979, pp.855-862.

Focardi, S., E. Bacci, C. Leonzio and G. Crisetig (1984), Chlorinated hydrocarbons in marine animals from the northern Tyrrhenian sea (N.W. Mediterranean), *Thalassia Jugosl.*, **20**:37-43.

Förstner, U. and G. Wittmann (1983), Metal pollution in aquatic environment. Berlin, Springer Verlag, 2nd edn, 486 p.

- Fortemps, E., G. Amand, A. Bomboir, R. Lauwerys and E.C. Laterre (1978), Trimethyltin poisoning: Report of two cases. *Int.Arch.Occup.Environ.Health*, **41**:1-6.
- Fossato, V.U. (1983), Etude des hydrocarbures chlorés dans l'environnement de la lagune de Venise. *Journ.Etud.Pollut.CIESM*, **6(1982)**:465-468.
- Fossato, V.U. and L. Craboledda (1979), Chlorinated hydrocarbons in mussels, *Mytilus* sp., from the Laguna Veneta, *Arch.Oceanogr.Limnol.*, **19**:169-178.
- Fossato, V.U. and L. Craboledda (1981), Chlorinated hydrocarbons in organisms from the Italian coast of the northern Adriatic sea, *Journ.Etud.Pollut.CIESM*, **5(1980)**:169-174.
- Fossato, V.U. and F. Dolci (1985), Polychlorobiphenyles dans l'eau et le matériel particulaire en suspension de la mer Adriatique en face du delta du Po. *Rapp.P.-V.Réun.CIESM*, **29**:97-98.
- Fossato, V.U., C. Nasci and L. Craboledda (1982), Idrocarburi clorurati nell'acqua, nel materiale sospeso e nello zooplancton dell'area antistante il Delta del Po. Estratto dagli Atti del Convegno delle Unità Operative afferenti ai sottoprogetti Risorse Biologiche e Inquinamento Marino, Roma, 10-11 Novembre 1981, Arti Grafiche E., Cossidente & F. Ili, Roma, 1982, :829-841.
- Fossato, V.U., G. Perin, A. Carniel, L. Craboledda and F. Dolci (1986), Chlorinated hydrocarbons and atrazine in the waters of Tagliamento estuary, North-East Italy, *Rapp.P.-V.Réun.CIESM*, **30(2)**:111.
- Foulon, G., Maurin, J., Quoi, N.N. and Martin-Bouyer, G. (1983). Etude de la morbidité humaine en relation avec la pollution bactériologique des eaux de baignade en mer. *Revue française des Sciences de l'Eau*, **2(2)**: 127-143.
- Fowler, S.W. and B. Oregioni (1976), Trace metals in mussels from the N.W. Mediterranean. *Mar.Pollut.Bull.*, **7**:26-29.
- Fowler, S.W. (1985a), Heavy metal and radionuclide transfer and transport by marine organisms. In: Proceedings of Symposium on Heavy Metals in Water Organisms, edited by J. Salanski, Budapest, Akademiai Kiado, 1985 (Symp.Bio.Hung. 29), pp.191-206.
- Fowler, S.W. (1985b), Monitoring of the content of metallic trace elements in pelagic organisms in open regions of the Mediterranean Sea. In *Kompleksn. Global'ny Monit. Mirovoga Okeana, Tr. Mezhdunar, Simp. 1st. vol. 2*:347-68. (Proc. Environmental Monitoring Assessment) Leningrad: Gidrometeoizdat Publisher.
- Fowler, S.W. (1986), Trace metal monitoring of pelagic organisms from the open Mediterranean sea. *Environ.Monitor.Assessm.*, **7**:59-78.
- Franco Soler, J.M. (1973), Pesticides organochlorés et PCB dans trois espèces marines sur le littoral espagnol, *Journ.Etud.Pollut.CIESM*, **1(1972)**:55-57.

- Frignani, M. and P. Giordani (1983), Metalli pesanti in sedimenti antichi e recenti dei mari Italiani. *Atti del 5 Congresso della Associazione Italiana di Oceanologia e Limnologia*. Stessa, 19-22 Maggio, 1982, 525-534.
- Fukai, R., S. Ballestra, and D. Vas, (1980). Distribution of caesium-137 in the Mediterranean Sea. In: *Management of Environment*, Wiley Eastern Ltd., New Delhi, Bangalore, Bombay, Calcutta: 353-360.
- Fukai, R., and Murray (1973). Environmental behaviour of radiocobalt and radiosilver released from nuclear power stations into aquatic systems. In: *Environmental Behaviour of Radionuclides released in the Nuclear Industry*, IAEA, Vienna: 217-242.
- Fukai, R., and Y. Yokoyama, (1982). Natural radionuclides in the environment. In: *The Handbook of Environmental Chemistry*, Vol. 1/Part B, Springer-Verlag, Berlin-Heidelberg-New York: 47-60.
- Fytianos, K. and G.S. Vasilikiotis (1983), Concentration of heavy metals in seawater and sediments from the northern Aegean Sea, Greece. *Chemosphere*, **12(1)**:83-92.
- Fytianos, K., G. Vasilikiotis and L. Weil (1985), Identification and determination of some trace organic compounds in coastal seawater of northern Greece, *Bull. Environ. Contam. Toxicol*, **34**:390-395.
- Galassi, S., I. Camoni, V. Leoni, A. Liberatori and L. Vigano (1986), Gruppo 5: pesticidi clorurati e fosforati, Convegno per la revisione dei limiti della legge 319 per gli scarichi in acque superficiali, Roma.
- Gallelli, G., R. Rosso, C. Pellegrino and S. Mangini (1989).  $^{137}\text{Cs}$  and  $^{134}\text{Cs}$  activities in the marine fauna of the Ligurian Gulf, and its contribution to the overall dose absorbed by the population in 1987 (in Italian). *Ig.Moderna*, **92**:1172-1183.
- Gasco Leonarte, C., E. Iranzo Gonzales, A. Martinez Lobo, and L. Romero Gonzales, (1988). Estudio de la distribucion de radionucleidos de vida larga en sedimentos marinos del S.E. Espanol. In: *Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 387-400.
- Geldreich, E.E. (1985). A review of epidemiological evidence, criteria and standards correlating health effects with shellfish quality and marine bathing waters. Working document presented to the United Nations Environmental Program Workshop, October 21-25, 1985, Follonica, Italy.
- Gerges, M.A. and A. Durgham (1983), Distribution and transport of oil pollutants along the Libyan Coast in relation to the physical factors and processes. In: *VI Journ. etud. pollut. mar. Med.*, Cannes, 1982. CIESM, pp. 219-226.
- Gerstner, H.B. and J.E. Huff (1977), Selected case histories and epidemiological examples of human mercury poisoning. *Clin.Toxicol.*, **11**:131-150.
- GESAMP (1983), Reports and Studies, No 22, Review of Potentially Harmful Substances, cadmium, lead and tin. IMO/ FAO/ UNESCO/ WHO/ IAEA/ UN/ UNEP, Joint Group of Experts on the Scientific Aspects of Marine Pollution.

- GESAMP (1984), IMO/FAO/UNESCO/WHO/IAEA/UN/UNEP, Joint group of experts on the scientific aspects of marine pollution. Review of potentially harmful substances: cadmium, lead and tin. Reports and Studies No. 22. Geneva: WHO pp. 10-44.
- GESAMP (1986), IMO/FAO/UNESCO/WMO/WHO/IAEA/UN/UNEP Joint Group of Experts on the Scientific Aspects of Marine Pollution. Review of Potentially Harmful Substances: Arsenic, Mercury and Selenium. *GESAMP Rep.Stud.,No.28*, 172 pp.
- GESAMP (1989), The atmospheric input of trace species to the world oceans. *GESAMP Rep.Stud.*, No. 38, 11p.
- GESAMP (1992). Cancer risks from seafood (in preparation).
- Geyer, H., D. Freitag and F. Korte (1984), Polychlorinated biphenyls (PCBs) in the marine environment, particularly in the Mediterranean, *Ecotox. Environ. Saf.*, **8**:129-151.
- Ghinsberg, R.C., Bar-Dow, L., Rogol, M. and Vitkin, M. (1990). Prevalence of pathogenic microorganisms in beach sand. M.A.P. Technical Reports Series No. 87, UNEP, Athens.
- Gnassia-Barelli, M., M. Roméo, J.M. Amouroux and Z. Sidoumou (1988), Comparaison des concentrations métalliques (Cd,Cu,Fe,Mn,Zn) de *Venus verrucosa*. *Rapp.P.-V.Réun.CIESM*, **31(2)**:155.
- Godfree, A., Jones, F. and Kay, D. (1990). Recreational water quality - The management of environmental health risks associated with sewage discharges. *Marine Pollution Bulletin*, **21(9)**: 414-422.
- Golik, A. (1985), Accumulation of tar balls on the beach. *Israel oceanogr. Limnol. Res.* **3(89)**, pp 10.
- Golik, A. (1986), Tar pollution in the Mediterranean Sea. IOC/UNEP - in press.
- Gomes, L., G. Bergametti, B. Chatenet and A.L. Bulot (1988), The use of a simple predictive model to qualify trace elements emissions from an industrial complex (Fos/Mer, France). *Environ.Technol.Lett.*, **9**:721-730.
- Gomez-Belinchon, J.I., J.O. Grimalt and J. Albaigés (1988), Analysis and persistence of tributyl phosphates in riverine and marine coastal waters. *Chemosphere*, **17**:2189-2197.
- Grancini, G., M.B. Stievano, F. Girardi, G. Guzzi and R. Pietra (1976). The capability of neutron activation for trace element analysis in seawater and sediment samples of the northern Adriatic sea. *J.Radioan.Chem.*, **34**:65-78.
- Grasso, P. (1984). Carcinogens in Food. In: "Chemical Carcinogens", *2nd Edition*. Ed. C.E. Searle, Ch. 19, Vol.2.

- Grimanis, A.P., C. Papadopoulou, D. Zafiroopoulos, M. Vassilaki-Grimani and N. Tsimenidis (1979), Pollution monitoring of eleven trace elements in three marine organisms from Saronikos Gulf, Greece. *Journ.Etud.Pollut.CIESM*, **4(1978)**:233-234.
- Grimanis, A.P., D. Zafiroopoulos, C. Papadopoulou and M. Vassilaki-Grimani (1981), Trace elements in the flesh of different fish species from three gulfs of Greece. *Journ.Etud.Pollut.CIESMI*, **5(1980)**:407-412.
- Guardascione, V. and M.M. Di Bosco (1967), Contribution to the study of occupational pathology caused by pesticides - Three cases of triphenyltin acetate fungicide poisoning., *Lav.Um.*, **19**:307-313 (In Italian).
- Guerzoni, S., R. Lenaz and G. Quarantotto (1987), Atmospheric input of metals into the Mediterranean sea. *Eos*, **68(22)**:1125.
- Guja, A., Jr. (1973), Gastric disorders and the uropepsin level in persons exposed to the action of zinc oxides. *Wiad.Lek.*, **26**:141-143 (in Polish).
- Harada, M., T. Fujino, K. Kabashima (1977), A study of methyl mercury concentration in the umbilical cords of the inhabitants born in the Minamata area. *Brain and Development*, **9**:79-84 (in Japanese).
- Haxton, J., D.G. Lindsay, J.S. Hislop, L. Salmon, E.J. Dixon, W.H. Evans, J.R. Reid, C.J. Hewitt and D.F. Jeffries (1979), Duplicate diet study on fishing communities in the United Kingdom: Mercury exposure in a "critical group" *Environ.Res.*, **18**:351-368.
- Hayabuchi, H., T. Yoshimura and M. Kuratsune (1979). Consumption of toxic rice oil by "Yusho" patients and its relation to clinical response and latent period. *Food Cosmet. Toxicol.* **17**:455-461.
- Henry, P.M. (1977), The Mediterranean: A threatened microcosm. *Ambio*, **6**:300-307.
- Hernandez, F., A. Pastor, J. Medina, M. Conesa, R. Melero and F. J. Lopes (1986), Heavy metal concentration in marine organisms from the Mediterranean Sea (Valencia-Castellon, Spain). *Rapp.P-V Réun.CIESM*, **30(2)**:120 only.
- Ho, R., J.C. Marty and A. Saliot (1983), Les hydrocarbures à l'interface air-mer en Méditerranée occidentale. In: *VI Journ. etud. poll. mar. Med.*, Cannes, 1982. CIESM, pp. 39-45.
- Holm, E., S. Ballestra, and N.E. Whitehead, (1988a). Radionuclides in macroalgae at Monaco following the Chernobyl accident. In: *Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 439-451.
- Holm, E., R. Fukai, and N.E. Whitehead, (1988b). Radiocesium and transuranium elements in the Mediterranean Sea: Sources, inventories and environmental levels. In: *Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 601-617.

- Hornung, H. and G.L. Ramelow (1987), Distribution of Cd, Cr, Cu and Zn in eastern Mediterranean fish. *Mar.Pollut.Bull.*, **18(1)**:45-49.
- Hugues, B., Andre, M, Plantat J.L., Champsaur, H. (1993) Comparison of glass wool and glass powder methods for concentration of viruses from treated wastewaters. *Zbl. Hyg.* , 193, 440-449.
- Hugues, B. (1994) Recovery of viruses from seawater (French Mediterranean coast) Personal communication.
- Hutson, D.H. and T.R. Roberts (1985), Insecticides. J. Wiley & Sons, Chichester. vol. 5 pp. 11-21, 64-74, 256-261.
- Huyng-Ngoc, L. and R. Fukai (1979), Levels of trace metals in open Mediterranean surface waters - a summary report. *Journ.Etud.Pollut.CIESM*, **4(1978)**:171-175.
- Huyng-Ngoc, L. and D. Zafiroopoulos (1981), A preliminary investigation of Cu, Cd and Zn concentrations in seawater from Northern Saronikos Gulf, Greece by differential pulse Anodic Stripping. *Rapp. P-V Réun. CIESM*, **27**:9-11.
- IAEA (1985). Sediment Kjs and concentrations factors for radionuclides in the marine environment, Tech. Rep. Ser. No. 247: 73pp.
- IAEA (1988): Some realities of the energy scene, IAEA News Features, Vienna, No. 1: 10-11.
- IARC (1974), Evaluation of the carcinogenic risk to man: some organochlorine pesticides. IARC, Lyon.
- IARC (1980). IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Some metals and metallic compounds, **23**:39-142. IARC, Lyons.
- IARC (1983). IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Polynuclear Aromatic Compounds, Part I. Volume 32. IARC, Lyons.
- IARC (1987), Overall Evaluations of Carcinogenicity; An Updating of IARC Monographs Volumes 1-42. In: "*IARC Monographs on the Evaluation of the Carcinogenic Risk to Humans*", Suppl.7. IARC, Lyon.
- IARC (1993), Beryllium, Cadmium, Mercury, and Exposures in the Glass Manufacturing Industry. In: "*IARC Monographs on the Evaluation of the Carcinogenic Risk to Humans*", Volume **58**. IARC, Lyon.
- ICES (1977c), The ICES Coordinated Monitoring Program, 1975 and 1976. *ICES Coop.Res.Rep.No.72*.
- ICES (1980), Extension to the Baseline Study of Contaminant Levels in Living Resources of the North Atlantic. *ICES Coop.Res.Rep.No.95*.

- IMCO (1981), Petroleum in the marine environment. Inputs of petroleum hydrocarbon in the ocean due to marine transportation activities. Intergovernmental Maritime Consultative Organization.
- IRPTC (1978), Mediterranean data profiles: organotins. Data profiles for chemicals for the evaluation of their hazards to the environment of the Mediterranean sea. Annex C, UNEP, Geneva, pp.173-217.
- IRPTC/UNEP (1978), Data profiles for chemicals and the evaluation of their hazards to the environment of the Mediterranean Sea. UNEP, Geneva, Switzerland, 927 p.
- ITALY, GOVERNMENT OF (1990). Rapporto sulla qualità delle acque di balneazione (D.P.R. 8 Giugno 1982 N. 470), Anno 1989. Ministry of Health, Rome.
- ITALY, GOVERNMENT OF (1993). Rapporto sulla qualità delle acque di balneazione (D.P.R. 8 Giugno 1982 N. 470), Anno 1992. Ministry of Health, Rome.
- ITII (1975), Toxic and hazardous industrial chemicals safety manual for handling and disposal with toxicity and hazardous data, The International Technical Information Institute, Tokyo, Japan.
- Izquierdo, J., Piera, G., Aledany, M.C. and Lucena, F. (1986). Estudio de la flora fungica de la arena de la playa de Badalona (Espana). Unpublished report.
- Jofre, J., Blasi, M., Bosch, A. and Lucena, F. (1989). Occurrence of bacteriophages infecting *Bacteroides fragilis* and other viruses in polluted marine sediments. *Wat. Sci. Tech.*, **21(3)**: 15-19.
- Jones, F. and Kay, D. (1989). Bathing waters and health studies. *Water Services*, **93(1117)**: 87-89.
- Jones, F. and Kay, D. (1990) *Recreational water quality: the relationship between epidemiological studies and recreational activities in water*. Report of a biological standards seminar. Middlesex Polytechnic, 9 February 1990.
- Kanitz, S., Y. Franco, E. Raffo and S. Palumbo (1990). Monitoring of carcinogenic and mutagenic marine pollutants in the Ligurian Sea. Unpublished report.
- Kaspar, C.W. and Tamplin, M.L. (1993). Effects of temperature and salinity on the survival of *Vibrio vulnificus* in seawater and shellfish. *Appl. Environ. Microbiology*, **59**:2425-2429.
- Katzenelson, E. (1977). Concentration and identification of viruses from seawater. *Rev. Int. Oceanogr. Med.* **68**: 9-16.
- Kautsky, H. (1977). Die Vertikalverteilung radioaktiver Falloutprodukte im westlichen Mittelmeer in den Jahren 1970 und 1974. *Deutsch. Hydrog. Zeitsch.*, **30**: 175-184.
- Kay, D. *et al.* (1994). Predicting likelihood of gastroenteritis from sea bathing: results from randomised exposure. *The Lancet*, Vol. 344, October 1994.

- Kelly, M.T. and Dan Stroh (1988). Occurrence of *Vibrionaceae* in natural and cultivated oyster populations in the Pacific Northwest. *Diagn. Microbiol. Infect. Diseases*, **9**:1-5.
- Kershaw, T.G., T.W. Clarkson and P.H. Dahir (1980), The relationship between blood levels and dose of methyl mercury in man. *Arch. Environ. Health*, **35**:28-36.
- Kilikidis, S.D., J.E. Psomas, A.P. Kamarianos and A.G. Panetsos (1981), Monitoring of DDT, PCBs and other chlorinated hydrocarbons in marine organisms from the north Aegean sea, *Journ. Etud. Pollut. CIESM*, **5**(1980):301-306.
- Korun, M. B. Pucelj, R. Martincic, and P. Stegnar, (1988). In situ measurements of the radioactivity of the Adriatic Sea. In: *Intn. Conf. of Environm. Radioactivity in the Med. Area*, Barcelona: 453-455.
- Kremling, K. and H. Peterson (1981), The distribution of zinc, copper, manganese and iron in waters of the open Mediterranean Sea. *Meteor. Forsch.-Ergebn.*, **23**:5-14.
- Krikelis, V., Spyrou, N., Markoulatos, P. and Serie, Ch. (1985a). Seasonal distribution of enteroviruses and adenoviruses in domestic sewage. *Can. J. Microbiol.*, **31**: 24-25.
- Krikelis, V., Spyrou, N. and Markoulatos, P. (1987). Evaluation of enteric virus levels and serotypes recovered from wastewater and seawater. *J. Hygiene, Epidem. Microbiol. Immunology*, **18**: 43-48.
- Krishnaswami, S., M. Baskaran, S.W. Fowler and M. Heyrand (1985), Comparative role of salps and other zooplankton in the cycling and transport of selected elements and natural radionuclides in Mediterranean waters. *Biogeochemistry*, **1**:353-360.
- Laumond, F., G. Copin-Montegut, P. Courau and E. Nicolas (1983), Niveaux de concentrations en métaux lourds dans des eaux de Méditerranée Occidentale. *Journ. Etud. Pollut. CIESM*, **5**(1980):373-376.
- Laumond, F., G. Copin-Montegut, P. Courau and E. Nicolas (1984), Cadmium, copper and lead in the western Mediterranean sea. *Mar. Chem.*, **15**(3):251-262.
- Lehmann, K.B. (1910), Studies on technically and hygienically important gases and vapors. XIV. Metal-fume or brass-founders fever. *Arch. Hyg.*, **72**:358-381 (in German).
- Le Lourd, P. (1977), Oil Pollution in the Mediterranean Sea. *Ambio*, **6**:317-321.
- Leoni, V. and G. Puccetti (1971), Cromatografia su strato sottile di pesticidi organofosforici in rapporto a studi di contaminazione ambientale (acque superficiali italiane). *Il Farmaco*, **7**:382.
- Leoni, V., G. Puccetti, R.J. Colombo and A.M. D'Ovidio (1976), The use of tenax for the extraction of pesticides and polychlorinated biphenyls from water, *J. Chromat.*, **125**:399-407.

- Leoni, V. and G. Puccetti (1978), Stato di inquinamento da pesticidi del fiume Tevere e del suo bacino imbrifero. *Quaderno*, no. 27, I.R.S.A.
- Lightfoot, N.R. (1989). A prospective study of swimming-related illness at six freshwater beaches in Southern Ontario. Unpublished Ph.D. Thesis.
- Livingston, H.D., V.T. Bowen, and J.C. Burke, (1977). Fallout radionuclides in Mediterranean sediments, *Rapp. Comm. Int. Mer. Médit.*, **24(3)**:37-40.
- Livingston, H.D., S.A. Casso, V.T. Bowen, and J.C. Burke, (1978). Soluble and particulate-associated fallout radionuclides in Mediterranean water and sediments, presented at 26th Congr. and Plenar. Assembly of CIESM, Antalya, Turkey.
- Lo, M.T. and E. Sandi (1978). Polycyclic aromatic hydrocarbons (polynuclears) in food. *Residue Reviews*, **68**:36-86.
- Longé, J.P. (1980), Installations de réception de mélanges d'hydrocarbures en Méditerranée. *Progr. Wat. Techn.* **12**:455-462.
- Luijten, J.G.A. (1972), Applications and biological effects of organotin compounds. *In* Organotin compounds. Vol. 3, (A.K. Sawyer ed.) Marcel Dekker, New York, pp. 931-974.
- Mackenzie, F.T., R.J. Lantzy and V. Paterson (1979). Global trace metals cycles and predictions. *Math. Geol.*, **11**:99-142.
- Maini, P., Bucci, G., Piva, A. Tuffanelli, A. and Verniani, M.R. (1990). Microbiological monitoring of the Emilia-Romagna region (Italy) in 1989. Paper presented at Third International Conference on Tourist Health, Venice, 14-17 November 1990.
- Majori, L., Campanello, C. and Crevatin, E. (1978). *Salmonella* pollution of coastal seawaters of the Gulf of Trieste: A 3-year Survey. *Ives Journées Etud. Pollutions, Antalya*, pp. 505-510. C.I.E.S.M., Monaco.
- Majori, L., G. Nedoclan, G.B. Modonutti and F. Daris (1979), Levels of metal pollutants in sediments and biota of the Gulf of Trieste: a long term survey. *Journ.Etud.Pollut.CIESM*, **4(1978)**:237-243.
- March, B., R. Soong, E. Bilinski and R.E.E. Jonas (1974), Effects on chickens of chronic exposure to mercury at low levels through dietary fish meal. *Poult.Sci.*, **53**:2175-2181.
- Marchand, M. (1983), Signification de la mesure des hydrocarbures halogènes dans les sédiments marins, *Bull.RNO*, **18**:113-123.
- Marchand, M., D. Vas and E.K. Duursma (1976), Levels of PCBs and DDTs in mussels from the N.W. Mediterranean. *Mar.Pollut.Bull*, **7**:65-69.

- Marchand, M., J.C. Caprais et P. Pignet (1985), Hydrocarbures et hydrocarbures halogènes dans les eaux marines côtières de la Méditerranée occidentale (France) "Intersite 2" (Septembre 1984). IFREMER, Centre de Brest, DERO/EL, Mai 1985.
- Marijanovic, P. J. Makjanic and V. Valkovic (1983), Trace element analysis of waters by X-ray emission. *Journ.Etud.Polut.CIESM*, **4(1982)**:345-347.
- Marino, M.G., Hernanz, M. and Fernandez, M. (1982). Relaciones entre calidad microbiologica de las aguas de baño y efectos sanitarios y aceptacion estetica de los banistas. Unpublished report.
- Marsh, D.O., G.J. Myers, T.W. Clarkson, L. Amin-Zaki, S. Tikriti and M.A. Majeed (1980), Foetal methyl mercury poisoning: Clinical and toxicological data on 29 cases. *Ann.Neurol.* **7**:348-353.
- Martin, Y.P. and Bonnefont, J.-L. (1990). Variations annuelles et identification des Vibrions cultivant à 37° C dans un effluent urbain, dans des moules et dans l'eau de mer en rade en Toulon (Méditerranée, France). *Can. J. Microbiol.*, **36**: 47-52.
- McKenzie, J., T. Kjellstrom and R.P. Sharma (1982), Cadmium intake, metabolism and effects in people with a high intake of oysters in New Zealand, Washington (Report to the US Environmental Protection Agency (Grant ID No. R807058-01-0) (cited in GESAMP, 1985).
- Mearns, A.J. (1988). Inventory and trends of chlorinated pesticide and PCB concentrations in U.S. fish and invertebrates. *Aquat. Toxicol.*, **11**. Abstract II No. 5, 418 pp.
- Meigs, J.W., J.J. Albom and B.L. Kartin (1954). Chlorance from an unusual exposure to Aroclor. *JAMA*, **154**:1417-1418.
- Mendola, J.I., R.W. Risebrough et J. Blondel (1977), Contamination de l'avifaune camarguaise par des résidues organochlorés. *Environ.Pollut.*, **13**:21-31.
- Mestres, R., G. Leonardi, C. Chevalier and J. Tourte (1969), Pesticides residues XIX. Determining pesticide residues in natural waters. 1. General analytical methods. *Ann. Fals. Exp. Chim.*, **62(685)**:75-85.
- MFRC, Tripoli (1981), Dissolved and dispersed petroleum hydrocarbons in Libyan coastal waters. Bulletin Marine Research Centre, No. 1. 12 pp.
- Miettinen, J.K. (1973), Absorption and elimination of dietary mercury ( $Hg^{2+}$ ) and methyl mercury in man. In: Miller, M.W. and Clarkson, T.W. eds. Mercury, mercurials and mercaptans. Springfield, 111, Charles C. Thomas Publ. Co., pp.223-243.
- Mille, G., Y.Y. Chen and H. Dow (1982), Polycyclic aromatic hydrocarbons in Mediterranean coastal sediments. *Intern. J. Environ. Anal. Chem.*, **11**:295-304.
- Mille, G., Y.Y. Chen and H. Dow (1983), Hydrocarbures présents dans des sédiments superficiels méditerranéens (zone côtière Fos/Mer - Monaco). In: *VI Journ.etud.pollut.mar.Med.*, Cannes, 1982. CIESM, pp 191-198.

- Modamio, X. (1986), Heavy metal distribution on the coast of Catalonia. *Mar.Pollut.Bull.*, **17(8)**:383-385.
- Monaghan, P.H. , D.E. Brandon, R.A. Borne, T.D. Searl and J.J. Elliot (1974), Measurement and interpretation of non-volatile hydrocarbons in the ocean. Part 1: Measurements in Atlantic, Mediterranean, Gulf of Mexico and Persian Gulf. Prepared by Exxon Research and Engineering Company and Exxon Production Research Company for US Department of Commerce, Maritime Administration, Washington D.C. (AID IDJB 74/EPR 4EX. 74) 217 pp.
- Monod, J.L. et A. Arnoux (1979), Etude des composés organochlorés (PCB-DDT) dans l'environnement marin de l'île des Embiez (Var, France), *Journ.Etud.Pollut.CIESM*, **4(1978)**:147-148.
- Mood, E.W. and Moore, B. (1976). Health criteria for the quality of coastal bathing waters. Periodical publication, Yale University School of Medicine, New Haven, Connecticut, USA.
- Morita, M., F. Ushio, T. Nishizawa, S. Fukano, M. Doguchi and S. Mimura (1975). Hexachlorobenzene in foods. *Shokuhin Eiseigaku Zasshi*, **16**:53-54 (Chem Abstr 83:56836h).
- Morley, N.H., J.D. Burton and P.J. Statham (1990), Dissolved trace metals in the golf du Lion: preliminary results. *In: Water Pollution Research Report, No. 20*, edited by J.M. Martin and H. Barth, 2nd EROS 2000 Workshop, (Blanes, Spain, 6-9 February 1990), pp.309-328.
- Munda, I.M. (1990), Trace metals in Adriatic seaweeds from the Istrian coast. *Rapp.P.-V.Réun.CIESM*, **32(1)**:4.
- Mujeriego, R., Bravo, J.M. and Feliv, M.T. (1982). Recreation in coastal waters - Public Health implications. *Vies Journées Etud. Pollutions, Cannes*, pp.585-594, C.I.E.S.M., Monaco.
- NAS (1977), Drinking Water and Health. National Academy of Sciences, Washington, D.C., USA.
- Nasci, C. and V.U. Fossato (1979), Studio sulla fisiologia dei mitili e sulla loro capacità di accumulare idrocarburi e idrocarburi clorurati. *In Atti della Società Toscana di Scienze Naturali, Memories, ser. B, no. 86, suppl*:216-218.
- Nauen, C., G. Tomassi and G.P. Santaroni (1980), Mercury levels in selected marine organisms from the Mediterranean. *In: UNEP/FAO/WHO Meeting of experts on environmental quality criteria for mercury in Mediterranean seafood*. Geneva: UNEP, UNEP/MED-Hg/6.
- Nauen, C., G. Tomassi, G.P. Santaroni and N. Josupeit (1983), Results of the first pilot study on the chance of Italian seafood consumers exceeding their individual allowable daily mercury intake. *Journ.Etud.Pollut.CIESM*, **6(1982)**:571-583.

- Nazansky, B., N. Picer, M. Picer and M. Ahel (1979), Monitoring of chlorinated hydrocarbons in biota of the north and middle Adriatic coastal waters, *Journ.Etud.Pollut.CIESM*, **4(1978)**:129-132.
- NIOSH (1978), Registry of Toxic Effects of Chemical Substances (RTECS), edited by R.J. Lewis, Sr. and R.L. Tatken, National Institute of Occupational Safety and Health, Cincinnati, Ohio.
- NIOSH (1986), Criteria for a recommended standard: Occupational exposure to organotin compounds. Criteria document no. 77-115. National Institute for Occupational Safety and Health. US Dept. of Health, Washington, D.C., 198 p.
- Nolting, R.B. (1990), Dissolved and particulate trace metals in sediments of the Gulf of Lions. *In: EROS 2000 (European Rivers Ocean System)*. Water Pollution Research Report 20. Project Workshop in Blanes (Spain), edited by J.M. Martin and H. Barth, Commission of the E.C., 1990, pp.314-340.
- Nriagu, J.O. (1980), Global cadmium cycle. *In Cadmium in the environment*. (Ed. J.O. Nriagu). New York: Wiley-Interscience Publ. **Part I**:1-12.
- Nürnberg, H.W., L. Mart and P. Valenta (1977), Concentrations of Cd, Pb and Cu in Ligurian and Tyrrhenian coastal waters. *Rapp.P.-V.Réun.CIESM*, **24(8)**:25-29.
- Nürnberg, H.W. (1977), Potentialities and application of advanced polarographic and voltammetric methods in environmental research and surveillance of toxic metals. *Electroch.Acta*, **22**:935-949.
- Obiols, J. and L. Peiro (1981), Heavy metals from marine sediments from the delta del Ebro. *Journ.Etud.Pollut.CIESM*, **5(1980)**:391-394.
- O'Neil, K.R., Jones, S.H. and Grimes, D.J. (1992): Seasonal incidence of *Vibrio vulnificus* in the Great Bay estuary of New Hampshire and Maine. *Appl. Environ. Microbiology*. **58**:3257-3262.
- Oregioni, B. (1980), Application de la spectrophotométrie d'absorption atomique à la détermination du plomb dans les sédiments de la Méditerranée. Thèse 3ème cycle, Institut de Mathématiques et Sciences Physiques, Université de Nice.
- Osterberg, C. and S. Keckes (1977), The state of pollution of the Mediterranean Sea. *Ambio*, **6(16)**:321-326.
- Paccagnella, B., L. Prati and A. Bigoni (1973), Studio epidemiologico sul mercurio nei pesci e la salute umana in un'isola Italiana del Mediterraneo. *L'Igiene Moderna*, **66**:479-503.
- Pacyna, J.M., A. Semb and J.E. Hanssen (1984), Emission and long-range transport of trace elements in Europe. *Tellus*, **36B** 163-174.
- Panayotidis, P. and E. Florou (1989), Bioconcentration of Cu and Cd in benthic organisms and fish of the Amvrakikos Gulf. *In: Conference in Environmental Science and Technology*, September 1989, Mytilini, Lesvos island, pp.377-387.

- Papadakis, J.A. (1987). Relation between densities of indicator organisms and microbial pathogens in seawater. Unpublished report.
- Papadakis, J.A. (1989). Investigations of neurotoxins in shellfish. M.A.P. Technical Reports Series No. 60, UNEP, Athens.
- Papadakis, J.A., U. Marcellou-Kinti, A. Mavridou, and A. Tsakris, (1990). A study on the comparative distribution of microbial and yeast populations in sand and seawater. M.A.P. Technical Reports Series, No. 87, UNEP, Athens.
- Papadakis, J.A., A. Mavridou, M. Lambiri. Investigation for microorganisms of human origin in seawater and sand in relation to the number of bathers. Award of Athens Academy, December 1992.
- Papadopoulou, C. and G.D. Kanas (1976), Trace element distribution in seven mollusc species from Saronikos Gulf. *Acta Adriatica* **18**:367-378.
- Papapetropoulou, M. (1988). Effects of bathing on human skin flora. In press in M.A.P. Technical Reports Series, UNEP, Athens.
- Payment, P., Larose, Y. and Trudel, M. (1979). Polioviruses as indicators of virological quality of water. *Can. J. Microbiol.*, **25**: 1212-1214.
- Penrose, W.R., H.B.S. Conacher, R. Black, J.C. Meranger, W. Miles, H.M. Cunningham and W.R. Squires (1977). Implications of inorganic/organic interconversion on fluxes of arsenic in marine food webs. *Environ. Health Perspect.*, **19**:53-59.
- Petrilli, F.L. and S. De Flora (1977). Correlation between animal viruses and bacteria in coastal seawaters and sediments. *Rev.Int.Océanogr.Méd.*, **48**:33-36.
- Petrilli, F.L., De Renzi, G.P., Orlando, P. and De Flora, S. (1980). Microbiological evaluation of the coastal water quality in the Tyrrhenian Sea. *Prog. Wat. Tech.*, **12(1)**: 129-136.
- Piccardo, M.T. and F. Valerio (1991). A Mussel Watch Program to monitor PAHs pollution along the Ligurian coast: Preliminary results. Unpublished report.
- Picer, N. and M. Picer (1979), Monitoring of chlorinated hydrocarbons in water and sediments of the north Adriatic coastal waters, *Journ.Etud.Pollut.CIESM*, **4(1978)**:133-136.
- Picer, M. and N. Picer (1982), The Rijeka bay - Ecological study, Chapter: specific organic pollutants, pp.154-201, (in Croatian).
- Picer, M., N. Picer and M. Ahel (1978a), Chlorinated insecticide and PCB residues in fish and mussels of east coastal waters of the middle and north Adriatic sea, 1974-1975, *Pest.Monit.J.*, **12**:102-112.
- Picer, M., N. Picer and B. Nazansky (1978b), Chlorinated hydrocarbons in the sea, (a review), *Pomorski zbornik*, **16**:451-483 (in Croatian).

- Picer, M., N. Picer and B. Nazansky (1981), Persistent chlorinated hydrocarbons in the Rijeka Bay, *Thalassia Yugosl.*, **17**:225-236.
- Picer, N., M. Picer and N. Mikac (1985), Chlorinated insecticides and polychlorinated biphenyls in water, sediment and mussels of the Rovinj coastal waters, *Journ.Etud.Pollut.CIESM*, **7**(1984):483-487.
- Piscator, M. (1985), Dietary exposure to cadmium and health effects: Impact of environmental changes. *Environ.Health Perspect.*, **63**:127-132.
- Podjelski, J. and A.M. Dervieux (1978), Persistence of four pesticides in rice field water in the Camargue; characterization of their effects on the ecosystem, *Trav. Soc. Pharm. Montpellier*, **38**(2):153-163.
- Preston, A., N.T. Mitchell and D.F. Jefferies (1974), Experience gained in applying the ICRP critical group concept to the assessment of public radiation exposure in the control of liquid radioactive waste disposal. *In: Proc. Symp. IAEA. Portoroz.* pp. 131-146, Vienna: IAEA-SM184/10.
- Puccetti, G. and V. Leoni (1980), PCB and HCB in the sediments and waters of the Tiber estuary, *Mar.Pollut.Bull.*, **11**:22-25.
- Rao, V.C., Metcalf, T.G. and Melnick, J.L. (1986). Human viruses in sediments, sludges and soils. *Bulletin of the World Health Organization*, **64**(1): 1-14.
- Ravid, R., J. Ben-Yosef and H. Hornung (1985), PCBs, DDTs and other chlorinated hydrocarbons in marine organisms from the Mediterranean coast of Israel, *Mar.Pollut.Bull.*, **16**:35-38.
- Renzoni, A. and F. Baldi (1973), Osservazioni sulla distribuzione di mercurio nella fauna del Mar Ligure e del Mar Tirreno. *Acqua and Aria*, **8**:597-602.
- Renzoni, A., S. Focardi, C. Leonzio, C. Fossi, and A. Mocci Demartis (1982), Contaminants of resident and migratory birds of the Mediterranean sea, *Thalassia Yugosl.*, **18**:245-52.
- Revelante, N. and M. Gilmartin (1975), DDT, related compounds and PCB in tissues of 19 species of northern Adriatic commercial fish, *Inv.Pesq.*, **39**:491-507.
- Rhead, M.M. (1975), Fate of DDT and PCBs (polychlorinated biphenyls) in the marine environment *In Environmental Chemistry*, vol.1, p.137, edited by G. Eglinton, London, The Chemical Society 1095, Chapter 6, p.137.
- Riolfatti, M. (1977), Ulteriori indagini epidemiologiche sulle concentrazioni di mercurio nel pesce alimentare e nel sangue e capelli umani. *L'Igiene Moderna*, **70**:169-185.
- Risebrough, R.W., B.W. De Lappe and T.T. Schmidt (1976), Bioaccumulation factors of chlorinated hydrocarbons between mussels and seawater, *Mar.Pollut.Bull.*, **7**:225-228.

- Risebrough, R.W., B.W. De Lappe, W. Walker, B.R. Simoneti, G. Grimalt, J. Albaiges, J. Garcia, J. Antonio, A. Ballester and M. Marino (1983), Application of the Mussell Watch concept in studies of the distribution of hydrocarbons in the coastal zone of the Ebro Delta. *Mar. Pollut. Bull.*, **14**:181-187.
- Robinson, E.D., and Mood, E.W. (1966). A quantitative and qualitative appraisal of microbial pollution by swimmers. *J. Hyg. Camb.*, **64**: 489-491.
- Roth, I. and H. Hornung (1977), Heavy metal concentration in water, sediments and fish from the Mediterranean coastal area, Israel. *Environ.Sci.Technol.*, **11**:265-269.
- Rout, C. (1975), Pollution in the Mediterranean. *IPRA-UNEP Seminar, Athens*.
- Rupp, E.M., F.L. Miller and C.F. Baes (1980), Some results of recent surveys of fish and shellfish consumption by age and region of U.S. residents. *Health Physics*, **39**:165-175.
- Saad, M.A.N., O.A. El-Rayis and F.E. El-Nady (1981), Occurrence of some trace metals in bottom deposits from Abu Kir Bay, Egypt. *Journ.Etud.Pollut.CIESM*, **5(1980)**:555-560.
- Sakarya, M., I. Salihoglu and C. Saydam (1985), Distribution of dissolved and dispersed polyaromatic hydrocarbons (PAHs) along the Turkish coast. *In: VII Journ. etud. pollut. mar. Med.*, Lucerne, 1984 CIESM, PP. 509-518.
- Saliba, L.J. and Helmer, R. (1990). Health risks associated with pollution of coastal bathing waters. *Wld Hlth Statist. Quart.*, **43**:177-187.
- Salihoglu, I., C. Saydam and S. Yemenicioglu (1987), Two toxicants, mercury and tin in the Gulf of Iskenderun. *Chemosphere*, **16**:445-453.
- Sanchiz, C., V. Benedito, A. Pastor and A.-M. Garcia-Carrascosa (1990), Bioaccumulation of heavy metals in *Posidonia oceanica* L. delile and *Cymodocea nodosa* (Urcia) aschers, at an uncontaminated site in the East Coast of Spain. *Rapp.P.-V.Réun.CIESM*, **32(1)**:4.
- Satsmadjis, J. and G.P. Gabrielides (1979), Observations on the concentration levels of chlorinated hydrocarbons in a Mediterranean fish, *Mar.Pollut.Bull.*, **10**:109-111.
- Schwartzbrod, L. (1991) *Virologie des milieux hydriques*, Tec. et Doc. Lavoisier edit., Paris.
- Schweinfurth, H.A. and P. Günzel (1987), The tributyltins: mammalian toxicity and risk evaluation for humans. *In Oceans 87 Proceedings. Vol. 4, International Organotin Symposium, IEEE, New York*, pp. 1421-1431.
- Scoullou, M.J. (1981), Zinc in seawater and sediments of the Gulf of Elefsis, Greece. *Water Air Soil Pollut.*, **16**:187-207.

- Scoullou, M.J., D. Melissos and H. Caberi (1989), Zinc concentrations in the green algae *Ulva lactuca* from Saronikos Gulf. In: Proceedings of the Conference on Environmental Science and Technology, Mytilini, Greece, 4-7 September 1989, Vol. 2, pp.389-400 (in Greek).
- Scoullou, M.J., Z. Iordanidou, M. Dassenakis and B. Mantzara (1992), Particulate copper, lead, cadmium in Saronikos Gulf, Greece. *Rapp.P.-V.Réun.CIESM*, **33**:183.
- Shaw, H.F. and P.R. Bush (1978), The mineralogy and geochemistry of the recent surface sediments of the Cilicia basin, NE Mediterranean, *Mar.Geol.*, **26**:115-136.
- Short, J.W. and F.P. Thrower (1986a), Accumulation of butyltins in muscle tissue of chinook salmon reared in sea pens treated with tri-n-butyltin. *Mar.Pollut.Bull.*, **17**:542-545.
- Short, J.W. and F.P. Thrower (1986b), Tri-n-butyltin caused mortality of chinook salmon, *Oncorhynchus tshawytscha*, on transfer to a TBT-treated marine net pen. In Oceans 86 Proceedings, Vol. 4, Organotin Symposium, IEEE, New York, pp. 1202-1205.
- Shumway, S.E. (1990). A review of the effects of algal blooms on shellfish and aquaculture. *Journal of the World Aquaculture Society*, **21(2)**: 65-104.
- Shumway, S.S. and Hurst, J.W.Jr (1991). Mussels and Public Health. In Gosling, E.M. (Ed.): The Mussel (*Mytilus*). Elsevier Science Publishers.
- Shuval, H.I. (1986). Thalassogenic diseases. UNEP Regional Seas Reports and Studies No. 79. UNEP, Geneva.
- Smith, J.W. (1975), Oil spills from tankers. In: *Proceedings of the Conference on Marine Ecology and Oil Pollution*. IP and FSC, Avimore, Scotland.
- Stegnar, P. (1991). Arsenic concentrations in fish, mussels and sediments. Unpublished reports.
- Steidinger, K.A., and E.A. Joyce (1973). Florida red tides. State of Florida Department of Natural Resources, Educational Series 17.
- Stille, W., Kunkel, B. and Nerger, K. (1972). Austern-hepatitis. *Dt. Med. Zeitschr.*, **97**: 145.
- Stirn, J., A. Avcin, J. Cencelj, M. Dorer, S. Gomiscek, S. Kveder, A. Malej, D. Meischner, I. Nozina, J. Paul and P. Tusnik (1974), Pollution problems of the Adriatic sea, an interdisciplinary approach, *Rev.Int.Océanogr.Méd.*, **35-36**:21-77.
- Stoeppler, M., M. Bernhard, F. Backhaus and E. Schulte (1979), Comparative studies on trace metal levels in marine biota. I. Mercury in marine organisms from Western Italian coast, the Strait of Gibraltar and the North Sea. *Sci.Total Environ.*, **13**:209-223.

- Stoeppler, M. (1984), Cadmium. *In* *Metalle in der Umwelt*. (Ed. E. Merian). Weinheim: Verlag Chemie pp. 375-408.
- Sunay, M., T.I. Balkas, A.F. Gaines and J. Abbot (1983), Distribution and source identification of petroleum pollutants, particularly PAH, in the northeastern Mediterranean. *In: VI Journ. etud. pollut. mar. Med.*, Cannes, 1982. CIESM, pp. 207-214.
- Szprengler, T. (1975), Mercury content in animal feeds. *Med.Weter*, **31**:155-157.
- The Ministry of National Health and Welfare. Guidelines for Canadian Recreational Water Quality, October 1983: 35.
- Thibaud, Y. and J. P. Gouygou (1979), Pollution par les métaux lourds en Méditerranée. Etude chez les poissons des mécanismes de contamination et de décontamination. Nantes: Rapport. Inst. Sci. Techn. Pêches Maritimes., no. 66.
- Thompson, J.A.J., M.G. Sheffer, R.C. Pierce, Y.K. Chau, J.J. Cooney, W.R. Cullen and R.J. Maguire (1985), Organotin compounds in the aquatic environment: Scientific criteria for assessing their effects on environmental quality. NRCC no. 22494. National Research Council of Canada (NRCC), Ottawa, 284 p.
- Toccafondi, G., G. Queirazza, L. Antonucci, F. Ragni, G. Bonfanti, and G. Ciceri, (1988). Preoperational environmental studies around the Italian "Montalto" nuclear power plant: Background level and provisional distribution of radioactivity. *In: Intn. Conf. on Environm. Radioactivity in the Med. Area*, Barcelona: 337-357.
- Tseng, W.P., M.H. Chu, S.W. How, J.M. Fong, C.S. Lin and S. Yeh (1968). Prevalence of skin cancer in an endemic area of chronic arsenicism in Taiwan. *J. Nat. Cancer. Inst.*, **40**:453-463.
- Tugrul, S., T.I. Balkas and E.D. Goldberg (1983), Methyltins in the marine environment. *Mar.Pollut.Bull.*, **14**:297-303.
- Tusnik, P. and R. Planinc (1986), Concentration of trace metals (Hg, Cd) and its seasonal variations in *Mytilus galloprovincialis* from the Gulf of Trieste. *Rapp.P-V Réun.CIESM*, **30(2)**:114 only.
- U.K. DOE (Department of the Environment) (1986), Organotin in antifouling paints Environmental considerations. Pollution Paper No 25, London, 82 p.
- Underwood, E.J. (1977), Trace elements in human and animal nutrition, 4th Ed. New York, Academic Press.
- UNEP (1978), Preliminary report on the state of pollution of the Mediterranean Sea. Intergovernmental Review Meeting of Mediterranean Coastal States on the Mediterranean Action Plan. UNEP/IG.11/INF.4, 209 p.
- UNEP (1980), Summary Reports on the Scientific Results of MED POL I. (UNEP/IG.18/INF.3).

- UNEP (1984), UNEP/ECE/UNIDO/FAO/UNESCO/WHO/IAEA: Pollutants from land-based sources in the Mediterranean. UNEP Regional Seas Reports and Studies, No. 32.
- UNEP (1989). Evaluation of MED POL Phase II Monitoring Data: Part II - Microorganisms in coastal areas. Document UNEP(OCA)/MED WG.5/Inf.4, UNEP, Athens.
- UNEP (1989). State of the Mediterranean marine environment. M.A.P. Technical Reports Series, No. 28, UNEP, Athens.
- UNEP/ECE/UNIDO/FAO/UNESCO/WHO/IAEA (1984). Pollutants from land-based sources in the Mediterranean. UNEP Regional Seas Reports and Studies, No. 32, UNEP, Geneva.
- UNEP/FAO/WHO/IAEA (1990), Assessment of the state of pollution of the Mediterranean Sea by organohalogen compounds. MAP Technical reports series No. 39, UNEP, Athens.
- UNEP/FAO (1986), Biogeochemical studies of selected pollutants in the open waters of the Mediterranean (MED POL VIII). Addendum, Greek Oceanographic Cruise 1980. *In*: MAP Technical Reports Series No. 8, Addendum, UNEP, Athens, 66p.
- UNEP/FAO (1986a), Assessment of the present state of pollution by cadmium, copper, zinc and lead in the Mediterranean Sea. Document, UNEP/WG.144/11 submitted to the Fourth Meeting of the Working Group for Scientific and Technical Co-operation for MED POL (Athens, 16-20 June 1986), 41 p.
- UNEP/FAO/WHO (1989), Assessment of the state of pollution of the Mediterranean Sea by cadmium and cadmium compounds. *In*: MAP Technical Reports Series, No. 34, UNEP, Athens, 175 p.
- UNEP/WHO (1982), Waste discharge into the marine environment. Principles and guidelines for the Mediterranean Action Plan, Pergamon Press.
- UNEP/WHO (1985). Assessment of the present state of microbial pollution in the Mediterranean Sea and proposed control measures. Document UNEP/WG. 118/6. UNEP, Athens.
- UNEP/WHO/IAEA (1988). Guidelines for monitoring the quality of coastal recreational and shellfish areas. Reference Methods for Marine Pollution Studies No. 1, Rev 1. UNEP, Nairobi.
- United States Public Health Service. Toxicological profile for Hexachlorobenzene. Washington, D.C., 1990.
- UNSCEAR (1982). Ionizing radiation: Sources and biological effects, Rep. to the General Assembly, United Nations, New York.
- U.S. Natl. Acad. Sci. (1985), Oil in the sea, inputs, fates and effects. Nat. Acad. Press, Washington D.C., 1985. 601 pp.

- Uysal, H. (1979), Accumulation and distribution of heavy metals in some marine organisms in the Bay of Izmir and in Aegean coasts. *Journ.Etud.Pollut.CIESM*, **4(1978)**:213-217.
- Uysal, H. and S. Tuncer (1983), Levels of heavy metals in some commercial food species in the Bay of Izmir (Turkey). *Journ.Etud.Pollut.CIESM*, **6(1982)**:323-327.
- Uysal, H. and S. Tuncer (1985), A comparative study on the heavy metal concentrations in some fish species and sediments from Izmir Bay. *Journ.Etud.Pollut.CIESM*, **7(1984)**:275-283.
- Vallee, B.L., D.D. Ulmer and W.E.C. Wacker (1960). Arsenic toxicology and biochemistry. *AMA Arch. Ind. Health*, **21**:132-151.
- Vasl, R., Fattal, B., Katzenelson, E. and Shuval, H.I. (1981). Survival of enteroviruses and bacterial indicator organisms in the sea. In: Goddard, M. and Butler, M. (Eds). *Viruses and Waste Water Treatment*, pp. 113-116. Pergamon Press, Oxford.
- Vassiliadis, P., Mavromati, Ch., Trichopoulos, D., Kalapothaki, V. and Papadakis, J. (1987). Comparison of procedures based on Rappaport-Vassiliadis medium with those using Muller-Kauffmann medium containing Teepol for the isolation of *Salmonella* species. *Epidem. Inf.*, **99**: 143-147.
- Vassilikiotis, G.S., N.A. Voulouroutis, D.G. Themelis and M.C. Sofoniou (1982), Preliminary study of Thessaloniki Bay for contamination by mercury and lead. *Chemosphere*, **11**:479-496.
- Veglia, A. and R. Vaissière (1986), Seasonal variation of heavy metal concentrations in mussels and sea-urchins sampled near a harbour area. *Rapp.P-V Réunion.CIESM*, **30(2)**: 113 only.
- Vicente, N. and D. Chabert (1982), Analyses de micropollutants (métaux lourds, pesticides, PCB) chez une tortue-luth (*Dermochelys coriacea*) échoué sur le littoral méditerranéen, *Vie.Mar.*, **4**:75-79.
- Vilicic, D., N. Picer, M. Picer and B. Nazansky (1979), Monitoring of chlorinated hydrocarbons in biota and sediments of south Adriatic coastal waters, *Journ.Etud.Pollut.CIESM*, **4(1978)**:143-146.
- Villeneuve, D.L., A.P. Yagminas, I.A. Marino, I. Chu and L.M. Reynolds (1977). Effects of food deprivation in rats previously exposed to Mirex. *Bull. Environ. Contam. Toxicol.*, **38**:266-270.
- Villeneuve, J.P. (1985), Polychlorinated biphenyls in near sea atmospheric samples from the Mediterranean in 1975 to 1977. *Journ.Etud.Pollut.CIESM*, **7(1984)**:489-493.
- Villeneuve, J.P. and K.A. Burns (1983), Transport of lindane in the Mediterranean sea, *Journ.Etud.Pollut.CIESM*, **6(1982)**:455-460.

- Villeneuve, J.P., D.L. Elder and R. Fukai (1981), Distribution of polychlorinated biphenyls in seawater and sediments from the open Mediterranean sea, *Journ.Etud.Pollut.CIESM*, **5(1980)**:251-256.
- Viviani, R., A.R. Borgatti, m D. Cancellieri, G. Crisetig and P. Cortesi (1969), Residui di DDT e di suoi metaboliti nei tessuti de clupeiformi adriatici. *Atti della Società Italian di Scienze Veterinarie*, **23**:299-303.
- Viviani, R., G. Crisetig, V. Petruzzi and P. Cortesi (1973), Residui di pesticidi clorurati e di bifenili policlorurati nei clupeiformi Adriatici, *In Atti del 5° colloquio internazionale di oceanografia medica*, Messina (1973), pp.607-621.
- Viviani, R., G. Crisetig, P. Cortesi and E. Carpena (1974), Résidus de polychlorobiphenyls (PCB) et de pesticides chlorés dans les poissons et les oiseaux du delta du Po, *Rev.Intern.Océanogr.Méd.*, **35-36**:79-89.
- Voutsinou-Taliadouri, F. and J. Satsmadjis (1982), Influence of metropolitan waste on the concentration of chlorinated hydrocarbons and metals in striped mullet. *Mar.Pollut.Bull.*, **13**:266-269.
- Voutsinou-Taliadouri, F. (1983), Metal concentration in polluted and unpolluted Greek sediments: a comparative study. *Journ.Etud.Pollut.CIESM*, **6(1982)**:245-259.
- Vukadin, I. P. Stegnar, M. Tusek and T. Zvonaric (1985), Heavy metal, analysis in sediments and marine organisms of the bay of Mali Ston and the Adjacent sea. *Journ.Etud.Pollut.CIESM*, **7(1984)**:327-330.
- Wahby, S.D. and K.Z. El-Deeb (1981), A study of the state of pollution by petroleum hydrocarbons along the Alexandria coast. *In: V Journ. etud. pollut. mar. Med.*, Cagliari, 1980. CIESM, pp. 257-262.
- Weldre, J.A., M.A. Rachu, A.P. Ilitzby, L.G. Lochow and N.J. Schereweschew (1977). On the investigation of carcinogenic hydrocarbons, especially benz(a)pyrene in water in the ESSR. *Water Res.*, **3**:147-152.
- West, P.A. (1989). The human pathogenic vibrios - A public health update with environmental perspectives. SPECIAL ARTICLE. *Epidemiology and Infection*. **103**:1-34.
- Wheeler, D. (1990). The real risks of bathing in water contaminated by sewage. *Environmental Health*, **98(10)**: 285-287.
- Whitehead, N.E., S. Ballestra, E. Holm, and L. Huynh-Ngoc, (1988). Chernobyl radionuclides in shellfish, *J. Environm. Radioactivity*, **1**:107-121.
- Whitehead, N.E., B. Oregioni and R. Fukai (1985), Background levels of trace metals in Mediterranean sediments. *Journ.Etud.Pollut.CIESM*, **7(1984)**:233-240.
- WHO (1975). 1974 Evaluations of some pesticide residues in food. *WHO Pesticide Residues Series*, **4**:397-405.
- WHO (1976), Environmental Health Criteria 1, Mercury, WHO, Geneva. pp.132

- WHO (1976a), Environmental health criteria for cadmium. Interim report. WHO, Geneva, document EHE/EHC/79.20.
- WHO (1976b), Polychlorinated biphenyls and terphenyls, Environmental Criteria 2. WHO, Geneva.
- WHO (1976c). 1975 Evaluations of some pesticide residues in food. *WHO Pesticide Residues Series*, 5:267-271, 396.
- WHO (1979). DDT and its derivations. Environmental Health Criteria No. 9, WHO, Geneva.
- WHO (1980), Report on consultation to re-examine the WHO environmental health criteria for mercury. Geneva, 21-25 April 1980. Geneva: WHO-EHE/EHC/80.22.
- WHO (1982). Examination of Water for Pollution Control: A reference handbook. Vol.3: Biological, Bacteriological and Virological Examination. Pergamon Press, Oxford.
- WHO (1984). Aquatic (marine and freshwater) biotoxins). Environmental Health Criteria 37, WHO, Geneva.
- WHO (1986), Organophosphorus insecticides: a general introduction, Environmental Health Criteria, WHO, Geneva.
- WHO (1989). Microbiological quality control in coastal recreational and shellfish areas in the Mediterranean. Document ICP/CEH 083/6. WHO Regional Office for Europe, Copenhagen.
- WHO (1989a). Polychlorinated dibenzo-para-dioxins and dibenzofurans. Environmental Health Criteria No. 88, International Programme on Chemical Safety, WHO, Geneva.
- WHO (1989b). Toxicological evaluation of certain food additives and contaminants. The 33rd meeting of the Joint FAO/WHO Expert Committee on Food Additives Series 24.
- WHO (1993), Guidelines for Drinking Water Quality. World Health Organization, Geneva, Vol.1 130 p., Vol.2 335 p., Vol.3 121 p. (Vol.2 and 3 in press).
- WHO (1993a). Guidelines for drinking water quality, Vols 1 and 2, World Health Organization, Geneva.
- WHO/FAO/UNEP (1986), Consultation meeting on health-effects of methyl mercury in the Mediterranean area, Athens, 15-19 September 1986 - Summary report. Document ICP/CEH 054(s), WHO Regional Office for Europe, Copenhagen.
- WHO/FAO/UNEP (1988), Mediterranean health-related environmental quality criteria. Report on a Joint WHO/FAO/UNEP meeting, Bled, 12-16 September 1988, 37pp.

- WHO/UNEP (1977). Health Criteria and Epidemiological studies relating to coastal water pollution: Report of a Group of Experts jointly convened by WHO and UNEP, Athens, 1-4 March 1977. Document ICP/RCE 206(5), WHO Regional Office for Europe, Copenhagen.
- WHO/UNEP (1981). Coastal water quality control in the Mediterranean: Final report on the Joint WHO/UNEP Coordinated Pilot Project (MED VII) (1976-1980). Document ICP/RCE 206, WHO Regional Office for Europe, Copenhagen.
- WHO/UNEP (1988). Consultation on carcinogenic and mutagenic marine pollutants in the Mediterranean, Athens, 23-25 June 1988, Summary report. Document EUR/ICP/CEH 060(S). WHO Regional Office for Europe, Copenhagen.
- WHO/UNEP (1994). Guidelines for health-related monitoring of coastal recreational and shellfish areas, Parts I, II, III, IV and V.
- WHO TASK GROUP (1980), Recommended health-based limits in occupational exposure to heavy metals. Geneva: WHO Techn. Rep. Ser. 647.
- Wood, P.C. (1976). Guide to Shellfish hygiene. Offset Publication No. 31, WHO, Geneva.
- Worthing, C.R. and S.B. Walker (1983), The pesticide manual (seventh edition). British Crop Protection Council, Croydon, U.K.
- Yaramaz, O., H. Mordogan and A. Alpdaz (1990), Etude des métaux lourds (Zn, Cu, Pb, Cd, Cr) dans les sédiments de la pêche de Homa-Izmir *Rapp.P.-V.Réun.CIESM*, **32(1)**:57.
- Yemenicioglu, S., C. Saydam and I. Salihoglu (1987), Distribution of tin in the northeastern Mediterranean. *Chemosphere*, **16**:429-443.
- Yoshpe-Purer, Y. (1987). The occurrence of *Staphylococcus aureus* and *Pseudomonas aeruginosa* in coastal waters in Israel. Unpublished report.
- Zafiroopoulos, D., (1976), Trace metal, sources and inputs into Puget sound. M. Sc. Thesis, University of Washington, Department of Oceanography, Seattle, Washington.

