

Special acknowledgements: first edition

The World Health Organization is grateful to the specialists listed below who collaborated in the preparation of this book.^a Their comments on various chapters were taken into consideration during the revision of those chapters and the finalization of the manuscript.

- Dr W.I. Acton, Senior Consultant, Wolfson Unit, Institute of Sound and Vibration Research, The University, Southampton, United Kingdom
- Dr V.J. Akimenko, Chief, Laboratory of Biological and Hygienic Investigations, A.N. Marzeev Institute of General and Community Hygiene, Kiev, USSR
- Dr E. Albert, Professor of Anatomy and Director of Histology, George Washington University Medical Center, Washington, DC, USA
- Dr R.M. Albrecht, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr F.A. Andersen, Chief, Standards Support Staff, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr Maria Anguelova, Senior Researcher, Section of Physical Factors, Department of Occupational Hygiene, Institute of Hygiene and Occupational Health, Sofia, Bulgaria
- Dr J. Bang, Ultrasound Department, St Joseph Hospital, Copenhagen, Denmark
- Mr F.S. Barnes, Professor and Chairman, Department of Electrical Engineering, University of Colorado, Boulder, CO, USA
- Mr H.I. Bassen, Division of Electronic Products, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr M.W. van Batenburg, Director, Physics Laboratory, The National Defence Research Organization TNO, The Hague, Netherlands

^a The affiliation given for each specialist is that which obtained during the period of his or her collaboration.

- Mr P.F. Beaver, Superintending Inspector, Nuclear Branch 5, Health and Safety Executive, London, United Kingdom
- Dr D. Beischer, Professor and Chief, Biomedical Division, Naval Aerospace Medical Research Laboratory, Pensacola, FL, USA
- Mrs Deirdre A. Benwell, Non-ionizing Radiation Section, Radiation Protection Bureau, Environmental Health Centre, Health and Welfare Canada, Ottawa, ON, Canada
- Dr I. Berenblum, Emeritus Professor, Former Head, Department of Experimental Biology, The Weizmann Institute of Science, Rehovot, Israel
- Dr M.C. Bessis, Director, Institute of Cellular Pathology and Experimental Cancerology, Bicêtre Hospital, Le Kremlin-Bicêtre, France
- Dr K. Bischoff, Head, Radiometry, Federal Institute for Engineering Physics and Technology, Braunschweig, Federal Republic of Germany
- Dr G. Bittner, Director, Department 2, Federal Institute for Physics and Technology, Braunschweig, Federal Republic of Germany
- Dr N. Bom, Faculty of Medicine, Erasmus University, Rotterdam, Netherlands
- Mr R.G. Borland, Head, Biophysics, RAF Institute of Aviation Medicine, Farnborough, United Kingdom
- Dr K. Brendel, Department 5, Federal Institute for Physics and Technology, Braunschweig, Federal Republic of Germany
- Dr D.H. Brennan, Department of Visual Science, Institute of Ophthalmology, University of London, United Kingdom
- Dr M.S. Bruma, National Centre of Scientific Research, Bellevue Laboratories, Bellevue, France
- Dr J. Cabanes, Medical Committee, Electricité de France — Gaz de France, Paris, France
- Mr E.L. Carstensen, Professor, Department of Electrical Engineering, College of Engineering and Applied Science, The University of Rochester, NY, USA
- Dr Maria Choutchkova, Institute of Hygiene and Occupational Diseases, Sofia, Bulgaria
- Mr C.L. Christman, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr S.F. Cleary, Professor of Biophysics, Department of Biophysics, Medical College of Virginia, Virginia Commonwealth University, Richmond, VA, USA
- Dr C.J. Clemedson, Professor and Retired Surgeon-General, The Swedish Armed Forces, Stocksund, Sweden
- Dr W.T. Coakley, Lecturer, Department of Microbiology, University College, Cardiff, United Kingdom
- Dr J.W. Copeman, Managing Physician, Thomas J. Watson Research Center, IBM Corporation, Yorktown Heights, NY, USA
- Mr E.A. Cox, Principal Inspector, Health and Safety, Nuclear Installations Inspectorate, Health and Safety Executive, London, United Kingdom
- Mr O.H. Critchley, Principal Inspector, Health and Safety, Nuclear Installations Inspectorate, Health and Safety Executive, London, United Kingdom

- Dr A.P. Cullen, Associate Professor, College of Optometry, University of Houston, TX, USA
- Dr W.H. Cyr, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr Wanda Czernska, Senior Research Worker, Quantum Electronics Institute, Military Technical Academy, Warsaw, Poland
- Dr P.A. Czernski, Professor and Head, Department of Genetics, National Research Institute of Mother and Child, Warsaw, Poland
- Dr C.J. van Daatselaar, Head, Nuclear Department, General Directorate of Labour, Voorburg, Netherlands
- Dr F. Devik, Chief Medical Officer, Medical Section, State Institute of Radiation Hygiene, Oslo, Norway
- Dr F. Dukes-Dobos, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr F. Dunn, Professor, Bioacoustics Research Laboratory, Department of Electrical Engineering, University of Illinois, Urbana, IL, USA
- Dr G.C. Dutt, Head, Laser and Optical Radiations Unit, Radiation Protection Bureau, Environmental Department of Health Centre, Health and Welfare Canada, Ottawa, ON, Canada
- Dr Mary Dyson, Anatomy Department, Guy's Hospital Medical School, London, United Kingdom
- Dr P.D. Edmonds, Senior Research Physicist, Electronics and Bioengineering Laboratory, Stanford Research Institute, Menlo Park, CA, USA
- Dr J. Elder, Experimental Research Center, US Environmental Protection Agency, Research Triangle Park, NC, USA
- Mr. R.J. Ellis, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr E.W. Emery, Medical Physics Department, Royal Postgraduate Medical School, Hammersmith Hospital, London, United Kingdom
- Dr E.A. Emmett, Associate Professor, Department of Environmental Health, Division of Clinical Studies, College of Medicine, University of Cincinnati Medical Center, Cincinnati, OH, USA
- Mr H. Eriskat, Chief, Division of Public Health and Radiological Protection, Directorate of Health and Security, Commission of the European Communities, Luxembourg
- Dr M. Faber, Professor and Director, The Finsen Laboratory, The Finsen Institute, Copenhagen, Denmark
- Mr J.R. Fancher, Commonwealth Edison, Chicago, IL, USA
- Dr L. Filipczynski, Professor, Institute of Fundamental Technological Research, Polish Academy of Sciences, Warsaw, Poland
- Dr H.M. Frost, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr H. Gaebelein, Leader, Working Group on Climate of Working Places, Central Institute of Occupational Medicine, Berlin, German Democratic Republic

- Dr W.D. Galloway, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr R. Genève, Deputy Director, Electronics Laboratory for Applied Physics, Philips Research Centre, Limeil, France
- Mr A. Glansholm, National Board of Occupational Safety and Health, Stockholm, Sweden
- Dr Z.R. Glaser, Director, Special Occupational Hazards, Priorities and Research Analysis Branch Review Program, National Institute of Occupational Safety and Health, US Public Health Service, Rockville, MD, USA
- Dr L. Goldman, Director, Laser Laboratory, and Professor and Chairman, Department of Dermatology, College of Medicine, University of Cincinnati Medical Center, Cincinnati, OH, USA
- Dr Zinaida V. Gordon, Professor and Head, Laboratory of Electromagnetic Fields, Institute of Industrial Hygiene and Occupational Diseases, USSR Academy of Medical Sciences, Moscow, USSR
- Dr E.H. Grant, Professor, Physics Department, Queen Elizabeth College, University of London, United Kingdom
- Dr L.I. Grossweiner, Chairman and Professor, Department of Physics, Lewis College of Sciences and Letters, Illinois Institute of Technology, Chicago, IL, USA
- Mr H.M. Grove, Chairman, Committee on Man and Radiation, Institute of Electrical and Electronics Engineers Inc., Washington, DC, USA
- Dr A.W. Guy, Professor, Department of Physical Medicine and Rehabilitation, School of Medicine, University of Washington, Seattle, WA, USA
- Dr Ludmila Gvozdenka, Senior Research Scientist, Laboratory of Industrial Microclimate, Institute of Industrial Hygiene and Occupational Diseases, Kiev, USSR
- Dr Gail ter Haar, Department of Physics, Institute of Cancer Research, Royal Marsden Hospital, Sutton, Surrey, United Kingdom
- Dr D. Harder, Professor, Institute for Medical Physics and Biophysics, University of Göttingen, Federal Republic of Germany
- Mr F. Harlen, Principal Scientific Officer, National Radiological Protection Board, Harwell, United Kingdom
- Dr H.G. Häublein, Director, Central Institute of Occupational Medicine, Berlin, German Democratic Republic
- Dr R. Hauf, Professor and Scientific Director, Research Institute of Electropathology, Freiburg, Federal Republic of Germany
- Dr W. Hauser, Department of General Technical-Scientific Services, Federal Institute for Engineering Physics and Technology, Braunschweig, Federal Republic of Germany
- Dr A. Henschel, Division of Technical Services, Center for Disease Control, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr C.R. Hill, Department of Physics, Institute of Cancer Research, Royal Marsden Hospital, Sutton, Surrey, United Kingdom
- Dr F. Hillenkamp, Department of Coherent Optics, Society for Radiation and Environmental Research, Neuherberg, Federal Republic of Germany

- Dr K. Hishimoto, The First Surgical Department, University of Tokyo, Japan
- Mr H.S. Ho, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr N.G. Holmer, Malmö General Hospital, Sweden
- Mr B. Holmgren, Chief, Division of Electrotechnical Interference Problems, Swedish State Power Board, Vällingby, Sweden
- Dr R.C. Honey, Group Manager — Optics, Electronics and Bioengineering Laboratory, Stanford Research Institute, Menlo Park, CA, USA
- Mr D. Hoogeveen, Saskatchewan Power Corporation, Regina, SK, Canada
- Mr S.M. Horvath, Director and Professor, Institute of Environmental Stress, University of California, Santa Barbara, CA, USA
- Dr J. Hrazdira, Assistant Professor, Department of Biophysics, Faculty of Medicine, Purkyne University, Brno, Czechoslovakia
- Dr D.E. Hughes, Professor of Microbiology, Department of Microbiology, University College, Cardiff, United Kingdom
- Dr H. Iida, National Institute of Radiological Sciences, Anagawa, Chiba-shi, Japan
- Mr M. Izrael, Institute of Hygiene and Occupational Health, Sofia, Bulgaria
- Dr H. Jammet, Director, Health Protection Service, Institute of Protection and Nuclear Safety, Nuclear Studies Centre — Atomic Energy Commission (CENEA), Fontenay-aux-Roses, France; representing the International Radiation Protection Association (IRPA)
- Mr D.E. Janes, Chief, Electromagnetic Radiation Analysis Branch, Environmental Analysis Division, US Environmental Protection Agency, Silver Springs, MD, USA
- Dr T.V. Kalada, Chief, Department of Hygiene, Institute of Industrial Hygiene and Occupational Health, Leningrad, USSR
- Dr F. Kaloyanova, Professor and Director, Medical Academy, Institute of Hygiene and Occupational Health, Sofia, Bulgaria
- Dr I. Kaplan, Clinical Professor of Plastic Surgery, Department of Plastic Maxillo-Facial Surgery, Tel-Aviv University Medical School and Beilinson Hospital, Tel-Aviv, Israel
- Mr G. Karches, Physical Agents Effects Branch, National Institute of Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr Kebbel, Medical Technology Sector, Siemens AG, Erlangen, Federal Republic of Germany
- Dr T. Kecik, Associate Professor and Head, Clinic of Ophthalmology, Warsaw Academy of Medicine, Poland
- Mr V.E. Kinsey, Institute of Biological Sciences, Oakland University, Rochester, MI, USA
- Dr E. Kivisäkk, Senior Radiation Protection Officer, National Institute of Radiation Protection, Stockholm, Sweden
- Dr B. Kleman, Research Director and Professor of Physics, National Institute of Defence, Stockholm, Sweden
- Dr B. Knave, Professor and Director, Department of Occupational Hygiene, National Board of Occupational Safety and Health, Stockholm, Sweden

- Dr K. Koren, Director, State Institute of Radiation Hygiene, Osterås, Norway
- Dr H. Kornberg, Program Manager, Environmental Assessment Department, Electric Power Research Institute, Palo Alto, CA, USA
- Dr F. Kossel, Director and Professor, Division of Medical Radiation Technology and Radiation Protection, Institute of Radiation Hygiene, Federal Health Office, Neuherberg, Federal Republic of Germany
- Dr D. Krastel, Scientific Worker, Central Institute of Occupational Medicine, Berlin, German Democratic Republic
- Dr K. Krell, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr N. Kroo, Central Research Institute for Physics, Hungarian Academy of Sciences, Budapest, Hungary
- Dr J. Kupfer, Leader, Occupational Hygiene Standardization, Central Institute of Occupational Medicine, Berlin, German Democratic Republic
- Mr C. Lancée, Faculty Echocardiographic Group, Erasmus University, Rotterdam, Netherlands
- Mr R. Landry, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr L. Lang, Scientific Deputy Head, Physics Institute, Budapest Technical University, Hungary
- Dr R. Latarjet, Section of Biology, Radium Institute, Curie Foundation, Paris, France
- Dr W.M. Leach, Chief, Experimental Studies Branch, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr H.K. Lee, Radiation Devices Section, Radiation Protection Bureau, Health and Welfare Canada, Ottawa, ON, Canada
- Mr W. Lee, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr W.R. Lee, Professor and Director, Department of Occupational Health, University of Manchester, United Kingdom
- Dr S. Leeman, Royal Postgraduate Medical School, Hammersmith Hospital, London, United Kingdom
- Dr J.F. Lehmann, Professor and Chairman, Department of Rehabilitation Medicine, School of Medicine, University of Washington, Seattle, WA, USA
- Dr J.C. van der Leun, Institute of Dermatology, State University of Utrecht, Netherlands
- Dr K. Liden, Radiophysics Institute, Lund University, Sweden
- Dr K. Lindström, Department of Industrial Medicine, Malmö General Hospital, Sweden
- Mr M.S. Little, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr J. de Lorge, Biomedical Division, Naval Aerospace Medical Research Laboratory, Pensacola, FL, USA
- Mr D.A. Lowe, Chief, Technical Terminology Service, World Health Organization, Geneva, Switzerland

- Dr C.D. Lytle, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr I.A. Magnus, Professor, Department of Photobiology, Institute of Dermatology, Postgraduate Medical Federation, University of London, United Kingdom
- Dr J.F. Malone, Lecturer in Medical Physics, Physics Department, College of Technology, Dublin, Ireland
- Dr K. Marha, Laboratory of Electromagnetic Fields, Institute of Hygiene and Epidemiology, Prague, Czechoslovakia
- Dr J. Marshall, Senior Lecturer, Department of Visual Science, Institute of Ophthalmology, University of London, United Kingdom
- Dr D.I. McRee, Research Physicist, National Institute of Environmental Health Sciences, Research Triangle Park, NC, USA
- Dr J.A. Medeiros, Centre for Interdisciplinary Studies in Chemical Physics, University of Western Ontario, London, ON, Canada
- Dr R.G. Medici, Brain Research Institute, The Center for the Health Sciences, University of California, Los Angeles, CA, USA
- Dr W.H. Mehn, Medical Director, Commonwealth Edison, Chicago, IL, USA
- Dr E. Mešter, Professor and Director, Second Surgical Clinic, Semmelweis University, Budapest, Hungary
- Dr D. Methling, Chief, Light Laboratory, Scientific-Technical Centre of Industrial Hygiene, Ministry of Construction, Berlin, German Democratic Republic
- Dr S.M. Michaelson, Professor, Department of Radiation Biology and Biophysics, School of Medicine and Dentistry, University of Rochester, NY, USA
- Dr L. Miro, Professor, Laboratory of Biophysics, Medical Faculty, Nîmes, France
- Dr K. Mohan, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr J.C. Monahan, Research Psychologist, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Mr C.E. Moss, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr A.M. Muc, Consultant, Non-ionizing Radiation, Special Studies and Services Branch, Radiation Protection Service, Ontario Ministry of Labour, Toronto, ON, Canada
- Mr W.E. Murray, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr Z.A. Naprstek, Chief, Cardiostimulation Division, Institute of Clinical and Experimental Surgery (IKEM), Prague, Czechoslovakia
- Dr K.V. Nikonova, Senior Scientific Worker, Laboratory of Electromagnetic Waves of Radiofrequencies, Scientific Research Institute of Labour, Hygiene and Occupational Diseases, Moscow, USSR

- Dr B. Nižetić, Regional Officer for Public Health Ophthalmology, World Health Organization Regional Office for Europe, Copenhagen, Denmark
- Mr. W.T. Norris, Research Division, Central Electricity Research Laboratories, Central Electricity Generating Board, Leatherhead, Surrey, United Kingdom
- Dr W.L. Nyborg, Professor, Department of Physics, University of Vermont, Burlington, VT, USA
- Dr Å. Öberg, Professor of Biomedical Engineering, Department of Medical Engineering, Linköping University, Sweden
- Dr A. Oksala, Professor of Ophthalmology, Department of Ophthalmology, University Central Hospital, Turku, Finland
- Dr R. Oliver, Professor, Department of Medical Physics, Royal Postgraduate Medical School, Hammersmith Hospital, London, United Kingdom
- Dr J.M. Osepchuk, Consulting Scientist, Research Division, Electron Beam Devices, Raytheon Company, Waltham, MA, USA
- Dr W.H. Parr, Chief, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA
- Dr M.A. Pathak, Principal Associate, Department of Dermatology, Harvard Medical School, Boston, MA, USA
- Dr Jana Pazderova, Research Worker, Clinic of Occupational Diseases, Prague, Czechoslovakia
- Dr Perdriel, General Inspector and Director, School of Application, Army and Air Health Service, and Research Centre of Aeronautical Medicine, Ministry of Defence, Paris Armées, France
- Mr R.W. Peterson, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr C.H. Powell, Assistant to the Director, Special Programs, National Institute of Occupational Safety and Health, US Public Health Service, Rockville, MD, USA
- Dr A. Priou, Office for Studies of Radiotechnology, Toulouse Studies and Research Centre (CERT), Toulouse, France
- Dr J. Prokopenko, A.N. Sysin Institute of General and Communal Hygiene, USSR Academy of Medical Sciences, Moscow, USSR
- Dr Z. Puzewicz, Professor, Institute of Quantum Electronics, Military Technical Academy, Warsaw, Poland
- Dr M.F. Quinn, Lecturer, Physics Department, College of Technology, Dublin, Ireland
- Dr J.D. Ramsey, Professor of Industrial Engineering, Texas Technical University, Lubbock, TX, USA
- Mr H.J.L. Rechen, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr R. Reiter, Institute of Atmospheric Environmental Research, Garmisch-Partenkirchen, Federal Republic of Germany
- Dr M.H. Repacholi, Head, Non-ionizing Radiation Section, Radiation Protection Bureau, Environmental Health Centre, Health and Welfare Canada, Ottawa, ON, Canada

- Dr S.C. Rexford-Welch, Procurement Executive, Atomic Weapons Research Establishment, Ministry of Defence, Aldermaston, United Kingdom
- Mr W.V. Richings, Dawe Instruments Ltd, London, United Kingdom
- Dr C.R. Ricketts, Medical Research Council, Industrial Injuries and Burns Unit, Birmingham Accident Hospital, United Kingdom
- Mr R.J. Rockwell, Associate Professor of Laser Sciences, Laser Laboratory, Department of Dermatology, College of Medicine, University of Cincinnati Medical Center, Cincinnati, OH, USA
- Dr J. Rooney, Physics Faculty, University of Maine, Orono, ME, USA
- Dr S.W. Rosenthal, Associate Professor, Electrical Engineering and MRI, Polytechnic Institute of New York, Farmingdale, NY, USA
- Dr H.D. Rott, Institute of Human Genetics and Anthropology, University of Erlangen-Nürnberg, Erlangen, Federal Republic of Germany
- Dr D.E. Rounds, Pasadena Foundation for Medical Research, Pasadena, CA, USA
- Mr W. Ruth, Department of Occupational Health, National Board of Occupational Safety and Health, Stockholm, Sweden
- Dr G.M. Samaras, Neuro-Oncology Research Laboratories, Department of Radiation Therapy, School of Medicine, University of Maryland, Baltimore, MD, USA
- Dr C.L. Sanders, Division of Physics, National Research Council, Ottawa, ON, Canada
- Dr B.M. Savin, Professor and Head, Laboratory of Electromagnetic Waves of Radiofrequencies, Scientific Research Institute of Labour, Hygiene and Occupational Diseases, Moscow, USSR
- Dr P.C. Scheidt, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr S.O. Schiff, Chairman, Department of Biology and Graduate Program in Genetics, George Washington University, Washington, DC, USA
- Dr K.H. Schneider, Professor and Director, Research Association for High Voltage and High Current Technology, Mannheim, Federal Republic of Germany
- Dr H.P. Schwan, Professor, Department of Bioengineering, Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, PA, USA
- Dr S.A. Sebo, Professor, Dreese Laboratory, Department of Electrical Engineering, Ohio State University, Columbus, OH, USA
- Dr B. Servantie, Section of Cellular Biology, Naval Centre for Applied Biophysical Studies and Research, Sainte-Anne, Toulon, France
- Mr A.E. Sherr, Coordinator, Toxic Chemicals Registration, American Cyanamid Company, Bound Brook, NJ, USA
- Dr M.L. Shore, Director, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr Charlotte Silverman, Deputy Director, Division of Biological Effects, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr Yvette Skreb, Chief, Laboratory of Cellular Biology, Institute of Medical Research and Occupational Health, Zagreb, Yugoslavia

- Dr N.A. Slark, Senior Principal Scientific Officer, Department of Health and Social Security, London, United Kingdom
- Mr D.H. Sliney, Physicist and Chief, Laser Hazards Branch, Laser-Microwave Division, US Army Environmental Hygiene Agency, Aberdeen Proving Ground, MD, USA
- Dr F. Stenbäck, Associate Professor, Department of Pathology, University of Oulu, Finland
- Dr H.F. Stewart, Chief, Acoustics Branch, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr J.A.J. Stolwijk, Professor of Epidemiology, Yale University Medical School, and Associate Director, John B. Pierce Foundation Laboratory, New Haven, CT, USA
- Dr M.E. Stratmeyer, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr M.A. Stuchly, Physicist, Non-ionizing Radiation Section, Radiation Protection Bureau, Environmental Health Centre, Health and Welfare Canada, Ottawa, ON, Canada
- Dr M.L. Swicord, Division of Electronic Products, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr K. Szymczykiwicz, Professor and Director, Institute of Occupational Medicine in the Mining and Metallurgical Industry, Sosnowiec, Poland
- Dr N.C. Telles, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr B.M. Tengroth, Professor and Chairman, Department of Ophthalmology, Karolinska Institute and Hospital, Stockholm, Sweden
- Dr J. Thacker, Scientist, Radiobiology Unit, Medical Research Council, Harwell, United Kingdom
- Mr B. Thalèn, Technical Product Manager, International Catering Equipment Division, Philips AB, Norrköping, Sweden
- Dr J.R.E. Thuerauf, Institute of Occupational and Social Medicine, University of Erlangen-Nürnberg, Erlangen, Federal Republic of Germany
- Dr F. Urbach, Professor and Director, The Center for Photobiology, Temple University School of Medicine, Philadelphia, PA, USA
- Dr D. Utmischi, Research Worker, Institute for High Voltage and Installation Technology, Technical University, Munich, Federal Republic of Germany
- Mr J.C. Villforth, Director, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr J.J. Vos, Head, Vision Department, Institute for Perception TNO, Soesterberg, Netherlands
- Dr J.C. Wang, Bureau of Radiological Health, US Public Health Service, Rockville, MD, USA
- Dr C.G. Warren, School of Medicine, University of Washington, Seattle, WA, USA
- Dr F. Weill, Professor, Department of Radiology, Hospital Centre, University of Besançon, France
- Dr R. Wever, Professor, Max-Planck Institute of Behavioural Physiology, Andechs, Federal Republic of Germany

Mr G.H. Whipple, Department of Environmental and Industrial Health,
School of Public Health, University of Michigan, Ann Arbor, MI, USA
Dr A. Wiskemann, Professor, University Skin Clinic, Hamburg, Federal
Republic of Germany
Dr M.L. Wolbarsht, Director, Ophthalmic Research, Department of Oph-
thalmology, Duke University Medical Center, Durham, NC, USA
Dr J.K. Zieniuk, Institute of Fundamental Technological Research, Polish
Academy of Sciences, Warsaw, Poland

Special acknowledgements: second edition

The World Health Organization is grateful to the specialists listed below who collaborated in the preparation of this book.^a Their comments on various chapters were taken into consideration during the writing, revision or updating of those chapters and the finalization of the manuscript.

Dr W.R. Adey, Associate Chief of Staff for Research, Research Service 151, Pettis Veterans' Administration Hospital, Loma Linda, CA, USA

Dr L.E. Anderson, Program Manager, Bioelectromagnetics, Biology and Chemistry Department, Battelle Pacific Northwest Laboratory, Richland, WA, USA

Dr J. Bang, Ultrasound Department, State Hospital, Copenhagen, Denmark

Dr F.S. Barnes, Professor, Department of Electrical Engineering, University of Colorado, Boulder, CO, USA

Dr J.H. Bernhardt, Professor and Director, Institute for Radiation Hygiene, Neuherberg, Federal Republic of Germany

Dr S. Bly, Physicist, Non-ionizing Radiation Section, Research and Standards Division, Bureau of Radiation and Medical Devices, Environmental Health Directorate, Health and Welfare Canada, Ottawa, ON, Canada

Dr J.A. Bonnell, Medical Advisor, Central Electricity Generating Board, London, United Kingdom

Dr K. Brendel, Head of Group, Acoustics Division, Physical Acoustics, Federal Institute of Metrology, Braunschweig, Federal Republic of Germany

Dr J. Cabanes, General Administration, Committee for Medical Studies, Electricité de France — Gaz de France, Paris, France

Dr E.L. Carstensen, Professor, Department of Electrical Engineering, University of Rochester, NY, USA

^a The affiliation given for each specialist is that which obtained during the period of his or her collaboration.

- Dr S. Charschan, Western Electric Engineering Research Laboratory, Princeton, NJ, USA
- Dr C.K. Chou, Head, Biomedical Engineering, Department of Radiation Research, City of Hope National Medical Center, Duarte, CA, USA
- Dr S. Cleary, Professor, Department of Biophysics, Virginia Commonwealth University, Richmond, VA, USA
- Dr P.A. Czernski, Research Scientist, Molecular Biology Branch, Division of Life Sciences, Office of Science and Technology, Center for Devices and Radiological Health, Food and Drug Administration, Rockville, MD, USA
- Dr T.G. Davis, Smith Kline Beckman Corporation, Philadelphia, PA, USA
- Dr J.D.Y. Deslauriers, Biophysicist, Laser and Electro-Optics Unit, Non-ionizing Radiation Section, Research and Standards Division, Bureau of Radiation and Medical Devices, Environmental Health Directorate, Health and Welfare Canada, Ottawa, ON, Canada
- Dr F. Dunn, Chairman and Professor, Bioacoustics Research Laboratory, Department of Electrical Engineering, University of Illinois, Urbana, IL, USA
- Dr C.H. Durney, Professor, Department of Electrical Engineering, University of Utah, Salt Lake City, UT, USA
- Dr Mary Dyson, Anatomy Department, Guy's Hospital Medical School, London, United Kingdom
- Dr P.D. Edmonds, Senior Research Physicist, Bioengineering Research Laboratory, Stanford Research Institute International, Menlo Park, CA, USA
- Dr J.A. Elder, Chief, Cellular Biophysics Branch, and Acting Director, Experimental Biology Division, US Environmental Protection Agency, Research Triangle Park, NC, USA
- Dr A. Fleischer, Department of Radiology and Radiological Sciences, Vanderbilt University, Nashville, TN, USA
- Mr J.K. Franks, Laser-Microwave Division, US Army Environmental Hygiene Agency, Aberdeen Proving Ground, MD, USA
- Dr O.M.P. Gandhi, Professor, Department of Electrical Engineering, University of Utah, Salt Lake City, UT, USA
- Dr E.H. Grant, Professor, Physics Department, King's College, University of London, United Kingdom
- Dr A.W. Guy, Professor and Director, Bioelectromagnetics Research Laboratory, Center for Bioengineering, School of Medicine, University of Washington, Seattle, WA, USA
- Dr Gail ter Haar, Joint Department of Physics, Institute of Cancer Research, Royal Cancer Hospital, in association with Royal Marsden Hospital, Sutton, Surrey, United Kingdom
- Mr F. Harlen, Principal Scientific Officer, Physics Department, National Radiological Protection Board, Chilton, Didcot, United Kingdom (deceased)
- Dr D.J. Hart, Director, Smith Kline Beckman Corporation, Philadelphia, PA, USA

- Dr R. Hauf, Professor and Scientific Director, Research Institute for Electropathology, Freiburg, Federal Republic of Germany
- Dr C.R. Hill, Professor and Head, Joint Department of Physics, Institute of Cancer Research, Royal Cancer Hospital, in association with Royal Marsden Hospital, Sutton, Surrey, United Kingdom
- Mr M. Ide, Professor, Department of Electronics and Communication Engineering, Musashi Institute of Technology, Tokyo, Japan
- Dr K. Joyner, Australian Radiation Laboratory, Yallambie, Australia
- Dr D.R. Justesen, Director, Laboratory for Experimental Neuropsychology, Veterans' Administration Hospital, Kansas City, MO, USA
- Dr W.T. Kaune, Battelle Pacific Northwest Laboratory, Richland, WA, USA
- Dr H.A. Kornberg, Program Manager, Environmental Assessment Department, Electric Power Research Institute, Palo Alto, CA, USA
- Dr F. Kossel, Director and Professor, Division of Medical Radiation Technology and Radiation Protection, Institute of Radiation Hygiene, Federal Health Office, Neuherberg, Federal Republic of Germany
- Dr H. Kreibich, Director, Central Institute of Occupational Medicine, Berlin, German Democratic Republic
- Dr F.W. Kremkau, Professor and Director, Center for Medical Ultrasound, Bowman-Gray School of Medicine, Winston-Salem, NC, USA
- Dr J. Kupfer, Chief, Department of Ergonomics, Central Institute of Occupational Medicine, Berlin, German Democratic Republic
- Mr R.J. Landry, Electro-Optics Branch, Division of Electronic Products, Center for Devices and Radiological Health, Food and Drug Administration, Rockville, MD, USA
- Dr J. Lary, Research Biologist, Microwave Radiation Department, National Institute of Occupational Safety and Health, Cincinnati, OH, USA
- Dr J.C. van der Leun, Professor, Institute of Dermatology, State University of Utrecht, Netherlands
- Dr F.L. Lizzi, Research Director, Biomedical Engineering Laboratories, Riverside Research Institute, New York, NY, USA
- Dr J.C. Male, Central Electricity Research Laboratory, Surrey, United Kingdom
- Dr A.F. McKinlay, Head, Physics Department, National Radiation Protection Board, Chilton, Didcot, United Kingdom
- Mrs Patricia McKinney, Yorkshire Regional Cancer Organization, Cookridge Hospital, Leeds, United Kingdom
- Dr S.M. Michaelson, Professor, Department of Radiation Biology and Biophysics, School of Medicine and Dentistry, University of Rochester, NY, USA
- Dr K.H. Mild, First Research Engineer, National Board of Occupational Health and Safety, Umeå, Sweden
- Dr M.W. Miller, Associate Professor, Radiation Biology and Biophysics Department, University of Rochester, NY, USA
- Mr C.E. Moss, Physical Agents Effects Branch, National Institute of Occupational Safety and Health, US Public Health Service, Cincinnati, OH, USA

- Dr A.M. Muc, Supervisor, Special Studies and Services Branch, Occupational Health and Safety Division, Ontario Ministry of Labour, Toronto, ON, Canada
- Dr Z.A. Naprstek, Chief, Cardiostimulation Division, Institute of Clinical and Experimental Surgery, Prague, Czechoslovakia
- Dr P. Nicolini, Manager, Enel — Electrical Research Center, Cologno Monzese, Italy
- Mr W.T. Norris, Research Division, Central Electricity Research Laboratories, Central Electricity Generating Board, Leatherhead, Surrey, United Kingdom
- Dr W.L. Nyborg, Professor, Department of Physics, University of Vermont, Burlington, VT, USA
- Dr W.D. O'Brien, Jr., Associate Professor, Bioacoustics Research Laboratory, Department of Electrical Engineering, University of Illinois, Urbana, IL, USA
- Dr Mary Ellen O'Connor, Associate Professor, Psychology Department, University of Tulsa, OK, USA
- Dr A. Oksala, Professor, Department of Ophthalmology, University Central Hospital, Turku, Finland
- Dr J.M. Osepchuk, Research Division, Electron Beam Devices, Raytheon Company, Lexington, MA, USA
- Dr Dianne B. Pettiti, Division of Family and Community Medicine, University of California School of Medicine, San Francisco, CA, USA
- Dr R.D. Phillips, Director, Experimental Biology Division, US Environmental Protection Agency, Research Triangle Park, NC, USA
- Dr R.C. Preston, Radiation and Acoustics Division, National Physical Laboratory, Teddington, Middlesex, United Kingdom
- Mr W.V. Richings, Dawe Instruments Limited, London, United Kingdom
- Dr J.A. Rooney, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, USA
- Dr H.D. Rott, Institute of Human Genetics and Anthropology, University of Erlangen-Nürnberg, Erlangen, Federal Republic of Germany
- Dr T.C. Rozzell, Program Manager, Bioelectromagnetics, Office of Naval Research, Arlington, VA, USA
- Dr D.E. Rounds, Director, Cell Biology and Laser Laboratories, Huntington Medical Research Institute, Pasadena, CA, USA
- Dr M.I. Rudnev, A.N. Marzhev Research Institute of General and Communal Hygiene, Kiev, USSR
- Dr B.M. Servantie, Director for Academic Affairs, School of Military Medicine, Bordeaux, France
- Dr A.R. Sheppard, Research Physicist, Neurobiological Research, Research Service 151, Pettis Veterans' Administration Hospital, Loma Linda, CA, USA
- Dr M.L. Shore, Associate Director for International Affairs, Center for Devices and Radiological Health, Food and Drug Administration, Rockville, MD, USA

- Dr Charlotte Silverman, Associate Director for Human Studies, Division of Biological Effects, Office of Science and Technology, Center for Devices and Radiological Health, Food and Drug Administration, Rockville, MD, USA
- Mr D.H. Sliney, Physicist and Chief, Laser Hazards Branch, Laser-Microwave Division, US Army Environmental Hygiene Agency, Aberdeen Proving Ground, MD, USA
- Dr G. Stingl, Vienna Academy of Postgraduate Medical Education, Austria
- Dr M.E. Stratmeyer, Center for Devices and Radiological Health, Food and Drug Administration, Rockville, MD, USA
- Dr Maria A. Stuchly, Research Scientist, Non-ionizing Radiation Section, Research and Standards Division, Bureau of Radiation and Medical Devices, Environmental Health Directorate, Health and Welfare Canada, Ottawa, ON, Canada
- Dr E. Sutter, Light and Radiation, Federal Institute of Metrology, Braunschweig, Federal Republic of Germany
- Dr. K.J.W. Taylor, Professor, Department of Diagnostic Radiology, Yale University, New Haven, CT, USA
- Dr T.S. Tenforde, Physiology Group Leader, Lawrence Berkeley Laboratory, Berkeley, CA, USA
- Dr B.M. Tengroth, Professor and Chairman, Department of Ophthalmology, Karolinska Institute and Hospital, Stockholm, Sweden
- Dr F. Urbach, Professor and Acting Chairman, The Center for Photobiology, School of Medicine, Temple University, Philadelphia, PA, USA
- Dr K. Vandenberghe, Department of Obstetrics and Gynaecology, University Hospital, University of Leuven, Gasphalsberg, Belgium
- Dr M. Wagner, Regional Officer for Maternal and Child Health, World Health Organization Regional Office for Europe, Copenhagen, Denmark
- Dr R.A. Weale, Director, Department of Visual Science, Institute of Ophthalmology, University of London, United Kingdom
- Dr A.R. Williams, Department of Medical Biophysics, University of Manchester, United Kingdom
- Dr M.L. Wolbarsht, Professor of Ophthalmology and Biomedical Engineering, Department of Psychology, Duke University, Durham, NC, USA
- Dr J.K. Zieniuk, Institute of Fundamental Technological Research, Polish Academy of Sciences, Warsaw, Poland
- Dr M.C. Ziskin, Professor, Radiology and Medical Physics, School of Medicine, Temple University, Philadelphia, PA, USA
- Dr J. Zuclich, Technology Incorporated, San Antonio, TX, USA

Lists of working groups

First edition

Working Group on Health Effects of Lasers, Dublin, 21–24 October 1974

Mr R.G. Borland	Dr E. Mešter
Dr J.W. Copeman	Dr S.M. Michaelson
Dr Wanda Czerska	Dr L. Miro
Dr M. Faber	Dr Z.A. Naprstek (<i>Vice-Chairman</i>)
Dr L. Goldman (<i>Chairman</i>)	Dr B. Nižetić
Mr. F. Harlen	Dr W.H. Parr
Dr F. Hillenkamp	Dr C.H. Powell
Dr H. Jammet	Dr M.F. Quinn (<i>Rapporteur</i>)
Dr I. Kaplan	Mr R.J. Rockwell
Dr B. Kleman	Mr D.H. Sliney
Dr J. Kupfer	Dr M.J. Suess (<i>Secretary</i>)
Dr J.F. Malone	Dr B.M. Tengroth
Dr J. Marshall	Dr J.J. Vos
Dr J.A. Medeiros	Dr M.I. Wolbarsht

Working Group on Health Effects of Exposure to Ultrasound Radiation, London, 18–21 October 1976

Dr W.I. Acton	Dr D.E. Hughes
Dr J. Bang	Mr. C. Lancée
Dr K. Brendel	Dr W.L. Nyborg
Dr W.T. Coakley	Dr M.H. Repacholi (<i>Rapporteur</i>)
Dr F. Dunn (<i>Chairman</i>)	Mr W.V. Richings
Dr L. Filipczynski	Dr H.D. Rott
Mr R. Genève	Dr N.A. Slark
Dr Gail ter Haar	Dr H.F. Stewart
Dr D. Harder	Dr M.J. Suess (<i>Secretary</i>)
Dr C.R. Hill	Dr J. Thacker
Dr J. Hrazdira (<i>Vice-Chairman</i>)	

Working Group on Health Effects of Exposure to Ultraviolet and Infrared Radiation, Sofia, 21–24 February 1978

Dr F.A. Andersen	Mr M. Izrael
Dr Maria Anguelova	Dr I.A. Magnus
Dr K. Bischoff	Mr C.E. Moss
Dr Maria Choutchkova (<i>Vice-Chairman</i>)	Dr W.H. Parr
Mr E.A. Cox (<i>Rapporteur</i>)	Dr J. Prokopenko
Dr G.C. Dutt	Mr D.H. Sliney
Dr M. Faber	Dr J.A.J. Stolwijk
Mr A. Glansholm	Dr M.J. Suess (<i>Secretary</i>)
Dr Ludmila Gvozdenka	Dr K. Szymczykiwicz
Mr F. Harlen	Dr B.M. Tengroth (<i>Chairman</i>)
	Dr J.R.E. Thuerauf

Working Group on Health Effects of Exposure to Electric and Magnetic Fields at Power Frequencies, and Regulation and Enforcement Procedures, Freiburg, 22–26 May 1978

Dr V.J. Akimenko	Dr H. Kornberg
Dr J. Cabanes	Dr F. Kossel
Mr E.L. Carstensen	Dr J. Kupfer
Dr S.F. Cleary	Dr W.R. Lee
Mr O.H. Critchley	Dr R.G. Medici
Dr P.A. Czerski	Dr S.M. Michaelson
Mr H. Eriskat	Dr M.H. Repacholi (<i>Rapporteur</i>)
Mr F. Harlen	Dr K.H. Schneider (<i>Vice-Chairman</i>)
Dr R. Hauf	Dr S.A. Sebo
Mr B. Holmgren	Dr M.L. Shore (<i>Chairman</i>)
Dr E. Kivisäkk (<i>Vice-Chairman</i>)	Dr M.J. Suess (<i>Secretary</i>)
Dr B. Knave	Dr D. Utmischi
Dr K. Koren	Dr R. Wever

Review Group on Health Effects of Exposure to Microwave Radiation, Washington, DC, 30 October – 3 November 1978

Dr E. Albert	Dr S.M. Michaelson
Dr R.M. Albrecht	Mr J.C. Monahan
Mr H.I. Bassen	Dr J.M. Osepchuk
Dr S.F. Cleary	Dr M.H. Repacholi (<i>Chairman</i>)
Dr P.A. Czerski	Dr G.M. Samaras
Dr J. Elder	Dr S.O. Schiff
Dr Z.R. Glaser	Dr B. Servantie
Dr A.W. Guy	Dr M.L. Shore
Mr F. Harlen (<i>Rapporteur</i>)	Dr Charlotte Silverman
Mr D.E. Janes	Mr D.H. Sliney
Dr W.M. Leach	Dr M.L. Swicord
Dr D.I. McRee	

Second edition

Working Group on Health Implications of the Increased Use of Nonionizing Radiation Technologies and Devices, Ann Arbor, MI, 13–18 October 1985 (for Chapters 1–5)

Dr L.E. Anderson	Dr A.M. Muc
Dr F.S. Barnes ^a	Dr T.C. Rozzell ^a
Dr J.H. Bernhardt ^b	Dr M.I. Rudnev ^b
Dr P.A. Czerski	Dr B.M. Servantie
Dr J.D.Y. Deslauriers (<i>General rapporteur and subgroup rapporteur for Chapters 1–3</i>)	Dr A.R. Sheppard
Dr J.A. Elder	Dr M.L. Shore (<i>Chairman</i>)
Mr F. Harlen (<i>Subgroup rapporteur for Chapters 4–5</i>)	Dr Charlotte Silverman
Dr R. Hauf ^b	Mr D.H. Sliney (<i>Subgroup leader for Chapters 1–3</i>)
Dr J. Kupfer	Dr Maria A. Stuchly (<i>Subgroup leader for Chapters 4–5</i>)
Dr J.C. van der Leun	Dr M.J. Suess (<i>Secretary</i>)
Dr S. Michaelson ^b	Dr B.M. Tengroth (<i>Vice-Chairman</i>)
Dr K.H. Mild	Dr F. Urbach ^a
	Dr M.L. Wolbarsht ^a

Working Group on Health Implications of the Increased Use of Nonionizing Radiation Technologies and Devices, Erice, 16–17 September 1985 (for Chapter 6)

Dr J. Bang	Dr W.L. Nyborg (<i>Subgroup leader</i>)
Mrs Deirdre A. Benwell-Morison (<i>Co-Secretary and subgroup rapporteur</i>)	Dr M.E. Stratmeyer
Dr Gail ter Haar	Dr K. Vandenberghe
Dr C.R. Hill	Dr A.R. Williams
Mrs Patricia McKinney	Dr M.C. Ziskin

^a Part-time participation.

^b Unable to attend.

INDEX

- Acoustic fields, 256, 257, 262
Acoustic impedance, 248, 249 (table)
Acoustic transients, 54, 143
Actinic keratosis, 32
ALARA principle, 277, 278, 297
Albinism, 34
Aluminium screening, IR control, 108
Alternating current, 180
American Conference of
 Governmental Industrial
 Hygienists (ACGIH), airborne
 ultrasound levels, 278
 IR threshold limit values, 106
 laser installation guides, 74
 UV threshold values, 36, 37, 40
American Institute for Ultrasound in
 Medicine (AIUM), 254, 257, 278
American National Standards Institute
 (ANSI), personnel exposure
 standard, laser users, 74, 79, 105
American National Standards Institute
 (ANSI), protection standards, 63,
 123, 124, 151, 153, 154
p-Aminobenzoic acid, 38
Applications, laser(s), 52–53
Applications, ultrasound, 260–264,
 275–276
Atmospheric electric field, 178
Auditory effects, “RF hearing”, 136,
 138, 143–144, 157
Behaviour, animal studies, 208
Bioelectromagnetics, 118
Biological effects, ELF fields,
 207–213, 221
 infrared radiation, 89–105
 laser(s), 53–57
 radiofrequency radiation, 120, 134,
 138–151, 156
 ultrasound, 256, 265–274
Biological system, irradiation of,
 300–303, 301 (fig.)
Biophysical analysis, electric field
 coupling, 189–195
Biophysical analysis, magnetic
 field coupling, 203–205
Black light, 14
 lamps, 35
 UV emitters, 15
Blepharitis, 103
Blue-spectrum laser radiation, eye
 damage due to, 59
Brain cells, sensitivity to
 extracellular electrical
 environment, 194, 206–207
Broad-band dosimeter, 36
Broadcasting installations, 151
Brunescent cataract, 30
Bureau of Radiological Health,
 meeting (1978), 10
Cancer, 146–147, 151, 215, 219, 223, 224
 diagnostic ultrasound, 273, 280
 hyperthermia therapy, 124, 263
 of the eye, 34
 of the skin, 32–34
Carbon arc, 15
Carbon arc, retinal lesions due to, 50
Cardiac pacemakers, 153, 220
Carotene, 38
Cataract, bilateral cortical, 98 (fig.),
 99 (fig.)
 brunescent, 30
 furnace workers’, 93
 glassblowers’, 50, 93, 94, 96 (table)
 IR-produced, 77, 93, 94
 photochemical, 55 (table), 80
 RF-produced, 140–141, 150,
 156, 157
 surgery, 263–264
 UV-produced, 30, 32, 41
Cells, heat killing of, 134, 269
Cellular studies, electric fields, 205–207
Chlorofluorocarbon emissions, action
 on ozone layer, 21
Chromosomal aberrations, ELF
 fields and, 219

- Chromosomal aberrations, ultrasound and, 8
- Clothing, protection from UV, 38
- Communication systems, 122, 123, 182
see also Transmitters
- Congenital anomalies, 147, 219, 273
- Conjunctivitis, IR-produced, 98
- Conjunctivitis, UV-produced, 29
- Cornea, burn, 55 (table), 56
IR effects on, 90–92
tumours of, 34
UV damage, 29–30, 62, 63 (fig.)
- Corneal epithelium, percentage of energy incident on, and other ocular media, 25 (table)
- Currents, electric fields, 176–181, 184–202
- Currents, magnetic fields, 181–183, 203–205
- Detectors, electromagnetic fields, 125
- Diathermy equipment, 124, 128, 145, 153
- Discharges, electric current, 195–202, 219
- DNA, excision repair (dark repair) of defects, 26
infrared and, 105
protein cross-links, 26
strand breaks, 25
ultrasound and, 266, 267, 268
UV absorption and, 25
- Doppler effect, diagnostic uses, 257, 258, 262, 281
- Dosimeter, personal, for UV, 36
- Down's syndrome, 147
- Dry eye, 98, 110
- Eddy currents, 203
- Education and training, electric and magnetic fields, 223
exposure to NIR, 299
infrared sources, 111
laser(s), 80
radiofrequency radiation, 158
- Electrical discharges, personnel protection, 195–202, 219
- Electric and magnetic fields, 118–121
animal studies, 207–215
at extremely low frequencies, 175–243
biological effects, 182
cardiac pacemaker interference, 220
conclusions, 220–222
human studies, 215–220
laboratory experiments, 205–207
magnetic flux density, 183 (fig.), 205, 217, 220
recommendations, 222–224
see also Radiofrequency radiation
- Electric field, behaviour, effects on, 208
cancer, 219
currents, 176–181, 184–202
discharges, 195–202, 219
exposure of workers to ELF fields, 217–220
measurements, 177–178
protective measures, 195, 198
shielding, 195, 222
shock hazards, 194
short-circuit currents, 185 (table), 198, 202 (table)
threshold current densities, 189
threshold values, 198
voltage and waveforms, 196–198
- Electro-explosive devices, 153
- Electromagnetic fields, detectors, 125
medical exposure, 124
surveys, 126–128
- Electromagnetic interference, 153
- Electromagnetic waves, 118, 119 (fig.), 120–121
- Electronic equipment, 153, 306
see also Cardiac pacemakers
- Energy absorption, radiofrequency, 134
UV radiation, 23–26
see also Specific absorption rate (SAR)
- Epidemiological studies, 223, 272–273
- Erythema (sunburn), 27, 36, 38, 103, 304
- Erythema (sunburn), action spectrum, 35, 37

- Erythropoietic protoporphyria,
 β -carotene for, 38
- European Federation of Societies
for Ultrasound in Medicine
and Biology, 277
- Experimental models, electric
fields, 185
- Experimental models, RF radi-
ation, 142
- Exposure limits, standards, 36, 105,
294, 295, 307
laser(s), 57-66
radiofrequency radiation, 138, 154,
155 (tables), 156, 157
- Eye, adverse effects of optical
radiation, 55-56
composite absorption of optical
radiation by deeper
tissues, 91 (fig.)
cross-section, 30 (fig.)
energy absorption of deeper
tissues, black body radiation at
different temperatures, 92 (fig.)
energy absorption of deeper
tissues, spectral distribution
of sunlight, 92 (fig.)
laser injury, 78
late non-stochastic effects
of UV, 32
late stochastic effects of UV, 32-34
lens defects, RF exposure, 138,
140-141, 157
melanoma, 34
minimum exposure factors, 59
penetration by UV, 23
protection against IR exposure,
108, 109 (fig.)
spectral transmittance of ocular
media, 90, 91 (fig.)
threshold limit value (TLV)
to IR, 106
UV effects in man, 29-31, 40-41
see also Cornea and Retina
- Faraday's law, 204
- Fibrosarcoma of cornea, 34
- Flash tubes, 15
- Fluorescent tubes, 15, 29, 35
- Fluorocarbons, 21
- Furnace workers' cataract, 93
- Gas tungsten arc welding, emission
spectrum, 17 (fig.)
- Glassblowers' cataract, 50, 93,
94, 96 (table)
- Glassworkers, 103
- Glaucoma, surgery, 264
- Goggles for IR protection, 108-109
- Haemangi endothelioma of cornea, 34
- Hague, The (1971) working group, 9
- Halogen-containing fluorocarbons, 21
- Health, WHO definition, 300-301
- Heating devices, 105, 123, 184
- HeLa cells, repair in, 26
- Herpes, treatment of, exposure
to UV, 35
- High-voltage overhead lines, 8
see also Transmission lines
- High-voltage workers, 195, 218
- Human exposure, effects of RF
radiation, 138-148, 158
laboratory experiments, electric
and magnetic fields, 215-217
ultrasound, 247, 254
see also Occupational exposure
- Hydrogen and deuterium lamps, 15
- Hydrophones, 256
- Hyperbilirubinaemia, phototherapy of
infants with, 35
- Immune system, effects of electric
fields, 214-215
- Induced currents in body, 186-195
- Information programmes, 41, 308
- Infrared radiation, 2 (table), 8, 85-115
aluminium screening, 108
apnoea in infants exposed to radiant
warmers, 105
aqueous humour, effects on, 92
biological effects, 89-105

- Infrared radiation (contd)**
 blepharitis, 103
 carcinogenesis and, 105
 cataracts due to, 93–98
 characteristics, 86
 conjunctivitis, decreased lachrymation, 98
 control measures, 107–109
 cornea, effects on, 90–92
 experimental threshold exposures, 94
 eye threshold limits, 106, 110
 eyelid, effects on, 90, 103
 genetic effects, 105
 hazard evaluation, 111
 high temperature heater, emission curve, 99, 100 (fig.)
 immunological reactions, 104
 industrial exposures, 94–98
 instrumentation, 88–89
 intestinal injury and adhesions, post-operative, 105
 iris, effects on, 93
 kidneys, vascular congestion, 104
 laser radiation exposure, 56, 76
 lens, effects on, 93
 nerve conduction blocked, 104
 occupational exposure, 87–88
 ocular hazards, 89–98, 106
 penetration into Caucasian/Negroid skin, 102, 103 (fig.)
 photon detector, 88
 problems and recommendations, 109–111
 production, 94
 retina, effects on, 94
 skin hazards, 98–104, 110, 139
 sources, 86–88
 spectroradiometers, 89
 sperm count reduced, 105
 spleen, vascular congestion, 104
 standards for exposure, 105–107, 110
 testicle damage, 104
 thermal detector, 88
 upper respiratory disease in foundry workers, 104
- International agreements, 294–295**
- International Commission on Radiological Protection (ICRP), 295, 297**
- International Electrotechnical Commission (IEC), 40, 74, 80**
- International Labour Office (ILO), 152**
- International Organization for Standardization (ISO), 106, 278**
- International Radiation Protection Association (IRPA), 40, 80, 152, 154, 157, 295**
- International Symposium on Biological Effects and Health Hazards of Microwave Radiation (Warsaw, 1973), 10**
- Iris, melanoma of, 34**
- Irradiation, maximum permissible exposure, 301 (fig.)**
 of biological system, 300–303
 physical quantity, 302
- Laboratory, cellular studies, 205–207**
 electric field exposure, 178, 216, 217
 testing of cardiac pacemakers, 220
 ultrasound processing equipment, 258
- Laser(s), 2–3 (table), 8, 49–83**
 acoustic transients, 54
 action, 50–51
 applications, 52–53
 biological effects, 53–57
 control measures, 73–75, 80
 denaturation of protein, 53–54
 elastic transient pressure wave, 54
 emission duration, 51
 environmental hazard, 52
 exposure, long-term (chronic), 77, 79
 exposure, low-level, 76
 exposure, minimum factors of, 59
 exposure, ultra-short, 77
 exposure limits, 57–66
 exposure limits, direct ocular exposures, 64 (table)
 exposure limits, for viewing diffuse reflection, 65 (table)
 exposure limits, minimum limiting angle of extended source, 65 (table)

- Laser(s) (contd)**
 exposure limits, skin exposure, 65 (table)
 eye damage, 55 (table), 56, 78
 eye protection, 59, 305
 hair growth and, 57
 hazards, 66–73
 hazards, classification, 67–70
 hazards, detailed analysis, 70–73
 hazards, environmental factors, 71–72
 hazards, evaluation, 79
 hazards, multiple wavelength/multiple source, 70
 hazards, output parameters, 68
 hazards, personnel exposed, 72–73, 80
 indoor operations, 71
 medical assessment, 75–76
 mode-locked, 76
 outdoor operations over extended distances, 71–72
 pathophysiology, 54–57
 phagocytosis index and, 57
 photochemical reactions, 54
 photosensitizing chemicals and, 57
 recommendations for further investigations, 76–79
 retinal injury, 55–56, 59, 75–76, 80
 retinal injury, threshold for extended sources, 60 (fig.)
 retinal injury, threshold for minimal image condition, 59 (fig.), 59–60
 safety code “all-purpose”, 59
 secondary effects, 51
 skin, adverse effects on, 56–57, 75, 79, 80
 thermal coagulation necrosis by, 56
 thermal effects, 56
 thermo-acoustic transient pressure wave, 54
 types of pulsed, 51
 use in medicine, 52
 wound healing and, 57
see also Optical radiation
- Laser Institute of America, laser installations guide, 74**
- Legislation, data for, 294–297, 306**
- Lens of eye, damage, 30, 78, 138, 140–141**
- Lenticular cataract, 8**
- Lorentz force, 181, 204**
- Magnetic field, biophysical analysis, 203–205**
 cancer and, 219–220
 currents, 181–183, 203–205
 human/animal studies, 207–220
 man-made sources, 182
 natural, 182
 pulsed, in medical care, 183, 217
 sensors, 125
 transmission lines, 182
- Magnetic flux density, 183 (fig.), 205, 217, 220**
- Magnetic resonance imaging (MRI), 124**
- Man, resonant frequency for, 129**
- Measurements, electric fields, 177–178, 221**
 infrared radiation, 88
 laser emissions, 79
 magnetic fields, 182, 221
 radiofrequency radiation, 125
 sound fields, 254–258
 ultraviolet radiation, 35–36
- Melanin pigment of skin, UV effect, 27–28**
- Melanoma, 32, 33, 34, 40**
- Ménière’s disease of the inner ear, 264**
- Mercury lamp, 15, 16–17 (figs)**
- 8-Methoxypsoralen, 34**
- Microwave ovens, 8, 122, 128, 151, 302**
- Microwave radiation, *see* Radio-frequency radiation**
- Minimal erythema dose (MED), 27**
- Modification factor, relative absorption by retina and, 60, 61 (fig.)**
- Modification factor, repetitively pulsed lasers having pulse durations shorter than 10 s, 61, 62 (fig.)**
- Mortality studies, RF radiation, 145–147**
- Mouth, UV effects in man, 29**

- National Council on Radiation Protection and Measurements (NCRP), 251, 257
- Neonatal jaundice, phototherapy of infants with, 35
- Nervous system, effects on, electric and magnetic fields, 207–208, 209–213
- Noble gas lamps, 15
- Non-melanoma skin cancer, ozone layer thickness and, 21
- Occupational exposure, electric fields, 222
infrared radiation, 87–88
laser(s), 72–76
of pregnant women, 305
RF energy, 144–147, 155 (table), 158, 305
ultrasound, 174
ultraviolet, 34–35
- Optical radiation, 49–83
emission from black bodies at various temperatures, 87 (fig.)
eye penetration, 50
nonionizing, 50
pathophysiological responses, 54–57
protection standards, 62–63
relative absorption by retina and modification factor, 61 (fig.)
skin penetration, 50
surface action, 50
see also Laser(s)
- Ozone layer, upper atmosphere, 19–21
- Photo-allergy, 31
- Photodiode detector, 36
- Photodynamic dyes, 35
- Photokeratitis, 29, 37, 55 (table), 56, 80
- Photokeratitis, threshold, 63 (fig.)
- Photomultiplier, 36
- Photosensitization, chemical, 31
- Photosensitizer, 31
- Phototherapy, 35
- Phototoxicity, 31
- Phototube, 36
- Physiotherapy, ultrasound, 262–263, 280, 281
- Piezoelectric hydrophone, 256
- Post-replication repair, 26
- Protection measures, capacitative discharges and contact currents, 198
electric field coupling, 195
legislation data, 295–297
magnetic field coupling, 205
radiofrequency, 151–154
remedial, 307
technological development and, 295–296
ultrasound, 279–280
ultraviolet, 38–39
- Psoralens, naturally occurring, 31
- Psoralens, psoriasis treated by, 35
- Psoriasis, 35
- Pulse-echo diagnostic equipment, 252, 257, 259, 262, 281
- PUVA, 34, 35, 38
- Pyrimidines, 25, 26
- Radar(s), 122, 123, 138, 141, 143, 151, 306
- Radar(s), occupational exposure surveys, 144–147
- Radiation accidents, reporting on, 296
- Radiofrequency radiation, 3 (table), 8, 117–173
ambient environment, 122
athermal interaction mechanisms, 136–137
auditory effects (“RF-hearing”), 138, 143–144, 157
biological effects, 120, 134, 138–151, 156
blood-forming system, effects on, 149, 157
burn, 137
cancer, 124
cardiovascular changes, 144
cataracts produced by, 140–141, 150, 156, 157
cellular effects, 134–135
code of practice for protection of workers, 151

- Radiofrequency radiation (contd)**
 congenital anomalies, 147
 cutaneous perception, effects
 on, 138–140
 devices, 121–124
 diathermy devices, 124, 128, 145
 dosimetry, 128–133
 Down's syndrome, 147
 electric shock, 137
 electroencephalographic
 changes, 157
 electromagnetic field surveys,
 126–128
 exposure limits, 138, 154,
 155 (tables), 156
 frequencies, 129–134, 136, 138
 genetics and mutagenesis, 150
 hazardous fields, 126–128
 heating equipment, 123, 263
 high-power sources, 122
 immune system, effects on, 149, 157
 instrumentation, 125–128, 154
 interaction mechanisms, 134–137
 measurement, 125–128
 medical equipment, 124, 153
 microwave irradiation, 145–146, 302
 mortality and morbidity,
 145–147, 156
 nervous system, effects on, 149,
 157, 158
 non-human studies, 148–151
 occupational exposure, 123, 124,
 128, 144–147, 158
 protective measures, 151–154
 pulse-modulated, 143, 149, 157
 quantities and units, 118, 121
 relay systems, 122
 reproductive effects, 147, 148, 157
 research, 158
 sealers, 123, 126, 128
 shielding, 151, 153, 158
 solitons, 137
 sources, 121–124, 156
 specific absorption rate (SAR),
 128–134, 130–133 (figs), 141,
 142, 148, 149, 154, 156–158
 standards, 154, 157
 surveys, potentially hazardous
 fields, 126–128
 synergistic effects, 157
 thermal effects, 134–135, 137, 158
- Radiofrequency radiation (contd)**
 thermoregulatory responses, 139,
 141–143, 148
 threshold temperature, 139
 urban environment, 122
see also Electric and magnetic fields
- Regulation and enforcement**
 procedures, 293–314
 approval of application, 306
 approval of equipment, 307
 common procedures, 298–299
 compliance and enforcement,
 305–309
 exemptions, 308
 information programmes, 308
 inspection and maintenance, 308
 legislation, data for, 294–297
 protection measures, 295–296
 review of regulations, 308
 safe exposure limits, 299–305
 safe exposure limits, causal
 model, 300–303
 safe exposure limits,
 phenomenological model, 303
 standards, 297–299
- Resonant frequency, 129**
- Retina, IR effects on, 94, 95**
 laser injury, 55–56, 59–62
 ophthalmoscopic examination,
 75–76
 photochemical injury, 59
 relative absorption of optical
 radiation, 60
 thermal injury, 55 (table), 56, 59
 thermo-acoustic injury, 59
 threshold mechanisms of injury, 59
 UV damage, 30
- Retinoic acid, 38**
- Robertson-Berger apparatus, 38**
- Safe exposure limits, 299–309**
 causal model, 300–303
 conservative assumptions, 304
 phenomenological model, 303
- Short-circuit current, 185–189, 198**
- Skin, basal-cell carcinoma, 32, 33**
 cancer, 8, 21, 32–34
 cell growth and UV, 34
 DNA defects after UV, 34

- Skin (contd)
- erythema (sunburn), 27, 36, 57
 - exposure from a laser beam, limits, 66 (table)
 - hazards due to IR, 98–104, 110, 139
 - heat effects, 103, 139, 156
 - IR penetration, Negroid/Caucasian skin, 102, 103 (fig.)
 - laser action on, 56–57, 75, 79, 80
 - late non-stochastic effects of UV, 32
 - late stochastic effects of UV, 32–34
 - malignant tumours after UV, 34
 - melanin pigment and UV, 27–29
 - minimal reaction levels, 58 (table)
 - pigmentation and reflectance, 99–101, 100 (fig.)
 - premature aging due to UV, 32
 - properties, 98
 - reflection curves, 99, 100 (fig.)
 - scattering of transmitted energy, 101 (fig.), 102
 - squamous cell carcinoma, 32–33
 - structure, 28 (fig.), 98
 - thermal coagulation necrosis, 56
 - transmission spectrum, 101, 102 (fig.)
 - UV effects in man, 27–34, 40–41
- Snow blindness, 55
- Solar activity, 182
- Sound fields, 251–254
- Sound speed, 247–248
- Sources, electric field, 178–181
- infrared radiation, 86–88
 - magnetic field, 182–183
 - radiofrequency radiation, 121–124
- Specific absorption rate (SAR), 128–134, 130–133 (figs), 141, 142, 148, 149, 154, 156, 157
- Spectacles for IR protection, 109
- Spectral weighting function
- for assessing retinal hazards
 - from broad-band optical sources, 107 (table)
- Spectroradiometers, 89
- Standards, 297–299
- personnel exposure, laser users, 74, 79, 105
 - protection, 63, 123, 124, 151–154
- Submarine detection, pulse-echo method, 261
- Sun, source of UV, 14, 19–21
- Sun, spectrum, outer surface, atmosphere/sea level, 18 (fig.)
- Sun-blocking substances, 38
- Sunburn, 27–29, 80
- see also* Erythema
- Suntan, 27–29, 35
- Thermal absorption, 134–135
- Thermoelastic expansion mechanism, 143
- Thermoregulatory responses, 138, 141–143, 148
- Thunderstorms, 182
- Thymidine, 25, 26
- Tissue damage (denaturation), heat produced, 103
- Traffic radars, 122, 306
- see also* Radar(s)
- Transmission lines, electric field, 178, 179 (figs), 180, 180 (table), 181, 198, 205, 218, 223
- Transmission lines, magnetic field, 182
- Transmitters, radio and television, 122, 124, 153, 158
- Transverse electromagnetic cell, 126
- Tungsten halogen lamps, 15
- Ultrasound energy, 8, 246–291
- absorption, 250, 251
 - acoustic impedance, 248, 249 (table)
 - airborne, effects of, 258, 278–279
 - applications, 260–264, 275–276
 - attenuation, 249–250, 254
 - biological effects, 256, 265–274
 - biomolecules, action on, 265–266
 - cancer therapy, 263, 275, 280
 - cavitation, 258, 258–260, 264, 267, 271
 - cell death, 267
 - cells, action on, 267–269
 - cells, chromosomal changes, 267–268
 - cells, genetic damage, 267–268

Ultrasound energy (contd)
cells, structural changes, 268
DNA, action on, 266
Doppler and therapy band, 265, 266 (table)
hearing loss due to, 274
human epidemiology, 272–273
hydrophone measurement, 256
in dentistry, 264
industrial/laboratory processing equipment, 258
insects, action on, 271–272
intensity, 254, 256, 257
mammals, action on, 270–271
measurement applications, 261
measurement of sound fields, 254–258, 277
medical diagnosis, 254, 257, 259, 261–262, 274, 276–278, 281
medical equipment, 255 (table), 279–280
multicellular organisms, action on, 270–272
occupational exposures, 273–274
physical medicine, 275–276
physical properties, 247
physiotherapy, 262–263, 280, 281
plants, action on, 272
pressure thresholds, 259
properties of various media, 249 (table)
protection measures, 279–280
sound speed, 247
standards, 258
structure of sound fields, 251
surgery, use in, 263–264, 280
testing applications, 261, 277
therapy applications, 262–263, 277
threshold for thermal tissue damage, 251
transmission through interfaces, 248
underwater target location, 261

Ultraviolet radiation, 2 (table), 8, 13–48
absorption, 23–26
arcs emitting, 34
areas of risk from over-exposure, 34–35
artificial production in mines and cellars, 14

Ultraviolet radiation (contd)
black light region (UV-A), 14
broad-band source maximal permissible exposure, 37
chemical photosensitization, 31
destructive effect on skin and eye, 14
dosimetry, 35–36
epidemiological and experimental studies, 40–41
erythema dose, minimal (MED), 27, 36
exposure of body to, 34, 39
fluorescent lamps (UV-A), 29
germicidal region (UV-C), 15
in graphic reproduction techniques, 34
incandescent sources, 15
irradiance/cancer incidence, measured by Robertson-Berger method, 38
late non-stochastic pathological effects on skin and eye, 32
late stochastic effects on skin and eye, 32–34
mice, action on skin, 29
mixed sources, 15, 16
mouth, effects on, in man, 29
ozone layer, 21
pathological effects in man, 26–34, 40
pathological effects, immunological, 31
pathological effects, non-stochastic, 26–31
pathological effects, stochastic, 32–34
personal dosimeters, 36
photochemical effects, 19, 23–26, 40
physical description, 14
polluted air effect, 21
production, 13–14
production, mixed sources, 15–16
protection from industrial sources, 39
protection from solar UV radiation, 38
relative levels from illumination sources, 37
safety standards, 36–38
skin erythema region (UV-B), 15, 36

- Ultraviolet radiation (contd)
 - sterilization of food and air, 34
 - sun as source, 14, 19–21, 27
 - threshold limit values and relative spectral effectiveness by wavelength, 8-hour exposure, 37 (table)
 - transmission in biological tissue, 23
 - vacuum, 50
 - vitamin D₃, 14, 36
- Video-display equipment, 182
- Visible light radiation, 2 (table)
- Vitamin D₃, 14, 36
- Wavelengths, tumour induction suitable, 32–33
- Welders' flash, 55
- Welders, protection from IR, 108–109
- Welders, protection from UV, 39
- Welding, arcs, 34
 - curtains for IR control, 108
 - emission spectrum, 17
 - masks/hoods, 39
 - retinal injury from, 95
 - ultrasound in, 260
- Women, pregnant, occupational exposure, 305
- Workers, code of practice on protection against RF radiation, 151
 - studies of electric and magnetic fields exposure, 218
 - see also* Occupational exposure
- Working Group on Health Effects from Lasers (Dublin 1974), 10
- World Federation for Ultrasound in Medicine and Biology, 277
- Xeroderma pigmentosum, 26, 34