

51472

WHO/MNH/92.16.Rev.1
Original: English
Distr.: General

ICD-10

The ICD-10 Classification of Mental and Behavioural Disorders

**Conversion Tables
between
ICD-8, ICD-9 and ICD-10**

Revision 1



Division of Mental Health
World Health Organization
Geneva
1994

The ICD-10 Classification
of
Mental and Behavioural Disorders

Conversion Tables between
ICD-8, ICD-9 and ICD-10

Revision 1

The International Classification of Mental and Behavioural Disorders has undergone important changes between the ICD-9 and ICD-10 revisions. This document presents conversion tables between Revision 8 (1965), Revision 9 (1975) and Revision 10 (1993), to allow the "translation" of data obtained using ICD-8, ICD-9 or ICD-10 into one another in mental health programme development and evaluation as well as in research. The conversion tables contained in this document will be included in a forthcoming WHO publication, the ICD-10 PA (Psychiatric Adaptation). This document is being distributed in order to make the tables available in the interim, until that publication appears.

Keywords: ICD-10 Chapter V(F), ICD-9 Chapter V, ICD-8 Chapter V, Classification and Diagnosis Conversion Tables, Crosswalks.



Division of Mental Health
World Health Organization
Geneva
1994

© World Health Organization 1994

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced or translated, in part or in whole, but not for sale or use in conjunction with commercial purposes.

The views expressed in documents by named authors
are solely the responsibility of those authors.

THE ICD-10 CLASSIFICATION OF MENTAL AND BEHAVIOURAL DISORDERS
CONVERSION TABLES BETWEEN ICD-8, ICD-9 AND ICD-10, Revision 1

<u>Contents</u>	<u>Page</u>
Introduction	3
Notes for users	5
Conversion table I: ICD-8 to ICD-10	7
Conversion table II: ICD-9 to ICD-10	21
Conversion table III: ICD-10 to ICD-9 and to ICD-8	37

INTRODUCTION

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10) is a product of international collaboration, in the true sense of the word. Many individuals and organizations have contributed to this classification, of which chapter V contains mental and behavioural disorders.

The tenth revision of the International Classification of Diseases - ICD-10 - has introduced the alpha-numeric system into the classification thus enlarging the number of categories and allowing a thorough revision of the diagnostic grouping. Each group of disorders or diseases is now represented by a letter of the alphabet. The new system has allowed for an expansion of the number of categories and sub-categories for the classification of mental and behavioural disorders from a potential of about 250 to about 1,000, of which a large number of categories are not used at present, but reserved for future use. A number of categories have been renamed and regrouped and a number of disorders not previously coded have now been accommodated in the classification.

In view of the many changes between the ICD-9 and 10 revisions it was felt that it would be useful to present conversion tables which will allow the "translation" of data obtained using the ICD-8, ICD-9 or ICD-10 into one another. It is hoped that these conversion tables will be helpful for coders and for clinicians, particularly in the transition period between the use of the previous and the new system. For research use the crosswalks may indicate the possibility of comparison between studies following the diagnostic coding by ICD-8 or 9 and studies using ICD-10.

Several other publications, linked to the International Classification of Mental and Behavioural Disorders, have been prepared. Three text are now available: clinical descriptions and diagnostic guidelines¹, followed by diagnostic criteria for research² and a lexicon, containing definitions of the terms used in Chapter V of the ICD-10³. In preparation are a version for primary health care, a multi-axial presentation, a casebook and a book on the background, development and reliability trials.

The conversion tables, presented in this volume have been prepared by Dr J. van Drimmelen, who has worked with WHO from the beginning of the process of developing ICD-10 proposals. In her tasks Dr van Drimmelen received invaluable support from Prof. Norman Sartorius, former director of the Division of Mental Health, the directors of the WHO Reference and Training Centres on Classification, Diagnosis and Assessment of Mental and Behavioural Disorders (ICD-10/MH Centres), listed on page 4 and from Mr A. L'Hours, technical officer (Division of Epidemiological Surveillance and Statistical Services, WHO). Among the directors of the ICD-10/MH Centres, Dr A. Bertelsen in particular has taken great interest in these conversion tables and made a most useful contribution to their production. Special thanks are due to all who have helped to produce this document.

¹ The ICD-10 Classification of Mental and Behavioural Disorders: Clinical descriptions and diagnostic guidelines. WHO, Geneva, 1992.

² The ICD-10 Classification of Mental and Behavioural Disorders: Diagnostic criteria for research. WHO, Geneva, 1993.

³ Lexicon of Psychiatric and Mental Health Terms, second edition. WHO, Geneva, 1994

WHO Reference and Training Centres on Classification, Diagnosis and Assessment of Mental and Behavioural Disorders (ICD-10-MH Centres) and Directors

Dr A. Bertelsen, Institute of Psychiatric Demography, Psychiatric Hospital, University of Aarhus, 8240 Risskov, Danemark

Dr D. Caetano, Depto. de Psicologia Médica e Psiquiatria, FCM/Universidade Estadual de Campinas, Caixa Postal 6111, 13081-970 Campinas, S.P. Brazil

Dr S. Channabasavanna, National Institute of Mental Health and Neuro Sciences, P.O. Box 2979, Bangalore 560029, Inde

Dr H. Dilling, Klinik für Psychiatrie der Medizinischen Hochschule, Ratzeburger Allee 160, 2400 Lübeck, FRG

Dr M. Gelder, Department of Psychiatry, Oxford University Hospital, Warneford Hospital, Old Road, Headington, Oxford, UK

Dr D. Kemali, Università di Napoli, Prima Facoltà di Medicina e Chirurgia, Istituto di Psicologia Medica, e Psichitria, Piazza Moraglia 2, 80138 Naples, Italie

Dr J.J. Lopez Ibor Jr., Clinica Lopez Ibor, Av. Nueva Zelanda 44 Puerto de Hierro, Madrid 35, Espagne.

Dr G. Mellsop, The Wellington Clinical School, Wellington Hospital, Wellington 2, Nouvelle Zélande

Dr Y. Nakane, Department of Neuropsychiatry, Nagasaki University, School of Medicine, 7-1 Sakamoto-Machi, Nagasaki 852, Japon

Dr A. Okasha, Department of Psychiatry, Ain Shams University, 3 Shawarby Street, Kasr-El-Nil, Cairo, Egypt

Dr Ch. Pull, Service de Neuropsychiatrie, Centre Hospitalier de Luxembourg, 4, rue Barblé, Luxembourg, Luxembourg

Dr D. Regier, Director, Division of Clinical Research, Room 10-105, National Institute of Mental Health, 5600 Fishers Lane, Rockville, Md. 20857 Etats-Unis d'Amérique,

Dr S. Tzirkin, All Union Research Centre of Mental Health, Institute of Psychiatry, Academy of Medical Sciences, Zagorodnoye Shosse d.2, Moscow 113152 Russian Federation

Dr Ku Tao-Yuan, Department of Psychiatry, Shanghai Psychiatric Hospital, 600 Wan Ping Nan Lu, Shanghai, People's Republic of China

NOTES FOR USERS:

1. Inclusion terms, for which the conversion code does not correspond to the main conversion code provided for the category, are printed in *italic* letter style.

2. Chapter V of ICD-10 contains more codes than that of ICD-8 or -9; thus an ICD-8 or -9 code may have several options for conversion into ICD-10. Information in addition to the ICD-10 code may be available which indicates the exact equivalent in ICD-10, but if not, then the ICD-10 code which is listed first should be used. For instance, the code 290.1 in ICD-9, Pre-senile dementia, may be accompanied by additional information which indicates that the ICD-10 equivalent is F02.0 Pick's disease. But if only the code and/or the title are available, then F00.0 Alzheimer's disease, early onset, should be used, as this is the most common type of pre-senile dementia.

3. Provision is made in ICD-9 and ICD-10 for recording manifestations of a general disease or condition. Such manifestations are indicated by an asterisk (*) code and have a corresponding dagger (+) code to indicate aetiology. For example, Dementia in Alzheimer's disease has its dagger code in Chapter VI Diseases of the Nervous System (G30.-+), and its asterisk code in Chapter V Mental and Behavioural Disorders (F00.-*). All asterisk and dagger codes pairs are cross-referenced to each other. An asterisk code should never be employed in coding the underlying cause of death (only dagger coding should be used for this purpose).

CONVERSION TABLE I BETWEEN SECTION V (MENTAL DISORDERS) OF THE ICD-8 AND CHAPTER V (MENTAL AND BEHAVIOURAL DISORDERS) OF THE ICD-10

ICD-8	ICD-10
<u>290 Senile and presenile dementia</u>	
290.0 Senile dementia	F00.1* Dementia in Alzheimer disease, late onset (G30.1+) F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8+)
290.1 Presenile dementia	F00.0* Dementia in Alzheimer disease, early onset (G30.0+)
<i>Dementia in:</i>	
. Jakob-Creutzfeldt disease	F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0+)
. Pick's disease	F02.0* Dementia in Pick disease (G31.0+)
<u>291 Alcoholic psychosis</u>	
291.0 Delirium tremens	F10.4 Withdrawal state with delirium due to use of alcohol
291.1 Korsakov's psychosis, alcoholic	F10.6 Amnesic syndrome due to use of alcohol
291.2 Other alcoholic hallucinosis	F10.52 Psychotic disorder due to use of alcohol, predominantly hallucinatory
291.3 Alcoholic paranoia	F10.51 Psychotic disorder due to use of alcohol, predominantly delusional
291.9 Other and unspecified alcoholic psychoses	F10.5 Psychotic disorder due due to use of alcohol .50 schizophrenia-like .53 predominantly polymorphic .54 predominantly depressive symptoms .55 predominantly manic symptoms .56 mixed F10.75 Late-onset psychotic disorder due to use of alcohol F10.8 Other mental and behavioural disorder due to use of alcohol F10.9 Unspecified mental and behavioural disorder due to use of alcohol
<i>Alcoholic dementia</i>	F10.73 Dementia due to use of alcohol
<i>Pathological drunkenness</i>	F10.07 Pathological intoxication due to use of alcohol

ICD-8	ICD-10
<u>292</u> <u>Psychosis associated with intracranial infection</u>	Use two codes: One of the following: F06.0 Organic hallucinosis F06.1 Organic catatonic disorder F06.2 Organic delusional disorders F06.3 Organic mood disorders F05.0 Delirium, not superimposed on dementia, so described F05.8 Other delirium F05.9 Unspecified delirium F04 Organic amnesic syndrome not induced by alcohol and other psychoactive substances F02.8 Dementia in other diseases classified elsewhere plus an additional code to specify the associated condition:
292.0 With general paralysis	A52.1+ Symptomatic neurosyphilis
292.1 With other syphilis of central nervous system	A50.4+ Late congenital neurosyphilis A52.1+ Symptomatic neurosyphilis
292.2 With epidemic encephalitis	A83-A86 Viral encephalitis
292.3 With other and unspecified encephalitis	Specify if possible, otherwise use G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified
292.9 With other and unspecified intracranial infection	F06.8 Other specified and F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease
<u>293</u> <u>Psychosis associated with other cerebral condition</u>	
293.0 With cerebral arteriosclerosis	F01.1 Multi-infarct dementia F01.3 Mixed cortical and subcortical vascular dementia
293.1 With other cerebrovascular disturbances	F01.0 Vascular dementia of acute onset F01.2 Subcortical vascular dementia F01.8 Other vascular dementia
293.2 With epilepsy	Use two codes: One from the list of disorders mentioned for 292, plus an additional code to specify the associated condition: G40.- Epilepsy
293.3 With intracranial neoplasm	Use two codes: One from the list of disorders mentioned for 292, plus one of the following codes to specify the associated condition:

ICD-8	ICD-10
	C70.- Malignant neoplasm of meninges C71.- Malignant neoplasm of brain D32.0 Benign neoplasm of cerebral meninges D33.- Benign neoplasm of brain and other parts of central nervous system
293.4 With degenerative diseases of central nervous system	Use two codes: one from the list of disorders mentioned for 292, plus an additional code to specify the associated condition.
<i>Dementia in Huntington's chorea</i>	F02.2* Dementia in Huntington disease (G10 +)
293.5 With brain trauma	Use two codes; one from the list of disorders mentioned for 292, plus an additional code to specify the associated brain trauma, such as S06.- Intracranial injury S02.- Fracture of skull and facial bones S07.- Crushing injury of head P10.- Intracranial laceration and haemorrhage due to birth injury P20.- Intrauterine hypoxia P21.- Birth asphyxia
293.9 With other and unspecified cerebral condition	F02.8 Dementia in other diseases classified elsewhere F03 Unspecified dementia F04 Organic amnesic syndrome, not induced by alcohol or other psychoactive substances F05.9 Unspecified delirium F06.9 Unspecified mental disorder, due to brain damage and dysfunction and to physical disease F09 Unspecified organic or symptomatic mental disorder
<u>294 Psychosis associated with other physical condition</u>	For categories 294.0, .1, .2, .3 and .8 use two codes: one from either F05.- Delirium, not induced by alcohol and other psychoactive substances or F06.- Other mental disorders, due to brain damage and dysfunction and to physical disease, plus an additional code to specify the associated condition:
294.0 With endocrine disorders	E00-E35 Endocrine disorders
294.1 With metabolic and nutritional disorders	E40-E90 Nutritional and metabolic disorders

ICD-8		ICD-10	
294.2	With systemic infections	A00-B99	Certain infectious and parasitic diseases
294.3	With drug or poison intoxication	T36-T50	Poisoning by drugs and biological substances
		T51-T65	Toxic effects of substances chiefly nonmedicinal as to source
		X40-X49	Accidental poisoning by and exposure to noxious substances
	<i>Psychoses associated with psychoactive drugs</i>	Flx.0	Acute intoxication due to psychoactive substance use
		.03	with delirium
		.04	with perceptual distortions
		.05	with coma
		.06	with convulsions
		.07	pathological intoxication
		Flx.3	Withdrawal state due to psychoactive substance use
		Flx.4	Withdrawal state with delirium due to psychoactive substance use
		Flx.5	Psychotic disorder due to psychoactive substance use,
		.51	predominantly delusional
		.52	predominantly hallucinatory
		.53	predominantly polymorphic
		.54	predominantly depressive symptoms
		.55	predominantly manic symptoms
		.56	mixed
294.4	With childbirth	F53.1	Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified
294.8	With other physical conditions		Specify the associated condition.
294.9	With unspecified physical condition	F04	Organic amnesic syndrome, not induced by alcohol or other psychoactive substances
		F05.8	Other delirium
		F06.8	Other mental disorders, due to brain damage and dysfunction and to physical disease
<u>295</u>	<u>Schizophrenia</u>		
295.0	Simple type	F20.6	Simple schizophrenia
295.1	Hebephrenic type	F20.1	Hebephrenic schizophrenia
295.2	Catatonic type	F20.2	Catatonic schizophrenia

ICD-8		ICD-10	
295.3	Paranoid type	F20.0	Paranoid schizophrenia
295.4	Acute schizophrenic episode	F23.2	Acute schizophrenia-like psychotic disorder
		F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
		Consider also:	
		F20.8	Other schizophrenia
295.5	Latent schizophrenia	F21	Schizotypal disorder
295.6	Residual schizophrenia	F20.5	Residual schizophrenia
295.7	Schizo-affective type	F25.-	Schizoaffective disorders
295.8	Other specified types of schizophrenia	F20.8	Other schizophrenia
	<i>Atypical schizophrenia</i>	F20.9	Unspecified schizophrenia
	<i>Infantile autism</i>	F84.0	Childhood autism
295.9	Unspecified type	F20.9	Unspecified schizophrenia
	<i>Schizophrenic reaction</i>	F23.2	Acute schizophrenia-like psychotic disorder
	<i>Schizophreniform psychosis NOS</i>	F23.2	Acute schizophrenia-like psychotic disorder
		F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
		Consider also:	
		F20.8	Other schizophrenia
<u>296</u>	<u>Affective psychoses</u>		
296.0	Involuntional melancholia	F32.2	Severe depressive episode without psychotic symptoms
		F32.3	Severe depressive episode with psychotic symptoms
		F33.2	Recurrent depressive disorder current episode severe without psychotic symptoms
		F33.3	Recurrent depressive disorder, current episode severe with psychotic symptoms
296.1	Manic-depressive psychosis, manic type	F30.-	Manic episode (single episode)
		F31.1	Bipolar affective disorder, current episode manic without psychotic symptoms
		F31.2	Bipolar affective disorder, current episode manic with psychotic symptoms
		F31.8	Other bipolar affective disorder

ICD-8		ICD-10	
296.2	Manic-depressive psychosis, depressed type	F32.11	Moderate depressive episode with somatic symptoms
		F32.2)	Severe depressive episode,
		F32.3)	all types
		F33.11	Recurrent depressive disorder, current episode moderate, with somatic symptoms
		F33.2)	Recurrent depressive disorder,
		F33.3)	current episode severe, all types
296.3	Manic-depressive psychosis, circular type	F31.-	Bipolar affective disorder
296.8	Other affective psychoses	F30.8	Other manic episodes
		F31.8	Other bipolar affective disorders
		F32.8	Other depressive episodes
		F33.8	Other recurrent depressive disorders
		F38.-	Other mood [affective] disorders
		Consider also:	
		F25	Schizoaffective disorders
296.9	Unspecified affective psychosis	F39	Unspecified mood [affective] disorder
<u>297</u>	<u>Paranoid states</u>		
297.0	Paranoia	F22.0	Delusional disorder
297.1	Involuntional paraphrenia	F20.0	Paranoid schizophrenia
		F22.8	Other persistent delusional disorders
	<i>Late paraphrenia</i>	F20.0	Paranoid schizophrenia
		F22.0	Delusional disorder
297.9	Other paranoid states	F22.0	Delusional disorder
		F22.8	Other persistent delusional disorders
	<i>Folie à deux</i>	F24	Induced delusional disorder
<u>298</u>	<u>Other psychoses</u>		
298.0	Reactive depressive psychosis	F32.11	Moderate depressive episode, with somatic symptoms
		F32.2)	Severe depressive episode,
		F32.3)	all types
		F33.11	Recurrent depressive disorder, current episode moderate, with somatic symptoms
		F33.2)	Recurrent depressive disorder,
		F33.3)	current episode severe, all types
298.1	Reactive excitation	F23.81	Other acute and transient psychotic disorders, with associated acute stress
		F30.-	Manic episode

ICD-8		ICD-10	
298.2	Reactive confusion	F23.01	Acute polymorphic psychotic disorder without symptoms of schizophrenia, with associated acute stress
	<i>Psychogenic</i>	F23.81	Other acute and transient psychotic disorder, with associated acute stress
	<i>. confusion</i>	F44.1	Dissociative fugue
	<i>. twilight state</i>	F44.2	Dissociative stupor
	<i>Ganser</i>	F44.80	Ganser's syndrome
		F44.81	Multiple personality disorder
		F43.0	Acute stress reaction
298.3	Acute paranoid reaction	F23.31	Other acute predominantly delusional psychotic disorders, with associated acute stress
298.9	Reactive psychosis, unspecified	F22.9	Persistent delusional disorder, unspecified
<u>299</u>	<u>Unspecified psychosis</u>	F29	Unspecified nonorganic psychosis
		F99	Unspecified mental disorder
<u>300</u>	<u>Neuroses</u>		
300.0	Anxiety neurosis	F41.-	Other anxiety disorders Consider also:
		F40.0	Agoraphobia .00 without panic disorder .01 with panic disorder
		F43.22	Mixed anxiety and depressive reaction
300.1	Hysterical neurosis	F44.-	Dissociative disorders Consider also:
	<i>Compensation neurosis</i>	F43.23	Adjustment reaction with predominant disturbance of other emotions
		F68.0	Elaboration of physical symptoms for psychological reasons
300.2	Phobic neurosis	F40.-	Phobic anxiety disorders
	<i>Agoraphobia</i>	F40.2	Specific phobias
	<i>Anxiety hysteria</i>	F41.8	Other specified anxiety disorders
300.3	Obsessive-compulsive neurosis	F42.-	Obsessive-compulsive disorder

ICD-8		ICD-10	
300.4	Depressive neurosis	F34.1	Dysthymia
		F32.0	Mild depressive episode
		F33.0	Recurrent depressive disorder, current episode mild
		F41.2	Mixed anxiety and depressive disorder
		F43.21	Adjustment reaction, prolonged depressive reaction
300.5	Neurasthenia	F48.0	Neurasthenia
300.6	Depersonalization syndrome	F48.1	Depersonalization - derealization syndrome
300.7	Hypochondriacal neurosis	F45.2	Hypochondriacal disorder
300.8	Other specified neuroses	F48.8	Other specified neurotic disorders
300.9	Unspecified neurosis	F48.9	Neurotic disorder, unspecified
<u>301</u>	<u>Personality disorders</u>		
301.0	Paranoid personality disorder <i>Paranoid traits</i>	F60.0	Paranoid personality disorder
		Z73.1	Accentuated pers. traits
301.1	Affective personality disorder	F34.-	Persistent mood [affective] disorders
301.2	Schizoid personality disorder	F60.1	Schizoid personality disorder
301.3	Explosive personality disorder	F60.3	Emotionally unstable personality disorder
301.4	Anankastic personality disorder	F60.5	Anankastic personality disorder
301.5	Hysterical personality disorder	F60.4	Histrionic personality disorder
301.6	Asthenic personality disorder	F60.7	Dependent personality disorder
301.7	Antisocial personality disorder	F60.2	Dissocial personality disorder
301.8	Other personality disorders	F60.6	Anxious [avoidant] personality disorder
		F60.8	Other specific personality disorders
		F61	Mixed and other personality disorders
301.9	Unspecified personality disorder	F60.9	Personality disorder, unspecified
<u>302</u>	<u>Sexual deviation</u>		
302.0	Homosexuality		No equivalent code
302.1	Fetishism	F65.0	Fetishism
		F65.1	Fetishistic transvestism
302.2	Paedophilia	F65.4	Paedophilia

ICD-8		ICD-10	
302.3	Transvestitism	F65.1	Fetishistic transvestism
		F64.1	Dual role transvestism
302.4	Exhibitionism	F65.2	Exhibitionism
302.8	Other sexual deviation	F64.8	Other gender identity disorders
		F65.8	Other disorders of sexual preference
	<i>Masochism/sadism</i>	F65.5	Sado-masochism
	<i>Trans-sexualism</i>	F64.0	Transsexualism
	<i>Voyeurism</i>	F65.3	Voyeurism
	<i>Nymphomania</i>	F52.7	Excessive sexual drive
302.9	Unspecified sexual deviation	F64.9	Gender identity disorder, unspecified
		F65.9	Disorder of sexual preference, unspecified
<u>303</u>	<u>Alcoholism</u>		
303.0	Episodic excessive drinking	F10.1	Harmful use of alcohol
		F10.26	Alcohol dependence syndrome, episodic use
303.1	Habitual excessive drinking	F10.1	Harmful use of alcohol
303.2	Alcoholic addiction	F10.2	Alcohol dependence syndrome
303.9	Other and unspecified alcoholism	F10.8	Other mental and behavioural
		F10.9	Unspecified mental and behavioural disorder due to use of alcohol
			Consider also:
		F10.0	Acute alcohol intoxication
<u>304</u>	<u>Drug dependence</u>	F1x.2	Dependence syndrome due to use of
304.0	Opium, opium alkaloids) and their derivatives)	F11.2	... opioids
304.1	Synthetic analgesics with) morphine-like effects)		
304.2	Barbiturates)	F13.2	... sedatives or hypnotics
304.3	Other hypnotics and) sedatives or tranquillizers)		
304.4	Cocaine	F14.2	... cocaine
304.5	Cannabis sativa	F12.2	... cannabinoids
304.6	Other psycho-stimulants	F15.2	... other stimulants
304.7	Hallucinogenics	F16.2	... hallucinogens

ICD-8		ICD-10	
304.8	Other and combined drugs	F18.2	Dependence syndrome due to use of volatile solvents
		F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.9	Unspecified drug dependence	F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
305	<u>Physical disorders of presumably psychogenic origin</u>		Consider also
		F68.0	Elaboration of physical symptoms for psychological reasons
305.0	Skin	F45.8	Other somatoform disorders
305.1	Musculoskeletal	F45.8	Other somatoform disorders
305.2	Respiratory	F45.33	Somatoform autonomic dysfunction of the respiratory system
305.3	Cardiovascular	F45.30	Somatoform autonomic dysfunction of the heart and cardiovascular system
305.4	Haemic and lymphatic	F45.8	Other somatoform disorders
305.5	Gastrointestinal	F45.31	Somatoform autonomic dysfunction of the upper gastro-intestinal tract
		F45.32	Somatoform autonomic dysfunction of the lower gastro-intestinal tract
	<i>Psychogenic cyclical vomiting</i>	F50.5	Vomiting associated with other psychological disturbances
305.6	Genitourinary	F45.34	Somatoform autonomic dysfunction of the urogenital system
	<i>Psychogenic</i>		
	<i>. dysmenorrhoea</i>	F45.8	Other somatoform disorders
	<i>. disorders of sexual function</i>	F52.-	Sexual dysfunction, not caused by organic disorder or disease
	<i>. dyspareunia</i>	F52.6	Nonorganic dyspareunia
	<i>. frigidity</i>	F52.0	Lack or loss of sexual desire
	<i>. impotence</i>	F52.2	Failure of genital response
305.7	Endocrine	F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere

ICD-8		ICD-10	
305.8	Organs of special sense	F45.8	Other somatoform disorders
305.9	Other physical disorders of presumably psychogenic origin	F45.8	Other somatoform disorders
		F68.0	Elaboration of physical symptoms for psychological reasons
<u>306</u>	<u>Special symptoms not elsewhere classified</u>		
306.0	Speech disturbances	F80.-	Specific developmental disorders of speech and language
		F98.5	Stuttering
		F98.6	Cluttering
306.1	Specific learning disturbance	F81.-	Specific developmental disorders of scholastic skills
306.2	Tics	F95.-	Tic disorders
306.3	Other psychomotor disorders	F82	Specific developmental disorder of motor function
		F83	Mixed specific developmental disorder
		F98.4	Stereotyped movement disorder
		F44.4	Dissociative motor disorders
306.4	Specific disorders of sleep	F51.-	Nonorganic sleep disorders
306.5	Feeding disturbances	F50.-	Eating disorders
		F98.2	Feeding disorder of infancy and childhood
		F98.3	Pica of infancy and childhood
306.6	Enuresis	F98.0	Nonorganic enuresis
306.7	Encopresis	F98.1	Nonorganic encopresis
306.8	Cephalalgia	F45.4	Persistent somatoform pain disorder
	<i>Tension headaches</i>	G44.2	Tension headache
306.9	Other special symptoms not elsewhere classified	F98.8	Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
		F88	Other disorders of psychological development
		R40-R46	Symptoms and signs involving cognition, perception, emotional state and behaviour
<u>307</u>	<u>Transient situational disturbances</u>	F43.2	Adjustment disorders
			Consider also:
		F43.0	Acute stress reaction
		F43.8	Other reactions to severe stress
		F43.9	Reaction to severe stress, unspecified

ICD-8	ICD-10
<u>308</u>	<u>Behaviour disorders of childhood</u>
308.0	Infantile autism
	F84.0 Childhood autism
	F84.1 Atypical autism
	F84.2 Rett's syndrome
	F84.3 Other childhood disintegrative disorder
	F84.5 Asperger's syndrome
308.1	Conduct disorders of childhood
	F91.- Conduct disorders
308.2	Mixed conduct-neurotic behaviour disorders of childhood
	F92.- Mixed disorders of conduct and emotions
308.3	Hyperkinetic syndrome of childhood
	F90.- Hyperkinetic disorders
	F84.4 Overactive disorder associated with mental retardation and stereotyped movements
308.4	Adjustment reaction of childhood
	F43.2 Adjustment disorders
	<i>Night terrors</i>
	F51.4 Sleep terrors
<u>309</u>	<u>Mental disorders not specified as psychotic associated with physical conditions</u>
	Note: Use an additional code to specify the associated conditions.
	F06.32 Organic depressive disorder
	F06.4 Organic anxiety disorder
	F06.5 Organic dissociative disorder
	F06.6 Organic emotionally labile (asthenic) disorder
	F06.7 Mild cognitive disorder
	F07.0 Organic personality disorder
309.0	With intracranial infections
	Consider also:
	F07.1 Post-encephalitic syndrome
309.1	With drug, poison or systemic intoxication
	Consider also:
	Flx.70 Flashbacks
	Flx.71 Personality or behaviour disorder due to use of psychoactive substances
	Flx.72 Residual affective disorder due to use of psychoactive substances
309.2	With brain trauma
	Consider also:
	F07.2 Postconcussional syndrome
309.3	With circulatory disturbance
309.4	With epilepsy
309.5	With disturbances of metabolism, growth, or nutrition
309.6	With senile or presenile brain disease
309.7	With intracranial neoplasm
309.8	With degenerative diseases of central nervous system

ICD-8	ICD-10
309.9 With other and unspecified physical condition	F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease F09 Unspecified organic or symptomatic mental disorders F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors
<u>310 Borderline mental retardation</u>	R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness
<u>311 Mild mental retardation</u>	F70 Mild mental retardation
<u>312 Moderate mental retardation</u>	F71 Moderate mental retardation
<u>313 Severe mental retardation</u>	F72 Severe mental retardation
<u>314 Profound mental retardation</u>	F73 Profound mental retardation
<u>319 Unspecified mental retardation</u>	F79 Unspecified mental retardation
The following 4-digit subdivisions may be used with categories 310-315:	Note: Use an additional code to specify the underlying or associated conditions:
.0 following infections and intoxications	B90-B94 Sequelae of infectious and parasitic diseases A50.- Congenital syphilis P35.- Congenital viral diseases P37.- Other congenital infectious and parasitic diseases T51-T65 Toxic effects of substances chiefly nonmedicinal as to source
.1 following trauma or physical agents	O70-071 Obstetric trauma P10-P15 Birth trauma T90.5 Sequelae of intracranial injury (S06.-) T97 Sequelae of toxic effects of nonmedical substances (T51-T65) T98.3 Sequelae of complications of surgical and medical care not elsewhere classified (T80-T88)
.2 associated with disorders of metabolism, growth or nutrition	E00-E34 Endocrine disorders E64.- Sequelae of malnutrition and other nutritional deficiency E70-E90 Metabolic disorders

ICD-8	ICD-10
.3 associated with gross brain disease (postnatal)	G11.- Hereditary ataxia G35-G37 Demyelinating diseases of the central nervous system
.4 associated with diseases and conditions due to (unknown) prenatal influence	Q00-Q07 Congenital malformations of the nervous system
.5 associated with chromosomal abnormalities	Q90-Q99 Chromosomal abnormalities
.6 associated with prematurity	P07.- Disorders related to short gestation and low birth weight
.7 following major psychiatric	F84.- Pervasive developmental disorders disorder
.8 associated with psychosocial (environmental) deprivation	T74 Maltreatment syndrome .0 Neglect or abandonment Z61.- Problems related to negative life events in childhood Z62.- Other problems related to upbringing
.9 other and unspecified	F79 Unspecified mental retardation

CONVERSION TABLE II BETWEEN CHAPTER V (MENTAL DISORDERS)
OF THE ICD-9 AND CHAPTER V, MENTAL AND BEHAVIOURAL DISORDERS OF THE ICD-10

ICD-9	ICD-10
<u>290 Senile and presenile organic psychotic conditions</u>	
290.0 Senile dementia, simple type	F00.1* Dementia in Alzheimer disease, late onset (G30.1+)
290.1 Presenile dementia	F00.0* Dementia in Alzheimer disease, early onset (G30.0+)
<i>Dementia in:</i>	
. Jakob-Creutzfeldt disease	F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0+)
. Pick's disease	F02.0* Dementia in Pick disease (G31.0+)
290.2 Senile dementia, depressed or paranoid type	F00.1* Dementia in Alzheimer disease, late onset .13 with other predominantly depressive symptoms .11 with other predominantly delusional symptoms F00.2* Dementia in Alzheimer disease, atypical or mixed type (G30.8+) .23 with other predominantly depressive symptoms .21 with other predominantly delusional symptoms
290.3 Senile dementia with acute confusional state	Use two codes: F05.1 Delirium, superimposed on dementia plus: F00.1* Dementia in Alzheimer disease, late onset (G30.1+) or F00.2* Dementia in Alzheimer's disease, atypical or mixed type (F30.8+)
290.4 Arteriosclerotic dementia	F01.1 Multi infarct dementia F01.0 Vascular dementia of acute onset F01.2 Subcortical vascular dementia F01.3 Mixed cortical and subcortical vascular dementia F01.8 Other vascular dementia
290.8 Other	F00.24 Dementia in Alzheimer disease atypical or mixed type with other mixed symptoms F01.8 Other vascular dementia F02.8 Dementia in other diseases classified elsewhere
290.9 Unspecified	F03 Unspecified dementia

ICD-9	ICD-10
<u>291</u> <u>Alcoholic psychoses</u>	
291.0 Delirium tremens	F10.4 Withdrawal state with delirium due to use of alcohol
291.1 Korsakov's psychosis, alcoholic	F10.6 Amnesic syndrome due to use of alcohol
291.2 Other alcoholic dementia	F10.73 Dementia due to use of alcohol
291.3 Other alcoholic hallucinosis	F10.52 Psychotic disorder due to use of alcohol, predominantly hallucinatory
291.4 Pathologic drunkenness	F10.07 Pathological intoxication due to use of alcohol
291.5 Alcoholic jealousy	F10.51 Psychotic disorder due to use of alcohol, predominantly delusional
291.8 Other alcoholic psychoses	F10.8 Other mental and behavioural disorder due to use of alcohol
	F10.56 Psychotic disorder due to use of alcohol, mixed
	F10.75 Late-onset psychotic disorder due to use of alcohol
Alcohol withdrawal syndrome	F10.3 Withdrawal state due to use of alcohol
291.9 Unspecified	F10.9 Unspecified mental and behavioural disorder due to use of alcohol
Alcoholic . mania NOS	F10.55 Psychotic disorder due to use of alcohol, predominantly manic
. psychosis NOS	F10.56 Psychotic disorder due to use of alcohol, mixed
<u>292</u> <u>Drug psychoses</u>	
292.0 Drug withdrawal syndrome	F1x.3 Withdrawal state due to psychoactive substance use
	F1x.4 Withdrawal state with delirium due to psychoactive substance use
292.1 Paranoid and/or hallucinatory states induced by drugs	F1x.5 Psychotic disorder due to psychoactive substance use, .51 predominantly delusional .52 predominantly hallucinatory
292.2 Pathological drug intoxication	F1x.07 Pathological intoxication due to psychoactive substance use

ICD-9	ICD-10
292.8 Other	Flx.5 Psychotic disorder due to psychoactive substance use .50 schizophrenia-like .53 predominantly polymorphic .54 predominantly depressive symptoms .55 predominantly manic symptoms .56 mixed
292.9 Unspecified	Flx.7 Residual and late-onset psychotic disorder due to use of psychoactive substance use
292.9 Unspecified	Flx.9 Unspecified mental and behavioural disorder due to psychoactive substance use
<u>293</u> <u>Transient organic psychotic conditions</u>	
293.0 Acute confusional state	F05.0 Delirium, not superimposed on dementia, so described Consider also: F05.8 Other delirium F05.9 Unspecified delirium
<i>Epileptic twilight state</i>	F06.5 Organic dissociative disorder
293.1 Subacute confusional state	F05.8 Other delirium Consider also: F05.0 Delirium, not superimposed on dementia, so described F05.9 Unspecified delirium
293.8 Other	F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease F06.0 Organic hallucinosis F06.1 Organic catatonic disorder F06.2 Organic delusional disorders F06.3 Organic mood disorders
293.9 Unspecified	F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease F05.9 Delirium, unspecified F09 Unspecified organic or symptomatic mental disorder
<u>294</u> <u>Other organic psychotic conditions (chronic)</u>	
294.0 Korsakov's psychosis or syndrome (nonalcoholic)	F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances Flx.6 Amnesic syndrome due to psychoactive substances, other than alcohol

ICD-9		ICD-10	
294.1	Dementia in conditions classified elsewhere	F02.-*	Dementia in other diseases classified elsewhere
294.8	Other	F06.0	Organic hallucinosis
		F06.1	Organic catatonic disorder
		F06.2	Organic delusional disorder
		F06.3	Organic mood [affective] disorder
		F06.8	Other specified mental disorders due to brain damage and dysfunction and to physical disease
294.9	Unspecified	F06.9	Unspecified mental disorder, due to brain damage and dysfunction and to physical disease
		F09	Unspecified organic or symptomatic mental disorder
<u>295</u>	<u>Schizophrenic psychoses</u>		
295.0	Simple type	F20.6	Simple schizophrenia
295.1	Hebephrenic type	F20.1	Hebephrenic schizophrenia
295.2	Catatonic type	F20.2	Catatonic schizophrenia
295.3	Paranoid type	F20.0	Paranoid schizophrenia
295.4	Acute schizophrenic episode	F23.2	Acute schizophrenia-like psychotic disorder
		F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
		F20.8	Other schizophrenia
295.5	Latent schizophrenia	F21	Schizotypal disorder
295.6	Residual schizophrenia	F20.5	Residual schizophrenia
295.7	Schizo-affective type	F25.-	Schizoaffective disorders
295.8	Other	F20.8	Other schizophrenia
295.9	Unspecified	F20.9	Schizophrenia, unspecified
	<i>Schizophrenic reaction</i>	F23.2	Acute schizophrenia-like psychotic disorder
	<i>Schizophreniform psychosis NOS</i>	F23.2	Acute schizophrenia-like psychotic disorder
		F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
			Consider also:
		F20.8	Other schizophrenia

ICD-9	ICD-10
296	<u>Affective psychoses</u>
296.0	Manic-depressive psychosis, manic type
	F30.- Manic episode (single episode)
	F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms
	F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms
	F31.8 Other bipolar affective disorder
296.1	Manic-depressive psychosis, depressed type
	F32.11 Moderate depressive episode with somatic symptoms
	F32.2) Severe depressive episode, all types
	F32.3) all types
	F33.11 Recurrent depressive disorder, current episode moderate, with somatic symptoms
	F33.2) Recurrent depressive disorder, current episode severe, all types
	F33.3) current episode severe, all types
296.2	Manic depressive psychosis, circular type but currently manic
	F31.0 Bipolar affective disorder, current episode hypomanic
	F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms
	F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms
296.3	Manic-depressive psychosis circular type but currently depressed
	F31.3 Bipolar affective disorder, current episode mild or moderate depression
	F31.4 Bipolar affective disorder current episode severe depression without psychotic symptoms
	F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms
296.4	Manic-depressive psychosis, circular type, mixed
	F31.6 Bipolar affective disorder, current episode mixed
	F38.00 Mixed affective episode (single)
296.5	Manic-depressive psychosis, circular type, current condition not specified
	F31.9 Bipolar affective disorder, unspecified
296.6	Manic-depressive psychosis, other and unspecified
	F31.8 Other bipolar affective disorder
	F31.9 Bipolar affective disorder, unspecified
	Consider also:
	F25.- Schizoaffective disorders

ICD-9	ICD-10
296.8 Other	F30.8 Other manic episodes F31.8 Other bipolar affective disorders F32.8 Other depressive episodes F33.8 Other recurrent depressive disorders F38.8 Other mood [affective] disorders Consider also: F25.- Schizoaffective disorders
296.9 Unspecified	F39 Unspecified mood [affective] disorder
<u>297 Paranoid states</u>	
297.0 Paranoid state, simple	F22.0 Delusional disorder
297.1 Paranoia	F22.0 Delusional disorder
297.2 Paraphrenia	F22.0 Delusional disorder
<i>Involuntional paranoid state</i>	F22.8 Other persistent delusional disorders
297.3 Induced psychosis	F24 Induced delusional disorder
297.8 Other	F22.8 Other persistent delusional disorders
<i>Sensitiver Beziehungswahn</i>	F22.0 Delusional disorder
297.9 Unspecified	F22.0 Persistent delusional disorder, unspecified
<u>298 Other nonorganic psychosis</u>	
298.0 Depressive type	F32.11 Moderate depressive episode, with somatic symptoms F32.2) Severe depressive episode, F32.3) all types F33.11 Recurrent depressive disorder, current episode moderate, with somatic symptoms F33.2) Recurrent depressive disorder, F33.3) current episode severe, all types
298.1 Excitative type	F23.81 Other acute and transient psychotic disorders, with associated acute stress F30.- Manic episode
298.2 Reactive confusion	F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia with associated acute stress F23.81 Other acute and transient psychotic disorder, with associated acute stress Consider also: F44.1 Dissociative fugue F44.2 Dissociative stupor F43.0 Acute stress reaction F44.80 Ganser's syndrome

Ganser

ICD-9		ICD-10	
298.3	Acute paranoid reaction	F23.31	Other acute predominantly delusional psychotic disorders, with associated acute stress
298.4	Psychogenic paranoid psychosis	F23.31	Other acute predominantly delusional psychotic disorders, with associated acute stress
		F22.0	Delusional disorder
		F22.8	Other persistent delusional disorders
		F24	Induced delusional disorder
298.8	Other and unspecified	F23.81	Other acute and transient psychotic disorders, with associated acute stress
		F23.91	Acute and transient psychotic disorder, with associated acute stress, unspecified
298.9	Unspecified psychosis	F29	Unspecified nonorganic psychosis
		F99	Unspecified mental disorder
<u>299</u>	<u>Psychoses with origin specific to childhood</u>		
299.0	Infantile autism	F84.0	Childhood autism
		F84.1	Atypical autism
		F84.2	Rett's syndrome
299.1	Disintegrative psychosis	F84.3	Other childhood disintegrative disorder
299.8	Other	F84.5	Asperger's syndrome
		F84.8	Other pervasive developmental disorder
299.9	Unspecified	F84.9	Pervasive developmental disorder, unspecified
	<i>Schizophrenia, childhood type</i>	F20.8	Other schizophrenia
<u>300</u>	<u>Neurotic disorders</u>		
300.0	Anxiety states	F41.-	Other anxiety disorders
			Consider also:
		F40.0	Agoraphobia
			.00 without panic disorder
			.01 with panic disorder
		F43.22	Mixed anxiety and depressive reaction
	<i>Panic attack or disorder</i>	F41.0	Panic disorder

ICD-9	ICD-10
300.1 Hysteria	F44.- Dissociative disorders Consider also: F43.23 Adjustment reaction with predominant disturbance of other emotions
<i>Compensation neurosis</i>	F68.0 Elaboration of physical symptoms for psychological reasons
300.2 Phobic state	F40.- Phobic anxiety disorders
<i>Agoraphobia</i>	F40.2 Specific phobia
<i>Anxiety hysteria</i>	F41.8 Other specified anxiety disorders
300.3 Obsessive-compulsive disorders	F42.- Obsessive-compulsive disorder
300.4 Neurotic depression	F34.1 Dysthymia F32.0 Mild depressive episode F33.0 Recurrent depressive disorder, current episode mild F43.21 Adjustment reaction, prolonged depressive reaction
<i>Anxiety depression</i>	F41.2 Mixed anxiety and depressive disorder
<i>Depressive reaction</i>)	F32.0 Mild depressive episode
<i>Reactive depression</i>)	F32.8 Other depressive episodes F33.0 Recurrent depressive disorder, current episode mild F43.20 Brief depressive reaction F43.21 Prolonged depressive reaction
300.5 Neurasthenia	F48.0 Neurasthenia
300.6 Depersonalization syndrome	F48.1 Depersonalization - derealization syndrome
300.7 Hypochondriasis	F45.2 Hypochondriacal disorder
300.8 Other neurotic disorders	F48.8 Other specified neurotic disorders
300.9 Unspecified	F48.9 Neurotic disorder, unspecified F99 Mental disorder, not otherwise specified
<u>301 Personality disorders</u>	
301.0 Paranoid personality disorder	F60.0 Paranoid personality disorder
<i>Paranoid traits</i>	Z73.1 Accentuated pers. traits
301.1 Affective personality disorder	F34.0 Cyclothymia F34.1 Dysthymia F60.8 Other specific personality disorders
301.2 Schizoid personality disorder	F60.1 Schizoid personality disorder

ICD-9		ICD-10	
301.3	Explosive personality disorder	F60.3	Emotionally unstable personality disorder
301.4	Anankastic personality disorder	F60.5	Anankastic personality disorder
301.5	Hysterical personality disorder	F60.4	Histrionic personality disorder
301.6	Asthenic personality disorder	F60.7	Dependent personality disorder
301.7	Personality disorder with predominantly sociopathic or asocial manifestation	F60.2	Dissocial personality disorder
301.8	Other personality disorders	F60.6	Anxious [avoidant] personality disorder
		F60.8	Other specific personality disorders
		F61	Mixed and other personality disorders
		F68.8	Other specified disorders of adult personality and behaviour
301.9	Unspecified	F60.9	Personality disorder, unspecified
<u>302</u>	<u>Sexual deviations and disorders</u>		
302.0	Homosexuality		No equivalent code
302.1	Bestiality	F65.8	Other disorder of sexual preference
302.2	Paedophilia	F65.4	Paedophilia
302.3	Transvestism	F65.1	Fetishistic transvestism
		F64.1	Dual role transvestism
302.4	Exhibitionism	F65.2	Exhibitionism
302.5	Trans-sexualism	F64.0	Transsexualism
302.6	Disorders of psychosexual identity	F64.2	Gender identity disorder of childhood
		F64.8 and .9	Gender identity disorder, other and unspecified
302.7	Frigidity and impotence	F52.0	Lack or loss of sexual desire
		F52.2	Failure of genital response
	<i>Dyspareunia, psychogenic</i>	F52.6	Nonorganic dyspareunia
		F52.5	Nonorganic vaginism
302.8	Other	F64.8	Other gender identity disorders
		F65.8	Other disorders of sexual preference
		F52.8	Other sexual dysfunction, not caused by organic disorder or disease
	<i>Fetishism</i>	F65.0	Fetishism
	<i>Masochism/sadism</i>	F65.5	Sado-masochism

ICD-9		ICD-10	
302.9	Unspecified	F64.9	Gender identity disorder, unspecified
		F65.9	Disorder of sexual preference, unspecified
		F52.9	Unspecified sexual dysfunction not caused by organic disorder or disease
<u>303</u>	<u>Alcohol dependence syndrome</u>	F10.2	Dependence syndrome due to use of alcohol
<u>304</u>	<u>Drug dependence</u>		
304.0	Morphine type	F11.2	Dependence syndrome due to use of opioids
304.1	Barbiturate type	F13.2	Dependence syndrome due to use of sedatives or hypnotics
304.2	Cocaine	F14.2	Dependence syndrome due to use of cocaine
304.3	Cannabis	F12.2	Dependence syndrome due to use of cannabinoids
304.4	Amphetamine-type and other psychostimulants	F15.2	Dependence syndrome due to use of other stimulants, including caffeine
304.5	Hallucinogens	F16.2	Dependence syndrome due to use of hallucinogens
304.6	Other	F18.2	Dependence syndrome due to use of volatile solvents
		F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.7	Combinations of morphine type drug with any other	F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.8	Combinations excluding morphine type drug		
304.9	Unspecified		
<u>305</u>	<u>Nondependent abuse of drugs</u>		
305.0	Alcohol	F10.1	Harmful use of alcohol
		F10.0	Acute intoxication due to use of alcohol
305.1	Tobacco	F17.1	Harmful use of tobacco
	<i>Tobacco dependence</i>	F17.2	Dependence syndrome due to use of tobacco

Note: although contradictory to the title of 305, ICD-9 includes tobacco dependence here.

ICD-9		ICD-10	
305.2	Cannabis	F12.1	Harmful use of cannabinoids
		F12.0	Acute intoxication due to use of cannabinoids
305.3	Hallucinogens	F16.1	Harmful use of hallucinogens
		F16.0	Acute intoxication due to use of hallucinogens
305.4	Barbiturates and tranquilizers	F13.1	Harmful use of sedatives, sedatives or hypnotics
		F13.0	Acute intoxication due to use of sedatives or hypnotics
305.5	Morphine type	F11.1	Harmful use of opioids
		F11.0	Acute intoxication due to use of opioids
305.6	Cocaine type	F14.1	Harmful use of cocaine
		F14.0	Acute intoxication due to use of cocaine
305.7	Amphetamine type	F15.1	Harmful use of other stimulants,
		F15.0	Acute intoxication due to use of other stimulants
305.8	Antidepressants	F55	Abuse of substances, not producing dependence
305.9	Other, mixed or unspecified	F19.1	Abuse of multiple or other psychoactive substances
		F55	Abuse of substances, not producing dependence
<u>306</u>	<u>Physiological malfunction arising from mental factor</u>		Use additional code, if desired, to identify the associated physical disorder
306.0	Musculoskeletal	F45.8	Other somatoform disorders
306.1	Respiratory	F45.33	Somatoform autonomic dysfunction of respiratory system
306.2	Cardiovascular	F45.30	Somatoform autonomic dysfunction of heart and cardiovascular system
306.3	Skin	F45.8	Other somatoform disorders
306.4	Gastrointestinal	F45.31	Somatoform autonomic dysfunction of upper gastro-intestinal tract
		F45.32	Somatoform autonomic dysfunction of lower gastro-intestinal tract
	<i>Psychogenic cyclical vomiting</i>	F50.5	Vomiting associated with other psychological disturbances
306.5	Genitourinary	F45.3	Somatoform autonomic dysfunction of genitourinary system
	<i>Psychogenic dysmenorrhoea</i>	F45.8	Other somatoform disorders

ICD-9		ICD-10	
306.6	Endocrine	F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere
306.7	Organs of special sense	F45.8	Other somatoform disorders
306.8	Other	F45.8	Other somatoform disorders
306.9	Unspecified	F45.9	Somatoform disorders, unspecified
307	<u>Special symptoms or syndromes not elsewhere classified</u>		
307.0	Stammering and stuttering	F98.5	Stuttering
	<i>Cluttering</i>	F98.6	Cluttering
307.1	Anorexia nervosa	F50.0	Anorexia nervosa
		F50.1	Atypical anorexia nervosa
307.2	Tics	F95.-	Tic disorders
307.3	Stereotyped repetitive movements	F98.4	Stereotyped movement disorders
307.4	Specific disorders of sleep	F51.-	Nonorganic sleep disorders
307.5	Other and unspecified disorders of eating	F50.1	Atypical anorexia nervosa
		F50.2	Bulimia nervosa
		F50.3	Atypical bulimia nervosa
		F50.4	Over-eating associated with other psychological disturbances
		F50.5	Vomiting associated with other psychological disturbances
		F50.8	Other eating disorders
		F50.9	Eating disorder, unspecified
	<i>Infantile feeding disturbances</i>	F98.2	Feeding disorder of infancy
	<i>Pica (in children)</i>	F98.3	Pica of infancy and childhood
307.6	Enuresis	F98.0	Nonorganic enuresis
307.7	Encopresis	F98.1	Nonorganic encopresis
307.8	Psychalgia	F45.4	Persistent somatoform pain disorder
	<i>Tension headache</i>	G44.2	Tension headache
307.9	Other and unspecified	F98.8	Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
		F98.9	Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence

ICD-9		ICD-10	
	<i>Lalling</i>	F80.0	Specific speech articulation disorder
<u>308</u>	<u>Acute reaction to stress</u>		
308.0	Predominant disturbance of emotions	F43.0	Acute stress reaction
308.1	Predominant disturbance of consciousness	F43.0	Acute stress reaction
308.2	Predominant psychomotor disturbance	F43.0	Acute stress reaction
308.3	Other	F43.8	Other reactions to severe stress
308.4	Mixed	F43.0	Acute stress reaction
308.9	Unspecified	F43.9	Reaction to severe stress, unspecified
<u>309</u>	<u>Adjustment reaction</u>	F43.2	Adjustment disorders
309.0	Brief depressive reaction		.20 brief depressive reaction
309.1	Prolonged depressive reaction		.21 prolonged depressive reaction
309.2	With predominant disturbance of other emotions		.23 with predominant disturbance of other emotions
	<i>Abnormal separation anxiety</i>	F93.0	Separation anxiety disorder of childhood
309.3	With predominant disturbance of conduct	F43.2	Adjustment disorders .24 with predominant disturbance of conduct
309.4	With mixed disturbance of emotions and conduct		.25 with mixed disturbance of emotions and conduct
309.8	Other		.28 other specified adjustment disorders
309.9	Unspecified	F43.2	Adjustment disorders
<u>310</u>	<u>Specific nonpsychotic mental disorders following organic brain damage</u>		
310.0	Frontal lobe syndrome	F07.0	Organic personality disorder
310.1	Cognitive or personality change of other type	F06.7	Mild cognitive disorder
		F07.8	Other organic personality and behaviour disorders
		F06.6	Organic emotionally labile [asthenic] disorder
310.2	Post concussional syndrome	F07.2	Post concussional syndrome

ICD-9		ICD-10	
310.8	Other	F07.1	Postencephalitic syndrome
		F07.8	Other organic personality and behavioural disorders
		F06.4	Organic anxiety disorder
		F06.5	Organic dissociative disorder
310.9	Unspecified	F07.9	Organic personality and behaviour disorder, unspecified
<u>311</u>	<u>Depressive disorder, not elsewhere classified</u>	F32.9	Depressive episode, unspecified
		F33.9	Recurrent depressive disorder, unspecified
		F38.10	Recurrent brief depressive disorder
<u>312</u>	<u>Disturbance of conduct not elsewhere classified</u>		
312.0	Unsocialized disturbance of conduct	F91.1	Unsocialized conduct disorder
312.1	Socialized disturbance of conduct	F91.2	Socialized conduct disorder
312.2	Compulsive conduct disorder	F63.-	Habit and impulse disorders
312.3	Mixed disturbance of conduct and emotions	F92.-	Mixed disorders of conduct and emotions
312.8	Other	F91.0	Conduct disorder confined to the family context
		F91.3	Oppositional defiant disorder
		F91.8	Other conduct disorders
312.9	Unspecified	F91.9	Conduct disorder, unspecified
<u>313</u>	<u>Disturbance of emotions specific to childhood and adolescence</u>		
313.0	With anxiety and fearfulness	F93.1	Phobic anxiety disorder of childhood
		F93.2	Social anxiety disorder of childhood
		F93.0	Separation anxiety disorder of childhood
			Consider also:
		F94.0	Elective mutism
	<i>Overanxious reaction of childhood</i>	F93.8	Other childhood emotional disorders
313.1	With misery and unhappiness	F32.0	Mild depressive episode
		F32.8	Other depressive episodes
		F43.20	Brief depressive reaction
		F43.21	Prolonged depressive reaction
		F92.0	Depressive conduct disorder

ICD-9		ICD-10	
313.2	With sensitivity, shyness and social withdrawal	F93.2	Social anxiety disorder of childhood Consider also: F94.0 Elective mutism
313.3	Relationship problems	F93.3	Sibling rivalry disorder
		F94.1	Reactive attachment disorder of childhood
		F94.2	Disinhibited attachment disorder of childhood
313.8	Other or mixed	F93.8	Other childhood emotional disorders
313.9	Unspecified	F93.9	Childhood emotional disorder, unspecified
<u>314</u>	<u>Hyperkinetic syndrome of childhood</u>		
314.0	Simple disturbance of activity and attention	F90.0	Disturbance of activity and attention
314.1	Hyperkinesia with developmental delay	F90.0	Disturbance of activity and attention plus additional code from F80-F83 for specific developmental disorder
314.2	Hyperkinetic conduct disorder	F90.1	Hyperkinetic conduct disorder
314.8	Other	F90.8	Other hyperkinetic disorders
314.9	Unspecified	F90.9	Hyperkinetic disorder, unspecified
<u>315</u>	<u>Specific delays in development</u>		
315.0	Specific reading retardation	F81.0	Specific reading disorder
315.1	Specific arithmetical retardation	F81.2	Specific disorder of arithmetical skills
315.2	Other specific learning difficulties	F81.8	Other developmental disorders of scholastic skills
315.3	Developmental speech or language disorder	F80.-	Specific developmental disorders of speech and language
315.4	Specific motor retardation	F82	Specific developmental disorder of motor function
315.5	Mixed developmental disorder	F83	Mixed specific developmental disorders
315.8	Other	F88	Other disorders of psychological development
315.9	Unspecified	F89	Unspecified disorder of psychological development

ICD-9		ICD-10	
<u>316</u>	<u>Psychic factors associated with diseases classified elsewhere</u>	F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere
<u>317</u>	<u>Mild mental retardation</u>	F70	Mild mental retardation
<u>318</u>	<u>Other specified mental retardation</u>		
318.0	Moderate mental retardation	F71	Moderate mental retardation
318.1	Severe mental retardation	F72	Severe mental retardation
318.2	Profound mental retardation	F73	Profound mental retardation
<u>319</u>	<u>Unspecified mental retardation</u>	F79	Unspecified mental retardation

CONVERSION TABLE BETWEEN
ICD-10, ICD-9 and ICD-8
OF CHAPTER V MENTAL AND BEHAVIOURAL DISORDERS

ICD-10	ICD-9	ICD-8
<u>F00*</u> <u>Dementia in Alzheimer's disease</u> (G30.-+)	(Use one of the following plus an additional code 331.0 for Alzheimer's disease)	
F00.0 with early onset	290.1 Presenile dementia	290.1 Pre-senile dementia
F00.1 with late onset	290.0 Senile dementia, simple type	290.0 Senile dementia
.10 without additional symptoms	290.2 Senile dementia, depressed or paranoid type	
.11 with other symptoms, predominantly delusional	No equivalent code	
.12 with other symptoms predominantly hallucinatory	290.2 Senile dementia, depressed or paranoid type	
.13 with other symptoms, predominantly depressed	No equivalent code	
.14 with other mixed symptoms	290.8 Other	290.- Senile and pre-senile dementia
F00.2 atypical or mixed	290.0 Senile dementia, unspecified	290.- Senile and pre-senile dementia
F00.9 unspecified		
<u>F01</u> <u>Vascular dementia</u>		
F01.0 Vascular dementia of acute onset	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with other cerebrovascular disturbances

	ICD-10	ICD-9	ICD-8
F01.1	Multi-infarct dementia	290.4 Arteriosclerotic dementia))	293.0 Psychosis associated with cerebral arteriosclerosis
F01.2	Subcortical vascular dementia	290.4 Arteriosclerotic dementia))	
F01.3	Mixed cortical and subcortical vascular dementia	290.4 Arteriosclerotic dementia))	
F01.8	Other vascular dementia	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with other cerebrovascular disturbances
F01.9	Vascular dementia, unspecified	290.4 Arteriosclerotic dementia	No equivalent code
F02*	<u>Dementia in other diseases classified elsewhere</u>		
F02.0*	Dementia in Pick's disease (G31.0+)	290.1 Presenile dementia plus 331.1 Pick's disease	290.1 Pre-senile dementia
F02.1*	Dementia in Creutzfeldt-Jakob disease (A81.0+)	046.1 Jacob-Creutzfeldt disease	290.1 Pre-senile dementia
F02.2*	Dementia in Huntington's disease (G10.+)	333.4 Huntington's chorea	293.4 Psychosis associated with degenerative diseases of central nervous system
F02.3*	Dementia in Parkinson's disease (G20+)	332.0 Paralysis agitans	293.9 Psychosis associated with other and unspecified cerebral conditions plus 342 Paralysis agitans
F02.4*	Dementia in HIV disease (B22.0+)	279.1 Deficiency of cell-mediated immunity	294.8 Psychosis associated with other physical conditions

For the following sub-categories use 294.1 Dementia in conditions classified elsewhere plus an additional code as indicated:

ICD-10	ICD-9	ICD-8
F02.8* Dementia in other specified diseases classified elsewhere (xxx+)	another additional code	294.8 Psychosis associated with other physical conditions
F03 <u>Unspecified dementia</u>	290.9 Unspecified senile and presenile organic psychotic conditions	290.- Senile and presenile dementia
Presenile dementia or psychosis NOS	290.1 Presenile dementia	290.1 Presenile dementia
Senile dementia, NOS	290.0 Senile dementia, simple type	290.0 Senile dementia
Senile dementia, depressed or paranoid type	290.2 Senile dementia, depressed or paranoid type	290.0 Senile dementia
F04 <u>Organic amnesic syndrome, not induced by alcohol and other psychoactive substances</u>	294.0 Korsakov's psychosis or syndrome (nonalcoholic)	293.9 Psychosis associated with other and unspecified cerebral conditions
F05 <u>Delirium, not induced by alcohol and other psychoactive substances</u>		
F05.0 Delirium, not superimposed on dementia, so described	293.0 Acute confusional state 293.1 Subacute confusional state	292.- Psychosis associated with intracranial infection 293.- Psychosis associated with other cerebral conditions 294.- Psychosis associated with other physical conditions
F05.1 Delirium, superimposed on dementia	290.3 Senile dementia with acute confusional state	290.0 Senile and presenile dementia

ICD-10

ICD-9

ICD-8

F05.8	Other delirium	293.8	Other transient organic psychotic conditions	No equivalent code
F05.9	Delirium, unspecified	293.9	Unspecified transient organic psychotic conditions	No equivalent code
F06	<u>Other mental disorders due to brain damage and dysfunction and to physical disease</u>			
	Organic hallucinations)			292.- Psychosis associated with intracranial infection
F06.1	Organic catatonic disorders)			293.- Psychosis associated with other cerebral conditions
F06.2	Organic delusional [schizophrenia-like] disorders)			294.- Psychosis associated with other physical conditions
F06.3	Organic mood [affective] disorders)			309.- Mental disorders, not specified as psychotic associated with physical conditions
F06.4	Organic anxiety disorders)			
F06.5	Organic dissociative disorder)	294.8	Other organic psychotic conditions	
F06.6	Organic emotionally labile [asthenic] disorders)			
F06.7	Mild cognitive disorder)	310.8	Other specific nonpsychotic mental disorders following organic brain damage	
		310.1	Cognitive or personality change of other type	
F06.8	Other specified	294.8	Other organic psychotic conditions	

ICD-10	ICD-9	ICD-8
F06.9	294.9	309.-
Unspecified mental disorders due to brain damage and dysfunction and to physical disease	Unspecified organic psychotic conditions	Mental disorders not specified as psychotic, associated with physical conditions
F07.	310	309.0
<u>Personality and behavioural disorders due to brain disease, damage and dysfunction</u>	<u>Specific nonpsychotic mental disorders following organic brain damage</u>	Mental disorders not specified as psychotic, associated with intracranial infections
F07.0	310.0	309.2
Organic personality disorder	Frontal lobe syndrome	Mental disorders not specified as psychotic, associated with brain trauma
F07.1	310.1	309.9
Postencephalitic syndrome	Cognitive or personality change of other type	Mental disorders not specified as psychotic, associated with other or unspecified physical conditions
F07.2	310.8	
Post concussional syndrome	Other	
F07.8	310.2	
Other and	Post concussional syndrome	
F07.9	310.8	
Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction	Other	
	310.9	
	Unspecified	

ICD-10	ICD-9	ICD-8
<u>F09 Unspecified organic or symptomatic mental disorder</u>	294.9 Unspecified organic psychotic conditions 293.9 Unspecified transient organic psychotic conditions	292.9 Psychosis associated with other and unspecified intracranial infection 293.9 Psychosis associated with other and unspecified cerebral condition 294.9 Psychosis associated with unspecified physical condition 309.9 Mental disorders not specified as psychotic associated with other or unspecified physical conditions
<u>F10 Mental and behavioural disorders due to use of alcohol</u>		
F10.0 Acute intoxication	305.0 Nondependent abuse of alcohol	No equivalent code
.07 Pathological intoxication	291.4 Pathological drunkenness	291.9 Other and unspecified alcoholic psychoses
F10.1 Harmful use	305.0 Nondependent abuse of alcohol	303.0 Episodic excessive drinking 303.1 Habitual excessive drinking
F10.2 Dependence syndrome	303 Alcohol dependence syndrome	303.2 Alcohol addiction
F10.3 Withdrawal state	291.8 Other alcoholic psychoses Alcohol withdrawal syndrome	No equivalent code
F10.4 Withdrawal state with delirium	291.0 Delirium tremens	291.0 Delirium tremens
F10.5 Psychotic disorder	291.3 Other alcoholic hallucinosis 291.5 Alcoholic jealousy 291.8 Other alcoholic psychoses 291.9 Alcoholic psychosis, unspecified	291.2 Other alcoholic hallucinosis 291.3 Alcoholic paranoia 291.9 Other and unspecified

ICD-10	ICD-9	ICD-8
F10.6 Amnesic syndrome	291.1 Korsakov's psychosis, alcoholic	291.1 Korsakov's psychosis (alcoholic)
F10.7 Residual and late onset psychotic disorder	291.8 Other alcoholic psychosis	291.9 Other and unspecified alcoholic psychoses
.73 Dementia	291.2 Other alcoholic dementia	291.9 Other and unspecified alcoholic psychoses
F10.8 Other mental and behavioural disorders	291.8 Other alcoholic psychoses	291.9 Other and unspecified alcoholic psychoses 303.9 Other and unspecified alcoholism
F10.9 Unspecified mental and behavioural disorder	291.9 Alcoholic psychosis, unspecified	393.0 Other and unspecified alcoholism
F1 <u>Mental and behavioural disorder due to use of:</u>		
F11 opioids		
F12 cannabinoids		
F13 sedatives or hypnotics		
F14 cocaine		
F15 other stimulants, including caffeine		
F16 hallucinogens		
F17 tobacco		
F18 volatile solvents		
F19 multiple drug use and other psychoactive substances		
F1x.0 Acute intoxication	305 Nondependent abuse of drugs	294.3 Psychosis associated with drug or poison intoxication
F11.0	305.5 Morphine type	
F12.0	305.2 Cannabis	
F13.0	305.4 Barbiturates and tranquilizers	
F14.0	305.6 Cocaine	
F15.0	305.7 Amphetamine type	

ICD-10	ICD-9	ICD-8
F16.0	305.3	Hallucinogens
F17.0	305.1	Tobacco
F18.0 + F19.0	305.9	Other, mixed or unspecified
.03 With delirium	292.8	Other drug psychoses
.07 Pathological intoxication	292.2	Pathological drug intoxication
F1x.1 Harmful use (specify for type of drug as above)	305	Nondependent abuse of drugs (specify for type of drug as above)
F1x.2 Dependence syndrome	304	Drug dependence
F11.2	304.0	Morphine type
F12.2	304.3	Cannabis
F13.2	304.1	Barbiturate type
F14.2	304.2	Cocaine
F15.2	304.4	Amphetamine type and other psychostimulants
F16.2	304.5	Hallucinogens
F17.2	305.1	Tobacco dependence
F18.2	304.6	Other
F19.2	304.7	Combinations of morphine type with any other
	304.8	Combinations excluding morphine type drug
	304.9	Unspecified drug dependence
	304	Drug dependence
	304.0	Opium, opium alkaloids and their derivatives
	304.1	Synthetic analgesics with morphine-like effects
	304.5	Cannabis sativa
	304.2	Barbiturates
	304.3	Other hypnotics and sedatives and tranquilizers
	304.4	Cocaine
	304.5	Other psycho-stimulants
	304.7	Hallucinogens
	No equivalent code	No equivalent code
	304.8	Other and combined drugs
	304.8	Other and combined drugs
	304.9	Unspecified drug dependence

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
F20.4 Post-schizophrenic depression	No equivalent code	No equivalent code
F20.5 Residual schizophrenia	295.6 Residual schizophrenia	295.6 Residual schizophrenia
F20.6 Simple schizophrenia	295.0 Simple type	295.0 Simple type schizophrenia
F20.8 Other schizophrenia	295.8 Other	295.8 Other specified types of schizophrenia
F20.9 Schizophrenia, unspecified	295.9 Unspecified	295.9 Schizophrenia, unspecified type
F21 Schizotypal disorder	295.5 Latent schizophrenia	295.5 Latent schizophrenia
F22 Persistent delusional disorders	297 Paranoïd states	297 Paranoïd states
F22.0 Delusional disorder	297.0 Paranoïd state, simple 297.1 Paranoia	297.0 Paranoia
Paraphrenia (late)	297.2 Paraphrenia	297.1 Involutional paraphrenia
Sensitiver Beziehungswahn	297.8 Other	297.9 Other paranoïd states
Other persistent delusional disorders	297.8 Other	297.9 Other paranoïd states
Involutional paranoïd state	297.2 Paraphrenia	297.1 Involutional paraphrenia
Persistent delusional disorder, unspecified	297.9 Paranoïd state, unspecified	297.9 Other paranoïd states
F23 Acute and transient psychotic disorders	NOTE: The presence of stress may determine the choice of the equivalent code in ICD-9 and ICD-8.	
F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia	298.3 Acute paranoïd reaction 298.2 Reactive confusion	298.3 Acute paranoïd reaction 298.2 Reactive confusion 298.9 Reactive psychosis, unspecified

ICD-10	ICD-9	ICD-8
F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction
F23.2 Acute schizophrenia-like psychotic disorder	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction
F23.3 Other acute predominantly delusional psychotic disorders	298.3 Acute paranoid reaction 298.4 Psychogenic paranoid psychosis	298.3 Acute paranoid reaction
F23.8 Other acute and transient psychotic disorders	298.2 Reactive confusion 298.8 Other and unspecified reactive psychosis	298.2 Reaction confusion
F23.9 Acute and transient psychotic disorders, unspecified	298.8 Other and unspecified reactive psychosis	298.9 Reactive psychosis, unspecified
<u>F24 Induced delusional disorder</u>		
<u>F25 Schizoaffective disorders</u>)		
F25.0 Schizoaffective disorder, manic type	297.3 Induced psychosis 298.4 Psychogenic paranoid psychosis	297.9 Other paranoid states
F25.1 Schizoaffective disorder, depressive type	295.7 Schizoaffective type	295.7 Schizo-affective type of schizophrenia
F25.2 Schizoaffective disorder, mixed type	296.6 Manic-depressive psychosis, other and unspecified	296.8 Other affective psychoses
F25.8 Other schizoaffective disorder	296.8 Other affective psychoses	
F25.9 Schizoaffective disorder, unspecified		
<u>F28 Other nonorganic psychotic disorders</u>	No equivalent code	No equivalent code
<u>F29 Unspecified nonorganic psychosis</u>	298.9 Unspecified psychosis	299 Unspecified psychosis

ICD-10

ICD-9

ICD-8

F30	Manic episode				
F30.0	Hypomania)			
F30.1	Mania without psychotic symptoms)	296.0	Manic-depressive psychosis, manic type	296.1
F30.2	Manic with psychotic symptoms))			
F30.8	Other manic episodes)	296.6	Manic-depressive psychosis	296.8
)	298.1	Other nonorganic psychosis, excitative type	298.1
F30.9	Manic episode, unspecified)	296.6	Manic-depressive psychosis, other and unspecified	296.9
F31	<u>Bipolar affective disorder</u>)			
F31.0	Current episode hypomanic)			
F31.1	Current episode manic without psychotic symptoms)	296.2	Manic-depressive psychosis, circular type but currently manic	(296.1
F31.2	Current episode manic with psychotic symptoms)			(296.3
F31.3	Current episode mild or moderate depression)			
F31.4	Current episode severe depression without psychotic symptoms)	296.3	Manic-depressive psychosis, circular type but currently depressed	(296.2
F31.5	Current episode severe depression with psychotic symptoms)			(296.3
F31.6	Current episode mixed)	296.4	Manic depressive psychosis, circular type, mixed	296.8
F31.7	Currently in remission)	296.5	Manic-depressive psychosis, circular type, current condition not specified	296.3

ICD-10	ICD-9	ICD-8
F31.8 Other bipolar affective disorders	296.6 Manic-depressive psychosis other and unspecified	296.3 Manic-depressive psychosis, circular type
F31.9 Bipolar affective disorder, unspecified	296.6 Manic-depressive psychosis, other and unspecified	296.3 Manic-depressive psychosis, circular type
F32.0 Mild depressive episode	300.4 Neurotic depression	300.4 Depressive neurosis
F32.1 Moderate depressive episode	(296.1 Manic-depressive psychosis depressed type	(296.0 Involuntional melancholia
F32.2 Severe depressive episode without psychotic symptoms	(298.0 Other nonorganic psychosis depressive type	(296.2 Manic-depressive psychosis, depressed type
F32.3 Severe depressive episode with psychotic symptoms	(296.1 Manic-depressive psychosis, depressed type	(298.0 Reactive depressive psychosis
F32.8 Other depressive episodes	296.8 Other affective psychoses	296.0 Involuntional melancholia
F32.9 Depressive episode, unspecified	313.2 Disturbance of emotion specific to childhood and adolescence, with misery and unhappiness	296.2 Manic-depressive psychosis, depressed type
	296.6 Manic-depressive psychosis, other and unspecified	
	311 Depressive disorder, not elsewhere classified	296.9 Unspecified affective psychosis

ICD-10		ICD-9		ICD-8	
<u>F33 Recurrent depressive disorder</u>					
F33.0	current episode mild	300.4	Neurotic depression	300.4	Depressive neurosis
F33.1	current episode moderate	(296.1 ((298.0 (Manic-depressive psychosis, depressed type Other nonorganic psychoses depressive type	(296.2 ((296.0 (298.0	Manic-depressive psychosis depressed type Involuntional melancholia Reactive depressive psychosis
F33.2	current episode severe				
F33.3	with psychotic symptoms				
F33.3	current episode severe, with psychotic symptoms				
F33.4	Currently in remission	296.5	Manic-depressive psychosis, circular type, current condition not specified	296.8	Other affective psychosis
F33.6	Other recurrent depressive disorders	296.6	Manic-depressive psychosis, other and unspecified	296.8	Other affective psychoses
F33.9	Recurrent depressive disorder, unspecified	296.6	Manic-depressive psychosis, other and unspecified	296.9	Unspecified affective psychosis
<u>F34 Persistent mood [affective] disorders</u>					
F34.0	Cyclothymia	301.1	Affective personality disorder	301.1	Affective personality disorder
F34.1	Dysthymia	296.5	Manic-depressive psychosis, circular type, current condition not specified	296.3	Manic-depressive psychosis, circular type
F34.1	Dysthymia	300.4 301.1	Neurotic depression Affective personality disorder	300.4 301.1	Depressive neurosis Affective personality disorder
F34.8	Other persistent mood [affective] disorders	296.8	Other affective psychoses	296.8	Other affective psychoses

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
F34.9 Persistent mood [affective] disorder, unspecified	296.9 Unspecified affective psychosis	296.9 Unspecified affective psychosis
F38 <u>Other mood [affective] disorder</u>		
F38.0 Other single mood [affective] disorder	311 Depressive disorder, not elsewhere classified	296.8 Other affective psychoses
.00 mixed affective episode	296.8 Other affective psychoses	298.0 Reactive depressive psychosis
	296.4 Manic-depressive psychosis, circular type, mixed	
F38.1 Other recurrent mood (affective) disorder	296.6 Manic-depressive psychosis, other and unspecified	296.8 Other affective psychoses
.10 recurrent brief depressive disorder	296.1 Manic-depressive psychosis, depressed type	298.0 Reactive depressive psychosis
F38.8 Other specified mood (affective) disorders	296.8 Other affective psychoses	296.8 Other affective psychoses
F39 <u>Unspecified mood (affective) disorder</u>	296.9 Affective psychosis, unspecified	296.9 Affective psychosis, unspecified
F40 <u>Phobic anxiety disorders</u>	300.2 Phobic state	300.2 Phobic neurosis
F40.0 Agoraphobia	300.0 Anxiety states	300.0 Anxiety neurosis
.00 without panic disorder		
.01 with panic disorder		
F40.1 Social phobias		
F40.2 Specific (isolated) phobias		
F40.8 Other phobic anxiety disorder		
F40.9 Phobic anxiety disorder, unspecified		

ICD-10

ICD-9

ICD-8

F41 Other anxiety disorders

F41.0	Panic disorder)	300.0	Anxiety states	300.0	Anxiety neurosis
F41.1	Generalized anxiety disorder)				
F41.2	Mixed anxiety and depressive disorders)	300.4	Neurotic depression	300.4	Depressive neurosis
F41.3	Other mixed anxiety disorders)	300.0	Anxiety states	300.0	Anxiety neurosis
F41.8	Other specified anxiety disorders)	300.0	Anxiety states	300.0	Anxiety neurosis
	Anxiety hysteria)	300.2	Phobic state	300.2	Phobic neurosis
F41.9	Anxiety disorder, unspecified)	300.0	Anxiety states	300.0	Anxiety neurosis
<u>F42</u>	<u>Obsessive-compulsive disorder</u>)	300.3	Obsessive-compulsive disorders	300.3	Obsessive-compulsive neurosis
F42.0	Predominantly obsessional thoughts or ruminations)				
F42.1	Predominantly compulsive acts)				
F42.2	Mixed obsessional thoughts and acts)				
F42.8	Other obsessive-compulsive disorders)				
F42.9	Obsessive-compulsive disorder, unspecified)				

F43 Reaction to severe stress, and adjustment disorders

F43.0	Acute stress reaction		308	Acute reaction to stress	307	Transient situational disturbances
			308.0	Predominant disturbances of emotions	308.4	Adjustment reaction of childhood
			308.1	Predominant disturbances of consciousness		

ICD-10

ICD-9

ICD-8

F43.1	Post-traumatic stress disorder	309.8	Other adjustment reaction	
F43.2	Adjustment disorders	309	<u>Adjustment reaction</u>	
	.20 brief depressive reaction	309.0	Brief depressive reaction	
	.21 prolonged depressive reaction	309.1	Prolonged depressive reaction	
	.22 mixed anxiety and depressive reaction	309.2	With predominant disturbance of other emotions	
	.23 with predominant disturbance of other emotions	309.3	With predominant disturbance of conduct	
	.24 with predominant disturbance of conduct	309.4	With mixed disturbance of emotions and conduct	
	.25 with mixed disturbance of emotions and conduct	309.8	Other adjustment reactions	
	.28 with other specified predominant symptoms			
F43.8	Other reactions to severe stress	308.3	Other acute reactions to stress	
		309.8	Other adjustment reactions	
F43.9	Reaction to severe stress, unspecified	308.9	Reaction to stress, unspecified	
		309.9	Adjustment reaction, unspecified	
F44	<u>Dissociative [conversion] disorders</u>	300.1	Hysteria	300.1 Hysterical neurosis
F44.0	Dissociative amnesia			
F44.1	Dissociative fugue			
F44.2	Dissociative stupor			
F44.3	Trance and possession disorders			
F44.4	Dissociative motor disorders			
F44.5	Dissociative convulsions			
F44.6	Dissociative anaesthesia			

	ICD-10	ICD-9	ICD-8
	and sensory loss)		
F44.7	Mixed dissociative [conversion] disorders)		
F44.8	Other dissociative [conversion] disorders)		
	.80 Ganser syndrome)		
	.81 multiple personality disorder)		
	.82 transient dissociative [conversion] disorders)		
	occurring in childhood and adolescence)		
F44.9	Dissociative [conversion] disorders, unspecified)		
F45	<u>Somatoform disorders</u>		
F45.0	Somatization disorder)	300.8	Other neuroses
F45.1	Undifferentiated somatization disorder)		
F45.2	Hypochondriacal disorder	300.7	Hypochondriacal neurosis
F45.3	Somatoform autonomic dysfunction	305	Physical disorders of presumably psychogenic origin
	.30 the heart and cardiovascular system	305.3	Cardiovascular
	.31 the upper gastrointestinal tract	305.5	Gastrointestinal
	.32 the lower gastrointestinal tract	305.5	Gastrointestinal
	.33 the respiratory system	305.2	Respiratory
	.34 the genitourinary tract	305.6	Genito-urinary
	.38 other organ or system	305.9	Other
F45.4	Persistent somatoform pain disorder	306.8	Cephalalgia
		306.9	Other
F45.8	Other somatoform disorders	305	Physical disorders of presumably psychogenic origin
		305.1	Musculoskeletal
		305.4	Haemic and lymphatic
		305.7	Endocrine
		306	Physiological malfunction arising from mental factors
		306.0	Musculoskeletal
		306.6	Endocrine
		306.7	Organs of special sense
		306	Physiological malfunction arising from mental factors
		306.2	Cardiovascular
		306.4	Gastrointestinal
		306.4	Gastrointestinal
		306.1	Respiratory
		306.5	Genito-urinary
		306.8	Other
		307.8	Psychalgia

ICD-10	ICD-9	ICD-8
	306.8 Other	305.8 Organs of special sense 305.9 Other
<i>Psychogenic</i>	306.5 Genito-urinary	305.6 Genito-urinary
<i>. dysmenorrhoea</i>	306.4 Gastrointestinal	305.5 Gastro-intestinal
<i>. dysphagia</i>	306.3 Skin	305.0 Skin
<i>. puritus</i>	306.9 Unspecified physiological malfunction arising from mental factors	305.9 Cephalalgia 306.9 Other
F45.9 Somatoform disorder, unspecified		
<u>F48 Other neurotic disorders</u>		
F48.0 Neurasthenia	300.5 Neurasthenia	300.5 Neurasthenia
F48.1 Depersonalization-derealization syndrome	300.6 Depersonalization syndrome	300.6 Depersonalization syndrome
F48.8 Other specified neurotic disorders	300.8 Other neurotic disorders	300.8 Other specified neuroses
F48.9 Neurotic disorder, unspecified	300.9 Unspecified neurotic disorder	300.9 Unspecified neurosis
<u>F50 Eating disorders</u>		306.5 Feeding disturbances
F50.0 Anorexia nervosa	307.1 Anorexia nervosa	
F50.1 Atypical anorexia	307.5 Other and unspecified disorders of eating	
F50.2 Bulimia nervosa		
F50.3 Atypical bulimia		
F50.4 Overeating and vomiting associated with other psychological disturbance		
F50.5		
F50.8 Other eating disorders		
F50.9 Eating disorder, unspecified		

ICD-10

ICD-9

ICD-8

F51	<u>Nonorganic sleep disorders</u>	307.4	Specific disorders of sleep	306.4	Specific disorders of sleep
F51.0	Nonorganic insomnia)				
F51.1	Nonorganic hypersomnia)				
F51.2	Nonorganic disorder of the)				
	sleep-wake cycle)				
F51.3	Sleepwalking)				
F51.4	Sleep terrors)				
F51.5	Nightmares)				
F51.8	Other nonorganic sleep disorders)				
F51.9	Nonorganic sleep disorder,)				
	unspecified)				
F52	<u>Sexual dysfunction, not caused)</u>			305.6	Genito-urinary disorders of)
	<u>by organic disorder or)</u>				presumably psychogenic)
	<u>disease</u>				origin
F52.0	Lack or loss of sexual desire)				
F52.1	Sexual aversion and lack of)				
	sexual enjoyment)				
F52.2	Failure of genital response)				
F52.3	Orgasmic dysfunction)				
F52.4	Premature ejaculation)				
F52.5	Nonorganic vaginismus)				
F52.6	Nonorganic dyspareunia)				
F52.7	Excessive sexual drive)				
		302.8	Other sexual deviations)		
			and disorders		
F52.8	Other sexual dysfunction not)				
	caused by organic disorder)	302.8	Other sexual deviations)		
	or disease		and disorders		
F52.9	Unspecified sexual dysfunction,)				
	not caused by organic disorder)	302.9	Unspecified sexual)		
	or disease		deviations and disorders		

ICD-10	ICD-9	ICD-8
F53 <u>Mental and behavioural disorders associated with the puerperium, not elsewhere classified</u>	Use code 648.4 (mental disorders in the mother complicating the puerperium) + one of the following:	Use code 677.9 (Other and unspecified complications of the puerperium) + one of the following:
F53.0 Mild Postpartum depression NOS	311 Depressive disorder not elsewhere classified	298.0 Reactive depressive psychosis
F53.1 Severe Puerperal psychosis NOS	293.9 Transient organic psychotic condition unspecified	294.4 Psychosis associated with childbirth
F53.8 Other)	No equivalent code	No equivalent code
F53.9 Puerperal mental disorder) unspecified)	No equivalent code	No equivalent code
F54 <u>Psychological or behavioural factors associated with disorders or diseases classified elsewhere</u>	316 Psychic factors associated with diseases classified elsewhere	No equivalent code
+ additional code to specify associated disorder	+ additional code to specify associated disease	No equivalent code
F55 <u>Abuse of substances not producing dependence</u>		No equivalent code
F55.0 Antidepressants	305.8 Nondependent abuse of antidepressants	
F55.1 Laxatives)	305.9 Nondependent abuse of other, mixed or unspecified drugs	
F55.2 Analgesics)		
F55.3 Antacids)		
F55.4 Vitamins)		
F55.5 Steroids or hormones)		
F55.6 Specific herbal or folk remedies)		

ICD-10

ICD-9

ICD-8

F55.8	Other)				
F55.9	Unspecified)				
F59	<u>Unspecified behavioural syndromes associated with psychological disturbances and physical factors</u>	316	<u>Psychic factors associated with diseases classified elsewhere</u>	309.9	Mental disorders not specified as psychotic associated with other and unspecified physical condition
F60	<u>Specific personality disorder</u>	301	<u>Personality disorders</u>	301	<u>Personality disorders</u>
F60.0	Paranoid pers. disorder	301.0	Paranoid pers. disorder	301.0	...paranoid
F60.1	Schizoid pers. disorder	301.2	Schizoid pers. disorder	301.2	...schizoid
F60.2	Dissocial pers. disorder	301.7	Personality disorder with predominantly sociopathic or asocial manifestation	301.7	...antisocial
F60.3	Emotionally unstable pers. disorder) .30 impulsive type) .31 borderline type)	301.3	Explosive pers. disorder	301.3	...explosive
F60.4	Histrionic pers. disorder	301.5	Other pers. disorders	301.8	...other
F60.5	Anankastic pers. disorders	301.5	Hysterical pers. disorders	301.5	...hysterical
F60.6	Anxious (avoidant) pers.	301.4	Anankastic pers. disorder	301.4	...anankastic
F60.7	Dependent pers. disorder	301.8	Other pers. disorders	301.8	...other
F60.8	Other specific pers. disorder	301.6	Asthenic pers. disorder	301.6	...asthenic
F60.9	Specific pers. disorder, unspecified	301.8	Other pers. disorders	301.8	...other
		301.9	Unspecified pers. disorder	301.9	...unspecified

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
<u>F61</u> Mixed and other pers. disorders	301.8 Other pers. disorders	301.8 Other personality disorders
<u>F62</u> <u>Enduring personality changes</u> <u>not attributable to brain</u> <u>damage and disease</u>	No equivalent code	No equivalent code
F62.0 Enduring pers. change after catastrophic experience		
F61.2 Enduring pers. change after psychiatric illness		
F62.8 Other enduring personality change		
F62.9 Enduring personality change, unspecified		
<u>F63</u> <u>Habit and impulse disorder</u>		No equivalent code
F63.0 Pathological gambling		
F63.1 Pathological fire-setting	312.2 Compulsive conduct disorder	
F63.2 Pathological stealing		
F63.3 Trichotillomania	No equivalent code	
F63.8 Other habit and impulse disorders		
F63.9 Habit and impulse disorder, unspecified	312.2 Compulsive conduct disorder	
<u>F64</u> <u>Gender identity disorders</u>		
F64.0 Transsexualism	302.5 Trans-sexualism	302.8 Other sexual deviations
F64.1 Dual role transvestism	302.3 Transvestism 302.6 Disorders of psychosexual identity	302.8 Other sexual deviations

ICD-10	ICD-9	ICD-8
F64.2	Gender identity disorder of childhood) Other and) Gender identity disorder,) unspecified)	302.6 Disorders of psychosexual identity
F64.8		302.8 Other sexual deviations and disorders
F64.9		302.3 Transvestism
F65	<u>Disorders of sexual preference</u>	302.4 Exhibitionism
F65.0	Fetishism	302.8 Other sexual deviations and disorders
F65.1	Fetishistic transvestism	302.2 Paedophilia
F65.2	Exhibitionism	302.8 Other sexual deviations and disorders
F65.3	Voyeurism	302.2 Paedophilia
F65.4	Paedophilia	302.8 Other sexual deviations and disorders
F65.5	Sado-masochism)	302.1 Bestiality
F65.6	Multiple disorders of sexual preference)	
F65.8	Other disorders of sexual preference)	
F65.9	Disorder of sexual preference, unspecified	302.9 Unspecified sexual deviations and disorders
F66	<u>Psychological and behavioural disorders associated with sexual development and orientation</u>	302.9 Unspecified sexual deviations
F66.0	Sexual maturation disorder	No equivalent code
		302.9 Unspecified sexual deviation
		No equivalent code
		302.9 Unspecified sexual deviation
		No equivalent code
		302.6 Disorders of psychosexual identity

ICD-10	ICD-9	ICD-8
F66.1	Ego-dystonic sexual orientation) Sexual relationship disorder) Other psychosexual development) disorder) Psychosexual development) disorder, unspecified)	No equivalent code
F68	<u>Other disorders of adult personality and behaviour</u>	No equivalent code
F68.0	Elaboration of physical symptoms for psychological reasons	No equivalent code
F68.1	Intentional production or feigning of symptoms or disabilities, either physical or psychological (factitious disorder)	No equivalent code
F68.8	Other specified disorders of adult personality and behaviour	Other mental problems Other behavioural problems
F69	<u>Relationship disorder</u>	V61.1 Marital problems
F70	<u>Mild mental retardation</u>	301.9 Unspecified personality disorder
F71	<u>Moderate mental retardation</u>	311 Mild mental retardation
F72	<u>Severe mental retardation</u>	312 Moderate mental retardation
F73	<u>Profound mental retardation</u>	313 Severe mental retardation
F78	<u>Other mental retardation</u>	314 Profound mental retardation No equivalent code

ICD-10

ICD-9

ICD-8

F79	Unspecified mental retardation	319	Unspecified mental retardation	315	Unspecified mental retardation
	4th character to specify the extent associated behavioural impairment:		If applicable, use additional code to specify behavioural problem or disorder		4-digit subdivisions to be used with categories 310-315:
F7x.0	No, or minimal impairment of behaviour			.0	following infections and intoxications
F7x.1	Significant impairing of behaviour requiring attention or treatment			.1	following trauma or physical agents
F7x.8	Other impairments of behaviour			.2	associated with disorders of metabolism, growth, or nutrition
F7x.9	Without mention of impairment of behaviour			.3	associated with gross brain disease (postnatal)
				.4	associated with diseases and conditions due to (unknown) prenatal influence
				.5	associated with chromosomal abnormalities
.6	associated with prematurity			.7	following major psychiatric disorder
				.8	associated with psychosocial (environmental) deprivation
				.9	other and unspecified
F80	Specific developmental disorders of speech and language	315.3	Developmental speech or language disorder	306.0	Speech disturbances
F80.0	Specific speech articulation disorder				
F80.1	Expressive language disorder				
F80.2	Receptive language disorder				
F80.3	Acquired aphasia with epilepsy				
F80.8	Other developmental disorders				

ICD-10	ICD-9	ICD-8
F80.9	of speech and language Developmental disorder of speech and language, unspecified	
<u>F81</u>	<u>Specific developmental disorders of scholastic skills</u>	306.1 Specific learning disturbance
F81.0	Specific reading disorder	315.0 Specific reading retardation
F81.1	Specific spelling disorder	315.0 Specific reading retardation Specific spelling difficulty
F81.2	Specific disorder of arithmetical skills	315.1 Specific arithmetical retardation
F81.3	Mixed disorder of scholastic skills	315.5 Mixed development disorder
F81.8	Other developmental disorders of scholastic skills	315.2 Other specific learning difficulties
F81.9	Developmental disorder of scholastic skills, unspecified	315.9 Specific delays in development, unspecified
<u>F82</u>	<u>Specific developmental disorder of motor functions</u>	315.4 Specific motor retardation 306.3 Other psychomotor disorders
<u>F83</u>	<u>Mixed specific developmental disorders</u>	315.5 Mixed developmental disorder
<u>F84</u>	<u>Pervasive developmental disorders</u>	
F84.0	Childhood autism	
F84.1	Atypical autism	308.0 Infantile autism
F84.2	Rett's syndrome	

ICD-10

ICD-9

ICD-8

F84.3	Other childhood disintegrative disorder	299.1	Disintegrative psychosis	No equivalent code
F84.4	Overactive disorder associated with mental retardation and stereotyped movements	299.8	Other psychoses with origin specific to childhood	No equivalent code
F84.5	Asperger's syndrome			
F84.8	Other pervasive developmental disorders			
F84.9	Pervasive developmental disorder, unspecified	299.9	Unspecified psychosis with origin specific to childhood	No equivalent code
F88	Other disorders of <u>psychological development</u>	315.8	Other delays in development	No equivalent code
F89	Unspecified disorder of <u>psychological development</u>	315.9	Unspecified delay in development	No equivalent code
F90	<u>Hyperkinetic disorders</u>			
F90.0	Disturbance of activity and attention	314.0	Simple disturbance of activity and attention	
F90.1	Hyperkinetic conduct disorder	314.1	Hyperkinesia with developmental delay	308.3 Hyperkinetic syndrome of childhood
F90.8	Other hyperkinetic disorders	314.2	Hyperkinetic conduct disorder	
F90.9	Hyperkinetic disorder, unspecified	314.8	Other hyperkinetic syndromes of childhood	
F91	<u>Conduct disorders</u>	314.9	Unspecified hyperkinetic syndrome of childhood	308.1 Conduct disorders of childhood
F91.0	Conduct disorder confined to the family context	312.8	Other disturbance of conduct	
F91.1	Unsocialized conduct disorder	312.0	Unsocialized disturbance of conduct	

ICD-10	ICD-9	ICD-8
F91.2 Socialized conduct disorder	312.1 Socialized disturbance of conduct	
F91.3 Oppositional defiant disorder	312.8 Other disturbance of conduct	
F91.8 Other conduct disorders	312.8 Other disturbance of conduct	
F91.9 Conduct disorder, unspecified	312.9 Unspecified disturbance of conduct	
F92 <u>Mixed disorders of conduct and emotions</u>	312.3 Mixed disturbance of conduct and emotions	308.2 Mixed conduct-neurotic behaviour disorders of childhood
F92.0 Depressive conduct disorder)		
F92.8 Other mixed disorders of conduct and emotions)		
F92.9 Mixed disorder of conduct and emotion, unspecified)		
F93 <u>Emotional disorders with onset specific to childhood</u>		308.4 Adjustment reaction of childhood
F93.0 Separation anxiety disorder of childhood	309.2 Adjustment reaction with predominant disturbance of other emotions Abnormal separation anxiety	

ICD-10	ICD-9	ICD-8
F93.1 Phobic anxiety disorder of childhood	313.0 Disturbance of emotions specific to childhood and adolescence, with anxiety and fearfulness	
F93.2 Social anxiety disorder of childhood	313.2 Disturbance of emotions specific to childhood and adolescence, with sensitivity, shyness and social withdrawal	
F93.3 Sibling rivalry disorder	313.3 Disturbance of emotions specific to childhood and adolescence with relationship problems	
F93.8 Other childhood emotional disorders	313.8 Other or mixed, and	
F93.9 Childhood emotional disorder, unspecified	313.9 Unspecified disturbance of emotions specific to childhood and adolescence	
F94 <u>Disorders of social functioning with onset specific to childhood and adolescence</u>		308.4 Adjustment reaction of childhood
F94.0 Elective mutism	309.8 Other adjustment reaction with elective mutism	
F94.1 Reactive attachment disorder of childhood	313.3 Disturbance of emotions specific to childhood and adolescence, with relationship problems	
F94.2 Disinhibited attachment disorder of childhood		
F94.8 Other childhood disorders of social functioning		
F94.9 Childhood disorders of		

ICD-10	ICD-9	ICD-8
social functioning unspecified))		
<u>F95 Tic disorders</u>)	307.2 Tics	306.2 Tics
F95.0 Transient tic disorder)		
F95.1 Chronic motor or vocal tic disorder)		
F95.2 Combined vocal and multiple motor tic disorder)		
F95.8 Other tic disorders)		
F95.9 Tic disorders, unspecified)		
<u>F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence</u>		
F98.0 Monorganic enuresis	307.6 Enuresis	306.6 Enuresis
F98.1 Nonorganic encopresis	307.7 Encopresis	306.7 Encopresis
F98.2 Feeding disorder of infancy and childhood)	307.5 Other and unspecified disorders of eating	306.5 Feeding disturbances
F98.3 Pica of infancy and childhood)		
F98.4 Stereotyped movement disorder	307.3 Stereotyped repetitive movements	306.3 Other psychomotor disorders
F98.5 Stuttering)	307.0 Stammering and stuttering	306.0 Speech disturbances
F98.6 Cluttering)		
F98.8 Other specified, and)	307.9 Other specified and	306.9 Other special symptoms

ICD-10	ICD-9	ICD-8
F98.9 Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence))	unspecified symptoms and syndromes not elsewhere classified	not elsewhere classified
<u>F99</u> <u>Mental disorder, not otherwise specified</u>	No equivalent code	No equivalent code