

43450

**The ICD-10 Classification
of
Mental and Behavioural Disorders**

**Conversion Tables between
ICD-8, ICD-9 and ICD-10**

The International Classification of Mental and Behavioural Disorders has undergone important changes between the ICD-9 and ICD-10 revisions. This document presents conversion tables between Revision 8 (1965), Revision 9 (1975) and Revision 10 (1993), to allow the 'translation' of data obtained using ICD-8, ICD-9 or ICD-10 into one another in mental health programme development and evaluation as well as in research.

Keywords: ICD-10 Chapter V(F), ICD-9 Chapter V, ICD-8 Chapter V, Classification and Diagnosis, Conversion Tables, Crosswalks.



**Division of Mental Health
World Health Organization
Geneva
1992**

THE ICD-10 CLASSIFICATION OF MENTAL AND BEHAVIOURAL DISORDERS

CONVERSION TABLES BETWEEN ICD-8, ICD-9 AND ICD-10

<u>Contents</u>	<u>Page</u>
Introduction	3
Notes for users	5
Conversion table I: ICD-8 to ICD-10	7
Conversion table II: ICD-9 to ICD-10	25
Conversion table III: ICD-10 to ICD-9 and to ICD-8	47

INTRODUCTION

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10) is a product of international collaboration, in the true sense of the word. Many individuals and organizations have contributed to this classification, of which chapter V contains mental and behavioural disorders.

The tenth revision of the International Classification of Diseases - ICD-10 - has introduced the alpha numeric system into the classification thus enlarging the number of categories and allowing a thorough revision of the diagnostic grouping. Each group of disorders or diseases is now represented by a letter of the alphabet. The new system has allowed for an expansion of the number of categories and sub-categories for the classification of mental and behavioural disorders from a potential of about 250 to about 1,000, of which a large number of categories are not used at present, but reserved for future use. A number of categories have been renamed and regrouped and a number of disorders not previously coded have now been accommodated in the classification.

In view of the many changes between the ICD-9 and 10 revisions it was felt that it would be useful to present conversion tables which will allow the "translation" of data obtained using the ICD-8, ICD-9 or ICD-10 into one another. It is hoped that these conversion tables will be helpful for coders and for clinicians, particularly in the transition period between the use of the previous and the new system. For research use the crosswalks may indicate the possibility of comparison between studies following the diagnostic coding by ICD-8 or 9 and studies using ICD-10.

Several other publications, linked to the International Classification of Mental and Behavioural Disorders, have been prepared. One text is now available: clinical descriptions and diagnostic guidelines¹. This text will soon be followed by diagnostic criteria for research². In preparation are a version for primary health care, a multiaxial presentation, a lexicon, a casebook and a book on the background, development and reliability trials.

The conversion tables, presented in this volume are prepared by Dr J. van Drimmelen, who has worked with WHO from the beginning of the process of developing ICD-10 proposals. In her tasks Dr van Drimmelen received invaluable support from the directors of the ICD-10 Coordinating Centres listed on page 4 and from Mr A. L'Hours, technical officer (Strengthening of Epidemiological and Statistical Services, WHO). Among the directors of the ICD Centres, Dr A. Bertelsen in particular has taken great interest in these conversion tables and made a most useful contribution to their production. It is my pleasant duty to express our special thanks to all who have helped to produce this document.

Norman Sartorius
Director
Division of Mental Health
World Health Organization

¹ The ICD-10 Classification of Mental and Behavioural Disorders: Clinical descriptions and diagnostic guidelines. WHO, Geneva, 1992.

² The ICD-10 Classification of Mental and Behavioural Disorders: Diagnostic criteria for research. WHO, Geneva (in press).

Field Trial Coordinating Centres and Directors

Dr A. Bertelsen (410), Institute of Psychiatric Demography, Psychiatric Hospital, University of Aarhus, 8240 Risskov, Denmark

Dr D. Caetano (201), Depto. de Psicologia Médica e Psiquiatria, FCM/Universidade Estadual de Campinas, Caixa Postal 6111, 13081-970 Campinas, S.P. Brazil

Dr S. Channabasavanna (501), National Institute of Mental Health and Neuro Sciences, P.O. Box 2979, Bangalore 560029, Inde

Dr H. Dilling (476), Klinik für Psychiatrie der Medizinischen Hochschule, Ratzeburger Allee 160, 2400 Lübeck, FRG

Dr M. Gelder (442), Department of Psychiatry, Oxford University Hospital, Warneford Hospital, Old Road, Headington, Oxford, UK

Dr D. Kemali (420), Università di Napoli, Prima Facoltà di Medicina e Chirurgia, Istituto di Psicologia Medica, e Psichitria, Piazza Moraglia 2, 80138 Naples Italie

Dr J.J. Lopez Ibor Jr. (429), Clínica Lopez Ibor, Av. Nueva Zelanda 44 Puerto de Hierro, Madrid 35, Espagne

Dr G. Mellsop (610), The Wellington Clinical School, Wellington Hospital, Wellington 2, Nouvelle Zélande

Dr Y. Nakane (617), Department of Neuropsychiatry, Nagasaki University, School of Medicine, 7-1 Sakamoto-Machi, Nagasaki 852, Japon

Dr A. Okasha (301), Department of Psychiatry, Ain Shams University, 3 Shawarby Street, Kasr-El-Nil, Cairo, Egypt

Dr Ch. Pull (422), Service de Neuropsychiatrie, Centre Hospitalier de Luxembourg, 4, rue Barblé, Luxembourg, Luxembourg

Dr D. Regier (223), Director, Division of Clinical Research, Room 10-105, National Institute of Mental Health, 5600 Fishers Lane, Rockville, Md. 20857 Etats-Unis d'Amérique,

Dr S. Tzirkin, All Union Research Centre of Mental Health, Institute of Psychiatry, Academy of Medical Sciences, Zagorodnoye Shosse d.2, Moscow 113152 Russian Federation

Dr Xu Tao-Yuan (605), Department of Psychiatry, Shanghai Psychiatric Hospital, 600 Wan Ping Nan Lu, Shanghai, People's Republic of China

3 June 1992 CROSS I

NOTES FOR USERS:

1. In the left column, inclusion terms are mentioned, for which the conversion code does not correspond to the main conversion code provided for the category. These are printed in *italic* letter style.

2. Where there is a choice between several corresponding codes, the one which should be given preference in the absence of more specific information is listed first.

3. Provision is made in ICD-9 and ICD-10 for recording manifestations of a general disease or condition. Such manifestations are indicated by an asterisk (*) code and have a corresponding dagger (+) code to indicate aetiology. For example, Dementia in Alzheimer's disease has its dagger code in Chapter VI Diseases of the Nervous System (G30.-+), and its asterisk code in Chapter V Mental and Behavioural Disorders (F00.-*). All asterisk and dagger codes pairs are cross-referenced to each other.

(See for additional coding instructions also part II of ICD-10)

CONVERSION TABLE I BETWEEN SECTION V (MENTAL DISORDERS) OF THE ICD-8 AND CHAPTER V (MENTAL AND BEHAVIOURAL DISORDERS) OF THE ICD-10

ICD-8	ICD-10
290 Senile and presenile dementia	
290.0 Senile dementia	F00.1* Dementia in Alzheimer disease, late onset (G30.1+)
	F00.2* Dementia in Alzheimer's disease, atypical or mixed type (G30.8+)
290.1 Presenile dementia	F00.0* Dementia in Alzheimer disease, early onset (G30.0+)
<i>Dementia in:</i>	
<i>Jakob-Creutzfeldt disease</i>	F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0+)
<i>Pick's disease</i>	F02.0* Dementia in Pick disease (G31.0+)
291 Alcoholic psychosis	
291.0 Delirium tremens	F10.4 Withdrawal state with delirium due to use of alcohol
291.1 Korsakov's psychosis, alcoholic	F10.6 Amnesic syndrome due to use of alcohol
291.2 Other alcoholic hallucinosis	F10.52 Psychotic disorder due to use of alcohol, predominantly hallucinatory
291.3 Alcoholic paranoia	F10.51 Psychotic disorder due to use of alcohol, predominantly delusional
291.9 Other and unspecified alcoholic psychoses	F10.5 Psychotic disorder due to use of alcohol
	.50 schizophrenia-like
	.53 predominantly polymorphic
	.54 predominantly depressive symptoms
	.55 predominantly manic symptoms
	.56 mixed
	F10.75 Late-onset psychotic disorder due to use of alcohol

ICD-8	ICD-10
	F10.8 Other mental and behavioural disorder due to use of alcohol
	F10.9 Unspecified mental and behavioural disorder due to use of alcohol
<i>Alcoholic dementia</i>	F10.73 <i>Dementia due to use of alcohol</i>
<i>Pathological drunkenness</i>	F10.07 <i>Pathological intoxication due to use of alcohol</i>
<u>292 Psychosis associated with intracranial infection</u>	Use two codes: One of the following:
	F06.0 Organic hallucinosis
	F06.1 Organic catatonic disorder
	F06.2 Organic delusional disorders
	F06.3 Organic mood disorders
	F05.0 Delirium, not superimposed on dementia, so described
	F05.8 Other delirium
	F05.9 Unspecified delirium
	F04 Organic amnesic syndrome not induced by alcohol and other psychoactive substances
	F02.8 Dementia in other diseases classified elsewhere
	plus an additional code to specify the associated condition:
292.0 With general paralysis	A52.1+ Symptomatic neurosyphilis
292.1 With other syphilis of central nervous system	A50.4+ Late congenital neurosyphilis A52.1+ Symptomatic neurosyphilis
292.2 With epidemic encephalitis	A83-A86 Viral encephalitis
292.3 With other and unspecified encephalitis	Specify if possible, otherwise use G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified
292.9 With other and unspecified intracranial infection	F06.8 Other specified and F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease

ICD-8	ICD-10
<u>293 Psychosis associated with other cerebral condition</u>	
293.0 With cerebral arteriosclerosis	F01.1 Multi-infarct dementia F01.3 Mixed cortical and subcortical vascular dementia
293.1 With other cerebrovascular disturbances	F01.0 Vascular dementia of acute onset F01.2 Subcortical vascular dementia F01.8 Other vascular dementia
293.2 With epilepsy	Use two codes: One from the list of disorders mentioned for 292, plus an additional code to specify the associated condition: G40.- Epilepsy
293.3 With intracranial neoplasm	Use two codes: One from the list of disorders mentioned for 292, plus one of the following codes to specify the associated condition: C70.- Malignant neoplasm of meninges C71.- Malignant neoplasm of brain D32.0 Benign neoplasm of cerebral meninges D33.- Benign neoplasm of brain and other parts of central nervous system
293.4 With degenerative diseases of central nervous system	Use two codes: one from the list of disorders mentioned for 292, plus an additional code to specify the associated condition.
<i>Dementia in Huntington's chorea</i>	F02.2* <i>Dementia in Huntington disease (G10 +)</i>
293.5 With brain trauma	Use two codes; one from the list of disorders mentioned for 292, plus an additional code to specify the associated brain trauma, such as S06.- Intracranial injury S02.- Fracture of skull and facial bones S07.- Crushing injury of head

ICD-8	ICD-10
	P10.- Intracranial laceration and haemorrhage due to birth injury
	P20.- Intrauterine hypoxia
	P21.- Birth asphyxia
293.9 With other and unspecified cerebral condition	F02.8 Dementia in other diseases classified elsewhere
	F03 Unspecified dementia
	F04 Organic amnesic syndrome, not induced by alcohol or other psychoactive substances
	F05.9 Unspecified delirium
	F06.9 Unspecified mental disorder, due to brain damage and dysfunction and to physical disease
	F09 Unspecified organic or symptomatic mental disorder
<u>294 Psychosis associated with other physical condition</u>	For categories 294.0, .1, .2, .3 and .8 use two codes: one from either
	F05.- Delirium, not induced by alcohol and other psychoactive substances or
	F06.- Other mental disorders, due to brain damage and dysfunction and to physical disease, plus an additional code to specify the associated condition:
294.0 With endocrine disorders	E00-E35 Endocrine disorders
294.1 With metabolic and nutritional disorders	E40-E90 Nutritional and metabolic disorders
294.2 With systemic infections	A00-B99 Certain infectious and parasitic diseases
294.3 With drug or poison intoxication	T36-T50 Poisoning by drugs and biological substances
	T51-T65 Toxic effects of substances chiefly nonmedicinal as to source
	X40-X49 Accidental poisoning by and exposure to noxious substances

ICD-8	ICD-10
<i>Psychoses associated with psychoactive drugs</i>	<i>Flx.0 Acute intoxication due to psychoactive substance use</i>
	<i>.03 with delirium</i>
	<i>.04 with perceptual distortions</i>
	<i>.05 with coma</i>
	<i>.06 with convulsions</i>
	<i>.07 pathological intoxication</i>
	<i>Flx.3 Withdrawal state due to psychoactive substance use</i>
	<i>Flx.4 Withdrawal state with delirium due to psychoactive substance use</i>
	<i>Flx.5 Psychotic disorder due to psychoactive substance use,</i>
	<i>.51 predominantly delusional</i>
	<i>.52 predominantly hallucinatory</i>
	<i>.53 predominantly polymorphic</i>
	<i>.54 predominantly depressive symptoms</i>
	<i>.55 predominantly manic symptoms</i>
	<i>.56 mixed</i>
294.4 With childbirth	F53.1 Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified
294.8 With other physical conditions	Specify the associated condition.
294.9 With unspecified physical condition	F04 Organic amnesic syndrome, not induced by alcohol or other psychoactive substances
	F05.8 Other delirium
	F06.8 Other mental disorders, due to brain damage and dysfunction and to physical disease
<u>295 Schizophrenia</u>	
295.0 Simple type	F20.6 Simple schizophrenia
295.1 Hebephrenic type	F20.1 Hebephrenic schizophrenia
295.2 Catatonic type	F20.2 Catatonic schizophrenia

ICD-8		ICD-10	
295.3	Paranoid type	F20.0	Paranoid schizophrenia
295.4	Acute schizophrenic episode	F23.2	Acute schizophrenia-like psychotic disorder
		F23.1	Acute polymorphic psychotic disorder with symptoms of schizophrenia
		Consider also:	
		F20.8	Other schizophrenia
295.5	Latent schizophrenia	F21	Schizotypal disorder
295.6	Residual schizophrenia	F20.5	Residual schizophrenia
295.7	Schizo-affective type	F25.-	Schizoaffective disorders
295.8	Other specified types of schizophrenia	F20.8	Other schizophrenia
	<i>Atypical schizophrenia</i>	F20.9	<i>Unspecified schizophrenia</i>
295.9	Unspecified type	F20.9	Unspecified schizophrenia
	<i>Schizophrenic reaction</i>	F23.2	<i>Acute schizophrenia-like psychotic disorder</i>
	<i>Schizophreniform psychosis NOS</i>	F23.2	<i>Acute schizophrenia-like psychotic disorder</i>
		F23.1	<i>Acute polymorphic psychotic disorder with symptoms of schizophrenia</i>
		Consider also:	
		F20.8	<i>Other schizophrenia</i>
<u>296</u>	<u>Affective psychoses</u>		
296.0	Involuntional melancholia	F32.2	Severe depressive episode without psychotic symptoms
		F32.3	Severe depressive episode with psychotic symptoms
		F33.2	Recurrent depressive disorder current episode severe without psychotic symptoms
		F33.3	Recurrent depressive disorder, current episode severe with psychotic symptoms

ICD-8		ICD-10	
296.1	Manic-depressive psychosis, manic type	F30.-	Manic episode (single episode)
		F31.1	Bipolar affective disorder, current episode manic without psychotic symptoms
		F31.2	Bipolar affective disorder, current episode manic with psychotic symptoms
		F31.8	Other bipolar affective disorder
296.2	Manic-depressive psychosis, depressed type	F32.-	Depressive episode (single episode)
		F33.-	Recurrent depressive disorder
296.3	Manic-depressive psychosis, circular type	F31.-	Bipolar affective disorder
296.8	Other affective psychoses	F30.8	Other manic episodes
		F31.8	Other bipolar affective disorders
		F32.8	Other depressive episodes
		F33.8	Other recurrent depressive disorders
		F38.-	Other mood [affective] disorders
		F25	Schizoaffective disorders
296.9	Unspecified affective psychosis	F39	Unspecified mood [affective] disorder
<u>297</u>	<u>Paranoid states</u>		
297.0	Paranoia	F22.0	Delusional disorder
297.1	Involucional paraphrenia	F20.0	Paranoid schizophrenia
		F22.8	Other persistent delusional disorders
	<i>Late paraphrenia</i>	F20.0	<i>Paranoid schizophrenia</i>
		F22.0	<i>Delusional disorder</i>
297.9	Other paranoid states	F22.0	Delusional disorder
		F22.8	Other persistent delusional disorders
	<i>Folie à deux</i>	F24	<i>Induced delusional disorder</i>

ICD-8	ICD-10
298 <u>Other psychoses</u>	
298.0 Reactive depressive psychosis	F32.- Depressive episodes F33.- Recurrent depressive disorder Consider also: F41.2 Mixed anxiety and depressive disorder F43.2 Adjustment disorders .20 brief depressive reaction .21 prolonged depressive reaction .22 mixed anxiety and depressive reaction .25 with mixed disturbance of emotions and conduct
298.1 Reactive excitation	F23.81 Other acute and transient psychotic disorders, with associated acute stress F30.- Manic episode
298.2 Reactive confusion	F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia, with associated acute stress F23.11 Acute polymorphic psychotic disorder with symptoms of schizophrenia, with associated acute stress F23.81 Other acute and transient psychotic disorder, with associated acute stress F44.1 Dissociative fugue F44.2 Dissociative stupor F44.80 Ganser's syndrome F44.81 Multiple personality disorder F43.0 Acute stress reaction
298.3 Acute paranoid reaction	F23.31 Other acute predominantly delusional psychotic disorders, with associated acute stress F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia, with associated acute stress

ICD-8	ICD-10
	F23.11 Acute polymorphic psychotic disorder with symptoms of schizophrenia, with associated acute stress
	F23.21 Acute schizophrenia-like psychotic disorder, with associated acute stress
298.9 Reactive psychosis, unspecified	F23.91 Acute and transient psychotic disorders with associated acute stress, unspecified
	F22.9 Persistent delusional disorder, unspecified
<u>299 Unspecified psychosis</u>	F29 Unspecified nonorganic psychosis
	F99 Unspecified mental disorder
<u>300 Neuroses</u>	
300.0 Anxiety neurosis	F41.- Other anxiety disorders Consider also: F40.0 Agoraphobia .00 without panic disorder .01 with panic disorder
	F43.22 Mixed anxiety and depressive reaction
300.1 Hysterical neurosis	F44.- Dissociative disorders F45.0 Somatization disorder F45.1 Undifferentiated somatoform disorder F45.3 Somatoform autonomic dysfunction F45.4 Persistent somatoform pain disorder Consider also: F43.23 Adjustment reaction with predominant disturbance of other emotions
	F68.0 <i>Elaboration of physical symptoms for psychological reasons</i>
300.2 Phobic neurosis	F40.- Phobic anxiety disorders
<i>Anxiety hysteria</i>	F41.8 <i>Other specified anxiety disorders</i>

ICD-8		ICD-10	
300.3	Obsessive-compulsive neurosis	F42.-	Obsessive-compulsive disorder
300.4	Depressive neurosis	F34.1	Dysthymia
		F32.0	Mild depressive episode
		F33.0	Recurrent depressive disorder, current episode mild
		F41.2	Mixed anxiety and depressive disorder
		F43.21	Adjustment reaction, prolonged depressive reaction
300.5	Neurasthenia	F48.0	Neurasthenia
300.6	Depersonalization syndrome	F48.1	Depersonalization - derealization syndrome
300.7	Hypochondriacal neurosis	F45.2	Hypochondriacal disorder
300.8	Other specified neuroses	F48.8	Other specified neurotic disorders
300.9	Unspecified neurosis	F48.9	Neurotic disorder, unspecified
<u>301</u>	<u>Personality disorders</u>		
301.0	Paranoid personality disorder	F60.0	Paranoid personality disorder
	<i>Paranoid traits</i>	Z73.1	<i>Accentuated pers. traits</i>
301.1	Affective personality disorder	F34.-	Persistent mood [affective] disorders
301.2	Schizoid personality disorder	F60.1	Schizoid personality disorder
301.3	Explosive personality disorder	F60.3	Emotionally unstable personality disorder
301.4	Anankastic personality disorder	F60.5	Anankastic personality disorder
301.5	Hysterical personality disorder	F60.4	Histrionic personality disorder
301.6	Asthenic personality disorder	F60.7	Dependent personality disorder
301.7	Antisocial personality disorder	F60.2	Dissocial personality disorder

ICD-8		ICD-10	
301.8	Other personality disorders	F60.6	Anxious [avoidant] personality disorder
		F60.8	Other specific personality disorders
		F61	Mixed and other personality disorders
301.9	Unspecified personality disorder	F60.9	Personality disorder, unspecified
<u>302</u>	<u>Sexual deviation</u>		
302.0	Homosexuality		No equivalent code
302.1	Fetischism	F65.0	Fetishism
		F65.1	Fetishistic transvestism
302.2	Paedophilia	F65.4	Paedophilia
302.3	Transvestitism	F65.1	Fetishistic transvestism
		F64.1	Dual role transvestism
302.4	Exhibitionism	F65.2	Exhibitionism
302.8	Other sexual deviation	F64.8	Other gender identity disorders
		F65.8	Other disorders of sexual preference
	<i>Masochism/sadism</i>	F65.5	<i>Sado-masochism</i>
	<i>Trans-sexualism</i>	F64.0	<i>Transsexualism</i>
	<i>Voyeurism</i>	F65.3	<i>Voyeurism</i>
	<i>Nymphomania</i>	F52.7	<i>Excessive sexual drive</i>
302.9	Unspecified sexual deviation	F64.9	Gender identity disorder, unspecified
		F65.9	Disorder of sexual preference, unspecified
<u>303</u>	<u>Alcoholism</u>		
303.0	Episodic excessive drinking	F10.1	Harmful use of alcohol
		F10.26	Alcohol dependence syndrome, episodic use

ICD-8		ICD-10	
303.1	Habitual excessive drinking	F10.1	Harmful use of alcohol
303.2	Alcoholic addiction	F10.2	Alcohol dependence syndrome
303.9	Other and unspecified alcoholism	F10.8	Other mental and behavioural
		F10.9	Unspecified mental and behavioural disorder due to use of alcohol
			Consider also:
		F10.0	Acute alcohol intoxication
<u>304</u>	<u>Drug dependence</u>	F1x.2	Dependence syndrome due to use of
304.0	Opium, opium alkaloids) and their derivatives)	F11.2	... opioids
304.1	Synthetic analgesics with) morphine-like effects)		
304.2	Barbiturates)	F13.2	... sedatives or hypnotics
304.3	Other hypnotics and) sedatives or tranquillizers)		
304.4	Cocaine	F14.2	... cocaine
304.5	Cannabis sativa	F12.2	... cannabinoids
304.6	Other psycho-stimulants	F15.2	... other stimulants
304.7	Hallucinogenics	F16.2	... hallucinogens
304.8	Other and combined drugs	F18.2	Dependence syndrome due to use of volatile solvents
		F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.9	Unspecified drug dependence	F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
<u>305</u>	<u>Physical disorders of presumably psychogenic origin</u>		Consider also
		F68.0	Elaboration of physical symptoms for psychological reasons
305.0	Skin	F45.8	Other somatoform disorders

ICD-8		ICD-10	
305.1	Musculoskeletal	F45.8	Other somatoform disorders
305.2	Respiratory	F45.33	Somatoform autonomic dysfunction of the respiratory system
305.3	Cardiovascular	F45.30	Somatoform autonomic dysfunction of the heart and cardiovascular system
305.4	Haemic and lymphatic	F45.8	Other somatoform disorders
305.5	Gastrointestinal	F45.31	Somatoform autonomic dysfunction of the upper gastro-intestinal tract
		F45.32	Somatoform autonomic dysfunction of the lower gastro-intestinal tract
	<i>Psychogenic cyclical vomiting</i>	F50.5	<i>Vomiting associated with other psychological disturbances</i>
305.6	Genitourinary	F45.34	Somatoform autonomic dysfunction of the urogenital system
	<i>Psychogenic</i>		
	<i>. dysmenorrhoea</i>	F45.8	<i>Other somatoform disorders</i>
	<i>. disorders of sexual function</i>	F52.-	<i>Sexual dysfunction, not caused by organic disorder or disease</i>
	<i>. dyspareunia</i>	F52.6	<i>Nonorganic dyspareunia</i>
	<i>. frigidity</i>	F52.0	<i>Lack or loss of sexual desire</i>
	<i>. impotence</i>	F52.2	<i>Failure of genital response</i>
305.7	Endocrine	F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere
305.8	Organs of special sense	F45.8	Other somatoform disorders
305.9	Other physical disorders of presumably psychogenic origin	F45.8	Other somatoform disorders
		F68.0	Elaboration of physical symptoms for psychological reasons

ICD-8		ICD-10	
306	<u>Special symptoms not elsewhere classified</u>		
306.0	Speech disturbances	F80.-	Specific developmental disorders of speech and language
		F98.5	Stuttering
		F98.6	Cluttering
306.1	Specific learning disturbance	F81.-	Specific developmental disorders of scholastic skills
306.2	Tics	F95.-	Tic disorders
306.3	Other psychomotor disorders	F82	Specific developmental disorder of motor function
		F83	Mixed specific developmental disorder
		F98.4	Stereotyped movement disorder
		F44.4	Dissociative motor disorders
306.4	Specific disorders of sleep	F51.-	Nonorganic sleep disorders
306.5	Feeding disturbances	F50.-	Eating disorders
		F98.2	Feeding disorder of infancy and childhood
		F98.3	Pica of infancy and childhood
306.6	Enuresis	F98.0	Nonorganic enuresis
306.7	Encopresis	F98.1	Nonorganic encopresis
306.8	Cephalalgia	F45.4	Persistent somatoform pain disorder
	<i>Tension headaches</i>	G44.2	<i>Tension headache</i>
306.9	Other special symptoms not elsewhere classified	F98.8	Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
		F88	Other disorders of psychological development
		R40-R46	Symptoms and signs involving cognition, perception, emotional state and behaviour

ICD-8	ICD-10
<u>307</u> <u>Transient situational disturbances</u>	F43.2 Adjustment disorders Consider also: F43.0 Acute stress reaction F43.8 Other reactions to severe stress F43.9 Reaction to severe stress, unspecified
<u>308</u> <u>Behaviour disorders of childhood</u>	
308.0 Infantile autism	F84.0 Childhood autism F84.1 Atypical autism F84.2 Rett's syndrome F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome
308.1 Conduct disorders of childhood	F91.- Conduct disorders
308.2 Mixed conduct-neurotic behaviour disorders of childhood	F92.- Mixed disorders of conduct and emotions
308.3 Hyperkinetic syndrome of childhood	F90.- Hyperkinetic disorders F84.4 Overactive disorder associated with mental retardation and stereotyped movements
308.4 Adjustment reaction of childhood <i>Night terrors</i>	F43.2 Adjustment disorders F51.4 <i>Sleep terrors</i>
<u>309</u> <u>Mental disorders not specified as psychotic associated with physical conditions</u>	Note: Use an additional code to specify the associated conditions. F06.32 Organic depressive disorder F06.4 Organic anxiety disorder F06.5 Organic dissociative disorder F06.6 Organic emotionally labile (asthenic) disorder F06.7 Mild cognitive disorder F07.0 Organic personality disorder
309.0 With intracranial infections	Consider also: F07.1 Post-encephalitic syndrome
309.1 With drug, poison or systemic intoxication	Consider also: Flx.70 Flashbacks Flx.71 Personality or behaviour disorder due to use of psychoactive substances

ICD-8	ICD-10
	Flx.72 Residual affective disorder due to use of psychoactive substances
309.2 With brain trauma	Consider also: F07.2 Postconcussional syndrome
309.3 With circulatory disturbance	
309.4 With epilepsy	
309.5 With disturbances of metabolism, growth, or nutrition	
309.6 With senile or presenile brain disease	
309.7 With intracranial neoplasm	
309.8 With degenerative diseases of central nervous system	
309.9 With other and unspecified physical condition	F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease F09 Unspecified organic or symptomatic mental disorders F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors
<u>310 Borderline mental retardation</u>	R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness
<u>311 Mild mental retardation</u>	F70 Mild mental retardation
<u>312 Moderate mental retardation</u>	F71 Moderate mental retardation
<u>313 Severe mental retardation</u>	F72 Severe mental retardation
<u>314 Profound mental retardation</u>	F73 Profound mental retardation

ICD-8	ICD-10
<u>319 Unspecified mental retardation</u>	F79 Unspecified mental retardation
The following 4-digit subdivisions may be used with categories 310-315:	Note: Use an additional code to specify the underlying or associated conditions:
.0 following infections and intoxications	B90-B94 Sequelae of infectious and parasitic diseases
	A50.- Congenital syphilis
	P35.- Congenital viral diseases
	P37.- Other congenital infectious and parasitic diseases
	T51-T65 Toxic effects of substances chiefly nonmedicinal as to source
.1 following trauma or physical agents	O70-071 Obstetric trauma
	P10-P15 Birth trauma
	T90.5 Sequelae of intracranial injury (S06.-)
	T97 Sequelae of toxic effects of nonmedical substances (T51-T65)
	T98.3 Sequelae of complications of surgical and medical care not elsewhere classified (T80-T88)
.2 associated with disorders of metabolism, growth or nutrition	E00-E34 Endocrine disorders
	E64.- Sequelae of malnutrition and other nutritional deficiency
	E70-E90 Metabolic disorders
.3 associated with gross brain disease (postnatal)	G11.- Hereditary ataxia
	G35-G37 Demyelinating diseases of the central nervous system
.4 associated with diseases and conditions due to (unknown) prenatal influence	Q00-Q07 Congenital malformations of the nervous system
.5 associated with chromosomal abnormalities	Q90-Q99 Chromosomal abnormalities
.6 associated with prematurity	P07.- Disorders related to short gestation and low birth weight

ICD-8	ICD-10
.7 following major psychiatric disorder	F84.- Pervasive developmental disorders
.8 associated with psychosocial (environmental) deprivation	T74 Maltreatment syndrome .0 Neglect or abandonment
	Z61.- Problems related to negative life events in childhood
	Z62.- Other problems related to upbringing
.9 other and unspecified	F79 Unspecified mental retardation

CONVERSION TABLE II BETWEEN CHAPTER V (MENTAL DISORDERS)
OF THE ICD-9 AND CHAPTER V, MENTAL AND BEHAVIOURAL DISORDERS OF THE ICD-10

ICD-9	ICD-10
<u>290 Senile and presenile organic psychotic conditions</u>	
290.0 Senile dementia, simple type	F00.1* Dementia in Alzheimer disease, late onset (G30.1+)
290.1 Presenile dementia	F00.0* Dementia in Alzheimer disease, early onset (G30.0+)
<i>Dementia in:</i>	
. Jakob-Creutzfeldt disease	F02.1* Dementia in Creutzfeldt-Jakob disease (A81.0+)
. Pick's disease	F02.0* Dementia in Pick disease (G31.0+)
290.2 Senile dementia, depressed or paranoid type	F00.1* Dementia in Alzheimer disease, late onset .13 with other predominantly depressive symptoms .11 with other predominantly delusional symptoms F00.2* Dementia in Alzheimer disease, atypical or mixed type (G30.8+) .23 with other predominantly depressive symptoms .21 with other predominantly delusional symptoms
290.3 Senile dementia with acute confusional state	Use two codes: F05.1 Delirium, superimposed on dementia plus: F00.1* Dementia in Alzheimer disease, late onset (G30.1+) or F00.2* Dementia in Alzheimer's disease, atypical or mixed type (F30.8+)

ICD-9		ICD-10	
290.4	Arteriosclerotic dementia	F01.1	Multi infarct dementia
		F01.0	Vascular dementia of acute onset
		F01.2	Subcortical vascular dementia
		F01.3	Mixed cortical and subcortical vascular dementia
		F01.8	Other vascular dementia
290.8	Other	F00.24	Dementia in Alzheimer disease atypical or mixed type with other mixed symptoms
		F01.8	Other vascular dementia
		F02.8	Dementia in other diseases classified elsewhere
290.9	Unspecified	F03	Unspecified dementia
<u>291</u>	<u>Alcoholic psychoses</u>		
291.0	Delirium tremens	F10.4	Withdrawal state with delirium due to use of alcohol
291.1	Korsakov's psychosis, alcoholic	F10.6	Amnesic syndrome due to use of alcohol
291.2	Other alcoholic dementia	F10.73	Dementia due to use of alcohol
291.3	Other alcoholic hallucinosis	F10.52	Psychotic disorder due to use of alcohol, predominantly hallucinatory
291.4	Pathologic drunkenness	F10.07	Pathological intoxication due to use of alcohol
291.5	Alcoholic jealousy	F10.51	Psychotic disorder due to use of alcohol, predominantly delusional
291.8	Other alcoholic psychoses	F10.8	Other mental and behavioural disorder due to use of alcohol
		F10.56	Psychotic disorder due to use of alcohol, mixed
		F10.75	Late-onset psychotic disorder due to use of alcohol
	<i>Alcohol withdrawal syndrome</i>	F10.3	<i>Withdrawal state due to use of alcohol</i>

ICD-9		ICD-10	
291.9	Unspecified	F10.9	Unspecified mental and behavioural disorder due to use of alcohol
	<i>Alcoholic</i>	F10.55	<i>Psychotic disorder due to use of alcohol, predominantly manic</i>
	. mania NOS	F10.56	<i>Psychotic disorder due to use of alcohol, mixed</i>
	. psychosis NOS		
292	<u>Drug psychoses</u>		
292.0	Drug withdrawal syndrome	Flx.3	Withdrawal state due to psychoactive substance use
		Flx.4	Withdrawal state with delirium due to psychoactive substance use
292.1	Paranoid and/or hallucinatory states induced by drugs	Flx.5	Psychotic disorder due to psychoactive substance use, .51 predominantly delusional .52 predominantly hallucinatory
292.2	Pathological drug intoxication	Flx.07	Pathological intoxication due to psychoactive substance use
292.8	Other	Flx.5	Psychotic disorder due to psychoactive substance use .50 schizophrenia-like .53 predominantly polymorphic .54 predominantly depressive symptoms .55 predominantly manic symptoms .56 mixed
		Flx.7	Residual and late-onset psychotic disorder due to use of psychoactive substance use
292.9	Unspecified	Flx.9	Unspecified mental and behavioural disorder due to psychoactive substance use

ICD-9	ICD-10
<u>293</u>	<u>Transient organic psychotic conditions</u>
293.0	Acute confusional state
	F05.0 Delirium, not superimposed on dementia, so described
	Consider also:
	F05.8 Other delirium
	F05.9 Unspecified delirium
	<i>Epileptic twilight state</i>
	F06.5 Organic dissociative disorder
293.1	Subacute confusional state
	F05.8 Other delirium
	Consider also:
	F05.0 Delirium, not superimposed on dementia, so described
	F05.9 Unspecified delirium
293.8	Other
	F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease
	F06.0 Organic hallucinosis
	F06.1 Organic catatonic disorder
	F06.2 Organic delusional disorders
	F06.3 Organic mood disorders
293.9	Unspecified
	F06.9 Unspecified mental disorders due to brain damage and dysfunction and to physical disease
	F05.9 Delirium, unspecified
	F09 Unspecified organic or symptomatic mental disorder
<u>294</u>	<u>Other organic psychotic conditions (chronic)</u>
294.0	Korsakov's psychosis or syndrome (nonalcoholic)
	F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances
	Flx.6 Amnesic syndrome due to psychoactive substances, other than alcohol
294.1	Dementia in conditions classified elsewhere
	F02.* Dementia in other diseases classified elsewhere

ICD-9	ICD-10
294.8 Other	F06.0 Organic hallucinosis F06.1 Organic catatonic disorder F06.2 Organic delusional disorder F06.3 Organic mood [affective] disorder F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease
294.9 Unspecified	F06.9 Unspecified mental disorder, due to brain damage and dysfunction and to physical disease F09 Unspecified organic or symptomatic mental disorder
<u>295 Schizophrenic psychoses</u>	
295.0 Simple type	F20.6 Simple schizophrenia
295.1 Hebephrenic type	F20.1 Hebephrenic schizophrenia
295.2 Catatonic type	F20.2 Catatonic schizophrenia
295.3 Paranoid type	F20.0 Paranoid schizophrenia
295.4 Acute schizophrenic episode	F23.2 Acute schizophrenia-like psychotic disorder F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia F20.8 Other schizophrenia
295.5 Latent schizophrenia	F21 Schizotypal disorder
295.6 Residual schizophrenia	F20.5 Residual schizophrenia
295.7 Schizo-affective type	F25.- Schizoaffective disorders
295.8 Other	F20.8 Other schizophrenia
295.9 Unspecified	F20.9 Schizophrenia, unspecified
<i>Schizophrenic reaction</i>	F23.2 <i>Acute schizophrenia-like psychotic disorder</i>

ICD-9	ICD-10
<i>Schizophreniform psychosis NOS</i>	F23.2 <i>Acute schizophrenia-like psychotic disorder</i> F23.1 <i>Acute polymorphic psychotic disorder with symptoms of schizophrenia</i> Consider also: F20.8 <i>Other schizophrenia</i>
<u>296 Affective psychoses</u>	
296.0 Manic-depressive psychosis, manic type	F30.- Manic episode (single episode) F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms F31.8 Other bipolar affective disorder
296.1 Manic-depressive psychosis, depressed type	F32.- Depressive episode (single episode) F33.- Recurrent depressive disorder
296.2 Manic depressive psychosis, circular type but currently manic	F31.0 Bipolar affective disorder, current episode hypomanic F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms
296.3 Manic-depressive psychosis circular type but currently depressed	F31.3 Bipolar affective disorder, current episode mild or moderate depression F31.4 Bipolar affective disorder current episode severe depression without psychotic symptoms F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms
296.4 Manic-depressive psychosis, circular type, mixed	F31.6 Bipolar affective disorder, current episode mixed F38.00 Mixed affective episode (single)

ICD-9		ICD-10	
296.5	Manic-depressive psychosis, circular type, current condition not specified	F31.9	Bipolar affective disorder, unspecified
296.6	Manic-depressive psychosis, other and unspecified	F31.8	Other bipolar affective disorder
		F31.9	Bipolar affective disorder, unspecified
		F25.-	Schizoaffective disorders
296.8	Other	F25.-	Schizoaffective disorders
		F30.8	Other manic episodes
		F31.8	Other bipolar affective disorders
		F32.8	Other depressive episodes
		F33.8	Other recurrent depressive disorders
		F38.8	Other mood [affective] disorders
296.9	Unspecified	F39	Unspecified mood [affective] disorder
<u>297</u>	<u>Paranoid states</u>		
297.0	Paranoid state, simple	F22.0	Delusional disorder
297.1	Paranoia	F22.0	Delusional disorder
297.2	Paraphrenia	F22.0	Delusional disorder
	<i>Involuntional paranoid state</i>	F22.8	<i>Other persistent delusional disorders</i>
297.3	Induced psychosis	F24	Induced delusional disorder
297.8	Other	F22.8	Other persistent delusional disorders
	<i>Sensitiver Beziehungswahn</i>	F22.0	<i>Delusional disorder</i>
297.9	Unspecified	F22.0	Persistent delusional disorder, unspecified
<u>298</u>	<u>Other nonorganic psychosis</u>		
298.0	Depressive type	F32.-	Depressive episodes
		F33.-	Recurrent depressive disorder
			Consider also:
		F41.2	Mixed anxiety and depressive disorder

ICD-9	ICD-10
	F43.2 Adjustment disorders .20 brief depressive reaction .21 prolonged depressive reaction .22 mixed anxiety and depressive reaction .25 with mixed disturbance of emotions and conduct
298.1 Excitative type	F23.81 Other acute and transient psychotic disorders, with associated acute stress F30.- Manic episode
298.2 Reactive confusion	F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia with associated acute stress F23.11 Acute polymorphic psychotic disorder with symptoms of schizophrenia with associated acute stress F23.81 Other acute and transient psychotic disorder, with associated acute stress F44.1 Dissociative fugue F44.2 Dissociative stupor F44.80 Ganser's syndrome F43.0 Acute stress reaction
298.3 Acute paranoid reaction	F23.31 Other acute predominantly delusional psychotic disorders, with associated acute stress F23.01 Acute polymorphic psychotic disorder without symptoms of schizophrenia with associated acute stress F23.11 Acute polymorphic psychotic disorder with symptoms of schizophrenia with associated acute stress F23.21 Acute schizophrenia-like psychotic disorder, with associated acute stress

ICD-9	ICD-10
298.4 Psychogenic paranoid psychosis	F23.31 Other acute predominantly delusional psychotic disorders, with associated acute stress F22.0 Delusional disorder F22.8 Other persistent delusional disorders F24 Induced delusional disorder
298.8 Other and unspecified reactive psychosis	F23.21 Acute schizophrenia-like psychotic disorder, with associated acute stress F23.81 Other acute and transient psychotic disorders, with associated acute stress F23.91 Acute and transient psychotic disorder, with associated acute stress, unspecified
298.9 Unspecified psychosis	F29 Unspecified nonorganic psychosis F99 Unspecified mental disorder
<u>299 Psychoses with origin specific to childhood</u>	
299.0 Infantile autism	F84.0 Childhood autism F84.1 Atypical autism F84.2 Rett's syndrome
299.1 Disintegrative psychosis	F84.3 Other childhood disintegrative disorder
299.8 Other	F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorder
299.9 Unspecified	F84.9 Pervasive developmental disorder, unspecified
<i>Schizophrenia, childhood type</i>	F20.8 <i>Other schizophrenia</i>

ICD-9	ICD-10
300 <u>Neurotic disorders</u>	
300.0 Anxiety states	F41.- Other anxiety disorders Consider also: F40.0 Agoraphobia .00 without panic disorder .01 with panic disorder F43.22 Mixed anxiety and depressive reaction
<i>Panic attack or disorder</i>	F41.0 <i>Panic disorder</i>
300.1 Hysteria	F44.- Dissociative disorders F45.0 Somatization disorder F45.1 Undifferentiated somatoform disorder F45.3 Somatoform autonomic dysfunction F45.4 Persistent somatoform pain disorder Consider also: F43.23 Adjustment reaction with predominant disturbance of other emotions
<i>Compensation neurosis</i>	F68.0 <i>Elaboration of physical symptoms for psychological reasons</i>
300.2 Phobic state	F40.- Phobic anxiety disorders
<i>Anxiety hysteria</i>	F41.8 <i>Other specified anxiety disorders</i>
300.3 Obsessive-compulsive disorders	F42.- Obsessive-compulsive disorder
300.4 Neurotic depression	F34.1 Dysthymia F32.0 Mild depressive episode F33.0 Recurrent depressive disorder, current episode mild F43.21 Adjustment reaction, prolonged depressive reaction
<i>Anxiety depression</i>	F41.2 <i>Mixed anxiety and depressive disorder</i>

ICD-9		ICD-10	
	<i>Depressive reaction</i>)	F32.0	<i>Mild depressive episode</i>
	<i>Reactive depression</i>)	F32.8	<i>Other depressive episodes</i>
		F33.0	<i>Recurrent depressive disorder, current episode mild</i>
		F43.20	<i>Brief depressive reaction</i>
		F43.21	<i>Prolonged depressive reaction</i>
300.5	Neurasthenia	F48.0	Neurasthenia
300.6	Depersonalization syndrome	F48.1	Depersonalization - derealization syndrome
300.7	Hypochondriasis	F45.2	Hypochondriacal disorder
300.8	Other neurotic disorders	F48.8	Other specified neurotic disorders
300.9	Unspecified	F48.9	Neurotic disorder, unspecified
		F99	Mental disorder, not otherwise specified
301	<u>Personality disorders</u>		
301.0	Paranoid personality disorder	F60.0	Paranoid personality disorder
	<i>Paranoid traits</i>	Z73.1	<i>Accentuated pers. traits</i>
301.1	Affective personality disorder	F34.0	Cyclothymia
		F34.1	Dysthymia
		F60.8	Other specific personality disorders
301.2	Schizoid personality disorder	F60.1	Schizoid personality disorder
301.3	Explosive personality disorder	F60.3	Emotionally unstable personality disorder
301.4	Anankastic personality disorder	F60.5	Anankastic personality disorder
301.5	Hysterical personality disorder	F60.4	Histrionic personality disorder
301.6	Asthenic personality disorder	F60.7	Dependent personality disorder
301.7	Personality disorder with predominantly sociopathic or asocial manifestation	F60.2	Dissocial personality disorder

ICD-9		ICD-10	
301.8	Other personality disorders	F60.6	Anxious [avoidant] personality disorder
		F60.8	Other specific personality disorders
		F61	Mixed and other personality disorders
301.9	Unspecified	F60.9	Personality disorder, unspecified
302	<u>Sexual deviations and disorders</u>		
302.0	Homosexuality		No equivalent code
302.1	Bestiality	F65.8	Other disorder of sexual preference
302.2	Paedophilia	F65.4	Paedophilia
302.3	Transvestism	F65.1	Fetishistic transvestism
		F64.1	Dual role transvestism
302.4	Exhibitionism	F65.2	Exhibitionism
302.5	Trans-sexualism	F64.0	Transsexualism
302.6	Disorders of psychosexual identity	F64.2	Gender identity disorder of childhood
		F64.8 and .9	Gender identity disorder, other and unspecified
302.7	Frigidity and impotence	F52.0	Lack or loss of sexual desire
		F52.2	Failure of genital response
	<i>Dyspareunia, psychogenic</i>	F52.6	<i>Nonorganic dyspareunia</i>
		F52.5	<i>Nonorganic vaginism</i>
302.8	Other	F64.8	Other gender identity disorders
		F65.8	Other disorders of sexual preference
		F52.8	Other sexual dysfunction, not caused by organic disorder or disease
	<i>Fetishism</i>	F65.0	<i>Fetishism</i>
	<i>Masochism/sadism</i>	F65.5	<i>Sado-masochism</i>

ICD-9		ICD-10	
302.9	Unspecified	F64.9	Gender identity disorder, unspecified
		F65.9	Disorder of sexual preference, unspecified
		F52.9	Unspecified sexual dysfunction not caused by organic disorder or disease
<u>303</u>	<u>Alcohol dependence syndrome</u>	F10.2	Dependence syndrome due to use of alcohol
<u>304</u>	<u>Drug dependence</u>		
304.0	Morphine type	F11.2	Dependence syndrome due to use of opioids
304.1	Barbiturate type	F13.2	Dependence syndrome due to use of sedatives or hypnotics
304.2	Cocaine	F14.2	Dependence syndrome due to use of cocaine
304.3	Cannabis	F12.2	Dependence syndrome due to use of cannabinoids
304.4	Amphetamine-type and other psychostimulants	F15.2	Dependence syndrome due to use of other stimulants, including caffeine
304.5	Hallucinogens	F16.2	Dependence syndrome due to use of hallucinogens
304.6	Other	F18.2	Dependence syndrome due to use of volatile solvents
		F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.7	Combinations of morphine type drug with any other	F19.2	Dependence syndrome due to multiple drug use and use of other psychoactive substances
304.8	Combinations excluding morphine type drug		
304.9	Unspecified		

ICD-9		ICD-10	
305	<u>Nondependent abuse of drugs</u>		
305.0	Alcohol	F10.1	Harmful use of alcohol
		F10.0	Acute intoxication due to use of alcohol
305.1	Tobacco	F17.1	Harmful use of tobacco
	<i>Tobacco dependence</i>	F17.2	<i>Dependence syndrome due to use of tobacco</i>
	Note: although contradictory to the title of 305, ICD-9 includes tobacco dependence here.		
305.2	Cannabis	F12.1	Harmful use of cannabinoids
		F12.0	Acute intoxication due to use of cannabinoids
305.3	Hallucinogens	F16.1	Harmful use of hallucinogens
		F16.0	Acute intoxication due to use of hallucinogens
305.4	Barbiturates and tranquilizers	F13.1	Harmful use of sedatives sedatives or hypnotics
		F13.0	Acute intoxication due to use of sedatives or hypnotics
305.5	Morphine type	F11.1	Harmful use of opioids
		F11.0	Acute intoxication due to use of opioids
305.6	Cocaine type	F14.1	Harmful use of cocaine
		F14.0	Acute intoxication due to use of cocaine
305.7	Amphetamine type	F15.1	Harmful use of other stimulants,
		F15.0	Acute intoxication due to use of other stimulants
305.8	Antidepressants	F55	Abuse of substances, not producing dependence
305.9	Other, mixed or unspecified	F19.1	Abuse of multiple or other psychoactive substances
		F55	Abuse of substances, not producing dependence

ICD-9	ICD-10
<u>306</u> <u>Physiological malfunction arising from mental factors</u>	Consider also: F68.0 Elaboration of physical symptoms for psychological reasons
306.0 Musculoskeletal	F45.8 Other somatoform disorders
306.1 Respiratory	F45.33 Somatoform autonomic dysfunction of respiratory system
306.2 Cardiovascular	F45.30 Somatoform autonomic dysfunction of heart and cardiovascular system
306.3 Skin	F45.8 Other somatoform disorders
306.4 Gastrointestinal	F45.31 Somatoform autonomic dysfunction of upper gastro-intestinal tract F45.32 Somatoform autonomic dysfunction of lower gastro-intestinal tract system
<i>Psychogenic cyclical vomiting</i>	F50.5 <i>Vomiting associated with other psychological disturbances</i>
306.5 Genitourinary	F45.3 Somatoform autonomic dysfunction of genitourinary system
<i>Psychogenic dysmenorrhoea</i>	F45.8 <i>Other somatoform disorders</i>
306.6 Endocrine	F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere
306.7 Organs of special sense	F45.8 Other somatoform disorders
306.8 Other	F45.8 Other somatoform disorders
306.9 Unspecified	F45.9 Somatoform disorders, unspecified
<u>307</u> <u>Special symptoms or syndromes not elsewhere classified</u>	
307.0 Stammering and stuttering	F98.5 Stuttering
<i>Cluttering</i>	F98.6 <i>Cluttering</i>

ICD-9		ICD-10	
307.1	Anorexia nervosa	F50.0	Anorexia nervosa
		F50.1	Atypical anorexia nervosa
307.2	Tics	F95.-	Tic disorders
307.3	Stereotyped repetitive movements	F98.4	Stereotyped movement disorders
307.4	Specific disorders of sleep	F51.-	Nonorganic sleep disorders
307.5	Other and unspecified disorders of eating	F50.1	Atypical anorexia nervosa
		F50.2	Bulimia nervosa
		F50.3	Atypical bulimia nervosa
		F50.4	Over-eating associated with other psychological disturbances
		F50.5	Vomiting associated with other psychological disturbances
		F50.8	Other eating disorders
		F50.9	Eating disorder, unspecified
	<i>Infantile feeding disturbances</i>	F98.2	<i>Feeding disorder of infancy</i>
	<i>Pica (in children)</i>	F98.3	<i>Pica of infancy and childhood</i>
307.6	Enuresis	F98.0	Nonorganic enuresis
307.7	Encopresis	F98.1	Nonorganic encopresis
307.8	Psychalgia	F45.4	Persistent somatoform pain disorder
	<i>Tension headache</i>	G44.2	<i>Tension headache</i>
307.9	Other and unspecified	F98.8	Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
		F98.9	Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence
	<i>Lalling</i>	F80.0	<i>Specific speech articulation disorder</i>

ICD-9		ICD-10	
<u>308</u>	<u>Acute reaction to stress</u>		
308.0	Predominant disturbance of emotions	F43.0	Acute stress reaction
308.1	Predominant disturbance of consciousness	F43.0	Acute stress reaction
308.2	Predominant psychomotor disturbance	F43.0	Acute stress reaction
308.3	Other	F43.8	Other reactions to severe stress
308.4	Mixed	F43.0	Acute stress reaction
308.9	Unspecified	F43.9	Reaction to severe stress, unspecified
<u>309</u>	<u>Adjustment reaction</u>	F43.2	Adjustment disorders
309.0	Brief depressive reaction		.20 brief depressive reaction
309.1	Prolonged depressive reaction		.21 prolonged depressive reaction
309.2	With predominant disturbance of other emotions		.23 with predominant disturbance of other emotions
	<i>Abnormal separation anxiety</i>	F93.0	<i>Separation anxiety disorder of childhood</i>
309.3	With predominant disturbance of conduct	F43.2	Adjustment disorders .24 with predominant disturbance of conduct
309.4	With mixed disturbance of emotions and conduct		.25 with mixed disturbance of emotions and conduct
309.8	Other		.28 other specified adjustment disorders
309.9	Unspecified	F43.2	Adjustment disorders

ICD-9		ICD-10	
<u>310</u>	<u>Specific nonpsychotic mental disorders following organic brain damage</u>		
310.0	Frontal lobe syndrome	F07.0	Organic personality disorder
310.1	Cognitive or personality change of other type	F06.7	Mild cognitive disorder
		F07.8	Other organic personality and behaviour disorders
		F06.6	Organic emotionally labile [asthenic] disorder
310.2	Post concussional syndrome	F07.2	Post concussional syndrome
310.8	Other	F07.1	Postencephalitic syndrome
		F07.8	Other organic personality and behavioural disorders
		F06.4	Organic anxiety disorder
		F06.5	Organic dissociative disorder
310.9	Unspecified	F07.9	Organic personality and behaviour disorder, unspecified
<u>311</u>	<u>Depressive disorder, not elsewhere classified</u>	F32.9	Depressive episode, unspecified
		F33.9	Recurrent depressive disorder, unspecified
		F38.10	Recurrent brief depressive disorder
<u>312</u>	<u>Disturbance of conduct not elsewhere classified</u>		
312.0	Unsocialized disturbance of conduct	F91.1	Unsocialized conduct disorder
312.1	Socialized disturbance of conduct	F91.2	Socialized conduct disorder
312.2	Compulsive conduct disorder	F63.-	Habit and impulse disorders
312.3	Mixed disturbance of conduct and emotions	F92.-	Mixed disorders of conduct and emotions
312.8	Other	F91.0	Conduct disorder confined to the family context
		F91.3	Oppositional defiant disorder
		F91.8	Other conduct disorders

ICD-9		ICD-10	
312.9	Unspecified	F91.9	Conduct disorder, unspecified
<u>313</u>	<u>Disturbance of emotions specific to childhood and adolescence</u>		
313.0	With anxiety and fearfulness	F93.1	Phobic anxiety disorder of childhood
		F93.2	Social anxiety disorder of childhood
		F93.0	Separation anxiety disorder of childhood
	<i>Overanxious reaction of childhood</i>	F93.8	<i>Other childhood emotional disorders</i>
313.1	With misery and unhappiness	F32.0	Mild depressive episode
		F32.8	Other depressive episodes
		F43.20	Brief depressive reaction
		F43.21	Prolonged depressive reaction
		F92.0	Depressive conduct disorder
313.2	With sensitivity, shyness and social withdrawal	F93.2	Social anxiety disorder of of childhood
		F94.0	Elective mutism
313.3	Relationship problems	F93.3	Sibling rivalry disorder
		F94.1	Reactive attachment disorder of childhood
		F94.2	Disinhibited attachment disorder of childhood
313.8	Other or mixed	F93.8	Other childhood emotional disorders
313.9	Unspecified	F93.9	Childhood emotional disorder, unspecified
<u>314</u>	<u>Hyperkinetic syndrome of childhood</u>		
314.0	Simple disturbance of activity and attention	F90.0	Disturbance of activity and attention

ICD-9		ICD-10	
314.1	Hyperkinesis with developmental delay	F90.0	Disturbance of activity and attention plus additional code from F80-F83 for specific developmental disorder
314.2	Hyperkinetic conduct disorder	F90.1	Hyperkinetic conduct disorder
314.8	Other	F90.8	Other hyperkinetic disorders
314.9	Unspecified	F90.9	Hyperkinetic disorder, unspecified
<u>315</u>	<u>Specific delays in development</u>		
315.0	Specific reading retardation	F81.0	Specific reading disorder
315.1	Specific arithmetical retardation	F81.2	Specific disorder of arithmetical skills
315.2	Other specific learning difficulties	F81.8	Other developmental disorders of scholastic skills
315.3	Developmental speech or language disorder	F80.-	Specific developmental disorders of speech and language
315.4	Specific motor retardation	F82	Specific developmental disorder of motor function
315.5	Mixed developmental disorder	F83	Mixed specific developmental disorders
315.8	Other	F88	Other disorders of psychological development
315.9	Unspecified	F89	Unspecified disorder of psychological development
<u>316</u>	<u>Psychic factors associated with diseases classified elsewhere</u>	F54	Psychological and behavioural factors associated with disorders or diseases classified elsewhere
		F59	Unspecified behavioural syndromes associated with physiological disturbances and physical factors
		F68.0	Elaboration of physical symptoms for psychological reasons

ICD-9		ICD-10	
<u>317</u>	<u>Mild mental retardation</u>	F70	Mild mental retardation
<u>318</u>	<u>Other specified mental retardation</u>		
318.0	Moderate mental retardation	F71	Moderate mental retardation
318.1	Severe mental retardation	F72	Severe mental retardation
318.2	Profound mental retardation	F73	Profound mental retardation
<u>319</u>	<u>Unspecified mental retardation</u>	F79	Unspecified mental retardation

CONVERSION TABLE BETWEEN
ICD-10, ICD-9 and ICD-8
OF CHAPTER V MENTAL AND BEHAVIOURAL DISORDERS

ICD-10	ICD-9	ICD-8
F00* <u>Dementia in Alzheimer's disease</u> (G30.--)	(Use one of the following plus an additional code 331.0 for Alzheimer's disease)	
F00.0 with early onset	290.1 Presenile dementia	290.1 Pre-senile dementia
F00.1 with late onset	290.0 Senile dementia, simple type	290.0 Senile dementia
.10 without additional symptoms	290.2 Senile dementia, depressed or paranoid type	
.11 with other symptoms, predominantly delusional	No equivalent code	
.12 with other symptoms, predominantly hallucinatory	290.2 Senile dementia, depressed or paranoid type	
.13 with other symptoms, predominantly depressed	No equivalent code	
.14 with other mixed symptoms	290.2 Senile dementia, depressed or paranoid type	
F00.2 atypical or mixed	290.8 Other	290.- Senile and pre-senile dementia
F00.9 unspecified	290.0 Senile dementia, unspecified	290.- Senile and pre-senile dementia
F01 <u>Vascular dementia</u>		
F01.0 Vascular dementia of acute onset	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with other cerebrovascular disturbances

	ICD-10	ICD-9	ICD-8
F01.1	Multi-infarct dementia	290.4 Arteriosclerotic dementia))	293.0 Psychosis associated with cerebral arteriosclerosis
F01.2	Subcortical vascular dementia	290.4 Arteriosclerotic dementia))	
F01.3	Mixed cortical and subcortical vascular dementia	290.4 Arteriosclerotic dementia))	
F01.8	Other vascular dementia	290.4 Arteriosclerotic dementia	293.1 Psychosis associated with other cerebrovascular disturbances
F01.9	Vascular dementia, unspecified	290.4 Arteriosclerotic dementia	No equivalent code
<u>F02*</u>	<u>Dementia in other diseases classified elsewhere</u>		
F02.0*	Dementia in Pick's disease (G31.0+)	290.1 Presenile dementia plus 331.1 Pick's disease	290.1 Pre-senile dementia
		For the following sub-categories use 294.1 Dementia in conditions classified elsewhere plus an additional code as indicated:	
F02.1*	Dementia in Creutzfeldt-Jakob disease (A81.0+)	046.1 Jacob-Creutzfeldt disease	290.1 Pre-senile dementia
F02.2*	Dementia in Huntington's disease (G10.+)	333.4 Huntington's chorea	293.4 Psychosis associated with degenerative diseases of central nervous system

ICD-10

ICD-9

ICD-8

F02.3*	Dementia in Parkinson's disease (G20+)	332.0 Paralysis agitans	293.9 Psychosis associated with other and unspecified cerebral conditions plus 342 Paralysis agitans
F02.4*	Dementia in HIV disease (B22.0+)	279.1 Deficiency of cell-mediated immunity	294.8 Psychosis associated with other physical conditions
F02.8*	Dementia in other specified diseases classified elsewhere (xxx+)	another additional code	294.8 Psychosis associated with other physical conditions
F03	<u>Unspecified dementia</u>	290.9 Unspecified senile and presenile organic psychotic conditions	290.- Senile and presenile dementia
	<u>Presenile dementia or psychosis NOS</u>	290.1 Presenile dementia	290.1 Presenile dementia
	<u>Senile dementia, NOS</u>	290.0 Senile dementia, simple type	290.0 Senile dementia
	<u>Senile dementia, depressed or paranoid type</u>	290.2 Senile dementia, depressed or paranoid type	290.0 Senile dementia
F04	<u>Organic amnesic syndrome, not induced by alcohol and other psychoactive substances</u>	294.0 Korsakov's psychosis or syndrome (nonalcoholic)	293.9 Psychosis associated with other and unspecified cerebral conditions

	ICD-10	ICD-9	ICD-8
<u>F05</u>	<u>Delirium, not induced by alcohol and other psychoactive substances</u>		
F05.0	Delirium, not superimposed on dementia, so described	293.0 Acute confusional state 293.1 Subacute confusional state	292.- Psychosis associated with intracranial infection 293.- Psychosis associated with other cerebral conditions 294.- Psychosis associated with other physical conditions
F05.1	Delirium, superimposed on dementia	290.3 Senile dementia with acute confusional state	290.0 Senile and presenile dementia
F05.8	Other delirium	293.8 Other transient organic psychotic conditions	No equivalent code
F05.9	Delirium, unspecified	293.9 Unspecified transient organic psychotic conditions	No equivalent code
<u>F06</u>	<u>Other mental disorders due to brain damage and dysfunction and to physical disease</u>		
			292.- Psychosis associated with intracranial infection 293.- Psychosis associated with other cerebral conditions 294.- Psychosis associated with other physical conditions 309.- Mental disorders, not specified as psychotic associated with physical conditions

ICD-10

ICD-9

ICD-8

F06.0	Organic hallucinations)	294.8	Other organic psychotic conditions
F06.1	Organic catatonic disorders)		
F06.2	Organic delusional [schizo-)		
	phrenia-like] disorders)		
F06.3	Organic mood [affective])		
	disorders)		
F06.4	Organic anxiety disorders)	310.8	Other specific nonpsychotic mental disorders following organic brain damage
F06.5	Organic dissociative disorder)		
F06.6	Organic emotionally labile)	310.1	Cognitive or personality change of other type
	[asthenic] disorders)		
F06.7	Mild cognitive disorder)		
F06.8	Other specified	294.8	Other organic psychotic conditions
F06.9	Unspecified mental disorders due to brain damage and dysfunction and to physical disease	294.9	Unspecified organic psychotic conditions
F07	<u>Personality and behavioural disorders due to brain disease, damage and dysfunction</u>	310	<u>Specific nonpsychotic mental disorders following organic brain damage</u>

ICD-10	ICD-9	ICD-8
F07.0 Organic personality disorder	310.0 Frontal lobe syndrome 310.1 Cognitive or personality change of other type	309.- Mental disorders not specified as psychotic, associated with physical conditions
F07.1 Postencephalitic syndrome	310.8 Other	309.0 Mental disorders not specified as psychotic, associated with intracranial infections
F07.2 Post concussional syndrome	310.2 Post concussional syndrome	309.2 Mental disorders not specified as psychotic, associated with brain trauma
F07.8 Other and	310.8 Other)	309.9 Mental disorders not specified as psychotic, associated with other or unspecified physical conditions
F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction	310.9 Unspecified)	
<u>F09 Unspecified organic or symptomatic mental disorder</u>	294.9 Unspecified organic psychotic conditions 293.9 Unspecified transient organic psychotic conditions	292.9 Psychosis associated with other and unspecified intracranial infection 293.9 Psychosis associated with other and unspecified cerebral condition 294.9 Psychosis associated with unspecified physical condition 309.9 Mental disorders not specified as psychotic associated with other or unspecified physical conditions

ICD-10

ICD-9

ICD-8

F10 Mental and behavioural disorders due to use of alcohol

F10.0	Acute intoxication	305.0	Nondependent abuse of alcohol	No equivalent code	
.07	Pathological intoxication	291.4	Pathological drunkenness	291.9	Other and unspecified alcoholic psychoses
F10.1	Harmful use	305.0	Nondependent abuse of alcohol	303.0	Episodic excessive drinking
				303.1	Habitual excessive drinking
F10.2	Dependence syndrome	303	Alcohol dependence syndrome	303.2	Alcohol addiction
F10.3	Withdrawal state	291.8	Other alcoholic psychoses Alcohol withdrawal syndrome	No equivalent code	
F10.4	Withdrawal state with delirium	291.0	Delirium tremens	291.0	Delirium tremens
F10.5	Psychotic disorder	291.3	Other alcoholic hallucinosis	291.2	Other alcoholic hallucinosis
		291.5	Alcoholic jealousy	291.3	Alcoholic paranoia
		291.8	Other alcoholic psychoses	291.9	Other and unspecified
		291.9	Alcoholic psychosis, unspecified		
F10.6	Amnesic syndrome	291.1	Korsakov's psychosis, alcoholic	291.1	Korsakov's psychosis (alcoholic)

	ICD-10	ICD-9	ICD-8
F10.7	Residual and late onset psychotic disorder	291.8 Other alcoholic psychosis	291.9 Other and unspecified alcoholic psychoses
	.73 Dementia	291.2 Other alcoholic dementia	291.9 Other and unspecified alcoholic psychoses
F10.8	Other mental and behavioural disorders	291.8 Other alcoholic psychoses	291.9 Other and unspecified alcoholic psychoses 303.9 Other and unspecified alcoholism
F10.9	Unspecified mental and behavioural disorder	291.9 Alcoholic psychosis, unspecified	393.0 Other and unspecified alcoholism
F1	<u>Mental and behavioural disorder due to use of:</u>		
F11	opioids		
F12	cannabinoids		
F13	sedatives or hypnotics		
F14	cocaine		
F15	other stimulants, including caffeine		
F16	hallucinogens		
F17	tobacco		
F18	volatile solvents		
F19	multiple drug use and other psychoactive substances		

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
Flx.0 Acute intoxication	305 <u>Nondependent abuse of drugs</u>	294.3 Psychosis associated with drug or poison intoxication
F11.0	305.5 Morphine type	
F12.0	305.2 Cannabis	
F13.0	305.4 Barbiturates and tranquilizers	
F14.0	305.6 Cocaine	
F15.0	305.7 Amphetamine type	
F16.0	305.3 Hallucinogens	
F17.0	305.1 Tobacco	
F18.0 + F19.0	305.9 Other, mixed or unspecified	
.03 With delirium	292.8 Other drug psychoses	
.07 Pathological intoxication	292.2 Pathological drug intoxication	
Flx.1 Harmful use (specify for type of drug as above)	305 <u>Nondependent abuse of drugs</u> (specify for type of drug as above)	No equivalent code
Flx.2 Dependence syndrome	304 <u>Drug dependence</u>	304 <u>Drug dependence</u>
F11.2	304.0 Morphine type	304.0 Opium, opium alkaloids and their derivatives
F12.2	304.3 Cannabis	304.1 Synthetic analgesics with morphine-like effects
F13.2	304.1 Barbiturate type	304.5 Cannabis sativa
		304.2 Barbiturates
		304.3 Other hypnotics and sedatives and tranquilizers

ICD-10	ICD-9	ICD-8
F14.2	304.2 Cocaine	304.4 Cocaine
F15.2	304.4 Amphetamine type and other psychostimulants	304.5 Other psycho-stimulants
F16.2	304.5 Hallucinogens	304.7 Hallucinogens
F17.2	305.1 Tobacco dependence	No equivalent code
F18.2	304.6 Other	304.8 Other and combined drugs
F19.2	304.7 Combinations of morphine type with any other	304.8 Other and combined drugs
	304.8 Combinations excluding morphine type drug	304.9 Unspecified drug dependence
	304.6 Other	
	304.9 Unspecified	
Flx.3 Withdrawal state (F11.3 - F19.3)	292.0 Drug withdrawal syndrome	294.3 Psychosis associated with drug or poison intoxication
Flx.4 Withdrawal state with delirium (F11.4 - F19.4)	292.0 Drug withdrawal syndrome	294.3 Psychosis associated with drug or poison intoxication
Flx.5 Psychotic disorder (F11.5 - F19.5)	292.1 Paranoid and/or hallucinatory states induced by drugs	294.3 Psychosis associated with drug or poison intoxication
Flx.6 Amnesic syndrome (F11.6 - F19.6)	294.0 Korsakov's psychosis or syndrome (nonalcoholic)	294.3 Psychosis associated with drug or poison intoxication

ICD-10	ICD-9	ICD-8
F1x.7 Residual and late onset psychotic disorder (F11.7 - F19.7)	292.8 Other drug psychoses	294.3 Psychosis associated with drug or poison intoxication
F1x.8 Other mental and behavioural disorders	292.8 Other drug psychoses	294.3 Psychosis associated with drug or poison intoxication
F1x.9 Unspecified mental and behavioural disorders (F11.9 - F19.9)	292.9 Unspecified drug psychoses	294.3 Psychosis associated with drug or poison intoxication
<u>F20 Schizophrenia</u>	<u>295 Schizophrenic psychoses</u>	<u>295 Schizophrenia</u>
F20.0 Paranoid schizophrenia	295.3 Paranoid type	295.3 Paranoid type
F20.1 Hebephrenic schizophrenia	295.1 Hebephrenic type	295.1 Hebephrenic type
F20.2 Catatonic schizophrenia	295.2 Catatonic type	295.2 Catatonic type
F20.3 Undifferentiated schizophrenia	295.8 Other schizophrenic psychoses	295.8 Other specified types of schizophrenia
F20.4 Post-schizophrenic depression	No equivalent code	No equivalent code
F20.5 Residual schizophrenia	295.6 Residual schizophrenia	295.6 Residual schizophrenia
F20.6 Simple schizophrenia	295.0 Simple type	295.0 Simple type schizophrenia

ICD-10	ICD-9	ICD-8
F20.8 Other schizophrenia	295.8 Other	295.8 Other specified types of schizophrenia
F20.9 Schizophrenia, unspecified	295.9 Unspecified	295.9 Schizophrenia, unspecified type
F21 <u>Schizotypal disorder</u>	295.5 Latent schizophrenia	295.5 Latent schizophrenia
F22 <u>Persistent delusional disorders</u>	297 <u>Paranoid states</u>	297 <u>Paranoid states</u>
F22.0 Delusional disorder	297.0 Paranoid state, simple 297.1 Paranoia	297.0 Paranoia
Paraphrenia (late)	297.2 Paraphrenia	297.1 <u>Involuntional paraphrenia</u>
Sensitiver Beziehungswahn	297.8 Other	297.9 <u>Other paranoid states</u>
F22.8 Other persistent delusional disorders	297.8 Other	297.9 Other paranoid states
Involuntional paranoid state	297.2 Paraphrenia	297.1 <u>Involuntional paraphrenia</u>
F22.9 Persistent delusional disorder, unspecified	297.9 Paranoid state, unspecified	297.9 Other paranoid states
F23 <u>Acute and transient psychotic disorders</u>	NOTE: The presence of stress may determine the choice of the equivalent code in ICD-9 and ICD-8.	
F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia	298.3 Acute paranoid reaction 298.2 Reactive confusion	298.3 Acute paranoid reaction 298.2 Reactive confusion 298.9 Reactive psychosis, unspecified

ICD-10	ICD-9	ICD-8
F23.1	295.4 Acute polymorphic psychotic disorder with symptoms of schizophrenia 298.3 Acute paranoid reaction 298.2 Reactive confusion	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction 298.2 Reactive confusion 298.9 Reactive psychosis, unspecified
F23.2	295.4 Acute schizophrenia-like psychotic disorder 298.3 Acute paranoid reaction	295.4 Acute schizophrenic episode 298.3 Acute paranoid reaction
F23.3	298.3 Other acute predominantly delusional psychotic disorders 298.4 Psychogenic paranoid psychosis	298.3 Acute paranoid reaction
F23.8	298.2 Other acute and transient psychotic disorders 298.8 Other and unspecified reactive psychosis	298.2 Reaction confusion
F23.9	298.8 Acute and transient psychotic disorders, unspecified	298.9 Reactive psychosis, unspecified
F24	297.3 Induced delusional disorder 298.4 Psychogenic paranoid psychosis	297.9 Other paranoid states

	ICD-10	ICD-9	ICD-8
F25	<u>Schizoaffective disorders</u>)		
F25.0	Schizoaffective disorder, manic type)	295.7 Schizophrenic psychosis, schizoaffective type	295.7 Schizo-affective type of schizophrenia
F25.1	Schizoaffective disorder, depressive type)	296.6 Manic-depressive psychosis, other and unspecified	296.8 Other affective psychoses
F25.2	Schizoaffective disorder, mixed type)	296.8 Other affective psychoses	
F25.8	Other schizoaffective disorder)		
F25.9	Schizoaffective disorder, unspecified)		
F28	<u>Other nonorganic psychotic disorders</u>	No equivalent code	No equivalent code
F29	<u>Unspecified nonorganic psychosis</u>	298.9 Unspecified psychosis	299 Unspecified psychosis
F30	<u>Manic episode</u>		
F30.0	Hypomania)		
F30.1	Mania without psychotic symptoms)	296.0 Manic-depressive psychosis, manic type	296.1 Manic-depressive psychosis, manic type
F30.2	Manic with psychotic symptoms)		
F30.8	Other manic episodes	296.6 Manic-depressive psychosis 298.1 Other nonorganic psychosis, excitative type	296.8 Other affective psychoses 298.1 Reactive excitation

ICD-10	ICD-9	ICD-8
F30.9 Manic episode, unspecified	296.6 Manic-depressive psychosis, other and unspecified	296.9 Unspecified affective psychosis
<u>F31 Bipolar affective disorder</u>		
F31.0 Current episode hypomanic)	296.2 Manic-depressive psychosis, circular type but currently manic	(296.1 Manic-depressive psychosis, manic type
F31.0 Current episode manic)		(296.3 Manic-depressive psychosis, circular type
F31.2 without psychotic symptoms)		
F31.2 Current episode manic)		
F31.2 with psychotic symptoms)		
F31.3 Current episode mild or moderate depression)	296.3 Manic-depressive psychosis, circular type but currently depressed	(296.2 Manic-depressive psychosis, depressed type
F31.4 Current episode severe depression without psychotic symptoms)		(296.3 Manic-depressive psychosis, circular type
F31.5 Current episode severe depression with psychotic symptoms)		
F31.6 Current episode mixed	296.4 Manic depressive psychosis circular type, mixed	296.8 Other affective psychoses
F31.7 Currently in remission	296.5 Manic-depressive psychosis, circular type, current condition not specified	296.3 Manic-depressive psychosis, circular type
	296.6 Manic-depressive psychosis other and unspecified	

ICD-10	ICD-9	ICD-8
F31.8 Other bipolar affective disorders	296.6 Manic-depressive psychosis, other and unspecified	296.3 Manic-depressive psychosis, circular type
F31.9 Bipolar affective disorder, unspecified	296.5 Manic-depressive psychosis, circular type, current condition not specified	296.3 Manic-depressive psychosis, circular type
	296.6 Manic-depressive psychosis, other and unspecified	296.9 Affective psychosis, unspecified
<u>F32 Depressive episodes</u>		
F32.0 Mild depressive episode	(296.1 Manic-depressive psychosis	(296.0 Involutional melancholia
F32.1 Moderate depressive episode	(depressed type	(296.0 Manic-depressive psychosis,
F32.2 Severe depressive episode without psychotic symptoms	(298.0 Other nonorganic psychosis depressive type	(depressed type
F32.3 Severe depressive episode with psychotic symptoms	(depressive type	(298.0 Reactive depressive psychosis
F32.8 Other depressive episodes	296.1 Manic-depressive psychosis, depressed type	296.0 Involutional melancholia
	296.8 Other affective psychoses	296.2 Manic-depressive psychosis,
	313.2 Disturbance of emotion specific to childhood and adolescence, with misery and unhappiness	depressed type

ICD-10

ICD-9

ICD-8

F32.9	Depressive episode, unspecified	296.6 311	Manic-depressive psychosis, other and unspecified Depressive disorder, not elsewhere classified	296.9	Unspecified affective psychosis
<u>F33</u>	<u>Recurrent depressive disorder</u>				
F33.0	current episode mild	(296.1	Manic-depressive psychosis, depressed type	(296.2	Manic-depressive psychosis depressed type
F33.1	current episode moderate	((
F33.2	current episode severe	(298.0	Other nonorganic psychoses depressive type	(296.0	Involuntional melancholia
	with psychotic symptoms	((298.0	Reactive depressive psychosis
F33.3	current episode severe, with psychotic symptoms))	
F33.4	Currently in remission	296.5	Manic-depressive psychosis, circular type, current condition not specified	296.8	Other affective psychosis
F33.8	Other recurrent depressive disorders	296.6	Manic-depressive psychosis, other and unspecified	296.8	Other affective psychoses
F33.9	Recurrent depressive disorder, unspecified	296.6	Manic-depressive psychosis, other and unspecified	296.9	Unspecified affective psychosis

	ICD-10	ICD-9	ICD-8
F34	<u>Persistent mood [affective] disorders</u>		
F34.0	Cyclothymia	301.1 Affective personality disorder 296.5 Manic-depressive psychosis, circular type, current condition not specified	301.1 Affective personality disorder 296.3 Manic-depressive psychosis, circular type
F34.1	Dysthymia	301.1 Affective personality disorder	301.1 Affective personality disorder
	Neurotic depression	300.4 Neurotic depression	300.4 Depressive neurosis
	Anxiety depression	296.1 Manic-depressive psychosis, depressed type 296.5 Manic-depressive psychosis, circular type, current condition not specified	296.2 Manic-depressive psychosis, depressed type
F34.8	Other persistent mood [affective] disorders	296.8 Other affective psychoses	296.8 Other affective psychoses
F34.9	Persistent mood [affective] disorder, unspecified	296.9 Unspecified affective psychosis	296.9 Unspecified affective psychosis

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
F38	Other mood [affective] disorder	
F38.0	Other single mood [affective] disorder	296.8 Other affective psychoses 298.0 Reactive depressive psychosis
.00	mixed affective episode	
F38.1	Other recurrent mood (affective) disorder	
.10	recurrent brief depressive disorder	296.8 Other affective psychoses 298.0 Reactive depressive psychosis
F38.8	Other specified mood (affective) disorders	296.8 Other affective psychoses
F39	Unspecified mood (affective) disorder	296.9 Affective psychosis, unspecified
F40	Phobic anxiety disorders	300.2 Phobic neurosis 300.0 Anxiety neurosis
F40.0	Agoraphobia	
.00	without panic disorder	
.01	with panic disorder	
F40.1	Social phobias	
F40.2	Specific (isolated) phobias	
F40.8	Other phobic anxiety disorder	
F40.9	Phobic anxiety disorder, unspecified	

	ICD-10	ICD-9	ICD-8
F41	<u>Other anxiety disorders</u>		
F41.0	Panic disorder)		
F41.1	Generalized anxiety disorder)	300.0	Anxiety states
F41.2	Mixed anxiety and depressive disorders	300.0	Anxiety states
		300.4	Neurotic depression
		296.1	Manic-depressive psychosis depressed type
F41.3	Other mixed anxiety disorders	300.0	Anxiety states
F41.8	Other specified anxiety disorders	300.0	Anxiety states
	<i>Anxiety hysteria</i>	300.2	Phobic state
F41.9	Anxiety disorder, unspecified	300.0	Anxiety states
F42	<u>Obsessive-compulsive disorder</u>)	300.3	Obsessive-compulsive disorders
F42.0	Predominantly obsessional thoughts or ruminations)		
F42.1	Predominantly compulsive acts)		
F42.2	Mixed obsessional thoughts and acts)		
F42.8	Other obsessive-compulsive disorders)		
F42.9	Obsessive-compulsive disorder, unspecified)		
		300.0	Anxiety neurosis
		300.0	Anxiety neurosis
		300.4	Depressive neurosis
		296.2	Manic-depressive psychosis depressed type
		300.0	Anxiety neurosis
		300.0	Anxiety neurosis
		300.2	Phobic neurosis
		300.0	Anxiety neurosis
		300.3	Obsessive-compulsive neurosis

ICD-10

ICD-9

ICD-8

F43 Reaction to severe stress,
and adjustment disorders

307 Transient situational
disturbances

308.4 Adjustment reaction of childhood

F43.0 Acute stress reaction

308 Acute reaction to stress
308.0 Predominant disturbances of emotions
308.1 Predominant disturbances of consciousness
308.2 Predominant psychomotor disturbance
308.3, .4, .9 Other, mixed and unspecified acute reaction to stress

F43.1 Post-traumatic stress disorder

No equivalent code

F43.2 Adjustment disorders

309 Adjustment reaction

.20 brief depressive reaction

309.0 Brief depressive reaction

.21 prolonged depressive reaction

309.1 Prolonged depressive reaction

.22 mixed anxiety and depressive reaction

309.2 With predominant disturbance of other emotions

.23 with predominant disturbance of other emotions

.24 with predominant disturbance of conduct

309.3 With predominant disturbance of conduct

.25 with mixed disturbance of emotions and conduct

309.4 With mixed disturbance of emotions and conduct

.28 with other specified predominant symptoms

309.8 Other adjustment reactions

ICD-10	ICD-9	ICD-8
F43.8 Other reactions to severe stress	308.3 Other acute reactions to stress 309.8 Other adjustment reactions	
F43.9 Reaction to severe stress, unspecified	308.9 Reaction to stress, unspecified 309.9 Adjustment reaction, unspecified	
F44 <u>Dissociative [conversion] disorders</u>	300.1 Hysteria	300.1 Hysterical neurosis
F44.0 Dissociative amnesia		
F44.1 Dissociative fugue		
F44.2 Dissociative stupor		
F44.3 Trance and possession disorders		
F44.4 Dissociative motor disorders		
F44.5 Dissociative convulsions		
F44.6 Dissociative anaesthesia and sensory loss		
F44.7 Mixed dissociative [conversion] disorders		
F44.8 Other dissociative [conversion] disorders		
.80 Ganser syndrome		
.81 multiple personality disorder)		
.82 transient dissociative [conversion] disorders occurring in childhood and adolescence		
F44.9 Dissociative [conversion] disorders, unspecified		

ICD-10

ICD-9

ICD-8

F45 Somatoform disorders

F45.0	Somatization disorder)	300.1	Hysteria	
F45.1	Undifferentiated somatization disorder)			
F45.2	Hypochondriacal disorder)	300.1	Hypochondriacal neurosis	
F45.3	Somatoform autonomic dysfunction)	305	Physical disorders of presumably psychogenic origin	
	.30 the heart and cardiovascular system		305.3	Cardiovascular	
	.31 the upper gastrointestinal tract		305.5	Gastrointestinal	
	.32 the lower gastrointestinal tract		305.5	Gastrointestinal	
	.33 the respiratory system		305.2	Respiratory	
	.34 the genitourinary tract		305.6	Genito-urinary	
	.38 other organ or system		305.9	Other	
F45.4	Persistent somatoform pain disorder)	300.1	Hysterical neurosis	
)	305	Physical disorders of presumably psychogenic origin	
)	305.1	Musculoskeletal	
)	305.5	Gastro-intestinal	
)	305.6	Genito-urinary	
)	305.8	Organs of special sense	

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8	
F45.8	Other somatoform disorders	305	Physical disorders of presumably psychogenic origin
		305.1	Musculoskeletal
		305.4	Haemic and lymphatic
		305.7	Endocrine
		305.8	Organs of special sense
		305.9	Other
		306	Physiological malfunction arising from mental factors
		306.0	Musculoskeletal
		306.6	Endocrine
		306.7	Organs of special sense
		306.8	Other
		306.5	Genito-urinary
		306.4	Gastrointestinal
		306.3	Skin
		306.9	Unspecified physiological malfunction arising from mental factors
F45.9	Somatoform disorder, unspecified	300.9	Unspecified neurosis
F48	<u>Other neurotic disorders</u>		
F48.0	Neurasthenia	300.5	Neurasthenia
F48.1	Depersonalization-derealization syndrome	300.6	Depersonalization syndrome
F48.8	Other specified neurotic disorders	300.8	Other specified neuroses

ICD-10

ICD-9

ICD-8

F48.9	Neurotic disorder, unspecified	300.9	Unspecified neurotic disorder	300.9	Unspecified neurosis
F50	<u>Eating disorders</u>			306.5	Feeding disturbances
F50.0	Anorexia nervosa	307.1	Anorexia nervosa		
F50.1	Atypical anorexia))		
F50.2	Bulimia nervosa))		
F50.3	Atypical bulimia))		
F50.4	Overeating and))		
F50.5	Vomiting associated with))		
	other psychological disturbance				
F50.8	Other eating disorders))		
F50.9	Eating disorder, unspecified))		
F51	<u>Nonorganic sleep disorders</u>			307.4	Specific disorders of sleep
F51.0	Nonorganic insomnia))	306.4	Specific disorders of sleep
F51.1	Nonorganic hypersomnia))	308.4	Adjustment reaction of
F51.2	Nonorganic disorder of the))		childhood
	sleep-wake cycle))		
F51.3	Sleepwalking))		
F51.4	Sleep terrors))		
F51.5	Nightmares))		
F51.8	Other nonorganic sleep disorders)))		
F51.9	Nonorganic sleep disorder,))		
	unspecified))		

	ICD-10	ICD-9	ICD-8
F52	<u>Sexual dysfunction, not caused by organic disorder or disease</u>		305.6 Genito-urinary disorders of presumably psychogenic origin
F52.0	Lack or loss of sexual desire)	302.7 Frigidity and impotence	
F52.1	Sexual aversion and lack of sexual enjoyment)		
F52.2	Failure of genital response)		
F52.3	Orgasmic dysfunction)		
F52.4	Premature ejaculation)		
F52.5	Nonorganic vaginismus)		
F52.6	Nonorganic dyspareunia)		
F52.7	Excessive sexual drive	302.8 Other sexual deviations and disorders	
F52.8	Other sexual dysfunction not caused by organic disorder or disease	302.8 Other sexual deviations and disorders	
F52.9	Unspecified sexual dysfunction, not caused by organic disorder or disease	302.9 Unspecified sexual deviations and disorders	
F53	<u>Mental and behavioural disorders associated with the puerperium, not elsewhere classified</u>		Use code 677.9 (Other and unspecified complications of the puerperium) + one of the following:
		Use code 648.4 (mental disorders in the mother complicating the puerperium) + one of the following:	

ICD-10

ICD-9

ICD-8

F53.0	Mild Postpartum depression NOS	311	Depressive disorder not elsewhere classified	298.0	Reactive depressive psychosis
F53.1	Severe Puerperal psychosis NOS	293.9	Transient organic psychotic condition unspecified	294.4	Psychosis associated with childbirth
F53.8	Other		No equivalent code		No equivalent code
F53.9	Puerperal mental disorder unspecified		No equivalent code		No equivalent code
F54	<u>Psychological or behavioural factors associated with disorders or diseases classified elsewhere</u>	316	Psychic factors associated with diseases classified elsewhere	309.9	Mental disorders, not specified as psychotic associated with other or unspecified physical condition
	+ additional code to specify associated disorder		+ additional code to specify associated disease		
F55	<u>Abuse of substances not producing dependence</u>				No equivalent code
F55.0	Antidepressants	305.8	Nondependent abuse of antidepressants		
F55.1	Laxatives				
F55.2	Analgesics				
F55.3	Antacids	305.9	Nondependent abuse of other, mixed or unspecified drugs		

ICD-10	ICD-9	ICD-8
F55.4 Vitamins)		
F55.5 Steroids or hormones)		
F55.6 Specific herbal or folk remedies)		
F55.8 Other)		
F55.9 Unspecified)		
<u>F59 Unspecified behavioural syndromes associated with psychological disturbances and physical factors</u>	<u>316 Psychic factors associated with diseases classified elsewhere</u>	<u>309.9 Mental disorders not specified as psychotic associated with other and unspecified physical condition</u>
<u>F60 Specific personality disorder</u>	<u>301 Personality disorders</u>	<u>301 Personality disorders</u>
F60.0 Paranoid pers. disorder	301.0 Paranoid pers. disorder	301.0 ...paranoid
F60.1 Schizoid pers. disorder	301.2 Schizoid pers. disorder	301.2 ...schizoid
F60.2 Dissocial pers. disorder	301.7 Personality disorder with predominantly sociopathic or asocial manifestation	301.7 ...antisocial
F60.3 Emotionally unstable pers. disorder) .30 impulsive type) .31 borderline type)	301.3 Explosive pers. disorder	301.3 ...explosive
F60.4 Histrionic pers. disorder	301.8 Other pers. disorders	301.8 ...other
	301.5 Hysterical pers. disorders	301.5 ...hysterical

ICD-10

ICD-9

ICD-8

F60.5	Anankastic pers. disorders	301.4	Anankastic pers. disorder	301.4	...anankastic
F60.6	Anxious (avoidant) pers.	301.8	Other pers. disorders	301.8	...other
F60.7	Dependent pers. disorder	301.6	Asthenic pers. disorder	301.6	...asthenic
F60.8	Other specific pers. disorder	301.8	Other pers. disorders	301.8	...other
F60.9	Specific pers. disorder, unspecified	301.9	Unspecified pers. disorder	301.9	...unspecified
F61	Mixed and other pers. disorders	301.8	Other pers. disorders	301.8	Other personality disorders
F62	Enduring personality changes) not attributable to brain) damage and disease)		No equivalent code		No equivalent code
F62.0	Enduring pers. change after catastrophic experience)				
F61.2	Enduring pers. change after psychiatric illness)				
F62.8	Other enduring personality change)				
F62.9	Enduring personality change, unspecified)				

ICD-10	ICD-9	ICD-8
F63	<u>Habit and impulse disorder</u>	No equivalent code
F63.0	Pathological gambling)	
F63.1	Pathological fire-setting)	
F63.2	Pathological stealing)	
F63.3	Trichotillomania	No equivalent code
F63.8	Other habit and impulse disorders)	
F63.9	Habit and impulse disorder, unspecified)	
F64	<u>Gender identity disorders</u>	
F64.0	Transsexualism	302.5 Trans-sexualism
F64.1	Dual role transvestism	302.3 Transvestism
		302.6 Disorders of psychosexual identity
F64.2	Gender identity disorder of childhood)	302.6 Disorders of psychosexual identity
F64.8	Other and)	
F64.9	Gender identity disorder, unspecified)	
		302.8 Other sexual deviations
		302.8 Other sexual deviations
		No equivalent code

ICD-10

ICD-9

ICD-8

F65 Disorders of sexual preference

F65.0	Fetishism	302.8	Other sexual deviations and disorders	302.1	Fetishism
F65.1	Fetishistic transvestism	302.3	Transvestism	302.3	Transvestism
F65.2	Exhibitionism	302.4	Exhibitionism	302.4	Exhibitionism
F65.3	Voyeurism	302.8	Other sexual deviations and disorders	302.8	Other
F65.4	Paedophilia	302.2	Paedophilia	302.2	Paedophilia
F65.5	Sado-masochism))))
F65.6	Multiple disorders of sexual preference))))
F65.8	Other disorders of sexual preference))))
F65.9	Disorder of sexual preference, unspecified	302.9	Unspecified sexual deviations and disorders	302.9	Unspecified sexual deviation

F66 Psychological and behavioural disorders associated with sexual development and orientation

F66.0	Sexual maturation disorder	302.6	Disorders of psychosexual identity	No equivalent code
-------	----------------------------	-------	------------------------------------	--------------------

ICD-10	ICD-9	ICD-8
F66.1	Ego-dystonic sexual orientation) No equivalent code	
F66.2	Sexual relationship disorder)	
F66.8	Other psychosexual development) disorder)	
F66.9	Psychosexual development) disorder, unspecified)	
<u>F68</u>	<u>Other disorders of adult personality and behaviour</u>	No equivalent code
F68.0	Elaboration of physical symptoms for psychological reasons	No equivalent code
F68.1	Intentional production or feigning of symptoms or disabilities, either physical or psychological (factitious disorder)	No equivalent code
F68.8	Other specified of adult personality and behaviour	V40.2 Other mental problems V40.3 Other behavioural problems
	<i>Relationship disorder</i>	V61.1 Marital problems
<u>F69</u>	<u>Unspecified disorder of adult personality and behaviour</u>	301.9 Unspecified personality disorder
<u>F70</u>	<u>Mild mental retardation</u>	317 Mild mental retardation 311 Mild mental retardation

ICD-10

ICD-9

ICD-8

<u>F71</u>	<u>Moderate mental retardation</u>	318.0	Moderate mental retardation	312	Moderate mental retardation
<u>F72</u>	<u>Severe mental retardation</u>	318.1	Severe mental retardation	313	Severe mental retardation
<u>F73</u>	<u>Profound mental retardation</u>	318.2	Profound mental retardation	314	Profound mental retardation
<u>F78</u>	<u>Other mental retardation</u>	No equivalent code	No equivalent code	No equivalent code	No equivalent code
<u>F79</u>	<u>Unspecified mental retardation</u>	319	Unspecified mental retardation	315	Unspecified mental retardation
	4th character to specify the extent associated behavioural impairment:		If applicable, use additional code to specify behavioural problem or disorder		4-digit subdivisions to be used with categories 310-315:
<u>F7x.0</u>	No, or minimal impairment of behaviour			.0	following infections and intoxications
<u>F7x.1</u>	Significant impairment of behaviour requiring attention or treatment			.1	following trauma or physical agents
<u>F7x.8</u>	Other impairments of behaviour			.2	associated with disorders of metabolism, growth, or nutrition
<u>F7x.9</u>	Without mention of impairment of behaviour			.3	associated with gross brain disease (postnatal)
				.4	associated with diseases and conditions due to (unknown) prenatal influence
				.5	associated with chromosomal abnormalities

ICD-8

ICD-10	ICD-9	ICD-8
F80	Specific developmental disorders of speech and language) 315.3 Developmental speech or language disorder)	306.0 Speech disturbances
F80.0	Specific speech articulation disorder)	
F80.1	Expressive language disorder)	
F80.2	Receptive language disorder)	
F80.3	Acquired aphasia with epilepsy)	
F80.8	Other developmental disorders of speech and language)	
F80.9	Developmental disorder of speech and language, unspecified)	
F81	Specific developmental disorders of scholastic skills	306.1 Specific learning disturbance
F81.0	Specific reading disorder	315.0 Specific reading retardation
F81.1	Specific spelling disorder	315.0 Specific reading retardation Specific spelling difficulty
		.6 associated with prematurity following major psychiatric disorder
		.7
		.8 associated with psychosocial (environmental) deprivation
		.9 other and unspecified

ICD-10

ICD-9

ICD-8

F81.2	Specific disorder of arithmetical skills	315.1	Specific arithmetical retardation	
F81.3	Mixed disorder of scholastic skills	315.5	Mixed development disorder	
F81.8	Other developmental disorders of scholastic skills	315.2	Other specific learning difficulties	
F81.9	Developmental disorder of scholastic skills, unspecified	315.9	Specific delays in development, unspecified	
F82	<u>Specific developmental disorder of motor functions</u>	315.4	Specific motor retardation	306.3 Other psychomotor disorders
F83	<u>Mixed specific developmental disorders</u>	315.5	Mixed developmental disorder	
F84	<u>Pervasive developmental disorders</u>			
F84.0	Childhood autism)		
F84.1	Atypical autism)		
F84.2	Rett's syndrome)		
F84.3	Other childhood disintegrative disorder	299.1	Disintegrative psychosis	No equivalent code
		299.0	Infantile autism	308.0 Infantile autism

ICD-10	ICD-9	ICD-8
F84.4	299.8	No equivalent code
Overactive disorder associated with mental retardation and stereotyped movements	Other psychoses with origin specific to childhood	
F84.5		
Asperger's syndrome		
F84.8		
Other pervasive developmental disorders		
F84.9	299.9	No equivalent code
Pervasive developmental disorder, unspecified	Unspecified psychosis with origin specific to childhood	
F88	315.8	No equivalent code
Other disorders of <u>psychological development</u>	Other delays in development	
F89	315.9	No equivalent code
Unspecified disorder of <u>psychological development</u>	Unspecified delay in development	
F90		308.3
<u>Hyperkinetic disorders</u>		Hyperkinetic syndrome of childhood
F90.0	314.0	
Disturbance of activity and attention	Simple disturbance of activity and attention	
F90.1	314.1	
Hyperkinetic conduct disorder	Hyperkinesia with developmental delay	
F90.8	314.2	
Other hyperkinetic disorders	Hyperkinetic conduct disorder	
F90.9	314.8	
Hyperkinetic disorder, unspecified	Other hyperkinetic syndromes of childhood	
	314.9	
	Unspecified hyperkinetic syndrome of childhood	

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
<u>F91</u>		
<u>Conduct disorders</u>		308.1
F91.0	312.8	Conduct disorders of childhood
Conduct disorder confined to the family context	Other disturbance of conduct	
F91.1	312.0	
Unsocialized conduct disorder	Unsocialized disturbance of conduct	
F91.2	312.1	
Socialized conduct disorder	Socialized disturbance of conduct	
F91.3	312.8	
Oppositional defiant disorder	Other disturbance of conduct	
F91.8	312.8	
Other conduct disorders	Other disturbance of conduct	
F91.9	312.9	
Conduct disorder, unspecified	Unspecified disturbance of conduct	
<u>F92</u>		
<u>Mixed disorders of conduct and emotions</u>	312.3	308.2
	Mixed disturbance of conduct and emotions	Mixed conduct-neurotic behaviour disorders of childhood
F92.0)	
Depressive conduct disorder)	
F92.8)	
Other mixed disorders of conduct and emotions)	
F92.9)	
Mixed disorder of conduct and emotion, unspecified)	

ICD-10	ICD-9	ICD-8
F93 <u>Emotional disorders with onset specific to childhood</u>		308.4 Adjustment reaction of childhood
F93.0 Separation anxiety disorder of childhood	309.2	Adjustment reaction with predominant disturbance of other emotions <i>Abnormal separation anxiety</i>
F93.1 Phobic anxiety disorder of childhood	313.0	Disturbance of emotions specific to childhood and adolescence, with anxiety and fearfulness
F93.2 Social anxiety disorder of childhood	313.2	Disturbance of emotions specific to childhood and adolescence, with sensitivity, shyness and social withdrawal
F93.3 Sibling rivalry disorder	313.3	Disturbance of emotions specific to childhood and adolescence with relationship problems
F93.8 Other childhood emotional disorders	313.8	Other or mixed, and
F93.9 Childhood emotional disorder, unspecified	313.9	Unspecified disturbance of emotions specific to childhood and adolescence

ICD-10		ICD-9	ICD-8
F94	<u>Disorders of social functioning with onset specific to childhood and adolescence</u>		308.4 Adjustment reaction of childhood
F94.0	Elective mutism	309.8 Other adjustment reaction with elective mutism	
F94.1	Reactive attachment disorder of childhood	313.3 Disturbance of emotions specific to childhood and adolescence, with relationship problems	
F94.2	Disinhibited attachment disorder of childhood		
F94.8	Other childhood disorders of social functioning		
F94.9	Childhood disorders of social functioning unspecified		
F95	<u>Tic disorders</u>	307.2 Tics	306.2 Tics
F95.0	Transient tic disorder		
F95.1	Chronic motor or vocal tic disorder		
F95.2	Combined vocal and multiple motor tic disorder		
F95.8	Other tic disorders		
F95.9	Tic disorders, unspecified		

ICD-10

ICD-9

ICD-8

ICD-10	ICD-9	ICD-8
<u>F98</u> <u>Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence</u>		
F98.0 Nonorganic emuresis	307.6 Enuresis	306.6 Enuresis
F98.1 Nonorganic encopresis	307.7 Encopresis	306.7 Encopresis
F98.2 Feeding disorder of infancy and childhood	307.5 Other and unspecified disorders of eating	306.5 Feeding disturbances
F98.3 Pica of infancy and childhood		
F98.4 Stereotyped movement disorder	307.3 Stereotyped repetitive movements	306.3 Other psychomotor disorders
F98.5 Stuttering	307.0 Stammering and stuttering	306.0 Speech disturbances
F98.6 Cluttering		
F98.8 Other specified, and	307.9 Other specified and unspecified symptoms and syndromes not elsewhere classified	306.9 Other special symptoms not elsewhere classified
F98.9 Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence		
<u>F99</u> <u>Mental disorder, not otherwise specified</u>	No equivalent code	No equivalent code