

53277

WHO/EPI/CEIS/94.2 SEA
Distr: General
August 1994

E X P A N D E D

P R O G R A M M E

O N I M M U N I Z A T I O N



Information System

Summary for the WHO South East Asian Region



W O R L D

H E A L T H


O R G A N I Z A T I O N

The EPI gratefully acknowledges the contribution from the Government of the Netherlands for the financial support for this document, and to the Ministries of Health, who provided the data.

© World Health Organization 1994

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced and translated, in part or in whole, but not for sale nor for use in conjunction with commercial purposes.

The views expressed in documents by named authors are solely the responsibility of those authors.



Expanded Programme on Immunization Information System



This document contains information on:

- Immunization coverage
- Incidence of diseases

As before, this information is compiled from many sources, but principally from the Ministry of Health from each country and is published every six months.


FOR YOUR ACTION, PLEASE:

1. Check the data for your country:
 - are they correct?
 - are they up to date?

2. Please send the latest, correct data to your Regional Office by:
 - 1 February 1995

3. Please let us know of any other suggestions for improving this information system.

Thank you for your help



17-Aug-94

Table 1.1.1: Estimated percentage of children immunized in the first year of life and percentage of pregnant women immunized against tetanus, by WHO Region, based on information available, August 1994

Region	Percentage of children immunized by 12 months of age					Percentage of pregnant women immunized
	BCG	DPT 3	POLIO 3	Measles*	HBV 3	Tetanus 2 +
African	64	50	49	49	0	40
American	90	79	83	82	0	40
Eastern Mediterranean	83	76	76	74	16	50
European	82	78	83	82	9	16
South East Asian	92	86	89	82	0	74
Western Pacific	92	92	92	91	2	13
Global	85	79	80	78	3	45

* Coverage data for children up to 2 years are included for countries recommending immunization at, or later than, 12 months.

+ Boosters included.

Global TT2+ and Regional TT2+ coverage are estimated for developing countries only.

Table 1.1.2: Global and regional estimates of immunization coverage by developing and industrialized countries.

DEVELOPING COUNTRIES	1993 POPULATION (millions)	1993 NEWBORNS (Millions)	1993 SURVIVING INFANTS (millions)	Denominator for BCG coverage	PERCENT IMMUNIZED					
					BCG	DPT 3	POLIO 3	MEASLES	TETANUS 2	HBV 3
AFR (1)	501.03	22.55	21.24	21.12	64	48	48	47	40	0.15
AMR (2)	465.97	11.86	11.30	11.17	90	78	86	82	40	
EMR	418.84	16.25	15.07	14.82	83	76	76	74	50	16
EUR (3)	89.38	2.12	2.09	1.98	62	69	70	67	16	
SEAR	1379.85	40.35	36.72	36.72	92	86	89	82	74	0.10
WPR (4)	1436.01	31.13	30.35	30.34	92	92	92	92	13	2
TOTAL developing	4291.07	124.27	116.76	116.15	85	78	80	77	45	3
INDUSTRIALIZED COUNTRIES										
South Africa	40.77	1.27	1.19	1.19	66	79	79	85		
AMR	285.59	4.49	4.43	0.00	0	83	73	83		
EUR	380.18	4.61	4.55	0.94	81	87	92	78		12
WPR	146.29	1.74	1.71	1.44	90	88	90	72		2
TOTAL industrialized	852.84	12.10	11.88	3.57	80	85	83	80		5
Eastern Europe	394.15	7.01	6.82	6.82	88	74	80	90		9
GLOBAL TOTAL	5538.05	143.38	135.46	126.55	85	79	80	78	45	3

(1) All countries except South Africa

(2) All countries except USA and Canada

(3) Bosnia, Croatia, Israel, The Former Yugoslav Republic of Macedonia, Malta, Slovenia, Turkey and Yugoslavia

(4) All countries except Australia, New Zealand and Japan.

Global TT2+ and Regional TT2+ coverage are estimated for developing countries only.

Table 1.1.3
 Estimated immunization coverage with BCG, DPT, poliomyelitis, measles, and tetanus vaccines based on data available as of August 1994

Country Developing countries ranked by surviving infants.	Surviving infants (millions)	Cumulative percentage of surviving infants	Immunization coverage (%)				
			Surviving infants				Pregnant women
			BCG	DPT 3	Polio 3	Measles*	TT 2+
1 China (92 & 93)	24.39	21	93	95	95	94	2
2 India (93)	23.61	41	92	90	90	85	78
3 Indonesia (93)	4.81	45	94	89	95	93	67
4 Nigeria (93)	4.75	49	40	29	29	34	33
5 Pakistan (93)	4.72	53	87	74	74	71	46
6 Bangladesh (93 & 94S)	4.13	57	95	74	92	71	73
7 Brazil (7&93)	3.42	60	90	69	92	78	62
8 Mexico (7&93)	2.40	62	95	91	92	91	42
9 Ethiopia (93)	2.31	64	46	28	28	22	13
10 Iran (93)	2.23	66	100	99	99	96	82
11 Viet Nam (92)	1.97	67	94	91	91	93	71
12 Philippines (93)	1.91	69	90	88	89	88	70
13 Zaire (9&91S)	1.73	71	65	32	31	31	29
14 Egypt (93)	1.62	72	95	89	89	89	78
15 Turkey (92 & 93)	1.56	73	59	65	65	62	20
16 Myanmar (93S)	1.31	74	96	64	41	44	66
17 Tanzania (93)	1.21	75	90	77	78	77	72
18 Thailand (92 & 93)	1.15	76	96	88	88	78	75
19 Kenya (91 & 92S)	1.04	77	93	86	85	81	71
20 Sudan (93)	0.99	78	61	51	51	49	9
21 Afghanistan (90&91)	0.91	79	21	23	23	19	2
22 Uganda (92)	0.86	80	98	71	70	68	83
23 Algeria (93)	0.85	80	87	73	73	69	38
24 Colombia (9&93)	0.78	81	94	83	85	94	14
25 Morocco (93)	0.77	82	91	86	86	83	87
25 countries	95.43	82	87	81	83	79	47
Other developing countries	21.33	18	77	67	67	67	37
Total developing countries	116.76	100	85	78	80	77	45
Total industrialized countries	11.88		80	85	83	80	...
Eastern Europe	6.82		88	74	80	90	...
Global Total	135.46		85	79	80	78	45

(7) 1987 reported data
 (9) 1989 reported data
 (91) 1991 reported data
 (92) 1992 reported data
 (93) 1993 reported data

(S) Nationwide survey data
 + Boosters included
 * Up to 2 years of age
 ... no information available

HBV 3 coverage is available for Egypt and Iran only. Hence it is not included here until more data are reported.

23-Aug-94

Table 1.2.5. South East Asian Region: estimated immunization coverage based on routine reports, or nationwide surveys by country.

Country/Area	1992 POPn (millions)	1993 POPn (millions)	1993 CBR	1993 Newborns (millions)	1993 IMR	1993 SURVIVING INFANTS (millions)	PERCENTAGE OF IMMUNIZATION COVERAGE					
							BCG	DPT 3	POLIO 3	MEASLES	TT2 or CPB	HBV 3
1 Bangladesh (93 & 94S)	119.29	122.21	0.03	4.71	0.09	4.13	95	74	92	71	73	
2 Bhutan (93)	0.60	0.61	0.04	0.02	0.10	0.02	79	72	73	58	45	
3 DPR Korea (92)	22.62	23.05	0.02	0.56	0.02	0.54	99	90	99	99	97	
4 India (93)	879.55	896.57	0.03	26.06	0.09	23.61	92	90	90	85	78	
5 Indonesia (93)	191.17	194.62	0.03	5.15	0.06	4.81	94	89	95	93	67	
6 Maldives (93)	0.23	0.23	0.04	0.01	0.05	0.01	89	90	97	86	94	
7 Mongolia (92&93)	2.31	2.37	0.03	0.08	0.06	0.07	84	80	66	84	49	
8 Myanmar (93S)	43.67	44.61	0.03	1.45	0.08	1.31	96	64	41	44	66	
9 Nepal (93)	20.58	21.09	0.04	0.78	0.10	0.70	59	60	60	55	12	
10 Sri Lanka (92 & 93)	17.46	17.61	0.02	0.37	0.02	0.36	88	90	89	86	84	
11 Thailand (92 & 93)	56.13	56.87	0.02	1.16	0.03	1.15	96	88	88	78	75	
Regional Total	1353.60	1379.85	0.03	40.35	0.07	36.72	92	86	89	82	74	
												0.10

Page 4

Bangladesh: Child Protected at Birth (CPB) = 7.3%, TT2 = 80%

(91) 1991 reported data

(92) 1992 reported data

(93) 1993 reported data

(S) Nationwide survey

+ TT boosters included

Source of demographic data (population, CBR, IMR, growth rate): 1992 World Population Prospects
1993 Surviving infants = (1992 Popn.) x (1993 CBR) x (1 - (1993 IMR)) or UNPD estimates when available.

a Policy is to immunize children 13-24 months of age for measles.

Denominator for estimating coverage of BCG, DPT 3, Polio 3, and Measles is number of surviving infants.

Denominator for estimating coverage of Tetanus 2 is number of newborns.

Blank indicates no information available. Coverage is regarded as zero when no data are available.

10-Aug-94

seva.wk1

Table 1.2 VA: Countries classified by WHO as having a Vitamin A deficiency problem of public health significance.
Categories as of May 1994

SOUTH EAST ASIAN REGION	1992 POPN (millions)	1993 POPN (millions)	1993 CBR	1993 Newborns (millions)	1993 IMR	1993 SURVIVING INFANTS (millions)	Vitamin A coverage
1 Bangladesh *	119.29	122.21	0.04	4.71	0.11	4.13	11
2 Bhutan	0.60	0.61	0.04	0.07	0.13	0.06	
3 India *	879.55	896.57	0.03	26.06	0.09	23.61	
4 Indonesia *	191.17	194.62	0.03	5.15	0.06	4.81	
5 Maldives	0.23	0.23	0.04	0.01	0.05	0.01	
6 Myanmar	43.67	44.61	0.03	1.45	0.08	1.31	
7 Nepal	20.58	21.09	0.04	0.78	0.10	0.70	
8 Sri Lanka	17.46	17.61	0.02	0.37	0.02	0.36	
9 Thailand	56.13	56.87	0.02	1.16	0.03	1.15	
Regional Total	1328.67	1354.42	0.03	39.75	0.07	36.14	1.27

* Countries that have programmes linking Vitamin A supplementation with immunization

18-Aug-94

South East Asian Region
TABLE 1.3.5 Percent of children immunized by 12 months of age
 based on information received from routine reporting systems

Country/Area	BCG																
	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh				0.3	1	1	2	2	2	4	15	26	89	91	87	94	93
2 Bhutan			21	43	63	39	46	47	59	55	67	73	93	87	99	80	79
3 DPR Korea	84	57	50	50	52	51	52	49	51	53	96	98	99	99	99	99	
4 India		5	6	8	12	14	20	21	29	52	71	79	89	97	93	97	96
5 Indonesia	70	73	72	61	55	60	58	56	65	66	77	74	81	93	89	97	94
6 Maldives		5	52		8	20	27	27	52	28	59	90	98	99	99	99	89
7 Mongolia				51	53	52	52	52	52	54	60	93	92	81	85	87	84
8 Myanmar		4	6	9	15	20	28	36	45	28	72	65	86	86	87	84	
9 Nepal		9	24	22	32	59	53	58	67	66	88	96	86	98	83	82	59
10 Sri Lanka	66	68	62	61	58	65	64	67	71	79	76	81	89	88	89	89	88
11 Thailand	38	45	54	68	71	85	82	63	60	62	61	55	98	97	84	75	96
REGIONAL TOTAL (a)	14	18	19	19	21	24	28	27	32	35	47	65	84	95	87	94	92

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region

TABLE 1.3.5 Percent of children immunized by 12 months of age based on information received from routine reporting systems

Country/Area	DPT 3																			
	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh							0.2	1	1	1	1	2	4	9	19	49	69	87	96	90
2 Bhutan							1	6	13	10	16	53	53	63	75	76	84	95	72	72
3 DPR Korea			83		57	50	50	52	51	52	67	55	61	86	87	97	98	97	90	
4 India					42	36	31	31	37	40	42	41	57	72	80	83	92	91	90	90
5 Indonesia							0.2	1	1	3	6	15	48	48	61	71	87	86	90	89
6 Maldives					10			1	1		24	5	25	6	81	91	94	97	98	90
7 Mongolia							76	99	79	79	77	83	85	69	87	84	69	81	67	80
8 Myanmar					1	3	4	5	9	9	11	12	16	37	47	66	88	84	72	
9 Nepal						6	8	16	18	28	27	32	38	46	75	72	80	74	72	60
10 Sri Lanka			25		34	34	46	45	57	64	66	70	75	77	83	87	90	86	90	
11 Thailand					34	43	49	52	25	53	44	47	47	48	47	84	90	69	83	88
REGIONAL TOTAL [a]	9	75	76	2	29	25	26	26	28	31	32	36	45	49	62	75	86	83	88	86

* Immunization coverage for 5 years of age. DP vaccine used instead of DPT.

[a] Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region
 TABLE 1.3.5 : Percent of children immunized by 12 months of age
 based on information received from routine reporting systems

POLIO 3

Country/Area	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh							0.1	0.4	1	1	1	2	4	8	16	49	69	84	98	92
2 Bhutan				1			4	11	10	14	52	52	54	63	77	76	84	95	71	73
3 DPR Korea			84	57	50		50	51	51	52	52	65	62	70	58		99	98	99	99
4 India						3		7	12	18	29	35	49	50	63	75	82	83	87	90
5 Indonesia					2			0.2	1	4	6	13	46	45	62	83	92	84	90	95
6 Maldives									1	1	10	5	25	6	80		92	97	98	97
7 Mongolia							92	99	99	50	77	100	90	71	70	77	87	84	57	66
8 Myanmar									1	3	2	3	4		22	41	69	94	57	41
9 Nepal								1	3	4	6	20	34	43	73	73	74	74	73	60
10 Sri Lanka			23	32	35		48	49	57	67	65	65	68	65	69	88	80	86	90	89
11 Thailand				1	12		19	31	39	50	44	47	46	47	46	61	88	69	68	88
REGIONAL TOTAL (a)	15	21	26	2	1	2	4	7	11	16	23	29	42	44	55	72	87	83	90	90

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region
 TABLE 1.3.5 Percent of children immunized by 12 months of age
 based on information received from routine reporting systems

Country/Area	MEASLES																
	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh				0.3	1	1	1	1	1	3	6	13	53	82	83	90	87
2 Bhutan			3	21	21	20	21	36	43	41	52	64	60	79	89	60	58
3 DPR Korea	44	34	27	29	31	29	30	31	63	44	95	90	97	99	99	99	
4 India				0.1					1	16	44	55	69	87	85	86	85
5 Indonesia					0.1	0.1	2	6	15	47	46	55	71	86	80	86	93
6 Maldives				39	34	34			30	13	9	79	89	89	97	98	86
7 Mongolia				17			1	20	18	11	58	87	86	67	82	88	84
8 Myanmar										5	23	42	66	86	85	71	
9 Nepal					2	2	11	24	34	37	37	58	57	68	64	67	55
10 Sri Lanka							3	3	20	45	60	68	77	80	79	83	86
11 Thailand							5	5	22	30	35	36	66	79	60	76	78
REGIONAL TOTAL (a)	1	1	1	1	1	1	1	2	5	12	21	42	59	80	78	84	82

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region
 TABLE 1.3.5 : Percent of pregnant women immunized against tetanus
 based on information received from routine reporting systems

Country/Area	TETANUS 2+																			
	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh							2	1	1	1	1	2	4	7	12	25	73	78	65	62
2 Bhutan											3	3	5	13	11	37	63	63	44	45
3 DPR Korea					17	17	22	24	30	31	35	40	45	57	65	59	77	78	79	78
4 India			2		3	5	7	10	15	18	19	24	26	27	29	41	61	60	62	67
5 Indonesia					12	12	9	2	28	15	3	15	10	2	62	67	92	93	95	94
6 Maldives																				
7 Mongolia					1	3	3	6	11	13	18	20	26	28	38	55	72	81	73	
8 Myanmar						1	1	4	8	11	12	14	25	17	30	21	22	16	22	12
9 Nepal					35	45	50	48	46	46	47	41	44	51	54	55	63	65	85	84
10 Sri Lanka	4	7	25	6	6	11	22	32	37	40	32	35	34	59	56	64	76	76	75	
11 Thailand																				
REGIONAL TOTAL (a)				1	12	13	17	19	23	24	26	29	52	35	45	55	68	65	73	74

+ Boosters included

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region TABLE 1.3.5 : Percent of children immunized by 12 months of age
based on information received from routine reporting systems

Country/Area	HEPATITIS B 3		
	1990	1991	1992
1 Bangladesh			1993
2 Bhutan			
3 DPR Korea			
4 India			
5 Indonesia			
6 Maldives		6	21
7 Mongolia			49
8 Myanmar			
9 Nepal			
10 Sri Lanka			
11 Thailand			64
REGIONAL TOTAL (a)		0.1	0.1

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

18-Aug-94

South East Asian Region
TABLE 1.3.5 : Percent of children immunized by 12 months of age
 based on information received from routine reporting systems

Country/Area	VITAMIN A		
	1991	1992	1993
1 Bangladesh			11
2 Bhutan			
3 DPR Korea			
4 India			
5 Indonesia			
6 Maldives			
7 Mongolia			
8 Myanmar			
9 Nepal			
10 Sri Lanka			
11 Thailand			
REGIONAL TOTAL (a)			1

(a) Nationwide surveys included in regional coverage estimates, based on table 1.2.5

Estimated Cases and Deaths Prevented for selected EPI Diseases,
based on data available as of AUGUST 1994

	1993		CASES					DEATHS			
	Newborns (millions)	Surviving Infants (millions)	Mecasles	Peritussis	Polio	TOTAL (millions)	Mecasles	Neonatal Tetanus	Peritussis	TOTAL (millions)	
25 largest developing countries	101.03	95.43	64408839	52653409	392156	117.454	1192129	656065	526534	2.375	
Other developing countries	23.24	21.33	12165008	9798125	78238	22.041	310485	68211	97981	0.477	
TOTAL developing countries	124.27	116.76	76573847	62451534	470394	139.496	1502613	724276	624515	2.851	
Eastern Europe	7.01	6.82	5191715	3385929	33450	8.611	5192	0	1354	0.007	
Industrialized countries	12.10	11.88	8043011	6573471	59373	14.676	32945	0	2629	0.036	
GLOBAL	143.38	135.46	89808574	72410934	563217	162.783	1540750	724276	628499	2.894	

Source of data: EPI Information System

Estimated Cases and Deaths for selected EPI Diseases,
based on data available as of AUGUST 1994

Table 2.1.2 :

	1993		CASES				DEATHS			
	Newborns [millions]	Surviving Infants [millions]	Measles	Pertussis	Polio	TOTAL [millions]	Measles	Neonatal Tetanus	Pertussis	TOTAL [millions]
25 largest developing countries	101.03	95.43	31023361	28168335	85005	59.277	852247	427586	281683	1.562
Other developing countries	23.24	21.33	9164325	8792147	28409	17.985	328003	89141	87921	0.505
TOTAL developing countries	124.27	116.76	40187686	36960482	113414	77.262	1180250	516726	369605	2.067
Eastern Europe	7.01	6.82	1631985	2222791	668	3.855	1632	0	889	0.009
Industrialized countries	12.10	11.88	3833789	3107729	11	6.942	13400	0	1243	0.015
GLOBAL	143.38	135.46	45653459	42291002	114093	88.059	1195282	516726	371737	2.084

Source of data: EPI Information System

Table 2.2.5: SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF DIPHTHERIA, 1974 TO 1993

COUNTRY/AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh	725	706		107	952	1134	1559	1342	1860	3520	1209	204	1124	24	613	1229	711	801	855	497
2 Bhutan					6	4	5	1	0	4	19	4	7	3	1	20	0	0	2	0
3 DPR Korea	155	317	163	167	66	70	16	37	0	0	0	0	0	0	0	0	0	0	0	0
4 India	28912	30057	21825	24396	26653	31345	39231	26315	17191	13776	47055	15485	9426	12952	16472	11152	8425	12550	8115	793
5 Indonesia	1148	939	962	2560	2782	3914	3674	3507	3285	1389	1792	1161	928	268	2079	1603	2200	1342	1016	
6 Maldives								0	0	0	0	0	0	0	0	0	0	0	0	0
7 Mongolia	34	0	0	0	1	0	0	0	0	0	0	0	0	0	0	7	1	1	0	0
8 Myanmar	647	384	1143	963	323	764	830	959	782	595	353	268	159	313	231	199	181	110	34	88
9 Nepal	82		46	60	171	197	82	20	111	115	1293	1156	11	15	13	3	7	15	16	4
10 Sri Lanka	251	310	152	145	216	101	37	36	22	26	20	10	3	0	0	0	1	2	1	4
11 Thailand	1905	1934	2345	2280	1773	2099	1918	794	1125	1038	1021	762	632	536	216	87	58	53	40	22
Total	31859	34647	26636	30686	32943	39538	47354	33011	24376	20463	22762	19250	12290	14111	19649	14320	11584	14875	10079	1408
Reporting No. of countries	9	8	8	9	10	10	10	11	11	11	11	11	11	11	11	11	10	11	11	9
% of countries	82	73	73	82	91	91	91	100	100	100	100	100	100	100	100	100	91	100	100	82

Blank indicates no data available

10-Aug-94

Table 2.2.5. SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF MEASLES 1974 TO 1993

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh		3030	40171	22973	18576	31895	51077	96241	18116	9569	11851	11697	14352	13631	11421	27327	1705	9282	5748	5443
2 Brunei					420	894	1642	1102	1868	1354	1321	819	948	873	382	554	173	441	103	495
3 DPR Korea																				
4 India	119714	133581	157047	133654	121313	143338	314204	202054	146196	129639	190881	141246	155076	252940	141379	135771	86612	77839	92183	49832
5 Indonesia	152	205	97	11879	654	902	28935	33106	25152	4670	18947	9458	1136	393	76518	239666	92105	90358	89596	58238
6 Maldives						1524		1479				2029								81
7 Myanmar			16807	3045	138	355	538	695	209	1935	21738	525	133	138	3044	2176	296	656	1069	71
8 Mongolia	2350	4326	7674	6190	5867	17090	21457	28821	23102	18919	16580	16384	3800	5520	4323	3683	6240	4437	1324	2288
9 Nepal			225	307	854	561		354	1268	1117	2042	952	48	180	393	171	382	93	134	58
10 Sri Lanka	1580	5000	5639	5814	6128	4126	3032	6224	13273	8171	9211	8798	6235	3508	2650	780	4004	1896	703	242
11 Thailand	2739	3392	5538	8775	8502	13153	16785	24288	27691	34713	47205	32156	19545	42172	36992	14862	29463	36709	8704	9159
Total	126635	149514	233198	192637	162472	216303	204873	305482	258875	210689	319776	244038	201323	319187	294052	445190	223783	211741	197616	125987
Reporting No. of countries	6	7	9	9	10	11	10	11	11	11	11	11	11	11	11	11	11	11	11	10
% of countries	55	64	82	82	91	100	91	100	100	100	100	100	100	100	100	100	100	100	100	92

22-Aug-94

Blank indicates no data available

Table 2.1.5. SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF PERUSSIS 1974 TO 1993

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh				5109	746	13895	12436	17000	52337	24002	10326	23897	31978	34423	19803	83057	4829	14605	10242	4190
2 Bhutan						1249	464	534	795	392	224	215	160	90	219	225	3	8	9	0
3 DPR Korea	12669	2695	3088	60476	14501	350	0	110	561	1919	1767	1607	952	494	363	274	58	49	47	
4 India	243288	345457	373814	393884	330702	335791	3320109	359288	277859	211283	189287	184568	167234	163787	143598	145215	112416	73520	63308	
5 Indonesia	181	58	36	8918	24521	19180	32999	24764	9507	626	1257	1045	121	16	26570	41831	30014	16112	15177	12292
6 Maldives						2	7	0	0	0	0	2	0	0	0	0	0	0	0	0
7 Mongolia	25	41	248	43	8	15	22	1	3	19	3	0	5	0	0	0	3	1	0	28
8 Myanmar	3109	11451	13775	15056	10795	37973	26878	31424	41765	23215	11747	10238	9783	5757	2547	3819	7802	700	1437	
9 Nepal	69		41	43	997	1257	1035	10	1788	2004	160	102	25	32	13	18	18	15	8	2
10 Sri Lanka	525	1341	1040	1078	703	803	542	503	296	244	274	536	157	31	25	61	271	25	6	7
11 Thailand	2399	3281	1980	3150	2574	5093	4820	2948	3448	4846	4060	2533	1855	1467	1663	1230	486	395	414	267
Total	242245	364324	394022	397757	385547	415606	399332	436576	388281	267550	219105	224541	212270	206097	194901	275730	156030	104630	89931	18231
Reporting No. of countries	8	7	8	9	9	11	11	11	11	11	13	11	11	11	11	11	11	10	11	9
% of countries	73	64	73	82	82	100	100	100	100	100	100	100	100	100	100	100	100	91	100	82

10-Aug-94

Blank indicates no data available

17-Aug-94

SOUTH EAST ASIAN REGION
REPORTED ANNUAL INCIDENCE OF POLIOMYELITIS

Table 2.2.5:

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986
1 Bangladesh		162	9	85	2	11	65	98	319		89	810	158
2 Bhutan					2	1	6	0	0		7	2	6
3 DPR Korea	4172	159	975	250	85	35	0	0	0	0	0	0	0
4 India	16439	13000	13711	13791	15670	19487	18975	38090	26302	24727	23250	22584	20169
5 Indonesia	72	106	127	184	98	98	182	941	218	57	127	88	24
6 Maldives						0	1	0	0	0	0	0	0
7 Mongolia	0	1	0	1	0	0	0	0	74	15	7	2	7
8 Myanmar	41	37	418	312	267	207	244	287	304	215	166	109	91
9 Nepal	3	20	18	35	9	689	52	9	66	66	76	30	10
10 Sri Lanka	608	190	258	127	153	143	264	254	84	57	16	11	9
11 Thailand	622	440	800	911	640	1083	300	257	276	144	81	65	94
Total	21957	14115	16316	15696	16924	21754	20089	39936	27643	25281	23819	23701	20568
Reporting No: of countries	8	9	9	9	9	11	11	11	11	9	11	11	11
% of countries	73	82	82	82	82	100	100	100	100	82	100	100	100

Blank indicates no data available
Totals exclude vaccine associated cases

17-Aug-94

SOUTH EAST ASIAN REGION
REPORTED ANNUAL INCIDENCE OF POLIOMYELITIS

Table 2.2.5:

COUNTRY / AREA	1987		1988		1989		1990		1991		1992	
	IN	UN	IN	UN	IN	UN	IN	UN	IN	UN	IN	UN
1 Bangladesh	102	102	540	540	449	449	374	374	287	287	287	209
2 Bhutan	0	0	36	36	0	0	0	0	0	0	0	0
3 DPR Korea	38	38	8	8	0	0	0	0	0	0	0	0
4 India	28264	28264	24257	24257	13866	13866	10408	10408	6028	6028	6028	9203
5 Indonesia	1157	1157	773	773	607	607	465	465	221	221	221	108
6 Maldives	0	0	0	0	0	0	0	0	0	0	0	0
7 Mongolia	1	1	1	1	0	0	0	0	1	1	1	1
8 Myanmar	67	67	60	60	50	50	47	47	54	54	54	47
9 Nepal	7	7	9	9	34	34	6	6	11	11	12	3
10 Sri Lanka	27	69	4	12	4	4	6	9	0	0	1	2
11 Thailand	25	25	11	11	19	19	4	4	5	5	5	12
Total	27	29729	4	25707	15029	15029	6	11307	2	6607	6607	9585
Reporting												
No: of countries	1	10	1	11	11	11	1	11	2	11	11	10
% of countries	9	91	9	100	100	100	9	100	18	100	100	91

(VA) vaccine associated
(IV) imported

(IN) wild virus/indigenous
(UN) unknown/others

1992 Nepal and Thailand monthly totals do not tally with annual totals.

17-Aug-94

SOUTH EAST ASIAN REGION:
REPORTED ANNUAL INCIDENCE OF POLIOMYELITIS

Table 2.2.5:

COUNTRY / AREA	1993												1994 TOTAL	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		Total
1 Bangladesh	31	14	2	25	11	24	17	34	31	20	10	14	233	74
2 Bhutan	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3 DPR.Korea	319	211	299	172	228	313	428	553	482	484	333	268	4090	614
4 India	7	0	0	6	3	0	0	0	0	0	10	26	0	4
5 Indonesia	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 Maldives	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 Mongolia	1	1	5	4	9	11	3	5	1	3	0	1	44	0
8 Myanmar	0	0	0	1	1	0	0	0	0	0	0	0	2	0
9 Nepal	0	0	4	0	0	0	0	0	0	0	1	5	0	0
10 Sri Lanka	2	2	3	2	2	1	2	3	4	0	3	0	24	0
11 Thailand														
Total	360	228	313	210	254	349	450	595	518	507	346	294	4424	692
Reporting No: of countries	9	9	10	10	10	10	10	10	10	8	8	10	10	8
% of countries	82	82	91	91	91	91	91	91	91	73	73	91	91	73

Blank indicates no data available
Totals exclude vaccine associated cases

Table 2.2.5. SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF NEONATAL TETANUS 1974 TO 1993

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993		
1 Bangladesh	533	703	457	433	922	1102	954	1506	1283	612	999	662	494	135	1070	1114	9313	11241	6626	4339		
2 Brunei	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3 DPR Korea	158	211	185	194	166	149	124	134	123	119	100	94	72	64	57	58	27	189	111	107	107	
4 India	809	812	642	821	874	423	351	219	182	70	123	76	48	37	39	19	14	10	8	7	30	
5 Indonesia	536	629	699	778	866	753	684	650	677	566	548	564	508	414	325	286	212	166	120	14	5	
6 Maldives																						
7 Mongolia																						
8 Myanmar																						
9 Nepal																						
10 Sri Lanka																						
11 Thailand																						
Total Reporting	2026	2355	1983	2426	2848	2427	3161	2539	2304	1410	3159	1481	1242	699	14425	14102	11841	12935	8140	5809		
No. of countries	5	5	5	5	5	5	6	7	7	7	9	8	8	8	11	11	10	11	11	10		
% of countries	45	45	45	45	45	45	55	64	64	64	82	73	73	73	100	100	91	100	100	91		

10-Aug-84

Blank indicates no data available

1980-84

SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF TOTAL BETAHUS 1974 TO 1993

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Singapore		1610		937	1244	3041	2855	373	2251	6996	2012	363	892	201	2067	7993	2511	2656	3780	3850
2 Shri Lanka					6	9	3	1	1	1	77	34	107	3	9	81	0	4	4	0
3 DPR Korea	0	0	488	333	341	350	537	733	1488	0	982	804	570	123	64	1	0	1	3	0
4 India	47051	74096	73965	36536	43048	42378	45948	41161	41726	34442	31366	37667	32453	31926	24543	24774	23156	15036	11268	4999
5 Indonesia	3882	4153	3657	7797	7841	9661	7231	7217	6583	3277	4192	4249	2800	367	5325	6760	7784	5739	5975	4
6 Maldives						1	2	0	0	0	0	0	0	0	0	0	0	0	0	2
7 Mongolia	3	1	0	1	3	0	0	0	2	3	2	1	1	0	0	1	1	0	2	1
8 Myanmar	192	1029	2977	3113	1732	2533	2423	2713	3054	3225	2343	1759	1466	1279	1380	1375	769	740	740	491
9 Nepal			73	256	110	125	116	402	374	721	585	246	235	149	385	295	35	48	48	79
10 Sri Lanka	2032	1998	2000	1928	2028	1486	1243	949	795	721	585	481	502	258	273	295	184	188	231	79
11 Thailand	1496	1546	1767	1975	2168	2000	1818	1837	1871	1663	1461	1495	1379	1226	1131	970	813	766	588	440
Total	54836	86403	83927	52976	58521	61584	62176	55084	58145	56328	43020	47039	40412	35332	34577	42250	35453	24340	22575	9864
Reporting No. of countries	7	8	8	9	10	11	11	11	11	10	10	11	11	11	11	9	9	9	10	8
% of countries	64	73	73	82	91	100	100	100	100	91	91	100	100	100	100	82	82	82	91	73

blank indicates no data available

10-Aug-84

Table 2.2.3: SOUTH EAST ASIAN REGION - REPORTED ANNUAL INCIDENCE OF TUBERCULOSIS 1974 TO 1993

COUNTRY / AREA	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
1 Bangladesh		11549	8517	25943	26941	34377	39774	42664	49870	53961	45679	41802	45589	45355	44280	45191	48673	56052	31971	54001
2 Bhutan					976	1159	1539	2637	720	1017	904	1073	1582	608	1126	1525	1154	998	140	100
3 DPR Korea															0	0	0	0	0	0
4 India	332692	694508	589768	610531	668794	462600	705600	769560	923095	1075098	1109310	1168806	1279536	1403122	1467388	1510500	1519182	1555353	93458	
5 Indonesia	9693	17402	19913	19374	19517	21924	25235	32461	33003	31809	32432	17681	16750	115	97505	105516	74470	469832		
6 Maldives	159	173	185	139	126	106	73	112	111	143	123	91	111	115	85	203	152	123	95	123
7 Mongolia	1300	1316	1122	1075	1103	1123	1161	1094	1340	1512	1651	2992	2818	2432	2541	2237	1577	1611	3502	1418
8 Myanmar	11725	10585	9935	10156	10215	11846	12744	12461	12069	11012	11045	10506	10840	11986	9348	10940	12416	16440	6910	12019
9 Nepal	1228		1233	1974	959	1244	1020	337	700	700	190	52	252	1012	1603	11003	10342	8983	14	13161
10 Sri Lanka	6074	7324	6823	5994	6360	6152	6212	6288	7334	6665	6376	5889	6596	6411	6092	6409	6666	6174	6802	6571
11 Thailand			2195	7066	10384	13297	45704	49452	48553	45413	69240	77611	52152	51835	50021	44553	44527	50185	48321	13814
Total	562921	723657	637693	682253	745575	753848	839062	917066	1077451	1246633	1276950	1326501	1416236	1522876	1669889	1738097	1718959	2165749	194215	101209
Reporting	7	7	9	9	10	10	10	10	10	10	10	10	10	10	11	11	11	11	9	8
No. of countries	64	64	82	82	91	91	91	91	91	91	91	91	91	91	100	100	100	100	100	82

10-Aug-94

Blank indicates no data available

GLOBAL TOTAL OF COUNTRIES REPORTING INCIDENCE

DIPHTHERIA		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting		29	29	36	34	37	35	37	41	40	39	37	37	37	36	35	34	31	19	6	4
AFR		43	42	44	44	44	44	45	45	40	43	43	43	42	41	42	40	41	40	39	38
AMR		15	22	22	22	22	22	22	22	22	22	22	24	23	23	23	22	20	20	20	19
EUR		31	31	31	30	31	31	32	32	32	32	32	32	32	32	32	32	31	30	48	49
SEAR		9	8	8	9	10	10	10	10	11	11	11	11	11	11	11	11	11	11	11	9
WPR		30	31	32	31	32	30	33	32	33	33	33	33	33	33	34	35	32	30	26	18
Total		157	162	171	168	176	172	179	184	178	182	180	180	180	176	176	174	165	150	150	137
Percent		80	83	87	86	90	88	91	94	91	93	92	86	90	92	90	89	85	72	72	66
MEASLES		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting		35	29	41	39	40	41	41	44	44	44	43	43	42	43	44	42	32	38	39	37
AFR		44	41	43	41	45	45	46	46	43	44	46	46	46	46	45	45	45	43	42	41
AMR		18	21	21	21	23	22	21	23	22	22	23	23	22	23	23	22	20	21	21	21
EUR		23	23	24	24	24	24	24	25	26	26	26	26	26	26	28	28	28	29	42	45
SEAR		4	7	9	9	10	11	10	11	11	11	11	11	11	11	11	11	11	11	11	11
WPR		20	27	29	30	29	28	30	30	31	30	30	29	30	32	32	35	31	29	27	19
Total		146	148	167	164	171	171	172	178	177	178	179	178	177	177	181	181	172	171	182	174
Percent		74	76	85	84	87	87	88	91	90	91	91	91	91	90	93	92	89	82	87	83
DIPHTHERIA-SERIA		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of cases reported		1954	2443	1856	5017	2822	1603	8771	2264	4638	4099	5135	5060	2425	1555	2924	6009	2522	2996	9153	2343
AFR		6146	6352	7318	7900	6860	5900	5849	4736	4685	4011	5352	3005	2330	1987	1435	1061	1009	620	450	395
AMR		5612	8118	5835	5600	11625	10422	19989	19864	12806	7466	5301	8622	6933	6202	4964	6288	3604	1215	1046	404
EUR		11859	34647	26656	30688	37940	39538	47354	33011	24376	26463	18331	17444	12331	11444	895	894	1778	3172	5801	19586
SEAR		29938	41509	30582	36599	24227	19621	15230	13368	13954	13122	8265	5910	4806	4084	2578	14350	11584	14875	10079	1408
WPR		77145	94329	73654	86753	79255	77733	97811	74647	60964	51217	44648	43591	30217	29043	32445	32619	22559	24722	28669	24526
MEASLES		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting		35	29	41	39	40	41	41	44	44	44	43	43	42	43	44	42	32	38	39	37
AFR		44	41	43	41	45	45	46	46	43	44	46	46	46	46	45	45	45	43	42	41
AMR		18	21	21	21	23	22	21	23	22	22	23	23	22	23	23	22	20	21	21	21
EUR		23	23	24	24	24	24	24	25	26	26	26	26	26	26	28	28	28	29	42	45
SEAR		4	7	9	9	10	11	10	11	11	11	11	11	11	11	11	11	11	11	11	11
WPR		20	27	29	30	29	28	30	30	31	30	30	29	30	32	32	35	31	29	27	19
Total		146	148	167	164	171	171	172	178	177	178	179	178	177	177	181	181	172	171	182	174
Percent		74	76	85	84	87	87	88	91	90	91	91	91	91	90	93	92	89	82	87	83
DIPHTHERIA-SERIA		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of cases reported		842686	648742	1211934	1513210	1362700	1305809	12410645	1413288	1343727	1342769	1085515	1143569	676837	641057	712507	552075	450456	412199	456939	321758
AFR		209836	180548	311467	301745	199562	277280	237764	260026	153157	137134	201683	197834	213540	147079	136994	155282	244607	116751	100043	48641
AMR		328318	358443	241974	392341	367604	411425	346484	453084	334325	303070	219343	230307	171390	175960	127413	70240	47138	35906	75531	51080
EUR		1100782	1157939	1012617	1602284	1169421	821307	851849	812582	900751	831115	591824	646619	587482	335645	454388	442589	168525	174047	207890	254362
SEAR		124635	149514	233198	192437	162472	216301	204873	306482	258875	230089	319776	244038	201323	319187	296052	445190	223783	211741	199636	129887
WPR		3181826	2673484	2718744	2841268	2587483	1906668	1317488	1193679	1104806	994231	862753	632408	380704	256258	217742	220327	155643	186436	208535	141124
TOTAL		5989983	5368730	5729934	6243425	5849242	4918890	4399603	4446101	4096641	3822699	3260894	3094675	2231106	1872216	1938976	1886705	1312352	1117080	1248674	944952

Table 2.3. GLOBAL TOTAL OF COUNTRIES REPORTING INCIDENCE

		1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
globe.wk1																					
PERUSSIS																					
Number of countries reporting	AFR	31	29	34	35	37	36	37	37	38	39	38	40	38	38	39	37	33	23	6	3
	AMR	41	41	40	40	44	44	43	44	44	45	46	46	44	45	44	43	42	42	41	40
	EUR	14	21	21	21	22	21	22	22	22	23	23	23	22	22	23	20	20	20	20	20
	SEAR	25	25	26	26	26	26	27	28	29	28	28	29	28	28	28	28	27	27	39	40
	WPR	8	7	8	9	9	11	11	11	11	11	11	11	11	11	11	11	11	10	11	9
	Total	138	150	162	159	166	167	172	173	178	179	178	179	176	179	178	175	165	151	144	132
	Percent	70	77	83	81	85	85	88	88	91	91	91	91	90	91	91	89	85	72	69	63
POLIOVIRUS																					
Number of cases reported	AFR	269289	297537	309528	327695	333197	370822	367961	347780	397863	321041	238480	240249	178440	166741	100457	100044	89461	173738	28112	24269
	AMR	116766	106926	144810	150142	102218	98453	121351	114372	99091	60673	62180	54580	46599	33959	24512	33766	34983	19134	14855	21289
	EUR	94381	149895	140598	157335	222068	212663	171886	173560	181943	129024	100016	111939	102289	68492	78521	40409	27447	4175	4686	2127
	SEAR	105449	73942	110462	98936	135243	117953	90846	81798	184485	142984	110823	184812	151003	123188	109231	109231	96548	93848	68647	85217
	Total	262245	364324	394022	397737	385547	415606	399332	436576	388261	267350	219103	224541	212270	206697	194801	275710	156030	104630	69911	18233
	Percent	1815860	1886202	1423841	1600017	1307891	886984	859241	688732	578268	464252	321606	244865	160607	109498	72653	56488	35673	24196	104630	69911
	Total	2664489	2878646	2523261	2729992	2487144	2103523	1980117	1822818	1841931	1380944	1052180	1060986	851208	708285	567164	621651	440142	415442	235468	168576
POLIOVIRUS																					
Number of cases reported	AFR	38	30	43	43	39	40	43	42	42	44	45	43	44	44	45	45	44	39	43	37
	AMR	45	45	46	44	46	46	45	44	43	43	44	43	44	42	42	47	47	47	47	47
	EUR	18	23	22	23	23	23	21	23	22	23	24	23	23	24	24	22	21	22	21	21
	SEAR	8	31	31	31	31	31	32	32	32	32	32	32	32	32	32	32	32	31	31	31
	Total	21	29	31	31	32	30	32	32	33	33	33	31	33	33	33	35	35	34	32	35
	Percent	161	167	182	181	180	181	184	184	183	184	189	183	187	187	192	192	190	184	198	200
	Total	82	85	93	92	92	92	94	94	93	94	96	93	95	95	98	98	98	86	95	96
POLIOVIRUS																					
Number of cases reported	AFR	4358	5774	6322	3909	6114	4356	5168	4347	4058	3076	3012	3935	3673	2845	4529	3130	4412	1756	1670	971
	AMR	2226	5510	3754	4627	3279	4898	2706	1845	996	1067	580	716	904	668	311	110	18	9	0	0
	EUR	7898	14135	10954	5673	8353	8852	12680	8690	8779	5316	3466	5607	3938	2995	2342	2307	1497	2129	1901	2451
	SEAR	21957	14115	16316	15696	16924	21754	20089	39936	27643	35281	23819	23701	20568	29756	25711	15029	11313	312	181	199
	Total	12214	8876	6262	10035	12557	7702	11422	11147	9974	4932	4223	5162	3995	3536	2126	5485	5963	2635	1917	1119
	Total	49485	49293	44394	46918	47952	48097	52593	66200	52036	40102	35344	39370	33300	39942	35225	26178	23576	13450	15254	9164

Table 2.3: GLOBAL TOTAL OF COUNTRIES REPORTING INCIDENCE

globe.c.w.kl

TOTAL TETANUS	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting	27	27	34	32	39	37	39	40	40	41	36	36	35	36	39	37	38	23	8	4
AFR	41	41	41	41	45	45	44	44	43	44	44	45	45	45	41	35	42	42	41	38
AMR	12	10	19	20	22	21	21	22	23	23	24	23	23	23	23	20	19	20	21	20
EAR	20	25	26	28	28	29	31	30	31	31	31	31	31	30	31	31	30	27	43	40
EUR	7	8	9	9	10	11	11	11	11	10	10	11	11	11	11	9	9	9	10	8
SEAR	15	24	25	27	29	28	30	30	32	31	32	30	31	34	33	32	31	27	23	16
WPR	122	143	155	157	173	172	176	177	180	180	179	176	176	179	176	166	169	148	145	126
Total	62	73	79	80	88	88	90	90	92	92	91	90	90	91	91	85	87	71	70	60
Percent																				
Number of cases reported	10832	15484	17997	15766	23853	16469	17361	20008	20590	18113	16034	14445	11312	15225	14200	19933	11201	7864	4025	4111
AFR	6080	6259	6941	7265	4858	6484	7082	6306	6359	5994	5897	5163	4426	4484	4336	3963	3575	2996	3188	2508
AMR	2095	5425	6394	9978	12658	15594	17765	18308	21634	18798	17438	30285	22217	14623	13888	13220	9778	5256	5374	4858
EAR	2609	2723	2781	2740	3437	2035	1715	1281	1390	1384	1275	1132	1043	912	858	857	879	755	746	768
EUR	54636	86403	63927	58976	58521	61584	62174	55084	58145	50328	49020	47039	40412	35332	34577	42250	35453	23340	22575	9864
SEAR	5716	5304	6473	7972	6799	4780	8365	5236	6798	4845	5820	6619	5780	5189	5979	5373	3419	2538	1423	750
WPR	81968	121598	124313	94697	112126	106946	114464	106243	114916	99462	89684	104483	85190	75745	73838	78596	64305	44549	37536	22799
TOTAL																				
MECHANICAL TETANUS																				
Number of countries reporting	5	5	3	3	4	5	11	19	23	22	30	34	38	38	37	37	43	36	43	36
AFR	8	3	0	6	6	7	15	24	29	30	28	30	25	34	34	38	40	41	40	40
AMR	15	3	8	7	10	11	13	17	18	18	19	21	20	21	20	20	20	19	21	21
EAR	5	15	15	15	15	16	18	22	25	25	27	29	30	30	31	31	28	27	31	21
EUR	5	5	5	5	5	5	6	7	7	7	9	8	8	8	11	11	10	11	11	10
SEAR	10	10	11	12	11	11	14	14	14	15	16	17	18	17	26	26	27	26	24	18
WPR	35	38	48	48	51	55	77	100	116	117	129	139	139	148	159	163	168	160	172	156
Total	18	19	24	24	26	28	39	53	59	60	66	71	71	76	81	83	87	76	82	74
Percent																				
Number of cases reported	0	0	816	1410	1816	1892	2265	3312	5343	3400	5421	5809	6097	6767	6084	7299	7030	5914	3688	3461
AFR	229	284	222	146	154	204	803	723	1431	1724	1605	3478	1312	1496	1476	1430	1270	942	853	708
AMR	127	267	1384	1347	3605	3810	5198	5581	7680	8168	7696	8325	11401	9910	9363	6314	4874	4376	4125	3350
EAR	127	122	89	60	52	46	26	18	29	26	28	52	78	48	53	67	69	78	32	48
EUR	2626	2355	1983	2426	2848	2427	3161	2539	2304	1410	3159	1481	1952	699	14035	14002	11841	12515	8140	5809
SEAR	2840	3521	3273	3815	2702	1696	1572	1066	1147	1082	1265	1397	1262	1085	1133	282	629	747	733	856
WPR	5222	6452	7767	9204	11177	10665	13025	13239	17934	15810	16204	18442	21402	20007	32454	26494	25513	24962	17371	14232
TOTAL																				

GLOBAL TOTAL OF COUNTRIES REPORTING INCIDENCE

Table 2.3:

TUBERCULOSIS

	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting	27	28	38	40	40	43	41	42	41	41	38	41	42	44	45	42	39	36	20	8
AFR	42	42	44	46	46	46	46	46	46	46	46	46	45	45	45	45	45	42	40	18
AMR	18	21	22	23	23	22	21	23	23	22	23	24	24	24	23	22	21	21	20	16
EUR	29	31	30	31	31	31	30	31	30	31	31	31	31	31	29	30	30	30	39	37
SEAR	7	7	9	10	10	10	10	10	10	10	10	10	10	10	11	11	11	11	9	8
WPR	20	28	29	30	31	30	32	32	35	35	35	35	34	35	35	35	32	32	34	23
Total	143	157	174	172	181	182	181	183	184	185	183	186	186	189	188	185	172	172	162	112
Percent	73	80	89	88	92	93	92	93	94	94	93	95	95	96	96	94	89	82	78	54

Tuberculosis

	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of cases reported	155809	173972	179134	167788	178368	169279	213649	224521	246491	246437	252237	271469	278743	315476	344086	339243	389851	379921	257888	150906
AFR	179138	189926	196238	186507	179398	204992	227943	248271	237605	239232	227854	227469	227395	233091	240365	242323	264765	249084	231080	61715
AMR	422094	417147	243609	338405	302648	517650	549805	531948	453523	269696	209342	194004	237092	275808	273469	282521	228535	294540	72309	62959
EUR	390233	459484	361716	338405	419779	346804	333766	331338	364360	304196	293705	292764	288273	272271	260863	244230	359306	241878	230188	274682
SEAR	562921	723657	637693	482253	745525	753848	839062	917066	1077451	1246331	1276940	1326501	1416236	1522876	1669889	1738097	1718959	2166749	194215	101209
WPR	408233	414526	452783	542354	403586	307126	355321	356287	692860	752103	790354	871304	915291	667947	724570	755322	900635	1044295	754991	404334
Total	2118428	2378812	2072163	2153672	2227554	2319699	2519546	2607931	3010421	3057995	3051442	3184501	3463000	3291869	3515182	3611786	3862051	4375487	1730671	1255805

YELLOW FEVER

	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of countries reporting	3	3	2	1	3	2	3	2	2	3	4	2	1	6	4	6	5	6	4	5
AFR	6	5	5	4	4	7	6	5	4	5	5	6	6	6	6	6	6	6	4	2
AMR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EUR	9	8	7	5	9	9	9	7	6	8	9	8	7	12	10	12	11	12	8	7
SEAR	10	9	8	5	10	10	10	8	6	9	10	9	8	13	11	13	12	13	9	8
Total	85	306	47	212	789	700	144	238	171	793	1012	139	1493	3147	5339	3506	4338	2694	233	320

Yellow fever

	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Number of cases reported	9	138	3	110	549	495	24	7	31	743	917	13	1318	3042	5104	3270	4248	2561	176	254
AFR	76	148	44	102	240	205	120	231	140	50	95	126	175	235	235	236	90	135	57	66
AMR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	85	306	47	212	789	700	144	238	171	793	1012	139	1493	3147	5339	3506	4338	2694	233	320