

WHO Vaccine Preventable Diseases Monitoring System

1999 Global summary


Corrigendum

This corrigendum is issued to correct the following:

1. Due to a production error in the Country Profile section of the Summary, no cases of neonatal tetanus were printed. We would like to draw attention to the fact that they were published towards the end of the Summary in the section Time series tables pps. 203-207.
2. For Mauritania in 1998, there were zero cases of yellow fever, not 50.
3. The 18th indicator in Tables 8 & 9 Objective 2 : Promoting innovations in the article "Summary of indicator data included in the WHO/UNICEF 1998 joint reporting form" pps. 27-45. Table 8 should have read

Indicator #	Objective 2. Promote innovations
18	If yes for indicator #16, ws HepB3 coverage at least equal to DTP3 coverage \pm 5%?

and therefore Table 9, indicator 18 should have been as follows on the next page.
Please see page 5.



EXPANDED PROGRAMME ON IMMUNIZATION DEPARTMENT OF VACCINES AND BIOLOGICALS



World Health Organization, Geneva, 2000

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced and translated, in part or in whole, but not for sale nor for use in conjunction with commercial purposes.
The views expressed in documents by named authors are solely the responsibility of those authors.

Table 9 Objective 2 : Promoting innovations

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage $\pm 5\%$
Afghanistan	.	.	.
Albania	yes	94	yes
Algeria	planning	.	.
American Samoa	yes	85	no
Andorra	yes	.	.
Angola	.	.	.
Anguilla	yes	68	no
Antigua & Barbuda	.	.	.
Argentina	yes	.	.
Armenia	planning	.	.
Australia	yes	.	.
Austria	yes	.	.
Azerbaijan	.	.	.
Bahamas	yes	.	.
Bahrain	yes	95	yes
Bangladesh	.	.	.
Barbados	.	.	.
Belarus	.	.	.
Belgium	yes	.	.
Belize	.	.	.
Benin	.	.	.
Bermuda	.	.	.
Bhutan	yes	81	yes
Bolivia	.	.	.
Bosnia & Herzegovina	.	.	.
Botswana	yes	69	no
Brazil	yes	13	no
British Virgin Islands	.	.	.
Brunei	yes	100	yes
Bulgaria	yes	97	yes
Burkina Faso	planning	.	.
Burundi	.	.	.
C.N. Mariana Islands	yes	99	yes
Cambodia	.	.	.
Cameroon	.	.	.
Canada	yes	.	.
Cape Verde	.	.	.
Cayman Islands	.	.	.
Central African Republic	.	.	.

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage $\pm 5\%$
Chad	.	.	.
Chile	High risk only	.	.
China	yes	.	.
Colombia	yes	72	yes
Comoros	.	.	.
Congo	.	.	.
Cook Islands	yes	86	no
Costa Rica	yes	86	yes
Cote d'Ivoire	planning	.	.
Croatia	.	.	.
Cuba	yes	98	yes
Cyprus	yes	.	.
Czech Republic	yes	.	.
Democratic People's Republic of Korea	yes	.	.
Democratic Republic of the Congo	.	.	.
Denmark	.	.	.
Djibouti	.	.	.
Dominica	High risk only	.	.
Dominican Republic	yes	41	no
Ecuador	.	.	.
Egypt	yes	96	yes
El Salvador	yes	.	.
Equatorial Guinea	.	.	.
Eritrea	.	.	.
Estonia	.	.	.
Ethiopia	.	.	.
Federated States of Micronesia	yes	79	yes
Fiji	yes	.	.
Finland	.	.	.
France	yes	.	.
French Guiana	yes	.	.
French Polynesia	yes	.	.
Gabon	planning	.	.
Gambia	yes	93	yes
Georgia	.	.	.

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage \pm 5%
Germany	yes	.	.
Ghana	.	.	.
Greece	yes	.	.
Grenada	.	.	.
Guadeloupe	.	.	.
Guam	yes	94	yes
Guatemala	.	.	.
Guinea	.	.	.
Guinea-Bissau	.	.	.
Guyana	High risk only	.	.
Haiti	yes	.	.
Honduras	High risk only	88	no
Hungary	planning	.	.
Iceland	.	.	.
India	.	.	.
Indonesia	yes	.	.
Iran (Islamic Rep.)	yes	93	no
Iraq	yes	.	.
Ireland	.	.	.
Israel	yes	94	yes
Italy	yes	95	yes
Jamaica	yes	.	.
Japan	.	.	.
Jordan	yes	83	no
Kazakhstan	yes	49	no
Kenya	.	.	.
Kiribati	yes	89	yes
Kuwait	yes	99	yes
Kyrgyzstan	yes	.	.
Lao People's Democratic Republic	.	.	.
Latvia	yes	9	no
Lebanon	yes	.	.
Lesotho	.	.	.
Liberia	.	.	.
Libyan Arab Jamahiriya	yes	.	.
Lithuania	yes	73	no
Luxembourg	yes	.	.

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage \pm 5%
Macao	yes	92	yes
Madagascar	.	.	.
Malawi	.	.	.
Malaysia	yes	91	yes
Maldives	yes	45	no
Mali	planning	.	.
Malta	yes	82	no
Marshall Islands	yes	.	.
Martinique	.	.	.
Mauritania	.	.	.
Mauritius	yes	90	yes
Mexico	yes	.	.
Monaco	yes	.	.
Mongolia	yes	91	yes
Montserrat	.	.	.
Morocco	planning	.	.
Mozambique	.	.	.
Myanmar	planning	.	.
Namibia	.	.	.
Nauru	yes	.	.
Nepal	.	.	.
Netherlands	.	.	.
Netherlands Antilles	.	.	.
New Caledonia	yes	49	no
New Zealand	yes	87	yes
Nicaragua	planning	.	.
Niger	.	.	.
Nigeria	.	.	.
Niue	yes	100	yes
Norway	.	.	.
Oman	yes	99	no
Pakistan	planning	.	.
Palau	yes	74	yes
Panama	.	.	.
Papua New Guinea	yes	45	no
Paraguay	.	.	.
Peru	High risk only	71	no
Philippines	yes	34	no

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage $\pm 5\%$
Poland	yes	.	.
Portugal	yes	64	no
Puerto Rico	yes	.	.
Qatar	yes	92	yes
Republic of Korea	yes	86	yes
Republic of Moldova	yes	93	yes
Reunion	yes	.	.
Romania	yes	100	yes
Russian Federation	planning	.	.
Rwanda	.	.	.
Saint Helena	.	.	.
Saint Kitts & Nevis	yes	100	yes
Saint Lucia	.	.	.
Saint Vincent & The Grenadines	.	.	.
Samoa	yes	99	yes
San Marino	yes	.	.
Sao Tome & Principe	.	.	.
Saudi Arabia	yes	95	yes
Senegal	planning	.	.
Seychelles	yes	96	yes
Sierra Leone	.	.	.
Singapore	yes	96	yes
Slovakia	yes	.	.
Slovenia	.	.	.
Solomon Islands	yes	.	.
Somalia	.	.	.
South Africa	yes	.	.
Spain	yes	.	.
Sri Lanka	.	.	.
Sudan	.	.	.
Suriname	.	.	.
Swaziland	yes	76	yes
Sweden	.	.	.
Switzerland	yes	.	.
Syrian Arab Republic	yes	91	no
Tajikistan	.	.	.
Thailand	yes	.	.

Country	16 HepB vaccine in routine immunisation services	17 HepB3 coverage reported	18 HepB3 coverage > DTP3 coverage $\pm 5\%$
The former Yugoslav Republic of Macedonia	yes	.	.
Togo	.	.	.
Tokelau	yes	100	yes
Tonga	yes	96	yes
Trinidad & Tobago	yes	60	no
Tunisia	yes	93	yes
Turkey	yes	.	.
Turkmenistan	.	.	.
Turks & Caicos Islands	.	.	.
Tuvalu	yes	96	yes
Uganda	.	.	.
Ukraine	.	.	.
United Arab Emirates	yes	96	yes
United Kingdom	.	.	.
United Republic of Tanzania	.	.	.
United States of America	yes	.	.
UNRWA	yes	98	yes
Uruguay	yes	.	.
US Virgin Islands	yes	.	.
Uzbekistan	.	.	.
Vanuatu	yes	75	no
Venezuela	High risk only	46	yes
Viet Nam	yes	69	no
Wallis and Futuna Islands	yes	95	yes
West Bank and Gaza	.	.	.
Yemen	planning	.	.
Federal Republic of Yugoslavia	.	.	.
Zambia	planning	.	.
Zimbabwe	Yes	.	.

4. Due to clerical error, the immunization schedules for the American Region of the WHO for the diphtheria, tetanus and pertussis vaccine (DTP) were incorrectly published under the DT vaccine schedule. The entire schedule for the Americas should appear as follows. Please note that the countries in this region are in the process of moving from the usual DTP schedule to a DTP pentavalent (with Hib and Hepatitis B) schedule as well as gradually transferring from measles vaccination to MMR (Measles, Mumps and Rubella) vaccination. The information below is as of the end of March 2000.

Immunization Schedule for the Region of the Americas

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Anguilla									
BCG	6 weeks								
DTP	3 months	4 months	5 months	18 months	5 years				
OPV	3 months	4 months	5 months	18 months	4-5 years				
MMR	15 months	4-5 years							
Antigua & Barbuda									
DTP	3 months	4 months	5 months	5 years					
OPV	3 months	4 months	5 months	5 years					
MMR	1 year	5 years							
DT	5 years								
Td	15 years								
Argentina									
BCG	Birth	6 years							
DTP	2 months	4 months	6 months	18 months	6 years				
OPV	2 months	4 months	6 months	18 months	6 years				
HIB	2 months	4 months	6 months	18 months					
Measles	12 months								
Td	16 years	every 10 years							
Bahamas									
DTP	2 months	4 months	6 months	15 months					
OPV	2 months	4 months	6 months	4 years					
HIB	2 months	4 months	6 months	4 years					
MMR	1 year	4 years							
DT	4 years								

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Barbados									
BCG	4.5 years								
DTP	3 months	4.5 months	6 months	18 months	4.5 years				
OPV	3 months	4.5 months	6 months	18 months	4.5 years				
MMR	1 year								
Belize									
BCG	Under 3 months								
DTP	2 months	4 months	6 months						
OPV	2 months	4 months	6 months	4-5 years					
HepB	Birth	2 months	4 months						
HIB	2 months	4 months	6 months						
MMR	1 year	4-5 years							
DT	4-5 years								
Td	10-11 years	4th month of pregnancy	1 month later						
Bermuda									
DTP	2 months	4 months	6 months	18 months	4-6 years				
OPV	2 months	4 months	6 months	4-6 years					
HepB	6 months	7 months	12 months						
HIB	2 months	4 months	6 months	18 months					
MMR	15 months	4-6 years							
Td	14-16 years								
Bolivia									
BCG	Birth								
DTPHH	2 months	4 months	6 months						
OPV	Birth	2 months	4 months	6 months					
MMR	1 year								
VitaminA	6-11 months	1-4 years							
YFV	High Risk Areas								
Td	15-45 years 3 doses								

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Brazil									
BCG	Birth	6 years							
DTP	2 months	4 months	6 months	15 months					
OPV	2 months	4 months	6 months	15 months					
HepB	Birth	1 month	6 months						
HIB	2 months	4 months	6 months						
Measles	9 months								
MMR	15 months								
Rubella	12-49 years								
YFV	9 months								
DT	10 years	2 months later	4 months later	every 10 years					
TT	10 years	2 months later	4 months later	every 10 years					
British Virgin Islands									
BCG	1 month								
DTP	3 months	4.5 months	6 months	18 months	3-4 years				
OPV	3 months	4.5 months	6 months	18 months	3-4 years				
HepB	1 month	2 months	7 months						
HIB	3 months	5 months	7 months						
MMR	1 year	4 years							
Canada									
DTaP	2 months	4 months	6 months	18 months	4-6 years				
IPV	2 months	4 months	6 months	18 months	4-6 years				
HepB	3 x infancy or 3 x 9-13 years								
HIB	2 months	4 months	6 months	18 months					
MMR	12 months	18 months or 4-6 years							
Td	14-16 years								
Cayman Islands									
BCG	6 weeks								
DTP	2 months	4 months	6 months	4-5 years					
OPV	2 months	4 months	6 months	4-5 years	14 years				
HepB	Birth	1 month	5 months						
HIB	2 months	4 months	6 months	15 months					
MMR	15 months	4-5 years							

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Chile									
BCG	Birth	7 years							
DTP	2 months	4 months	6 months	18 months	4 years				
OPV	2 months	4 months	6 months	18 months	4 years				
HIB	2 months	4 months	6 months						
MMR	1 year	7 years							
Colombia									
BCG	Under 1 year								
DTP	2 months	4 months	6 months	18 months	5 years				
OPV	Birth	2 months	4 months	6 months	18 months	5 years			
HepB	Birth	2 months	6 months						
HIB	2 months	4 months	6 months						
MMR	1 year	10 years	Post-partum and post-abortion						
YFV	Under 1 year in risk areas								
Costa Rica									
BCG	Birth								
DTP	2 months	4 months	6 months	2 years	4 years				
OPV	2 months	4 months	6 months	15 months	4 years				
HepB	Birth	2 months	4 months	6 months					
HIB	2 months	4 months	6 months	8 months	15 months				
MMR	15 months	6 years							
DT	2 x school	2 x adult							
Cuba									
BCG	Birth								
DTP	2 months	4 months	6 months	15 months					
OPV	By campaign								
HepB	Birth	1 month	6 months	12 months					
HIB	2 months	4 months	6 months	15 months					
MMR	1 year								
DT	6 years								
TT	10 years								

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Dominica									
BCG	3 months								
DTP	3 months	4.5 months	6 months						
OPV	3 months	4.5 months	6 months	3 years	11-13 years				
HepB	Health workers only								
MMR	1 year								
DT	3-5 years								
Td	11-13 years								

Dominican Republic

BCG	Birth	7 months							
DTP	1 month	2 months	3 months	15 months					
OPV	Birth	2 months	3 months	4 months	15 months				
HepB	Birth	1 months	6 months						
Measles	9 months								

Ecuador

BCG	Birth	6 years							
DTP	2 months	4 months	6 months	1-4 years					
OPV	2 months	4 months	6 months	1-4 years					
HepB	Birth	2 months	6 months						
Measles	9-11 months								
MMR	12-23 months								
YFV	over 12 months	10 years							
DT	1st contact CBAW	48 months later	6 months later						

El Salvador

BCG	Birth								
DTP	2 months	3 months	4 months	15 months	4-5 years				
OPV	Birth	2 months	3 months	4 months	15 months	4-5 years			
HepB	High risk only								
Measles	9 months								
MMR	15 months-2 years								

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
French Guiana									
BCG	under 6 years								
DTP	2 months	3 months	4 months	1 year	5 years	10 years			
OPV	2 months	3 months	4 months	1 year	5 years	10 years			
HepB	2 months	1 year	6 years						
MMR	9-12 months	3 years							
YFV	Universal vaccination								
Grenada									
DTP	3 months	4 months	5 months	18 months					
OPV	3 months	4 months	5 months	18 months	4 years				
MMR	12 months								
DT	4 years								
Guadeloupe									
BCG	in first year								
DTP	2 months	3 months	4 months	14 months	6 years				
OPV	2 months	3 months	4 months	14 months	6 years				
HepB	2 months	3 months	Booster						
HIB	2 months	3 months	4 months						
MMR	1 year	6 years							
Guatemala									
BCG	Birth								
DTP	2 months	4 months	6 months	18 months					
OPV	Birth or 2 months	4 months	6 months	18 months					
Measles	9 months								
Td	1st contact if >6 years	1 month later	6 months later	1 year later					
Guyana									
BCG	Birth								
DTP	3 months	4 months	5 months	17 months	3-4 years				
OPV	3 months	4 months	5 months	17 months	3-4 years				
MMR	12 months								

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Guyana (contd.)									
YFV	1 year	After 10 years							
DT	5 years	1 month later	6-12 months later	11 years					
TT	Pregnant women	1 month later							
Haiti									
BCG	Birth								
DTP	6 weeks	10 weeks	14 weeks						
OPV	Birth	1.5 month	2.5 months	3.5 months					
Measles	9 months								
VitaminA	6 months-5 years								
TT	CBAW 15-49 years								
Honduras									
BCG	Birth	7 years							
DTP	2 months	4 months	6 months	18 months					
OPV	Birth	2 months	4 months	6 months	under 5's during NIDs				
HepB	High risk only. At 1st contact	1 month later	6 months later						
MMR	1 year	under 5 years							
VitaminA	under 1 year	1 year	2 years						
DT	15-49 years								
Jamaica									
BCG	Birth								
DTP	6 weeks	10 weeks	14 weeks	18 months	4-8 years				
OPV	6 weeks	10 weeks	14 weeks	18 months	4-8 years				
MMR	1 year								
TT	Pregnant women	4-6 weeks later							

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
Martinique									
BCG	1 month								
DTP	2 months	3 months	4 months	5 months					
OPV	2 months	3 months	4 months						
HepB	1 month	1-6 months	1-6 months						
HIB	2 months	3 months	4 months	1 year					
MMR	1 year	3 or 5 years							
Rubella	Adult								
Td	20 years	1 month later							
Mexico									
BCG	Birth								
DTPHH	2 months	4 months	6 months						
OPV	2 months	4 months	6 months						
MMR	1 year	6 years							
VitaminaA	6 months	8 months							
Td	12 years								
Montserrat									
BCG	3 months								
DTP	3 months	4 months	5 months	18 months					
OPV	3 months	4 months	5 months	18 months	4.5 years	15 years			
HIB	3 months	4 months	5 months						
MMR	15 months	3-4.5 years							
Netherlands Antilles									
BCG	Birth								
DTP	2 months	3 months	4 months	11 months					
OPV	2 months	3 months	4 months	11 months	4 years	9 years			
HepB	2 months	3 months	4 months	11 months	4 years	9 years			
HIB	2 months	3 months	4 months	11 months	4 years	9 years			
MMR	14 months	9 years							
DT	4 years	9 years							

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>	
Nicaragua										
BCG	Birth									
DTPHH	2 months	4 months	6 months							
DTP	18 months									
OPV	2 months	4 months	6 months	1 year						
MMR	1 year									
VitaminA	6 months	12 months	18 months	24 months	30 months					
DT	6 months	10 years	20 years	31 years						
Panama										
BCG	Birth									
DTP	4-6 years									
DTPHH	2 months	4 months	6 months	15 months						
OPV	Birth	2 months	4 months	6 months	15 months	4-6 years				
Measles	9 months									
MMR	15 months	11-12 years								
VitaminA	High Risk Areas under 1	2 x 3 years								
YFV	High Risk Areas 1 year	High Risk Areas 10 years								
DT	3 x CBAW									
Paraguay										
BCG	Birth									
DTP	2 months	4 months	6 months	18 months	4 years					
OPV	2 months	4 months	6 months	18 months	4 years					
Measles	12 months									
YFV	Populati on under 1 year along endemic borders									
DT	5 x CBAW									

<i>Vaccine</i>	<i>Dose 1</i>	<i>Dose 2</i>	<i>Dose 3</i>	<i>Dose 4</i>	<i>Dose 5</i>	<i>Dose 6</i>	<i>Dose 7</i>	<i>Dose 8</i>	<i>Dose 9</i>
----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

Peru

BCG	Birth								
DTP	2 months	3 months	4 months						
OPV	Birth	2 months	3 months	4 months					
HepB	2 months	3 months	4 months (in endemic areas)						
HIB	2 months	3 months	4 months (in endemic areas)						
Measles	12 months								
YFV	9 months in endemic areas								

Saint Kitts & Nevis

BCG	Birth or 5 years								
DTP	3 months	4 months	5 months	18 months					
OPV	3 months	4 months	5 months	18 months	12 years	18 years			
HepB	Birth	1 month	6 months						
MMR	12-15 months	5 years							
DT	12 years	17 years							
TT	1st contact	4 weeks later	1 year later						

Saint Lucia

BCG	3 months								
DTP	3 months	4.5 months	6 months	18 months					
OPV	3 months	4.5 months	6 months	18 months	5 years				
Measles	2 years								
MMR	1 year								

Saint Vincent & The Grenadines

BCG	Birth								
DTP	3 months	4.5 months	6 months	18 months					
OPV	3 months	4.5 months	6 months	18 months	4.5 years				
HepB	1st contact	2 more doses							

Vaccine Dose 1 Dose 2 Dose 3 Dose 4 Dose 5 Dose 6 Dose 7 Dose 8 Dose 9

Saint Vincent & The Grenadines (contd.)

MMR	1 year	4.5 years			
DT	4.5 years				
TT	Pregnant women	6 weeks later	6 months later	5 years later	

Suriname

DTP	3 months	4 months	5 months	1-5 years
OPV	3 months	4 months	5 months	1-5 years
MMR	1 year			
DT	4 years	1 month later		
TT	Pregnant women	1 month later		

Trinidad & Tobago

DTP	3 months	4.5 months	6 months	18 months	4-5 years
OPV	3 months	4.5 months	6 months	18 months	4-5 years
MMR	12-15 months	4-6 years			
YFV	12-15 months				
DT	10 years				

Turcs & Caicos Islands

BCG	Birth							
DTP	3 months	4 months	5 months	6 months	18 months			
OPV	3 months	4 months	5 months	6 months	7 months	8 months	18 months	4-5 years
HepB	Birth	1 month	2 months	6 months				
HIB	3 months	4.5 months	6 months	18 months				
MMR	1 year	4.5 years						
DT	4.5 years							

Uruguay

BCG	Birth	5 years			
DTP	2 months	4 months	6 months	12 months	5 years
OPV	2 months	4 months	6 months	12 months	
HepB	High risk only				
HIB	2 months	4 months	6 months	12-16 months	
MMR	1 year	5 years			

Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7	Dose 8	Dose 9
USA									
DTP	2 months	4 months	6 months	15 months	4-6 years				
IPV	2 months	4 months	6 months						
OPV	12-18 months	4-6 years							
HepB	Birth	1 month	6 months						
HIB	2 months	4 months	6 months	12-15 months					
MMR	12-15 months	4,6 years	11,12 years						

Venezuela

BCG	Birth								
DTP	2 months	4 months	6 months	18 months					
OPV	Birth	2 months	4 months	6 months					
HepB	Birth	1 month	7 months						
MMR	1 year								
YFV	under 6 months								