

INDEX

INDEX

- Absorption equipment, as control device, 334-335
in gas sampling, 70-71
- Adsorption equipment, as control device, 335-336
in gas sampling, 71
- Aerosols, associated with Los Angeles smog, phytotoxicity, 268
coagulation, 118
control equipment, 309-333
effect on visibility, 119-120
particle number concentration, 117
particle size, 116-117
physical properties, 114-122
sampling methods, 73-76, 120-122
settling and dispersion, 118-119
- Agriculture, *see under individual crop*
- Air components, 97-99, 160
- Air flow, as dispersing agent, 50-53, 99
- Air Pollution Control Association, 18
- Air Pollution Control Bill (USA), 46
- Air Pollution Control Districts, creation in California, 372
- Air pollution disasters, comparative study, 179-182
see also under individual episode
- Air Pollution Foundation, 32
- Air Pollution Planning Seminar, 34
- Aldehydes, concentrations in urban air, 144
photochemical reaction in ozone formation, 151, 152-153
- Alfalfa, sulfur dioxide fumigation experiments, 241-242
- Alkali, etc. Works Regulation Act, 22, 142, 366, 370-371
- Alkali Inspectorate, 22
- Allegheny County, control legislation, 372-373
- Allergenic agents, effects on human health, 199-210
sources, 199, 200
- American Chemical Society, Committee on Air Pollution, 154
- American Medical Association, Committee on Air Pollution, 42-43
- Ammonia, industrial sources, 144
phytotoxicity, 272
- Analytical methods, 76-94
- Animal experimentation, 188, 202, 224-230, 398
- Animal fluorosis, 44-45, 197, 227-228
- Animal health, effects of pollution on, 221-230
see also Animal fluorosis
- Animals, use as pollution detectors, 93
- Arresters, 354-355
- Arsine, role in Haff disease, 179
- Atomic reactors, *see* Nuclear reactors
- Australia (Victoria), control legislation, 377-378
- Austria, control legislation, 20
- Autometer, 90-91, 92
- Automobiles, carbon monoxide emission, 195-196
control legislation in Great Britain, 370
hydrocarbon emission, 23-24, 102, 103, 136
oxides of nitrogen emission, 142-143
- Avocado, ozonated hexene fumigation experiments, 271
- Baffle chambers, 313-314
- Bag filters, 319-324
- Baltimore, smoke control, 45-46
- Barley, sulfur dioxide fumigation experiments, 242
- "Battersea" effluent process for sulfur dioxide removal, 356-358
- Belgium, control legislation, 376
- Benzopyrenes, as carcinogenic agents, 201-202
detection in urban air, 81, 134-138
- Beryllium, as etiological factor in pulmonary granulomatosis, 193-194, 200
as potential pollutant, 14
- Biological methods of analysis, 93-94
- Blood, effect of carbon monoxide on, 194-195
- Boilers, fly ash from, 26
- Briquettes, principles of smokeless combustion, 352
- Building maintenance costs, British estimates, 284
French estimates, 284, 285

- California, creation of Air Pollution Control Districts, 372
- Canada, and United States of America, International Joint Commission, Technical Advisory Board on Air Pollution, 111, 138, 282
- Ontario, control legislation, 378
- Cancer, etiological factors, 201-203
- induction in laboratory animals exposed to hydrocarbons, 226
- lung, relationship with tobacco smoking, 202-203
- Carbon monoxide, effects on human health, 194-196
- urban concentrations, 145
- Carcinogenic agents, detection in urban air, 134-138
- effects on human health, 202-203
- sources, 201-202
- Cardio-respiratory disease, carbon monoxide as etiological factor, 195
- Cement kilns, pollution control problems, 362-363
- Chemical methods of analysis, 78-81
- Chicago, smoke control, 16
- Chimney height, influence on pollution dispersal, 353-354
- legislation in Great Britain, 370
- recognition of importance in pollution control, 26
- Chlorides, concentrations in community air, 142
- see also* Chlorine; Hydrochloric acid
- Chlorine, phytotoxicity, 272
- Chromatographic methods of analysis, 80-81
- Clean Air Act 1956 (Great Britain), introduction, 17-18
- main statutory provisions, 367-370
- Climatological records, use in pollution control, 56-58, 300-301
- Coal, introduction as substitute for wood fuel, 13
- principles of smokeless combustion, 350-352
- unburnt residue losses, 287-288
- Coal tar, principles of smokeless combustion, 350
- Coke, principles of combustion to avoid grit emission, 352
- unburnt residue losses, 287-288
- Coke ovens, smoke and grit emission, 361-362
- Colorimetric methods of analysis, 80
- Combustion equipment for control of gaseous pollutants, 333-334
- Condensable pollutants, composition, 146-148
- Condensation nuclei, 122-124
- Condensers, in gas sampling, 71-72
- Contaminants, *see* Pollutants
- Continuous recording instrumental methods of analysis, 90-92
- Corrosion of metals, 286-287
- Cotton, hydrogen fluoride fumigation experiments, 261
- sulfur dioxide fumigation experiments, 244
- Cyclonic scrubbers, 331
- Cyclonic separators, as control device, 315-318, 354
- in gas sampling, 76
- Czechoslovakia, control legislation, 378-379
- Denmark, control legislation, 376
- Detroit-Windsor, collection of data on effects of pollution on human health, 282
- pollution control measures, 110-113
- sulfur dioxide emissions, 137-138
- topography and meteorology, 113
- 2-4 Dichlorophenoxyacetyl acid, manufacture, difficulties of siting, 299
- phytotoxicity, 273
- Diesel engines, control legislation in United States of America, 373
- expanding use of, 289
- hydrocarbon emission, 102, 103, 136
- Dispersal of pollutants, by meteorological agents, 50-54
- influence of chimney height, 353-354
- Donora disaster, animal sickness data, 222-223
- as research incentive, 30
- causative agents, 171-172
- comparison with Meuse River Valley and London fog disasters, 180-182
- human sickness data, 165-171
- meteorological factors, 165
- Dust control, industrial methods, 353-356
- legislation in Great Britain, 369-370
- see also under individual device*
- Dustfall, comparative distribution in cities, 125-131
- Dust storms, effects on human health, 206-207

- Economic depressions, effect on air pollution research, 17, 18, 27
- Economic repercussions of air pollution, 281-288
- Electrical precipitators, as control device, 324-328, 355
in particulate sampling, 76
- Electricity generating stations, control legislation in Great Britain, 371
sulfur dioxide removal, 356-361
- Environmental factors, effect on plant susceptibility to sulfur dioxide, 238-239
influence on radioactive pollution, 390-392
- Ethylene, phytotoxicity, 268-269
- Europe, smoke control measures, 19-20, 21
Western, control legislation, 375-377
see also under individual country
- Eye irritation, correlation with Los Angeles smog measurement, 191
- Filters, as control device, 318-324, 355
in particulate sampling, 75-76
- Flue-gas washing for sulfur dioxide removal, 356-360
- Fluorides, effects on human health, 196-197, 207
industrial sources, 45, 140-141, 196, 245-246
phytotoxicity, 244-260, 274
possible role in Meuse River Valley disaster, 164
see also Hydrogen fluoride
- Fluorosis in animals, 44-45, 197, 227-228
- France, control legislation, 20, 376
estimates of air pollution costs, 284-285
- Fuel consumption in relation to emission, 99-103
- Fuel substitution, 337
see also Smokeless fuels
- Fuel utilization in relation to pollution, 345-363
- Fulham/Simon-Carves cyclic ammonia process for sulfur dioxide removal, 359, 360
- Garment cleaning costs, French estimates, 284-285
United States estimates, 283
- Gases, control equipment, 333-336
sampling methods, 70-72
- Germany, control legislation, 20
Federal Republic, control legislation, 376-377
- Gravimetric methods of analysis, 78-79
- Gravity settling chambers, 310-312
- Great Britain, and United States of America, comparison of fuel consumption and emission, 100
- Clean Air Act, 1956, *see* Clean Air Act 1956 (Great Britain)
- coal consumption, 175
- Committee on Air Pollution, 176, 366
control legislation, 366-371
- Department of Scientific and Industrial Research, Heating and Ventilation Reconstruction Committee, 366
- early control legislation, 365
- estimates of air pollution costs, 284
- "green belt area" principle, 296
- Ministry of Fuel and Power, Departmental Committee on National Fuel Policy, 366
Fuel and Power Advisory Council, 366
"sieve" procedure in zoning, 302
smoke control measures, 17-19, 22, 366, 367-369
sulfur dioxide emissions, 136-137, 138, 175
see also London fog disaster; London smog
- Grit emission, control legislation in Great Britain, 369-370
control methods, 353-356
see also under individual device
- Haagen-Smit theory of smog formation, 149
- Haff disease, 179
- Health, *see* Animal health; Human health
- Health costs of pollution, 282-283
- Herbicides, phytotoxicity, 273
- Historical aspects, 9-35
- Howden-I.C.I. cyclic lime process for sulfur dioxide removal, 358-360
- Human health, effects of pollution on, 159-210, 392-401
- Humidity, relative, effect on plant susceptibility to sulfur dioxide, 238
- Hydrocarbons, automobile emission, 23-24, 102, 103, 136
detection in urban air, 134-136, 145-148
emission in Los Angeles County, 106
exposure of laboratory animals, 226
- Hydrochloric acid, early control measures, 141-142
recognition as pollutant, 14
- Hydrogen chloride, phytotoxicity, 272
- Hydrogen cyanide, phytotoxicity, 273

- Hydrogen fluoride, exposure of laboratory animals, 228
 industrial emission, 140-141
 plant fumigation experiments, 251-260, 261, 262
- Hydrogen sulfide, phytotoxicity, 272-273
 role in Poza Rica disaster, 140, 178-179
- Impingers, as control device, 312-315
 in particulate sampling, 74-75
- Incineration control equipment, multiple stage, 340-342
 single stage, 339-340
- Incinerators, emission rates, 102, 103, 341-342
- Industrial energy sources, 345-347
- Industrial location, *see* Site selection
- Industrial sources of air pollution, 308
see also under individual pollutant
- Inertial separators, 312-318, 354
- Ingestion of pollutants, physiological effects, 207-208
- Insecticides, health hazards, 204
- International Commission on Radiological Protection, establishment of maximum permissible concentrations, 397-398, 400, 414, 416-432
- International Digest of Health Legislation*, 366
- International Joint Commission, Technical Advisory Board on Air Pollution, 111, 138, 282
- "Invisible" plant injury, in hydrogen fluoride fumigation studies, 258
 in ozonated hexene fumigation studies, 269
 in sulfur dioxide fumigation studies, 234
- Ion concentration and mobility, 123-124
- Ionizing radiation, *see* Radioactivity
- Iron and steel foundries, pollution control problems, 361-362
- Iron corrosion, 286, 287
- Irritant pollutants, effect on respiratory tract, 184-188
- Italy, control legislation, 20
- Jet scrubbers, 331
- Kentia palms, Los Angeles grown, exposure to carbon-filtered air, 271
- Ketones, photochemical reaction in ozone formation, 151, 152-153
- Kew Gardens, sulfur dioxide fumigation experiments, 25, 263
- Land planning in relation to zoning, 293
- Leaf destruction/yield ratios, determined in sulfur dioxide fumigation experiments, 241-244
- Legal definitions of air pollution, 40
- Legislation, 365-380
- Lemna minor*, ozonated hexene fumigation experiments, 269-270
- Lemon fruit, ozonated hexene fumigation experiments, 271
- Literature of air pollution research, sources, 10, 153-154
- London fog disaster, animal sickness data, 223
 causative agents, 173-175
 comparison with Meuse River Valley and Donora disasters, 180-182
 human sickness data, 172-173
 meteorological factors, 172
 subsequent government action, 366-367
- London smog, phytotoxicity, 260-261, 263-264, 274
see also London fog disaster
- London Smoke Prevention Exhibition, 1883, 24
- Los Angeles County, control legislation, 373
 establishment of maximum permissible concentrations, 40, 41
 hydrocarbon emission estimates, 106
 pollution control costs, 288
 pollution emissions, 105-109, 143, 144
 topography and meteorology, 104, 110, 176
- Los Angeles smog, chemical composition, 148-153, 177
 effects on human health, 176-178, 191
 exposure of laboratory animals, 225-226
 history, 22-24
 phytotoxicity, 148, 265-272, 274
 sources, 110
- Louver separators, 314-315
- Low-pressure collectors, in gas sampling, 72
- Lung cancer, relationship with tobacco smoking, 202-203
- Manganese, as etiological factor in pneumonia, 194
- Mass spectrometer, in gas sampling, 72, 86
- Maximum permissible concentrations, establishment in Los Angeles, 40, 41
 in Union of Soviet Socialist Republics, 374
 of radioactive pollution, 397-401, 416-432

- Mechanical engineer's contribution to clean air, Proceedings of the conference ...*, 348
- Mechanical scrubbers, 331, 332
- Medical aspects of air pollution, *see* Human health, effects of pollution on
- Mellon Institute, economic study of air pollution, 283
- Mercury, phytotoxicity, 273
- Metabolism of radionuclides, 395-396
- Meteorological factors, 43-44, 49-60, 161-162
see also Detroit-Windsor; Donora disaster; London fog disaster; Los Angeles County; Meuse River Valley disaster; Nuclear reactors; Site selection; Weather forecasts; Zoning
- Meters, use in sampling, 69
- Meuse River Valley disaster, as research incentive, 26
causative agents, 164
comparison with Donora and London disasters, 180-182
human sickness data, 163-164
meteorological factors, 163, 164
- Micro-organisms, presence at high altitudes, 99
- Microscopic methods of analysis, 87
- Microsensor, 91
- Mine refuse, control legislation in Great Britain, 370
- Motor cars, *see* Automobiles
- National air pollution symposia*, 32
- National Smoke Abatement Association, 18, 29
- Nephelometric methods of analysis, 80
- Netherlands, control legislation, 377
- New Zealand, control legislation, 379
- Nitrogen dioxide, photochemical reaction in ozone formation, 150-151
- Nitrogen, oxides of, *see* Oxides of nitrogen
- Non-irritant pollutants, physiological effects, 188-193
- Nuclear bomb tests, 385
- Nuclear reactors, operation, 383
production of fuel for, 382-383
siting, meteorological considerations, 298, 413
wastes processing, 384
- Occupational environments, air pollution studies, 161
maximum permissible concentrations of radionuclides, 416-432
- Odours, control equipment 333-336
in detection of pollution, 40, 93-94, 183, 208
masking procedure, 208-209
removal, 208
- Oil, principles of smokeless combustion, 349-350
- Orchids, Los Angeles smog damage, 268
- Organic vapour contaminants, 134-136, 145-148, 201-202
- Organisation for European Economic Co-operation, publication on air and water pollution, 365
- Orifice impaction, 314
- Oxides of nitrogen, phytotoxicity, 269
role in Donora disaster, 171-172
role in Meuse River Valley disaster, 164
urban concentrations, 142-143
see also Nitrogen dioxide
- Oxides of sulfur, role in Donora disaster, 171
role in Meuse River Valley disaster, 164
see also Sulfur dioxide
- Ozonated hexene, plant fumigation experiments, 269-271
- Ozone, effects on human health, 188
exposure of laboratory animals, 188, 226
photochemical formation, 149-153
phytotoxicity, 268, 270
reaction rates with various compounds, 152
- Packed scrubbers, 331-332, 333
- Paraphenylenediamine, 200
- Paris, smoke control, 20
- Particulate pollution, chemical composition, 131-134
sampling methods, 66-67, 73-76
see also Aerosols; Dust control; Dust-fall; Grit emission
- Peroxyacetyl nitrite (PAN), phytotoxicity, 265
- Photochemical formation of ozone, 149-153
- Photometric methods of particulate sampling, 73-74
- Photosynthesis, effects of hydrogen fluoride, 256-260, 261, 262
effects of sulfur dioxide, 239-241
- Physicochemical aspects of air pollution, 97-155
- Pinto bean, ozonated hexene fumigation experiments, 269-271
- Pittsburgh, control legislation, 372
introduction of smokeless fuel, 17

- Plant location, *see* Site selection
- Plants, cultivated and native, relative sensitivity to hydrogen fluoride, 252-253
relative sensitivity to sulfur dioxide, 236-237
effects of pollution on, 25, 137, 141, 148, 233-274
use in detection of pollution, 93
- Pneumonia, manganese as etiological factor, 194
- Poa annua*, susceptibility to smog, 266
- Polarographic methods of analysis, 86-87
- Pollutants, classified list, 41
natural sources, 50, 98-99
see also under individual pollutant
- Pollution control, classification of industrial emission sources, 295-296
concentration and containment, 294-295
costs, 288
dilution and dispersion, 295
equipment, 309-336
process changes for, 336-342
see also under individual cities and countries
- Polyethylene bags, use in gas sampling, 72
- Portugal, control legislation, 377
- Poza Rica disaster, animal sickness data, 224
human sickness data, 178-179
role of hydrogen sulfide, 140, 178
- Precipitation, as air-cleansing agent, 54-55, 208
- Probes, use in gas sampling, 69
- Producer gas, principles of combustion to avoid grit emission, 353
- Pulmonary granulomatosis, beryllium as etiological factor, 193-194, 200
- Radioactive pollution, classification of areas affected, 386-387
concentration levels, 385-386
effects on human health, 197-199, 392-401
environmental factors, 390-392
establishment of maximum permissible concentrations, 397-401, 416-432
exposure of laboratory animals, 228-229, 398
frequency and duration, 387-388
instrumental control methods, 92-93, 406-408
monitoring, 88-89, 401-410
physicochemical properties, 389
preventive measures, 410-414
radioactive properties, 389
- Radioactive pollution (*continued*)
relative toxicities, 386, 396-397
sources, 197-198, 382-385
- Radioactivity, measurement, use in air analysis, 88-89
- Radionuclides, maximum permissible concentrations for occupational exposure, 416-432
peaceful uses, 384-385
- Railway engines, control legislation in Great Britain, 369
- Rain, as air-cleansing agent, 54-55, 208
- Rayleigh theory of light scattering, 119
- Refractometric methods of analysis, 87-88
- Research on air pollution, historical development, 10-13, 24-30
modern trends, 30-33, 154-155
- Respiration, plant, effects of hydrogen fluoride, 256-260, 261, 262
effects of sulfur dioxide, 239-241
- Respiratory disease mortality, comparative data for rural and urban populations, 283
- Respiratory tract, effect of irritant pollutants on, 184-185
- Ringelmann chart, first published description, 25
introduction into United States of America, 41
use in particulate sampling, 73-74
- Robert Taft Sanitary Engineering Center, initiation of air pollution research, 32
- Ruhr Valley, smoke pollution, 19
- Rye grass, sulfur dioxide fumigation experiments, 263-264
- St Louis, control legislation, 16, 372
- "Salad crops", smog injury, financial losses, 267-268
- Sampling methods, 64-76
- Sand storms, 206-207
- Scrubbers, 329-333, 355
- Sea-salt nuclei, 99
- Sedimentation, in particulate sampling, 73
- Sensory detection of pollution, 40, 93-94, 183, 208
- Ships, control legislation in Great Britain, 369
- Site selection, general principles, 297-300
meteorological considerations, 298-299
topographic considerations, 299
- Smog, differentiation between Los Angeles and London types, 233

- Smog (*continued*)
 etymology, 176
see also London smog; Los Angeles smog
- Smoke, role in London fog disaster, 130-131, 173-174
 urban concentrations, 128-131
- Smoke control, fuel combustion principles, 349-353
 historical aspects, 14-20
 legislation in Great Britain, 367-369
- Smokeless fuels, combustion principles, 352-353
 introduction in Great Britain, 17
 introduction in United States of America, 17
- Social aspects of air pollution, 289-290
- Sonic agglomerators, 355-356
- Sound absorption, use in air pollution analysis, 89
- Spectrometric emission methods of analysis, 72, 82-85
- Spray towers, 330-331
- Stacks, *see* Chimney height
- Standardization, desirability in air pollution research, 94-96
- Stanford Research Institute, studies on smog formation, 151
- Statistical studies, importance in air sampling, 65
- Steel durability, in different atmospheres, 286
 in relation to rainwater conductivity, 286
- Suction devices, use in gas sampling, 69-70
- Sulfur content of various fuels, 186-187
- Sulfur dioxide, comparative urban emissions, 136-140
 early control measures, 14-19
 effects on human health, 187-188, 199-200
 industrial sources, 101
 phytotoxicity, 25, 137, 233-244, 260-261, 263-264, 273-274
 recognition as pollutant, 13
 removal, as contributory factor in Los Angeles smog formation, 25, 210
 by "Battersea" effluent process, 356-358
 by Fulham/Simon-Carves cyclic ammonia process, 359, 360
 by Howden-I.C.I. cyclic lime process, 358-360
 by separation of pyrites from coal, 360
 by Trail smelters, 40, 101-102
 resistance to, 187, 200
 role in London fog disaster, 173-175
- Sulfur oxides, *see* Oxides of sulfur
- Sunlight, as protection against air-borne carcinogens, 203
 loss due to pollution, 205
 role in smog formation, 149-153, 205-206
- Sweden, control legislation, 377
- Thermal conductivity methods of analysis, 88
- Thermal precipitation, in particulate sampling, 76
- Thomas autometer, 90-91, 92
- Titrilog, 91
- Tobacco smoking, relationship with lung cancer, 202-203
- Topographic factors, 43-44, 51
see also Detroit-Windsor; Los Angeles County; Site selection; Zoning
- Trail smelters, compensation paid for crop damage, 284
 creation of International Commission, 28
 sulfur dioxide removal, 40, 101-102
- Turbidimetric methods of analysis, 80
- Turbulence, as dispersing agent, 29, 52-53
- Ultrasonic agglomerators, 355-356
- Union of Soviet Socialist Republics, control legislation, 374-375
 industrial zoning, 296
- United Kingdom on Great Britain and Northern Ireland, fuel consumption in relation to pollution emission, 348
see also Great Britain
- United States of America, and Canada, International Joint Commission, Technical Advisory Board on Air Pollution, 111, 138, 282
 and Great Britain, comparison of fuel consumption and emission, 100
 control legislation, 46, 372-373
 estimates of air pollution costs, 283-284
 site selection principles, 297
 smoke control measures, 16-17, 21, 45-46
 sulfur dioxide emissions, 137-140
see also under individual cities
- United States Technical Conference on Air Pollution, 39
- Vapour recovery systems, 337, 338
- Vapour sampling devices, 70-72
- Venturi scrubbers, 331
- Vereinigung der Grosskesselbesitzer, 20

- Visibility reduction, as cause of air stagnation, 55, 206
relationship to light scattering by aerosols, 119-120
- Visual methods of particulate sampling, 73-74
- Volumetric methods of analysis, 79
- Water gas, 353
- Water supplies, contamination by airborne pollutants, 208
- Weather forecasts, use in pollution control, 28-29, 58-59, 300-301
- Wheat, sulfur dioxide fumigation experiments, 242-243
- Wind, as dispersing agent, 50-53, 99
- Windsor, Ont., dustfall values, 125-128
see also Detroit-Windsor
- Wood fuel, replacement by coal, 13
- World Meteorological Organization, 53
- X-ray diffraction methods of analysis, 85-86
- Yield/leaf destruction ratios, determined in sulfur dioxide fumigation experiments, 241-244
- "Yokohama asthma", 201
- Zinc corrosion, 286
- Zoning, application to pollution control, 303-305
economic considerations, 302-303
general principles, 293-294
in relation to land planning, 293
meteorological considerations, 300-301
topographic considerations, 301-302
-