

REFERENCES

- American Public Health Association, American Water Works Association, and Water Pollution Control Federation (1960) *Standard methods for the examination of water and waste-water*, 11th ed., New York, American Public Health Association
- American Water Works Association (1950) *Water quality and treatment*, 2nd ed., New York
- American Water Works Association (1958) *Specifications for deep wells*, New York (Publication A100-58)
- Baylis, J. R. (1940) Filter operation and maintenance, *J. New England Water Works Ass.*, 54, No. 4, 393
- Cox, C. R. (1952) *Water supply control*, Albany, N.Y., New York State Department of Health [out of print]
- Cox, C. R. (1958) *Water analytical procedures for use by water works operators and inspectors*, Kingston, Jamaica, Ministry of Health [out of print; expanded and used as the Supplement to this monograph]
- Cox, C. R. (1959) *Laboratory control of water purification*, New York, Reuben H. Donnelley Corporation
- Cox, C. R. (1960) *Guides to the design of water treatment plants*, Washington, D.C., US Agency for International Development [not generally available]
- Hale, F. (1942) *The use of copper sulfate in control of microscopic organisms*, New York, Phelps Dodge Refining Corporation
- Institution of Water Engineers, The Royal Institute of Chemistry, The Society for Analytical Chemistry and the Society for Water Treatment and Examination (1960) *Approved methods for the physical and chemical examination of water*, 3rd ed., London, The Institution of Water Engineers
- International Water Supply Association (1961) *Report of Technical Commission on Pollution of Surface Waters*, London
- Kellermann, K. F. (1912) The rational use of disinfectants and algicides in municipal water supplies. In: *Proceedings of the Eighth International Congress of Applied Chemistry*, Vol. 26, p. 24
- Miller, A. P. (1962) *Water and man's health*, Washington, D.C., US Agency for International Development
- New York State Department of Health, *Manual of instructions for water treatment plant operators*, Albany, N.Y., New York State Department of Health
- Palmer, C. M. (1959) *Algae in water supplies*, Washington, D.C., Government Printing Office (Public Health Service Publication No. 657)
- United States Air Force (1959) *Maintenance and operation of water plants and systems*, Washington, D.C. (Air Force Manual 85-13)
- United States Public Health Service (1961) *Effectiveness of water treatment processes*, Washington, D.C. (Public Health Service Publication No. 898)
- United States Public Health Service (1962) *Public Health Service drinking-water standards, 1962*, Washington, D.C. (Public Health Service Publication No. 956)
- Wagner, E. G. & Lanoix, J. N. (1959) *Water supply for rural areas and small communities*, Geneva (*World Health Organization : Monograph Series*, No. 42)
- Welch, W. A. (1963) Potassium permanganate in water treatment, *J. Amer. Water Works Ass.*, 55 (No. 6), 735
- Whipple, G. C. (1948) *The microscopy of drinking water*, 4th ed., rev. by G. M. Fair & M. C. Whipple, New York, Wiley

- Wiley, B. F. & Jennings, H. (1963) Iron and manganese removal with potassium permanganate, *J. Amer. Water Works Ass.*, **55** (No. 6), 729
- World Health Organization (1963) *International standards for drinking-water*, 2nd ed., Geneva
- World Health Organization (1961) *European standards for drinking-water*, Geneva
-

SELECT BIBLIOGRAPHY

- Akademija nauk URSS, Rada po vyvcermju produktyvnyh syl URSS [Academy of Sciences of the Ukrainian SSR, Council for the Study of the Productive Resources of the Ukrainian SSR] (1959) *Sanitarna ohorona vodojmysc i ocyстка promyslovyh stichnyh vod* [Sanitary protection of watercourses and the purification of waste waters], Kyjiv
- Agamennone, G. & Zanchi, C. (1956) *Le acque per le caldaie. Loro trattamento e controlli analitici*, Milano, Hoepli
- American Chemical Society (1961) *Objectives and status of the federal water conservation program*, Washington, D.C.
- American Standards Association (1955) *American standard national plumbing code*, New York, American Society of Mechanical Engineers
- Babbitt, H. E. & Doland, J. J. (1955) *Water supply engineering*, New York, McGraw-Hill
- Beger, H. (1949) *Leitfaden der Brunnenhygiene*, Freiburg, Cantor
- Brix, J., Heyd, H. & Gerlach, H. (1952) *Die Wasserversorgung*, München, Oldenburg Verlag
- Buonomini, G. & De Blasi, R. (1950) *L'esame batteriologico delle acque*, Roma, Associazione italiana per l'Igiene
- Canaperia, G. A. & Garaci, C. (1951) L'approvvigionamento idrico in Italia, *Ann. Sanità pubbl.*, **12**, 375-532
- Centre Belge d'Etude et de Documentation des Eaux (1954) *Livre de l'eau*, Liège
- Dahlhaus, C. (1959) *Wasserversorgung*, Stuttgart, Teubner Verlag
- Eggenhoffner, G. (19?) *Trattamento dell'acqua per usi industriali e navali*, Torino, Andrea Viglono
- England and Wales, Ministry of Health & Ministry of Housing and Local Government (1956) *The bacteriological examination of water supplies*, 3rd ed., London (Reports on Public Health and Medical Subjects, No. 71)
- Fago, S. V. (1941) *Filtrazione rapida per acquedotti*, Milano, Hoepli
- Fair, G. M. & Guyer, J. C. (1954) *Water supply and waste-water disposal*, New York, Wiley
- France, Ministère de la Santé publique et de la population (1954) Instructions générales relatives aux eaux d'alimentation, *J. off. Rep. franc.*, **86**, 11928 (No. 298)
- Gallizio, A. (1952) *Impianti sanitari*, Milano, Hoepli
- Gesellschaft Deutscher Chemiker, Fachgruppe Wasserchemie (1960) *Deutsche Einheitsverfahren zur Wasser-, Abwasser- und Schlammuntersuchung*, 3rd ed., Weinheim, Verlag Chemie
- Hentze, J. (1951) *Construcciones hidráulicas*, Barcelona, Editorial Labor
- Hirose, K. (1961) *Municipal water supply*, Tokyo, Gihodo [in Japanese]
- Hubner, H. (1956) *Grundlagen der Siedlungswasserwirtschaft*, Berlin, Verlag Technik
- Ibuka, K. (1961) *Execution of waterworks*, Sankaido [in Japanese]
- Institution of Water Engineers (1961) *Manual of British water supply practice*, 3rd ed., Cambridge, Heffer
- Ippolito, G. (19?) *Appunti delle lezioni di costruzioni idrauliche*, Napoli, Libreria Internazionale Treves

- Iwasaki, T. & Tanaka, T. (1957) *Sanitary engineering: Water supply and sewerage*, Tokyo, Morikita [in Japanese]
- Jentsch, O. (1956) *Aufbereitung des Wassers*, Berlin, Verlag Technik
- Kastal'skij, A. A. & Minc, D. M. (1962) *Podgotovka vody dlja pit'evogo i promyšlennogo vodosnabženija* [Water treatment for drinking and industrial water supply], Moskva, Vysšaja Škola
- Lazaro Urria, J. (1955) *Hidrologia urbanista*, Madrid, Dossat
- Leclerc, E. (1945) *Eaux potables et eaux résiduaires: les techniques de correction et d'épuration*, Liège, Vaillant-Carmanne
- Le Strat, Blasco, J. & Luengo, L. (1962) *Primer coloquio sobre contaminación de aguas superficiales*, Barcelona
- Mihajlov, V. A. & Novakovskij, N. S. (1961) *Avromatizacija očistnyh stancij* [Automation of purifying plants], Moskva
- Mistrangelo, C. (1952) *Provvista e distribuzione di acqua potabile*, 5th ed., Milano, Hoepli
- Mugele, G. F. & Wiseman, A. (1958) *Water treatment*, London, Newnes
- Mutschmann, J. & Stimmelmayer, F. (1958) *Taschenbuch der Wasserversorgung*, Stuttgart, Teubner Verlag
- Neri, F. (1930) *Acqua potabile, ricerca, raccolta e distribuzione*, Torino, U.T.E.T.
- Ohashi, K. (1954) *Water supply*, Tokyo, Riko-Tosho [in Japanese]
- Oliver Suñé, B. (1957) *Problemas organolepticos en los procedimientos modernos de depuración de aguas*, Barcelona
- Paz Maroto, J. & Paz Casañé, M. (1955) *Urbanismo y servicios urbanos*, Madrid, Dossat
- Puig, J. B. (1948) *El agua en la industria textil*, Barcelona
- Rivas Mijares, G. (1959) *Abastecimientos de agua y alcantarillados (acueductos y cloacas)*, Madrid, Nuevas Gráficas
- Sallovitz, M. & Sallovitz, M. J. (1951) *Tratado de ingeniería sanitaria*, 5th ed., Buenos Aires, El Ateneo
- Shaw, J. H. (1954) *Fluoridation as a public health measure*, Washington, American Association for the Advancement of Science
- Sociedad Civil de Empresas Summistradoras de Aguas (1958) *La contaminación industrial de los rios*, Barcelona
- Société Degrémont-France (1963) *Memento technique de l'eau*, 5th ed., Suresnes [2nd English ed., *Water treatment handbook*, 1960; Spanish ed., *Manual técnico del agua*, 1959]
- South African Council for Scientific and Industrial Research, National Chemical Research Laboratory (1960) *Demineralization by electrodialysis*, London, Butterworth
- Steel, E. W. (1960) *Water supply and sewerage*, 4th ed., New York, McGraw-Hill [Spanish ed.: *Abastecimiento de agua y alcantarillado*, Barcelona, Gili]
- Taylor, E. W. (1958) *The examination of waters and water supplies (Thresh, Beale & Suckling)*, 7th ed., London, Churchill
- USSR, Ministry of Health (1963) *Stroitel'nye normy i pravila*, Čast II, Razdel G, Glava 3, Vodosnabženie normy proektirovanija [Building standards and regulations, Part II, Section G, Chap. 3, Water supply: Planning standards] Moskva
- Venezuela, Instituto Nacional de Obras Sanitarias (1948) *Normas para el diseño de los abastecimientos de agua*, Caracas, Impr. Nacional
- Žukov, A. I., Mongajt, I. L. & Rodziller, I. D. (1963) *Očistka promyšlennyh stočnyh vod* [Purification of industrial effluent], Moskva, Gosstorizjzdat [in press]

LIST OF REVIEWERS

- Mr S. M. Rafi Ahmad, Sanitary Engineer, Joint Organization for Sanitary Engineering, Lahore, Pakistan
- Dr A. E. Berry, General Manager, Ontario Water Resources Commission, Toronto, Canada
- Mr P. Bierstein, Chief, Community Water Supply, WHO, Geneva, Switzerland
- Eng. Walter Castagnino, Pan American Health Organization, Mexico, D.F., Mexico
- Ing. G. S. Gorin, Chief Engineer, City of Moscow Water Supply and Sewerage Department, Moscow, USSR
- Mr R. R. Harcourt, Public Health Engineer, Ministry of Works, Wellington, New Zealand
- Professor Dr-Ing. Kurt Hünenberg, Technischer Direktor, Werkleiter, Berliner Wasserwerke, Berlin-Wilmersdorf, Germany
- Mr P. W. Kennedy, Salisbury Circle, Division of Irrigation and Lands, Salisbury, Southern Rhodesia
- Dr R. Lesaca, Department of Public Health Engineering, Institute of Hygiene, University of the Philippines, Manila
- Mr R. C. Lough, Public Health Engineer, Ministry of Works, Wellington, New Zealand
- Mr R. S. Mehta, Director, Central Public Health Engineering Research Institute, Nagpur, India
- Professor J. M. de Azaavedo Netto, Professor of Sanitary Engineering, University of São Paulo, Brazil
- Mr M. J. Norman, Hydraulic Engineering Branch, Ministry of Works, Nairobi, Kenya
- Mr R. Pavanello, Chief, Air and Water Pollution, WHO, Geneva, Switzerland
- Mr George Ponghis, WHO Regional Office for Europe, Copenhagen, Denmark
- Mr C. Rasiah, Acting Director, Department of Water Supply and Drainage, Ratmalana, Ceylon
- Mr I. L. Roberts, Hydraulic Engineering Branch, Ministry of Works, Nairobi, Kenya
- Mr H. Shipman, WHO Regional Office for the Americas, Washington, D.C., USA
- Mr H. Shuval, University of Michigan, School of Public Health, Ann Arbor, Michigan, USA
- Mr J. Silveira, WHO Regional Office for Africa, Brazzaville, Republic of the Congo
- Dr G. J. Stander, Director, National Institute for Water Research, South African Council of Scientific and Industrial Research, Pretoria, Republic of South Africa
- Mr W. Tabosa, WHO Regional Office for South-East Asia, New Delhi, India
- Maung Ba Tin, Chief Executive Officer cum Chief Engineer, Rural Sanitation and Water Supply Board, Rangoon, Burma
- Mr J. Noel Wood, Sheffield, England
-

INDEX

INDEX

Figures in bold type are page numbers of chapters

- Acid, "inhibited", for rust removal, 27
Acidity and alkalinity of water, and pH, 57, 301-302
Actinomycetes, destruction, 32
Activated carbon, *see* Carbon, activated
Activated silica, *see* Silica, activated
Aeration, **21-28**
 and flocculation, 74
 laboratory control, 28
 principles, 21-24
 and removal of iron and manganese, 28, 211
 for taste and odour control, 45
Aerators, cascade type, 25
 clogging, 27
 design, 24
 diffused-air type, 25
 operation and maintenance, 26
 spray type, 24
 waterfall type, 25
Agitators, mechanical, *see* Flocculators
Algae, 16, 34, 352-353, 359, 360-371
 and aeration, 22, 27, 28
 control, 27, 28, 31, 34, 36-45
 and filtration, 95, 352
 prevention, 88
 and sedimentation, 88
Alkalinity, 57
 bicarbonate, 220, 302, 303
 and carbon dioxide, 22, 200, 201
 carbonate, 220, 302, 303
 caustic, 302, 303
 and chlorination, 136, 160
 and coagulation, 64, 66, 305, 315-316
 and corrosion, 200, 201, 203, 312
 hydroxide, 304, 305
 interference in fluoride test, 334
 methyl orange, 300-301, 307
 and pH, 57, 302, 306, 307
 phenolphthalein, 301-302
 sodium, 304, 305
 tests, 300-305
 and total hardness, 304
Alkyl benzyl sulfonates, limits allowable, 174, 180
Alum, in coagulation and flocculation, 58-60
 in lime-soda softening, 224
 properties, 257
 See also Sodium aluminate
Aluminium sulfate, *see* Alum
Ammonia, for disinfection of water, 155-158
 properties, 257
Ammonium hydrate, *see* Ammonium hydroxide
Ammonium hydroxide, properties, 257
Anions, 56, 268
Antichlor, 145
Aquatic vegetation, control, 34-35
Arsenic, limits allowable, 173, 181
Atomic weights, 268, 270

Bacteria, 16, 32, 175-180, 340, 353
 coliform, 177-181, 340, 344-352
 tests, 344-352
 plate count, 341-344
 removal by filtration, 94, 132, 344
Bacteriological quality, 176
 standards, 177-180, 181
Barium, limit allowable, 173
Baumé, scale, 62
Bentonite, in coagulation and flocculation, 65
Biochemical oxygen demand, limit indicative of pollution, 181
Bleach, liquid, *see* Sodium hypochlorite
Bleaching powder, *see* Chloride of lime
Brine disposal, in base-exchange softening, 236
 in softening by electrodialysis, 241
Brine wastes, 31
Buffered dilution water, preparation, 350

Cadmium, limits allowable, 173, 181
Calcite, *see* Calcium carbonate
Calcium, limit allowable, 174
Calcium bicarbonate, and hardness, 220

- Calcium carbonate, in coagulation and flocculation, 65
and hardness, 220
stability test, *see* Marble test
- Calcium chloride, and hardness, 220
- Calcium hydroxide, *see* Lime, hydrated
- Calcium hypochlorite, for disinfection of mains, 162
for disinfection of reservoirs and tanks, 164, 165
for disinfection of water, 150
for home disinfection of water, 170
- Calcium oxide, *see* Quicklime
- Calcium sulfate, and hardness, 220
- Carbon, activated, properties, 257
storage and handling, 48
in taste and odour control, 48-52, 293
computation of doses, 49, 50, 51
- Carbon chloroform extract, limits allowable, 174, 181
- Carbon dioxide, in lime-soda softening, 226
computation of doses, 230
in regeneration of base-exchange units, 186
in softening and demineralization, 223
in taste and odour control, 36
test, 306
- Catchment areas, 11-12
- Cations, 56, 268
- Caustic soda, *see* Sodium hydroxide
- Chemical equations, 268-273
- Chemical oxygen demand, limit indicative of pollution, 181
- Chemicals used in water treatment, properties, 257-260
See also under names of individual chemicals
- Chloride of lime, for disinfection of mains, 162
for disinfection of reservoirs and tanks, 164, 165
for disinfection of water, 149
for home disinfection of water, 169
- Chlorides, and base-exchange softening, 235
as indicators of pollution, 337-338
interference in fluorides test, 334
limit allowable, 174
test, 337-339
- Chlorinated copperas, in coagulation and flocculation, 63
in iron and manganese removal, 213, 217
- Chlorinated lime, *see* Chloride of lime
- Chlorination, **134-171**
and aeration, 24, 28
break-point, *see* Chlorination, free-residual
and colour, 325
combined-residual, 137
emergency, 165-167
free-residual, 31, 137-143, 158-160
laboratory control, 167-168
and lime-soda softening, 227
limitations, 143
marginal, 31, 154
principles, 136
procedures, 154-167
and turbidity, 325
uses, 136
- Chlorinators, leaks, 145, 147, 149
operation, 145-149
- Chlorine, in corrosion control, 204
in destruction of disease organisms, 175
for disinfection of mains, 161, 163
for disinfection of reservoirs and tanks, 164, 165
for disinfection of water, 136-168
effective concentrations, 142
free-residual, 137-143, 158-160, 317-318
for home disinfection of water, 169
interference in fluoride test, 335
in iron and manganese removal, 213, 215
poisoning, antidote, 145
precautions, 144-145, 157
preparation of solutions, 150-152, 323
in pretreatment of water for filtration, 95
reactions, 139, 140
in regeneration of filter beds, 212
solutions, preparation, 170, 323-324
standardization, 324-325
in taste and odour control, 30-32, 37-39, 46-47
tests, 317-323
for treatment of filter sand, 121
- Chlorine-ammonia, for disinfection, 155-158
for taste and odour control, 47
- Chlorine-demand test, 323-325
- Chlorine dioxide, for disinfection of water, 160-161
for taste and odour control, 47
- Chlorophenolic compounds, removal, 30
- Chromium, limits allowable, 173, 181
- Clays, in coagulation and flocculation, 65
in taste and odour control, 65
See also Bentonite; Fuller's earth

- Coagulants, 59-68
 storage and handling, 69-72
- Coagulation, and alkalinity, 64, 66, 305, 315-316
 controlling factors, 74-75
 and corrosion, 207-208
 double, 61
 and flocculation, **54-78**
 and lime-soda softening, 224-225
 test, 312-316
 and turbidity, 66, 286, 315
- Coliform organisms, 177-181, 340, 344-352
 membrane-filter test, 347-352
 MPN index, 178-180, 181, 347
 standard test, 344-347
- Colloids, 55
- Colour, and chlorination, 143, 155, 325
 and coagulation, 316
 and filtration, 95, 287
 and flocculation, 316
 interference in fluoride test, 335
 limits allowable, 174, 180
 in stored water, 16
 test, 286-287
 units of measurement, 286
- Combining weights, 268, 269-272
- Compounds involved in water treatment,
 molecular weights and combining
 weights, 272
*See also under names of individual
 compounds*
- Conversion factors, 261-267
See also Unit equivalents
- Copper, limits allowable, 174, 180
- Copper sulfate, application methods,
 blower, 44
 box, 41, 42
 burlap bag, 41
 spray, 43
 for control of micro-organisms, 27
 for "iron bacteria" control, 33
 in pretreatment of water for filtration, 95
 in taste and odour control, 36-45
- Copperas, chlorinated, *see* Chlorinated
 copperas
 in coagulation and flocculation, 63
 and hardness, 220
 in iron and manganese removal, 213, 217
 in lime-soda softening, 224, 225
- Corrosion, and aeration, 22, 28
 and alkalinity, 200, 201, 203, 312
 and carbon feeding, 49
 caused by electrolysis, 206
- Corrosion (*continued*)
 and coagulation, 207-208
 control, **196-208**
 and hardness, 297
 indications, 198
 and main capacity, 198, 199
 and oxygen, 22, 197-198
 and pH, 312, 316
 of plumbing systems, 204-206
 prevention, 21, 22, 28, 238
 theory, 196-198
- Crenothrix*, *see* "Iron bacteria"
- Cross-connexions, 251
- Cyanide, limits allowable, 173, 181
- 2,4-D in control of aquatic vegetation,
 35
- Dakin's solution, for home disinfection
 of water, 169
- Dead-end mains, 251
- Deaerators, 199
- Deep-water sampling kit, 19, 20
- Demineralization, costs, 241, 242
 by distillation, 222, 241-242
 by electro dialysis, 222, 240-241
 by freezing, 222, 242
 ion-exchange, 239-240
 procedures, 222
See also Iron and manganese, removal;
 Softening
- Detergents, *see* Alkyl benzyl sulfonates
- Diatomaceous earth, *see* Filters, diato-
 maceous-earth
- Diffusers, 25, 27
- Diseases, water-borne, **174-176**, 340
- Disinfection, of mains, 161-164
 of reservoirs and tanks, 164
 of water, by boiling, 168
 by chlorination, 136-170
 in the home, 168-171
 by iodine, 170
 by ozone, 134
 by potassium permanganate, 171
 by ultraviolet light, 135
- Dissolved gases, concentration, 21
- Distribution systems, operation, **251-
 252**
- Doses, computation of, 256
- Dry Ice, for "iron bacteria" control, 33
- Eau de Javelle, *see* Sodium hypochlorite
- Electrolytes, 56, 268

- Elements involved in water treatment, atomic weights, valences and combining weights, 270
See also under names of individual elements
- Epsom salts, *see* Magnesium sulfate
- Feeders, carbon, 49
 dry, 71
 fluoride, 190-191
 calibration, 192
 operation, 71
 solution, 70
- Ferric chloride, in coagulation and flocculation, 64
 in iron and manganese removal, 213, 217
- Ferric sulfate, in coagulation and flocculation, 64
 in iron and manganese removal, 213, 217
 in lime-soda softening, 224, 225
- Ferrous sulfate, *see* Copperas
- Files, treatment-plant, 245
- Filter alum, *see* Alum
- Filters, and algae, 95, 352
 Baylis cotton-plug, 125, 126
 chemical treatment of sand, 121
 diatomaceous-earth, 129-132
 operation, 130
 rate of filtration, 130
 gravity, *see* Filters, rapid sand
 laboratory control, 132-133
 mechanical, *see* Filters, rapid sand
 pressure, 127-128
 rapid sand, 99-127
 agitators, 110, 116
 air wash, 111
 care of gravel, 123
 care of sand, 118
 design, 99-101, 102, 103
 filter bed, 101-108
 rate of filtration, 100, 113-115
 high-velocity wash, 108-109
 loss-of-head indicators, 113
 mechanical rakes, 111
 operation, 113-127
 rate controllers, 112, 114
 specifications for gravel, 107
 specifications for sand, 101-104
 surface wash, 110, 116
 underdrains, 107
 valves and piping, 113
 wash-water troughs, 112
- Filters (*continued*)
 for removal of iron and manganese, 216
 sand expansion, 109, 117
 sand specifications, 104-107
 slow sand, 94-99
 design, 96
 laboratory control, 99
 operation, 97-99
 pretreatment, 95
 rate controllers, 96
 rate of filtration, 96, 98
 washing, 99
- Filtration, 94-133
 and colour, 95, 287
 in lime-soda softening, 227
 and plate count, 341
 record form, *facing* 245
 and sedimentation, 90
 and turbidity, 95, 123, 125, 131, 132, 286
- Fish-kills, by alkalinity from sludge, 227
 by copper sulfate, 40
 from decreased oxygen, 44
- Flash-boards, 18
- Flash mixing, 54-55, 72
- Floc, characteristics, 79
 detection, 77-78, 124-125
- Flocculation, basins, 72-73
 suspended-solids contact, 89
 and coagulation, 54-78
 and colour, 316
 equipment, 72-74
 inadequate, correction, 75-77
 laboratory control, 78
 and lime-soda softening, 225
 test, 312-316
 and turbidity, 315
- Flocculators, 73
- Flowing-through period, 80
 salt test for, 91-93
- Fluoridation, 183-195
 chemicals, 187-189
 storage, 189
 costs, 194-195
 laboratory control, 193
 operation, 192-193
 practice, 187-192
- Fluorides, computation of doses, 192
 costs, 194
 distillation, 335-336
 excess, removal, 186
 limits allowable, 173, 181
 precautions in handling, 191

- Fluorides (*continued*)
 properties, 188, 189
 storage, 189
 test, 331-337
 use in fluoridation, 187-188
See also Fluosilicic acid; Sodium silico-fluoride
- Fluosilicic acid, costs, 194
 use in fluoridation, 187-189
- Fuller's earth, in coagulation and flocculation, 65
- Fungi, 34, 353
- Gram-equivalent weight, 273
- Grease, limit indicative of pollution, 181
- Gypsum, *see* Calcium sulfate
- Hardness, carbonate and non-carbonate, 220, 430
 and corrosion, 297
 degrees, 221
 test, 295-297
- Hydrochloric acid, in regeneration of base-exchange units, 196
- Hydrogen-ion concentration, *see* pH
- Hydrogen sulfide, removal, 22, 28
- Hydrogen sulfite, odour, 29
- Hypochlorites, for disinfection, 149-154, 162-163
 preparation of solutions, 150-152
- Industrial wastes, 52
- "Inhibited" acid, for rust removal, 27
- In-service training of operators, 247-248
- Intakes, multiple-level, 17
- Iodine, for home disinfection of water, 170
- Ionization, 56, 268
- Iron, interference in fluoride test, 334
 limits allowable, 174, 180, 209
 and manganese, removal, **209-218**
 and aeration, 28, 211
 by chlorination, 213, 215
 by contact beds, 214
 by filters, 216
 in filtration plants, 217-218
 by ion-exchange softeners, 216
 laboratory control, 218
 practice, 211-217
 principles, 210
 by sedimentation, 216
See also Softening
 staining from, 203, 326
 tests, 326-329
 "Iron bacteria", control, 33
- Jar test, *see* Coagulation test
- Javelle water, *see* Sodium hypochlorite
- Laundry bleach, *see* Sodium hypochlorite
- Lead, limits allowable, 173, 181, 205
 toxic effects, 205
- Leptothrix*, *see* "Iron bacteria"
- Lime, chlorinated, *see* Chloride of lime
 hydrated, in coagulation and flocculation, 67
 in corrosion control, 203
 computation of dose, 206, 207
 quicklime equivalent, 68
 in softening and demineralization, 224
 in iron and manganese removal, 215
 recovery from sludge in lime-soda softening, 227
 slaked, *see* Lime, hydrated
 slaking process, 67
 in softening and demineralization, 223-233
 computation of dose, 227-229
 unslaked, *see* Quicklime
- Lime-soda softening, *see* Softening
- Limewater, preparation, 299
- Lye, soda, *see* Sodium hydroxide
- Magnesium, limit allowable, 174
 test, 297-300
- Magnesium bicarbonate, and hardness, 220
- Magnesium carbonate, and hardness, 220
- Magnesium chloride, and hardness, 220
- Magnesium+sodium sulfate, limits allowable, 174, 180
- Magnesium sulfate, and hardness, 220
- Maintenance, records of, 245
- Manganese, interference in fluoride test, 335
 limits allowable, 174, 209
 staining from, 329, 330
 test, 329-330
See also Iron and manganese, removal
- Marble test, conventional, 311-312
 with Enslow stability indicator, 310-311
- Metaphosphates, in corrosion control, 201
- Methaemoglobinaemia, infantile, from nitrates in water, 173
- Micro-organisms, enumeration, 355-359
 identification, 359-372
 and tastes and odours, 30, 32-34, 37-39, 292
- Microscopic examination of water, 354-355
- Microstrainers, 133
- Mine wastes, 57

- Minerals in natural waters, 219-221
- Molecular weights, 272
- MPN index, 178-180, 347
limits allowable, 178-179, 181
- Nitrates, as cause of infantile methaemoglobinemia, 173
limits allowable, 173, 181
- Nitric acid, for rust removal, 27
- Nitrogen, limit indicative of pollution, 181
- Odour, code, 288-289
and micro-organisms, 292
tests, 287-295
See also Tastes and odours
- Odour-free water generator, 290, 291
- Oil-well wastes, 31
- Operators, in-service training, 247-248
instructions for, 250
number required, 248-250
qualifications, 246-247
- Organic pollutants, *see* Carbon chloroform extract
- Orthotolidine test, 321-323
- Orthotolidine-arsenite test, 317-321
- Oxidation and reduction, 269
- Oxygen, solubility, 22, 23
See also Aeration
- Ozone, cost, 135
for disinfection of water, 134
in taste and odour control, 52, 135
- Paper-mill wastes, 30
- Personnel, 246-250
- pH, 56
and acidity and alkalinity of water, 57, 301-302
and chlorination, 136, 140, 141, 160
and corrosion, 312, 316
determination, 306-310
limits allowable, 174
and manganese staining, 330
- Phenolic compounds, control, 30, 47
limits allowable, 174, 181
- Plankton control, 34, 36-45
- Plate count, 341-344
- Pollution, and bacteriologic examinations, 339, 344
control, 30, 175-177
indicators, 181, 337-338, 372-373
limits allowable, 177-180, 181
and microscopic examination, 372-373
in stored waters, 16, 17
and taste, 295
- Postchlorination, 155
- Potability, substances affecting, 173, 174
- Potassium bicarbonate, and alkalinity, 220
- Potassium carbonate, and alkalinity, 220
- Potassium chloride, and salinity, 220
- Potassium nitrate, and salinity, 220
- Potassium permanganate, for home disinfection of water, 171
in iron and manganese removal, 213, 215
in regeneration of filter beds, 212, 214
- Potassium sulfate, and salinity, 220
- Prechlorination, 154
- Protozoa, 34, 353
- Quality standards, *see* Standards of water quality
- Quality of water in distribution systems, 252
- Quicklime, in coagulation and flocculation, 67
hydrated lime equivalent, 68
in softening and demineralization, 224
- Radicals, 268
- Radioactivity, limits allowable, 181, 182
- Records, 244-245
- Reservoirs, application of activated carbon, 50
control, 14-20
disinfection, 164
- Salt, common, *see* Sodium chloride
- Salt test, *see* Sodium chloride test
- Sampling, for alkalinity test, 300
for chlorine-demand test, 323
for coagulation and flocculation test, 312
for colour test, 286
for fluoridation control, 193
for hardness test, 296
for iron test, 326
for laboratory tests, 279
for marble test, 311
for membrane-filter test for coliform organisms, 348, 349-350
for microscopic examination of water, 353, 354-355
for odour test, 288
for pH determination, 308
in reservoirs, 19-20
for residual-chlorine test, 319
for standard plate count, 341-342
for standard test for coliform bacteria, 344

- Sampling (*continued*)
 for taste test, 295
 for turbidity test, 280
- Sampling kit, deep-water, 19, 20
- Scales, for chemicals, 69
- Sedimentation, **79-93**
 basins, 26, 80-84
 design, 81-84, 85
 dimensions, 80-81
 displacement efficiency, 80, 92
 flowing-through period, 80
 in lime-soda softening, 225
 operation, 84-90
 sludge, 83, 88
 slurry level, 90
 surface overflow rate, 81
 laboratory control, 90
 and lime-soda softening, 225
 in stored water, 16
- Selenium, limits allowable, 173, 181
- Self-purification in stored water, 14, 16
- Silica, activated, in coagulation and flocculation, 62
 in lime-soda softening, 224, 225
 preparation, 62
- Silting, 18
- Sludge, determination of depth, 88
 disposal, in lime-soda softening, 227
 in flocculation, 225
 removal, from sedimentation basins, 84, 88
 storage space, in sedimentation basins, 83
- Soda-ash, *see* Sodium carbonate
- Sodium aluminate, in coagulation and flocculation, 61
 in lime-soda softening, 224, 225
- Sodium bicarbonate, and alkalinity, 220
- Sodium carbonate, and alkalinity, 220
 in coagulation and flocculation, 66
 in corrosion control, 203, 238
 computation of dose, 206
 and hardness, 220
 in softening and demineralization, 223, 224, 225
 computation of doses, 227-229
- Sodium chloride, in regeneration of base-exchange softening units, 237
 in regeneration of zeolite units, 213
 and salinity, 220
 storage, 236
 for treatment of filter sand, 122
- Sodium chloride test for flowing-through period, 91-93
- Sodium hexametaphosphate, in lime-soda softening, 226
- Sodium hydroxide, in corrosion control, 238
 in regeneration of base-exchange units, 186
 in regeneration of ion-exchange demineralization units, 239
 dose, 240
 in treatment of filter sand, 121
- Sodium hypochlorite, for disinfection of reservoirs and tanks, 164
 for disinfection of water, 149
- Sodium nitrate, and salinity, 220
- Sodium silicate, in coagulation and flocculation, 62
 in corrosion control, 202, 238
- Sodium silicofluoride, costs, 194
 use in fluoridation, 187-189
- Sodium sulfate, and salinity, 220
- Softening, base-exchange, 222, 223-238
 materials, 234, 238
 procedure, 235-238
 benefits, 221
 with carbonaceous materials, 238
 and corrosion prevention, 238
 and demineralization, **219-243**
 ion-exchange, 222, 233, 235
 for iron and manganese removal, 216
 units of measure, 235
 lime-soda, 222-233
 chemicals used, 224
 in contact basins, 89, 225
 doses, 227-230, 231-233
 laboratory control, 230-233, 304
 practice, 224
 and magnesium, 298
 with organic resins, 238
 and removal of excess fluorides, 186
 soap saved by, 221
 zeolite, 233, 234, 235
 for iron and manganese removal, 214
 See also Iron and manganese, removal
- Softening-reactions test, 230-233, 316-317
- Solutions, computation of strength, 254-255
 normal, 272-273
 preparation, 70, 254-255, 273
 standard, *see* Solutions, normal
- Sources of water supply, protection, **11-13**
- Specific gravity, computation, 62
- Springs, protection, 13

- Standards of water quality, **172-182**
 bacteriological, 176-180, 181
 indicators of pollution, 181
 radioactivity, 182
 substances affecting health, 172, 181
 substances affecting potability, 173, 174, 180
 toxic substances, 172, 173, 181
 for treated water, 172-180
 for water sources, 180-182
- Stirring equipment, 313, 314
- Storage of water, 14, 16-18
- Stratification, 14
- Sulfates, and base-exchange softening, 235
 limit allowable, 174
- Sulfuric acid, in coagulation and flocculation, 60, 61
 in lime-soda softening, 226
 in regeneration of ion-exchange softening units, 239
- Superchlorination, *see* Chlorination, free-residual
- Surfactants, *see* Alkyl benzyl sulfonates
- Suspended-solids contact basins, 89-90
- Synura*, control, 41
 odour, 29, 359
- Tanks, covered, 252
 for dissolving, 69
 solution-storage, 70
- Taste test, 295
- Tastes and odours, from algae, 34, 352, 369
 from brine wastes, 31
 chlorinous, 31, 142, 143
 control, 22, **29-53**, 65, 293
 from industrial wastes, 52
 from paper-mill wastes, 30
 from phenolic compounds, 30
 from plankton, 34
 prevention, 30-45
 sources, 30, 352
- Thermocline, 15
- Total solids, limits allowable, 174, 180
- Toxic substances, limits allowable, 173
- Training of operators, in-service, 247-248
- Tricalcium phosphate, in removal of excess fluorides, 186
- Turbidimeter, Baylis, 281
 Jackson, 280, 281-283
 St Louis, 281, 283-286
- Turbidity, and chlorination, 143, 325
 and coagulation, 66, 286, 315
 and filtration, 95, 123, 125, 131, 132, 286
 and flocculation, 315
 interference in fluoride test, 335
 limits allowable, 174, 180
 tests, 279-286
- Ultraviolet light, for disinfection of water, 135
- Unit equivalents, area, 262
 energy and heat, 266
 length, 261-262
 linear speed, 265
 mass and weight, 262-263
 power, 266
 pressure, 264-265
 rate of flow and filtration, 264, 266
 specific weight and concentration, 265
 temperature, 267
- Valences, 268, 270
- Water Analyzer, Taylor, 278
- Weeds in stored water, 18
- Wells, and aeration, 28
 protection, 13
 removal of "iron bacteria", 33
- Whiting, *see* Calcium carbonate
- Zeolites, in iron and manganese removal, 214
 in softening and demineralization, 233, 234, 235
- Zinc, limits allowable, 174, 180