



Zonae Torridae Tutamen

Transactions of the

*Royal Society of
Tropical Medicine and Hygiene*

Volume 94 Supplement 1 April 2000 ISSN 0035-9203

Severe falciparum malaria

WC 750
2000SE
c.1



WORLD HEALTH ORGANIZATION

DC. 46
Wc 750
2000/6
D. 1

Cover Illustration

Child with severe falciparum malaria in rural Myanmar (copyright © D. A. Warrell).

This supplement should be cited in the following style:
World Health Organization (2000).
Severe falciparum malaria. *Transactions of the Royal Society of Tropical
Medicine and Hygiene*, **94**, supplement 1.

The views expressed by contributors of published articles and letters are not to be taken as those of the Royal Society of Tropical Medicine and Hygiene or the Editorial Board and neither the Society nor the Editorial Board accepts responsibility for the accuracy of statements made by contributors.

This publication contains the collective views of an international group of experts and does not necessarily represent the decisions or the stated policies of the World Health Organization.

Copyright © the World Health Organization 2000; issued April 2000.


Registered charity no. 208204

Printed by Cambrian Printers
Llanbadarn Road, Aberystwyth, Ceredigion, SY23 3TN, UK.

SEVERE FALCIPARUM MALARIA

[*Severe and Complicated Malaria*, third edition]

World Health Organization
Communicable Diseases Cluster




Transactions of the Royal Society of
Tropical Medicine and Hygiene

Volume 94, Supplement 1
2000



World Health Organization



Zonae Torridae Tutamen

Royal Society of Tropical Medicine and Hygiene

Manson House, 26 Portland Place, London, W1N 4EY, UK

Telephone: +44 (0)20 7580 2127

Fax +44 (0)20 7436 1389

E-mail (administration): mail@rstmh.org

E-mail (editorial office): trans@rstmh.org

Web site: <http://www.rstmh.org>

CONTENTS

Introduction	S1/1
Contributors	S1/1
Acknowledgements	S1/1
Definition of severe falciparum malaria	S1/1
Those at risk	S1/1
Severe manifestations of <i>P. falciparum</i> malaria	S1/1
A classification of severe falciparum malaria in children	S1/2
Clinical features of severe falciparum malaria in children	S1/5
Cerebral malaria	S1/6
Hypoglycaemia	S1/8
Acidosis	S1/9
Anaemia	S1/10
Respiratory distress	S1/10
Hyperpyrexia	S1/10
Prognostic indices in children	S1/10
Clinical features of severe falciparum malaria in adults	S1/11
Cerebral malaria and other neurological abnormalities	S1/11
Anaemia	S1/14
Haemoglobinuria and blackwater fever	S1/14
Jaundice and hepatic dysfunction	S1/15
Haemostatic abnormalities, thrombocytopenia	S1/15
Renal dysfunction	S1/15
Fluid balance	S1/16
Hyponatraemia	S1/16
Pulmonary oedema	S1/16
Cardiovascular abnormalities, shock, 'algid malaria'	S1/16
Acid-base disturbances	S1/16
Gastrointestinal symptoms	S1/17
Hypoglycaemia	S1/17
Other metabolic abnormalities	S1/17
Complicating and associated infections	S1/17
Peripheral leucocytosis	S1/17
Rhabdomyolysis	S1/17
Prognostic indices in adults	S1/18
Clinical indicators	S1/18
Laboratory indices	S1/18
Clinical features of severe falciparum malaria in pregnant women	S1/18
In areas of low transmission	S1/18
In areas of high transmission	S1/19
Pathophysiology and pathology of severe falciparum malaria	S1/20
Cerebral malaria and neurological abnormalities	S1/20
The 'sludging' hypothesis	S1/20
The permeability hypothesis	S1/20
The mechanical hypothesis	S1/21
The immunological hypothesis	S1/23
Cytokines	S1/23
The cause of coma	S1/24
Raised intracranial pressure in cerebral malaria	S1/25
Anaemia	S1/26
Haemoglobinuria and blackwater fever	S1/27
Jaundice	S1/27
Haemostatic abnormalities, thrombocytopenia	S1/27
Renal dysfunction	S1/28
Fluid balance	S1/28
Hyponatraemia	S1/28
Pulmonary oedema	S1/28
Cardiovascular abnormalities, shock, 'algid malaria'	S1/29
Gastrointestinal disturbances	S1/29
Hypoglycaemia	S1/29
Lactic acidosis	S1/30
Other metabolic abnormalities	S1/30
Rhabdomyolysis	S1/30
Pregnancy	S1/30
Diagnosis of malaria	S1/31
Clinical diagnosis of severe malaria	S1/31
Parasitological diagnosis	S1/32
Prognostic value of the peripheral blood film in severe falciparum malaria	S1/33
Chemotherapy of severe malaria	S1/34
General considerations of chemotherapy	S1/34
Quinine	S1/34
Quinidine	S1/35
Artemisinin derivatives	S1/36
Sulfadoxine/pyrimethamine (SP)	S1/37
Chloroquine	S1/38
Mefloquine	S1/39

Amodiaquine	S1/39
Amopyroquine	S1/40
Supportive and ancillary treatments	S1/40
Recommended treatments	S1/40
Exchange blood transfusion (EBT) in hyperparasitaemia	S1/41
Treatments which are <i>not</i> recommended	S1/41
Management of specific problems in severe falciparum malaria	S1/43
Hyperpyrexia	S1/44
Cerebral malaria	S1/44
Severe anaemia	S1/44
Haemoglobinuria and blackwater fever	S1/44
Renal failure	S1/44
Pulmonary oedema	S1/45
Circulatory collapse, shock, hypotension, 'algid malaria' and septicaemia	S1/46
Fluid, electrolyte and acid-base disturbances	S1/46
Acidosis	S1/46
Bleeding and clotting disturbances	S1/48
Hypoglycaemia	S1/48
Hyperparasitaemia	S1/48
Management of severe falciparum malaria in children	S1/48
Management of hypoglycaemia in children	S1/49
Management of respiratory distress in children	S1/50
Management of convulsions in children	S1/50
Management of severe anaemia in children	S1/51
Management of hyperpyrexia in children	S1/52
Management of septicaemia in children	S1/52
Management of raised intracranial pressure in children	S1/52
Fluid and feeding requirements	S1/53
Antimalarial chemotherapy	S1/53
Management of severe falciparum malaria in pregnancy	S1/54
Management	S1/54
Chemotherapy	S1/55
Identification and management of severe malaria at various levels of health care	S1/55
Facilities able to provide only minimal care	S1/55
Facilities able to provide intermediate care	S1/55
Facilities able to provide maximal possible care	S1/56
Common errors in the diagnosis and treatment of severe falciparum malaria	S1/56
Failure to establish history of exposure to malaria	S1/56
Failure to consider modes of infection other than mosquito bites	S1/56
Technical problems	S1/56
Failure to diagnose associated or complicating conditions	S1/56
Missed hypoglycaemia	S1/56
Errors of antimalarial chemotherapy	S1/56
Errors of fluid and electrolyte replacement	S1/57
Nursing problems	S1/57
Errors in patient management	S1/57
Annex 1 Pharmacology of antimalarial drugs in severe falciparum malaria	S1/59
Annex 2 Salt-base equivalents of common quinoline antimalarial drugs	S1/67
Annex 3 Measurement of central venous pressure	S1/68
Annex 4 Cannulating the femoral vein	S1/70
Annex 5 Setting up an intra-osseous infusion in children	S1/71
Annex 6 Post-mortem needle necropsy of the brain	S1/72
Annex 7 Peritoneal dialysis procedure	S1/73
References	S1/74