
INDEX

- Acquired immunodeficiency syndrome (AIDS) 83–84, 119, 130–131, 144, 196, 251–252, 296, 310, 569, 597, 601–602, 605, 608, 733, 757
- Active life expectancy (ALE) 13, 19, 34, 36, 39, 182, 191, 200–201, 203, 231, 757
- Activities of daily living 20, 58, 192–193, 316–318, 327, 356, 395, 400, 402, 413, 448, 757, 760
- Adaptation 154, 316, 348, 619–620, 622–625, 757–758
- Additive decomposition 28, 31–32, 198, 207, 240, 243, 253, 278, 288, 306, 740
- Adjustment 348, 619–620, 622–625, 757–758
- Age weights 9, 22, 47, 55, 148, 186, 251, 659–660, 666–667, 673–674, 677–678, 682, 724, 744–745
- Annual profile 459–460, 467–472
- Attributable risk 277, 282
- Body mass index 217–218, 284, 333, 392–393, 397–400, 406–407, 409–410, 412, 414, 436, 757
- Capacity 20, 32, 191, 331, 337, 339, 344–348, 350, 353–354, 390, 395, 397–400, 406–407, 409–411, 414, 417, 559, 564, 571, 733, 735, 751
- Categorical attribution 15, 28–32, 240, 274–275, 278, 280, 287–288, 305
- Causal attribution 14–15, 28–32, 65, 236, 240, 274–278, 287–289, 303–304, 306–307, 309, 740, 749
- Causal web 276–277, 286–287, 305, 307
- Cause-deleted health expectancies 29, 279
- Cognition 20, 42–43, 319, 324, 332–333, 335–336, 347, 351–352, 355, 361–363, 426, 436, 474, 488, 521, 523, 600–601, 620, 623, 734, 743
- Cohort expected years of life lost 236–237, 757
- Comparative risk assessment 30, 274, 281, 289, 754, 758
- Confounding 154, 282, 295–297, 300–301, 307, 333, 766
- Coping 316, 347–348, 563–566, 568, 619–620, 622–625, 757–758
- Cost-effectiveness 450, 699, 706, 744, 752
- Counterfactual analysis 7, 15, 28–29, 31–32, 240, 274, 276–278, 283, 285, 287–289, 306–307, 309, 740
- Criteria for SMPH 23–28, 31–32, 149–157, 194–199, 209–210, 213, 241–242, 252–254, 268–271, 278, 738–741
- Cross-population comparability 7, 9, 16, 63, 185, 192–193, 325, 370–372, 374, 376–377, 383, 421, 429, 433–446, 464, 624, 745–747

- Cut-point shift 422–429, 434–436, 438–446, 747
- Deliberative approach 602, 613
- Determinants of health 4, 6–7, 9, 18, 274, 323, 430, 723, 733, 737
- Differential item functioning (DIF) 425–426
- Disability 177, 182–183, 191–193, 195–196, 199, 209, 214, 216–217, 331, 343–348, 698–704, 724, 733
- Disability weights (see also valuation) 55, 59–60, 70–71, 117, 139–143, 182, 188, 275, 360, 449–464, 467, 472, 477–483, 485, 553, 557, 560, 567, 569, 571, 581–583, 589–590, 594, 605, 615, 654–655
- Disability-adjusted life expectancy (DALE) 17, 21–22, 27–28, 38, 65, 87, 168, 178, 181–185, 187–188, 205–207, 209–211, 304, 340
- Disability-adjusted life year (DALY) 6, 67–70, 77, 87, 139–142, 144, 177, 186, 188, 227, 236, 238–239, 243, 251–252, 267, 275, 459, 463, 470, 498, 553, 584, 594, 596–603, 608–611, 613, 649, 664–665, 682, 699–701, 724, 740–741, 744, 758, 763
- Disability-free life expectancy (DFLE) 13, 17, 21–22, 27, 32, 178, 183, 188, 192, 195, 198–199, 208–209, 738, 757–758, 763
- Discount rates (see also time preference) 22, 491, 494, 654, 673, 679, 684
- Disease label 58, 456–457, 462–463
- Distributional transition 284–285
- Domains (of health) 16, 20, 32, 42, 44, 317, 337, 371, 374, 422, 424, 426–427, 554, 620–621, 623, 732–734, 743, 749, 757
- Duration 30, 124, 192, 307, 459, 467–472
- Efficiency 6–8
- Empirical ethics 8–9, 17, 156, 628, 631, 633–639, 663–668, 653–655, 741–743
- EQ-5D (see EuroQol)
- Equity 6, 9, 22, 34, 51, 139–140, 143, 161, 163, 165, 168, 172, 186, 201, 235, 242, 251, 265, 451, 526, 538, 547, 568, 628–629, 639, 649–651, 659–660, 662, 674, 676, 685, 693, 714, 720, 723–725, 743
- Ethics 3–4, 8–9, 17, 34, 72, 112, 145, 150, 156, 498, 590, 628, 631, 633–639, 663–668, 653–655, 675, 684, 711–712, 713, 715, 732, 741–743
- European Community Household Panel Survey 370–371, 422
- EuroQol 334, 336, 351, 355, 474, 488, 524, 529, 546, 758–759
- Fairness 3, 5–6, 9–10, 14, 17, 24, 38, 51, 84, 99–101, 103, 116, 119, 122, 135–136, 139–140, 142–144, 158, 639, 654, 676, 683, 686, 688–690, 695, 707–710, 713–714, 717–721, 723–725, 728–729, 741, 743–744, 751, 756
- Feasible minimum risk 29, 284
- Global burden of disease (GBD) 13, 20, 28, 55, 70–71, 75, 77, 86, 119, 121, 139–41, 143–145, 158, 178, 182–184, 186, 238, 251, 268, 271, 274–275, 281–282, 307, 480, 557, 582–585, 588–589, 597–600, 605, 613–615, 677, 682, 713, 732, 744, 753–754, 758–759, 761, 763
- Goodness 6, 17, 51, 99–101, 103, 116–119, 122, 135–136, 139, 683, 686, 713, 737, 743, 751, 756
- Harsanyi (principle) 24, 32–33, 36, 102, 112, 632, 639
- Health expectancy (HE) 6, 15, 17, 19, 21, 24, 26, 30, 32–33, 44–45, 50–51, 54, 68, 87, 91, 97, 99, 111, 116, 119, 121–122, 143, 174, 177–200, 205–210, 213–219, 221–231, 233, 235, 239, 241–242, 279–281, 288–289, 299, 306–307, 310–311, 318, 326, 338, 340, 393, 428, 454, 490, 528, 553, 570, 576, 617, 622, 664–665, 668, 670, 683, 686, 688, 690, 692–696, 698, 703–705, 711, 720, 728, 737–739, 741, 758–759, 761
- Health gap 6, 15, 17–20, 24–25, 28, 44–50, 54, 83, 87, 181, 186, 194, 198, 200, 233–236, 238–243, 250, 267–268, 270, 282, 288, 299, 312–

- 313, 398–399, 407, 409, 411, 677,
740–741, 744–745, 757–758, 760,
762, 768
- Health inequality 8, 36, 43, 48, 51,
172–174, 179, 707, 723, 744, 751–
752
- Health intervention 8, 64, 720–723,
752–753
- Health state description 7, 154, 315–
325, 329–337, 343–364, 416, 430,
447, 472, 495, 546, 552, 569–571,
596, 620
- Health state expectancy (HSE) 181,
207–208, 758, 760–761
- Health states 16, 20–21, 62, 182, 186,
191–194, 315–325, 330–335, 343–
344, 347, 349–364, 463, 472, 475–
476, 502, 507, 517, 530–532,
552–554, 595–597, 620, 624, 733–
735
- Health status assessment (see health
state description)
- Health system goals 3–6, 8, 24, 651
- Health system performance 1–4, 6–10,
14, 708–709, 712, 754
- Health Utilities Index (HUI) 20, 51,
186, 194, 287, 317, 319, 326, 331–
341, 350, 365, 430, 436, 447, 458,
498, 502–503, 506–510, 512–513,
519–526, 530, 559, 569, 760
- Health-adjusted life expectancy
(HALE) or healthy life expectancy
65, 162, 177, 181–182, 190, 194–
195, 197–199, 207, 304, 738, 758–
759, 761–762
- Health-related quality of life (HRQL)
330, 569, 573–574, 655, 760
- Healthy life years (HeaLYs) 6, 20, 233,
245–246, 248–254, 760
- Healthy People 2000 76, 78–79
- Healthy People 2010 77–81
- Hierarchical ordered probit model
(HOPIT) 426–429, 438–443, 445,
760
- Household survey 11, 328, 361–362,
364, 369–383, 387–417, 426, 431,
474, 755
- Impairment 65, 94, 117–118, 125, 186,
191, 193, 206, 274, 320, 331–333,
336, 348, 362–363, 374, 544, 550,
562–563, 565–567, 569, 575, 577,
597, 616, 733, 761
- Incidence 15, 19–20, 25–26, 32, 34, 37,
41, 54–55, 63, 70–71, 85, 141, 151,
173, 179, 184–185, 189–191, 194,
196–197, 199, 210, 222–223, 225,
227–230, 235–236, 239–241, 248,
251–254, 256, 268, 275, 305, 359–
360, 375, 390, 402, 404, 406, 419,
444, 450, 452, 458, 464–465, 471,
475, 617, 668, 680, 688, 738–740,
749–750, 760
- Inequality (see health inequality)
- Instrumental activities of daily living
192–193, 316–318, 327, 356, 400,
760
- Internal consistency 59, 63, 69–70,
377, 532, 749, 759
- International Classification of Diseases
(ICD) 15, 28–29, 32, 57, 62–63,
206, 240, 275, 288, 290, 304, 307,
328, 566–567, 755, 760
- International Classification of Func-
tioning, Disability and Health (ICF)
7, 191–192, 328, 343–344, 347–
348, 615, 618, 620, 733–734, 755,
760–761
- International Classification of Impair-
ment, Disabilities and Handicaps
(ICIDH) 191, 214, 344, 348, 566–
567, 597, 615, 733, 760–761
- International Network on Healthy Life
Expectancy (see REVES)
- Intervention analysis 29, 277, 289
- Item response theory 372, 384, 425,
429, 431, 761
- Kaldor-Hicks 629–631
- Life expectancy (LE) 4, 13, 15, 17, 19,
21–22, 25, 27–28, 32, 43, 50, 54,
56, 62, 65, 80, 87, 116, 139, 148–
149, 162, 168, 174, 177–188, 190–
192, 195–199, 205–210, 214,
218–219, 223, 226, 228–229, 231,
233, 236–239, 241, 244, 260–262,
268, 278–280, 290, 297, 299, 301,
304–306, 308, 310, 312, 333, 336,
338–341, 453, 489, 499, 526, 591,
617, 625, 665–666, 669, 675, 711,
738, 741, 750, 754–755, 757–759,
761–762

- Life expectancy with disability (LED) 23, 26, 123, 132, 182, 208, 294, 474, 490, 518, 560, 589, 615, 630, 735, 761
- Life table 19, 61–62, 186–188, 190, 207–209, 222–230, 237–238
- Measured tests 425–427, 429, 435–438, 440, 445–446, 760
- Measurement error 370–371, 382–383, 394, 400, 416, 422, 429–430, 474, 482, 484, 496, 749
- Mental health 76, 86, 145, 192–193, 203, 318–319, 321–322, 350–351, 373, 376, 413, 530–531, 540–541, 544, 573, 583, 600–601, 755
- Microsimulation 189–190, 307
- Mortality gap 15, 17, 20, 261, 263, 757, 762
- Multistate life table 19, 188–189, 218, 222, 740
- National Health and Nutrition Examination Survey (NHANES) 389, 391–392, 413, 435–437, 441, 447
- National Health Interview Survey (NHIS) 761
- OECD 64, 178, 192, 202, 320, 326, 434, 447, 762
- Perceived health 206–209, 418, 559
- Period expected years of life lost (PEYLL) 236–237, 261–265, 762
- Period life expectancy 27, 190, 208, 237, 261, 761–762
- Person trade-off (PTO) 21, 23, 140–144, 151–154, 156–158, 172, 453–455, 461–462, 469, 475, 480, 489–494, 496–497, 551, 553, 559, 582, 588–589, 598, 600–602, 610, 613, 615, 665, 762
- Plausible minimum risk 29, 284
- Policy applications 32, 55, 57
- Population health model (POHEM) 307–308
- Potential years of life lost (PYLL) 24, 39, 200, 236–238, 241, 244, 268–271, 762
- Prevalence 15, 19–20, 25–26, 32, 41, 54–55, 57, 63, 70–71, 78, 80, 85, 88, 151, 173, 178, 180, 182–187, 190–197, 199, 210, 216, 218, 222–230, 234–236, 241, 253–254, 256, 268, 275, 278–280, 299, 321, 359–360, 362, 389, 450, 452, 457–460, 465, 525, 598, 688, 738–740, 749–750, 763
- Priority-setting 89, 451, 567–568, 591, 617, 708, 724, 726
- Psychometric 16, 20, 65, 328, 371–373, 385–386, 425, 484, 508, 530, 551, 561, 566, 569, 576, 579, 666, 761
- Quality-adjusted life expectancy (QALE) 17, 21, 40, 203, 762
- Quality-adjusted life year (QALY) 88, 152, 366, 459, 463, 638, 664–665, 667, 678, 684, 724
- Quality of Wellbeing Index (QWB) 319, 351–352, 521, 524
- Rating scale (see visual analog scale)
- Rawls 33, 38, 108, 150, 168–169, 687–688, 704, 706, 725–726
- Reliability 16, 21, 156, 283, 316, 325, 338, 354, 372, 378, 423, 427, 429, 434, 445, 452, 474–475, 484, 508, 559–560, 575, 595–596, 612, 614, 746, 748
- Resource allocation 9–10, 13, 17, 51, 77, 87, 141, 158, 199, 202, 254, 300, 327, 340, 367, 451–452, 462, 511, 517, 546, 558, 568–569, 577, 590–591, 639, 648, 683, 708–709, 713, 744, 751–752, 756
- Response category 422–429, 434–436, 438–440, 445, 747, 760–761
- Responsiveness 4–5, 649, 707
- REVES: Réseau de l'Espérance de Vie en Santé 13, 34–37, 39–40, 178, 181, 200–207, 210–211, 231, 289, 338, 340, 762
- Risk aversion 48–50, 490, 493–495, 497, 590, 615, 669, 736
- Risk factors 15, 23, 28–32, 42, 57–58, 79, 85, 193, 217, 240, 243, 245, 273–278, 281, 283–284, 286–289, 305–307, 323, 450, 732–733, 740, 744, 752–754, 758–759
- Self-reported health 9, 370, 374–375, 379, 381–382, 392, 413, 415, 422–423, 734

- Separability 5, 22, 33, 100–102, 105, 107, 115–116, 118–119, 122–123, 621, 664, 737
- SF-6D 354, 529–545
- Short-Form 36 Health Survey (SF-36) 16, 21, 39, 51, 193, 319–321, 325, 328, 351–354, 356, 365, 367, 385, 416, 431, 434, 448, 511, 530, 545–547, 552–553, 555, 569, 578, 617, 762
- Social values 13–14, 18, 57–60, 145, 149–150, 152, 182, 235, 513, 528, 547, 560–561, 563–564, 567, 572, 614, 628, 631, 664–665, 667, 677, 714
- Standard expected years of life lost (SEYLL) 236–238, 261, 762
- Standard gamble (SG) 21, 124, 140, 142, 148–149, 153, 156–157, 453, 464, 489–494, 497–498, 505, 512, 516–518, 520, 530, 532, 535, 569, 571–572, 582, 594, 601–602, 611, 660, 698–699, 736, 748, 762
- Stewardship 3
- Sullivan's method 37, 183–184, 186–187, 190–191, 194, 201, 231, 241, 279, 739, 763
- Survival curve 16–17, 25, 180, 183, 233–235, 261–263, 741
- Survivorship norm 46, 236, 261, 263
- Theoretical minimum risk 29, 284
- Time preference 38–39, 48–50, 153–154, 157–158, 225–228, 235, 455, 491, 494–495, 497–499, 566, 568, 615, 632–633, 668–671, 674, 676, 679, 684, 743–744
- Time trade-off (TTO) 21, 140, 148–149, 151–154, 156–157, 172, 453–455, 462, 475, 480, 489–494, 496–498, 505–508, 512, 518, 551, 553, 556, 559–561, 566, 569, 572, 582, 594, 616, 660, 669, 748, 763
- Translation 164, 168, 192, 348, 354, 356, 371, 568, 574
- Uncertainty 13, 35, 49, 151, 223, 299, 384, 438, 440, 455, 480, 491, 527, 557, 565, 571, 574, 621, 667, 676, 679, 684, 736
- United States Burden of Disease and Injury Study (USBODI) 238, 763
- Utility 8, 48–49, 112, 139–140, 142–144, 150–151, 153–157, 182, 186, 330, 332–335, 397, 497, 503, 505–506, 515–521, 524–526, 532, 550–551, 556–559, 561, 566, 568–569, 571, 594, 629–630, 632, 635, 638, 664–665, 668–670, 675, 679, 683, 686, 714, 719, 735–737, 753, 762
- Validity 16, 21, 29, 71–72, 151–152, 156, 190, 193, 277, 300, 316, 325, 339–340, 350, 352, 372–373, 378, 382, 389, 423, 434, 445, 459, 474–475, 498, 512, 517, 524, 555, 559, 569, 595–596, 609–612, 614, 628, 636, 671, 705, 746
- Valuation 21–23, 62, 71–72, 131–132, 140–145, 150–157, 180–183, 186, 195, 207, 209, 234, 349, 353–354, 359–361, 449–464, 467–472, 473–485, 487–496, 501, 503–506, 508–511, 515–526, 529–545, 549–551, 555–562, 584–591, 593–614, 619–621, 624, 631, 648–655, 660, 664–665, 667, 698–700, 724, 735–737, 742–743, 748–749
- Veil of ignorance 24, 26, 32–33, 89, 140, 142–144, 150–151, 252, 686–688, 690, 702–705, 711, 725
- Vignettes 427–429
- Visual analogue scale (VAS) 141, 144, 156–157, 453–454, 461–462, 474–475, 480, 482–483, 488–495, 497, 505, 507–508, 553, 556–557, 560, 569, 571–573, 584, 595, 602–604, 610, 613, 748, 763
- Von Neumann-Morgenstern 515, 517, 526, 638, 736
- Web of causality (see causal web)
- Welfare economics 36, 630, 632
- Well-being 337, 351, 521, 678
- WHO Disability Assessment Schedule-II (WHODAS-II) 317, 763
- WHO Quality of Life Assessment Instrument (WHOQOL) 317, 319, 564, 763
- Years lived with disability (YLD) 183, 236, 242, 260, 270, 275, 465, 468, 763

Years of healthy life (YHL) 16–17, 20–21, 31, 35, 67, 73, 76, 78–79, 81, 183–184, 219, 250, 288, 336, 737

Years of life lost (YLL) 18, 17, 24, 39, 54, 67, 149, 200, 236–238, 241–242, 244, 249, 251–252, 260–261, 268, 270, 299–300, 310, 312, 594, 598, 666, 757, 762–763