
INDEX

A

- Abortion, 96, 264, 897, 1012, 1014, 1255–1258, 1260, 1262–1264, 1267–1268, 1277–1281, 1283–1284, 1287–1289, 1291–1293, 1295, 1298–1306, 1310, 1313, 1454
- Absolute poverty, 1941–1942, 1945–1946, 1949–1951, 1956, 1965, 1972, 1983, 1985, 1987–1988, 2002, 2015, 2067–2069
- Abstainer, 968, 984, 1018
- Abstinence, 963, 965–967, 969–971, 973–974, 976, 978, 980, 982–984, 987–989, 1016, 1018, 1035–1036, 1042, 1054, 1262, 1270–1272, 1315, 2043
- Acute lower respiratory infections, (see also acute respiratory infections) 1435, 1452, 1458, 2171, 2232
- Acute respiratory infections, (see also acute lower respiratory infections) 69, 218–220, 242, 1354, 1397, 1411, 1420, 1457
- Addiction, 967, 997, 1063–1064, 1113
- Additive decomposition, 14
- Additivity, 14–15
- Adolescent, 506, 552, 2035, 2037–2038
- Adult health, 509, 1449, 2162
- Adult mortality, 264, 934, 936, 938, 941, 1218
- Agriculture, 730, 781–783, 849, 1578, 1609, 1659–1660, 1662–1664, 1667, 1669, 1673, 1696, 1701, 1704, 1706, 1709, 1714–1718, 1731, 1758, 1774–1775, 1778, 1780–1781
- AIDS, (see also HIV, HIV/AIDS) 220, 1109, 1114, 1122–1124, 1129–1130, 1133, 1151–1157, 1160, 1187, 1194, 1200–1201, 1216, 1220, 1223, 1826–1827, 1830–1831, 2044, 2085, 2126, 2197
- Air pollution, (see also ambient air pollution, indoor air pollution, urban air pollution) (see chapter 17, *Urban air pollution*, pp. 1353–1433; chapter 18, *Indoor air pollution from household use of solid fuels*, pp. 1735–1493) 10, 913, 1960, 2065, 2067, 2069–2071, 2142, 2144, 2154, 2160, 2162, 2233
- Alcohol, (see chapter 12, *Alcohol use*, pp. 959–1108) 7–8, 22,

- 26–27, 85, 686, 1114–1115, 1126, 1130, 1161, 1198, 1201, 1974–1975, 1977–1980, 2008, 2013–2017, 2021–2022, 2025–2028, 2030, 2032, 2039–2045, 2048, 2052–2053, 2068, 2070–2171, 2142, 2144, 2151–2156, 2160–2161, 2164, 2170, 2174–2181, 2183–2185, 2192, 2212–2213, 2215, 2218–2219, 2223–2224, 2228, 2231, 2233
- Alcohol abuse, 1009, 1032, 1035, 1037, 1039, 1851, 1853, 1857, 1897, 1904, 1912, 1916, 1919, 1923
- Alcohol dependence, 962, 1006–1007, 1009, 1013, 1030, 1032–1033, 1035–1039, 1041, 1054, 1857, 1905–1907, 1909, 2039
- Alcoholism, 1036, 1857, 2040
- Ambient air pollution, (see also urban air pollution) (see chapter 17, *Urban air pollution*, pp. 1353–1433) 25, 901, 903, 1978, 2007, 2162
- Amphetamine, 1116, 1118, 1129–1130, 1136–1137, 1140–1141, 1143–1144, 1148–1149, 2044
- Anaemia, (see chapter 3, *Iron deficiency anaemia*, pp. 163–210) 67, 84, 108, 1258, 1495–1497, 1505, 1509, 1513–1515, 1520, 1522, 1524, 1527, 2142, 2144, 2154
- Anthropogenic emissions, 1547
- Anthropometry, 40, 45, 47–48, 64, 90, 92, 498, 506, 537, 1753, 2171
- Antioxidant, 634, 637, 667
- Asthma, 72, 900, 1379, 1381, 1391, 1393–1394, 1421, 1453, 1461, 1466–1467, 1474, 1478, 1652–1655, 1666, 1669, 1694–1695, 1699–1700, 1703–1705, 1761–1762, 1764–1768, 1773
- Attributable fraction, (see also population attributable fraction) 4, 13–15, 2130–2131, 2139, 2168, 2172
- Avoidable disease burden, 20, 24, 948, 1304, 1306–1307, 1315–1316, 1421
- B**
- Back pain, 26, 567–568, 798, 801, 806–807, 1651–1653, 1656, 1670, 1729–1731, 1734–1749, 1752–1757, 1761–1762, 1770–1771, 1774, 1777, 2155, 2160
- Beer, 966, 1043, 1198
- Beneficial effect, 648, 808, 1015, 1017, 1021–1022, 2195
- Beta-carotene, 187, 236, 239, 243–244, 430, 631–632, 634, 637, 639, 651–653, 657, 667, 670, 675–677
- Binge alcohol consumption, 22, 2153
- Binge drinking, 7, 17, 22, 964, 1019, 1021
- Biomass, 901, 903, 913, 1435, 1437–1438, 1443, 1445, 1449, 1453–1456, 1458, 1462–1465, 1470, 1479–1480
- Blindness, 212, 214, 216–220, 222, 227, 243, 261, 581, 1330, 1453
- Blood lipids, 6–7, 393, 499, 534, 569, 636–637, 646
- Blood pressure, (see also systolic blood pressure, diastolic blood pressure) (see chapter 6, *High blood pressure*, pp. 281–388) 394, 418, 445, 499, 504, 534, 538–540, 569, 574–575, 581, 633, 636–637, 646, 697, 802, 831, 962, 1020, 1359, 1495–1496, 1505, 1511–1512, 1518, 1520–1521, 1943, 1960, 2038, 2040–2041, 2043, 2046, 2142, 2144, 2151–2156, 2158–2161,

- 2167, 2169–2170, 2172, 2175, 2177–2180, 2183–2185, 2192, 2231
- Bloodborne pathogens, 1655, 1803–1805, 1808–1810, 1813, 1815, 1839, 1841
- Body mass index (BMI), (see chapter 8, *Overweight and obesity*, pp. 497–596) 39, 41, 44–45, 52–55, 85–88, 90, 92–97, 105, 107, 289, 1959, 1979, 2018, 2041, 2048, 2052–2059, 2105, 2112–2113, 2142, 2144, 2151–2154, 2156, 2158–2159, 2165, 2167, 2169–2170, 2172, 2175, 2177–2181, 2212–2213, 2215–2216, 2218–2219, 2223–2226, 2228
- Breast cancer, 498, 535, 560–561, 570–573, 631–632, 730, 801, 805, 809, 815, 817–818, 820, 830, 832–834, 836, 838, 842, 844–846, 993–994, 1007, 1009–1011, 1014, 1040, 1065
- Breastfeeding, 40, 43, 46, 54, 73, 76–77, 80–81, 111, 181, 274, 1959, 2059
- C
- Cannabis, 1110–1115, 1129, 1136, 1140, 1143, 1148, 1162, 2043–2045
- Carcinogen, 17, 19, 31, 631–633, 887, 1357–1358, 1470, 1651–1655, 1657–1660, 1662, 1665–1666, 1669–1675, 1677–1679, 1684–1686, 1689–1690, 1692–1693, 1706, 1762, 1772–1773, 1777, 2142, 2144, 2154
- Categorical attribution, 3–4, 14, 1065
- Causal web, 10–14, 30, 1323
- Causality, 11, 25–26, 29–30, 1947, 2160, 2167, 2233
- Cervical cancer, 1113, 1228, 1232
- Child abuse, 1856–1857, 1908
- Child mortality, (see also infant mortality) 27, 39, 55, 57, 87, 90, 163, 165–166, 211, 218–219, 223, 225, 227–229, 232–233, 236–237, 244, 249, 274, 1382, 1387
- Child sexual abuse, (see chapter 23, *Child sexual abuse*, pp. 1851–1940) 26, 1943, 1960, 2142, 2144, 2154–2155, 2157, 2160, 2162
- Childhood sexual abuse, (see chapter 23, *Child sexual abuse*, pp. 1851–1940) 1932–1940, 2155, 2175, 2177–2180
- Chlamydia, 1177, 1179, 1228, 1230, 1330
- Cholesterol, (see chapter 7, *High cholesterol*, pp. 391–496) 538, 540, 558, 569, 574–575, 636–637, 646, 650, 655, 697, 802, 826–827, 1943, 1960, 1979–1980, 2038, 2043, 2048–2054, 2071, 2142, 2144, 2151–2152, 2154, 2156, 2158, 2161, 2167, 2170–2172, 2175, 2177–2180, 2183–2184, 2192, 2194, 2233
- Chronic obstructive pulmonary disease, (see also COPD) 597, 629, 883, 893, 896, 911, 1379–1381, 1452, 1464, 1466, 1469, 1478, 1705, 2174
- Circumcision, 1198, 1201, 1204, 1242, 1837
- Cirrhosis, 686, 893, 896, 900, 960, 1007–1009, 1012, 1014, 1041, 1054–1055, 1057, 1124, 1827, 1830, 2042
- Climate Change, (see chapter 20, *Global climate change*, pp. 1543–1650) 13, 22, 26, 30, 1943, 1960, 2142, 2144, 2153–2154, 2160

- Coal, 883, 900–901, 903, 1366, 1389, 1435–1437, 1443–1444, 1449, 1451–1452, 1456–1457, 1465–1466, 1469–1477, 1480, 1651, 1655, 1659–1660, 1676, 1684, 1761, 1977, 2162, 2181
- Cocaine, 1109, 1111–1116, 1118–1119, 1126–1127, 1133–1134, 1137, 1140, 1144, 1148, 1159, 1198, 1980, 2044–2046
- Cognition, 98, 101, 104, 167, 198, 1497
- Colon cancer, 498, 562, 570–573, 694, 730, 801, 804–805, 809, 815, 821–823, 826, 830, 837–838, 842, 844–846
- Combustion, 1353, 1356–1357, 1359, 1391, 1413, 1419, 1437–1438, 1456, 1462, 1471–1472, 1479
- Commercial sex, 1188, 1192–1193, 1196, 1199–1200, 1203–1204, 1214, 1228, 1839
- Communicable disease, 896, 2161–2162
- Condom, 1177, 1180–1182, 1184, 1192–1194, 1198, 1200–1201, 1203, 1205, 1207, 1209, 1211–1212, 1224, 1242, 1271–1272, 1297, 1988, 1991, 1994–1995, 1998–1999, 2001, 2021–2022, 2025–2028, 2030, 2032, 2069
- Contraception, (see chapter 15, *Non-use and use of ineffective methods of contraception*, pp. 1255–1320) 1180, 1205, 2139, 2142, 2144, 2154–2155, 2161–2162
- Contraceptive, (see chapter 15, *Non-use and use of ineffective methods of contraception*, pp. 1255–1320) 1201, 1959
- Cooking, 901, 1357, 1436–1439, 1442, 1444–1445, 1447, 1449, 1451, 1453–1457, 1460–1461, 1463–1473, 1977, 2002, 2004–2005, 2064
- COPD (see also chronic obstructive pulmonary disease), 883–885, 887, 899–900, 905, 909–911, 915–916, 936, 938–939, 943, 1436, 1452, 1457–1458, 1464–1469, 1475–1478, 1652, 1654–1655, 1657, 1659, 1662, 1666, 1670, 1694–1695, 1701–1702, 1705–1707, 1761–1762, 1764–1768, 1773, 1788
- Cost-effective minimum risk, 6
- Counterfactual, 3–7, 9, 13–15, 18, 20, 2129–2131, 2168, 2173, 2201, 2203–2205, 2215–2216, 2220, 2227
- Counterfactual attribution, 14
- Counterfactual exposure distribution, 4, 1115, 2130–2131
- Counterfactual relative risk, 1284–1285
- D**
- Depression, 181, 567–568, 798, 801, 808–809, 991, 1008–1009, 1013, 1029–1030, 1032–1036, 1038–1039, 1041, 1054, 1125–1126, 1471, 1851, 1853, 1857, 1884, 1886, 1891, 1893, 1903–1906, 1910, 1912–1914, 1919, 1923, 2155
- Diabetes, (see also type II diabetes) 84, 98, 108, 393, 498–499, 503–504, 506, 535, 538, 540, 548–558, 569–575, 581, 597, 629, 650, 730, 745–746, 749, 810, 898, 1015, 1040, 1055, 1057
- Diarrhoea, 40–43, 55–56, 58, 60–61, 63–64, 66, 70, 72, 75–84, 93, 95, 104–105, 107–109, 211, 218–220, 230, 232, 235–240, 242, 244–249, 257–259, 261, 264–272, 275–276, 1321–1323, 1325–1329, 1334, 1338–

- 1343, 1544–1545, 1555, 1559, 1571–1576, 1580, 1605–1608, 2155, 2170–2172, 2174, 2184–2186, 2232
- Diastolic blood pressure, 284, 636, 646, 697
- Dietary fat, 446, 550, 589, 697, 2058
- Diesel, 1357, 1366, 1379, 1656, 1670–1671, 1673, 1675, 1684, 1686, 1688, 1690, 1711, 1761–1762
- Discounting, 23–24, 29
- Drug abuse, 1116, 1123, 1133–1134, 1496, 1505, 1851, 1853, 1857, 1884, 1899, 1912, 1916, 1919–1920, 1923
- Dust, 1366, 1437, 1497–1498, 1547, 1655, 1666, 1671, 1675, 1687, 1695, 1701, 1705–1706, 1761, 2066
- E**
- Ecstasy, 1111–1112, 1114
- Effect modification, 27, 30, 900, 1739, 1757, 2169–2170, 2172–2173, 2181, 2185, 2227
- Effect modifier, 30, 667
- Energy expenditure, 565, 607, 739–740, 746–747, 758, 761, 809, 820, 829
- Environmental risk, 9, 19, 2142, 2144, 2154, 2171
- Environmental tobacco smoke, 884, 915, 1435, 1655, 1773
- Ergonomics, 1656
- Exercise, 522, 541, 548, 550, 569, 732, 746, 758–761, 770, 798, 806, 809–810, 1980, 2060–2063
- Extreme weather, 1548, 1583, 1590
- F**
- Feasible minimum risk, 6
- Fertility, 568–569, 1186, 1216, 1218, 1239, 1255–1257, 1264, 1268–1269, 1273–1277, 1279, 1281–1286, 1289, 1292–1293, 1295, 1297–1300, 1302, 1304–1311, 1314, 1498, 1959
- Fitness, 167, 201, 540, 568, 729, 731–733, 741, 746, 809, 811, 829, 841, 843–844, 847, 1774, 2048, 2061
- Flood 1560, 1584–1585, 1587
- Food balance sheet, 273, 600, 602, 609–610, 619–620, 628, 701–702
- Fossil fuel, 1413
- Fruit, (see chapter 9, *Low fruit and vegetable consumption*, pp. 597–728) 550, 562, 1577, 2059, 2066, 2139, 2142, 2144, 2152, 2154, 2156, 2170, 2172, 2175, 2177–2181
- Fruit and vegetable consumption, (see chapter 9, *Low fruit and vegetable consumption*, pp. 597–728) 19, 1943, 1960, 2154
- Generalized epidemic, 1184, 1215, 1221, 1226, 1238
- Glucose tolerance, 548, 803, 826, 844, 860, 1015
- Gonorrhoea, 1177, 1179, 1198, 1228, 1230, 1242
- Greenhouse gas, 13, 1543, 1545, 1550
- H**
- Haemoglobin, 85, 163–164, 169–171, 173–179, 182–197, 201, 213, 1513, 1960, 2139
- Haemorrhagic stroke, 391, 394, 419, 428, 430–431, 439, 493–495, 546, 655, 657, 803, 1011, 1013–1014, 1041
- Hazard accumulation/accumulated hazard, 29, 18, 25, 887, 914–915, 924, 943

- Healthy life expectancy (HALE), 2168, 2172–2174, 2183–2186, 2232
- Hearing loss, 1497, 1505, 1513, 1651–1653, 1655, 1670, 1707–1710, 1712–1713, 1717–1718, 1721–1722, 1724–1728, 1761–1762, 1768–1770, 1774, 2179–2181
- Heating, 1367, 1436–1439, 1442, 1444–1445, 1449, 1451, 1456–1457, 1459, 1461, 1464, 1467, 1470, 1473, 2064
- Height-for-age, 25, 44–45, 49, 95, 99–100, 266, 271, 1979
- Hepatitis B, 1110, 1122, 1124, 1159, 1162, 1655, 1803, 1811, 1828, 1831, 1836, 1840
- Hepatitis C, 1110, 1122, 1655, 1803, 1829
- Hepatocellular carcinoma, 1826–1827
- Heroin, 1116, 1129–1130, 1136–1138, 1140–1141, 1143–1145, 1147–1150, 1158
- Heterogeneity, 29, 66, 183–184, 644, 688, 691, 693, 831, 833, 836–837, 839, 842–843, 1384, 1398–1399, 1458, 1474, 1866, 1911, 1948–1949, 2067
- Heterosexual, 1177–1178, 1191, 1205, 1222, 1237
- HIV, (see also AIDS, HIV/AIDS) 1110–1111, 1116, 1124, 1129, 1136–1137, 1140–1141, 1143–1144, 1147–1149, 1151, 1157–1158, 1160–1163, 1177–1180, 1184, 1186–1188, 1195, 1197–1207, 1210–1212, 1214–1218, 1220–1235, 1237–1244, 1257, 1315, 1478, 1803–1805, 1808–1811, 1814, 1817, 1822, 1825–1827, 1830–1835, 1837–1841, 1960, 2161, 2197, 2204, 2206
- HIV/AIDS, (see also HIV, AIDS) 220, 1110, 1113, 1116, 1121–1122, 1124, 1126, 1131, 1157–1158, 1160–1163, 1177–1178, 1188, 1195, 1221, 1237, 1655, 1814, 1833, 2151, 2155, 2162, 2175, 2177, 2183, 2233
- Homicide, 1008, 1093–1106, 1122, 1758
- Homosexual, 1114, 1191, 1194, 1205, 1222
- Household energy, 901, 1439, 1442, 1484, 1487, 1492
- Household fuel, 901, 903, 1435, 1444, 1456–1457
- Household income, 1456, 1967–1969, 1978, 2042, 2055, 2104
- Household survey, 628, 1335, 1345, 1440–1441, 1967, 2113
- Housing, 1416, 1439, 1449, 1451, 1460–1461, 1479, 1525, 1583, 1947, 1961, 2035, 2046, 2063–2066
- HPV, 1177–1179, 1228
- Hypertension, 284, 286–287, 289, 292, 324, 326, 332, 339, 503–504, 549, 558, 569, 581, 636, 1011, 1019–1020, 1497, 1505, 2040–2041, 2046–2049, 2053, 2059, 2153, 2156
- I**
- Illicit drugs, (see chapter 13, *Illicit drug use*, pp. 1109–1176) 1058, 1809, 1943, 1979, 2045, 2154–2155, 2175–2177, 2179, 2181
- Immune function, 104, 168, 212–213, 258, 270–271, 274–275
- Immunity, 69, 270, 1594–1595, 1600, 1803, 1809, 1836, 1839, 2196
- Immunization, 250, 1806, 1813–1814, 1819, 1836–1837, 1840, 1959

- Indirect estimation, 886, 1117–1118, 1772, 1958–1959
- Indoor air pollution, (see chapter 18, *Indoor air pollution from household use of solid fuels*, pp. 1435–1493) 900, 903, 1380, 1419, 1941–1942, 1976–1977, 2002–2003, 2005–2006, 2024, 2033, 2067, 2069, 2071, 2142, 2144, 2154, 2160, 2233
- Indoor smoke, (see chapter 18, *Indoor air pollution from household use of solid fuels*, pp. 1435–1493) 18, 27, 2151–2153, 2160–2162, 2171, 2179–2181, 2183, 2233
- Infant mortality, (see also child mortality) 87, 218–219, 1300, 1388, 2162
- Infectious disease, 36, 40, 42–43, 62, 110, 211, 218, 220, 230, 232, 237, 242, 245–246, 248–249, 271, 920, 1158, 1212, 1239, 1475, 1544, 1556, 1558, 1563, 1583, 1594, 1609, 1651, 1654, 1772, 1777, 2171, 2196
- Injection, (see chapter 22, *Contaminated injections*, pp. 1803–1850) 1115, 1121, 1126, 1159, 1235, 1960
- Injection equipment, 1126, 1159, 1803–1804, 1809–1811, 1817, 1820–1825, 1834–1835, 1839–1840
- Insufficiently active, 729, 743–744, 791, 795, 798, 814, 816, 820, 823, 825, 834, 836–837, 839–840, 842, 845–847, 851
- Insulin, 97, 504, 540, 549–550, 558, 561, 563, 569, 581, 803–805, 860, 1015, 1017
- Insulin resistance, 97, 504, 540, 549–550, 558, 561, 563, 569, 581, 803–804, 1015, 1017
- International classification of disease (ICD), 3, 533, 535, 894, 919–920, 929, 935, 937, 960, 991–992, 1039, 1134, 1396, 1507
- Intoxication, 961–962, 964, 1011, 1036, 1046, 1048, 1114, 2040
- Intrauterine growth retardation, 41, 167, 202, 1012
- Intravenous, 1809
- IQ, 97–100, 102–103, 163, 167–168, 175, 181–183, 188–190, 1495–1496, 1505–1512, 1514–1515, 1517–1520, 1524–1525, 2067
- Iron, (see chapter 3, *Iron deficiency anaemia*, pp. 163–209) 104, 110, 212–213, 266, 543, 1524, 1577, 1697, 1943, 2139, 2142, 2144, 2151, 2154–2155, 2175, 2177, 2179
- Ischaemic heart disease (IHD), 98, 281–283, 285–286, 288, 318–322, 325–328, 330–334, 336–338, 391–392, 394, 414, 417–419, 422–429, 431–434, 436, 438–442, 498–499, 503–504, 535, 540, 542–549, 569–570, 575, 597–598, 626, 629–630, 633–636, 642–643, 646, 649–652, 654–655, 687–689, 696, 700, 730, 798, 801–802, 809–814, 826–827, 829–833, 835, 838, 840–847, 894–895, 897, 960, 962–964, 992, 994–996, 1008–1009, 1011, 1013, 1016–1024, 1026–1029, 1031, 1037, 1041, 1048, 1052–1053, 1055–1056, 1388, 1455, 1478, 1520, 1524, 1651, 1654–1655, 1777, 2048, 2132, 2135–2139, 2152, 2170, 2172, 2174, 2184–2185, 2232
- Ischaemic stroke, 286, 391–392, 394, 428–431, 439–440, 442, 498, 545–546, 549, 570–571,

- 598, 637, 641, 643, 655, 689–690, 696, 700, 730, 801–803, 811, 816, 826–827, 830, 833, 835, 842–846, 1008, 1011, 1013, 1016, 1041, 2170
- J**
 Joint counterfactual, 13, 15
 Joint effects, 2, 14, 29, 110, 2152, 2167–2174, 2183–2185, 2231
 Joint PAF, 2168, 2173–2174
- L**
 Latrine, 1331, 1335
 Lead, (see chapter 19, *Lead exposure*, pp. 1495–1542) 180–181, 1357–1359, 1415, 1654, 1853, 1943, 1960, 1979–1980, 2063–2067, 2130, 2139, 2142, 2144, 2154, 2162
 Leaded petrol, 1495–1496, 1499–1502, 1504, 1506, 1516–1517, 1525–1527
 Leisure time, 736, 759, 828, 848–849, 1745, 2061
 Leukaemia, 1652, 1656, 1670–1671, 1677, 1684–1686, 1690–1693, 1761–1765, 1773
 Life-long smoker, 896, 908
 Lipid, 401, 403, 418, 434, 437, 538–539, 581, 634, 802, 1017, 1020, 1942, 2049–2054, 2216
 Low birth weight, 42, 83–84, 86–88, 90, 95, 105, 108–109, 111, 166–167, 187, 202, 218–220, 897, 1012, 1014, 1040, 1388, 1454, 2054, 2175, 2177
 Lower back pain, 798, 1747, 2160
 Lung cancer, 12, 18, 597–598, 629, 632–633, 637, 641, 643, 656, 660–662, 664, 666–668, 686, 690–692, 696, 698, 883–889, 891–896, 899, 901–910, 912–916, 924, 927, 929, 931, 934–937, 939–943, 947, 992, 1354, 1390–1392, 1394–1397, 1399, 1401–1403, 1405, 1408–1410, 1412–1413, 1417–1418, 1421, 1436, 1451–1452, 1457–1458, 1469–1478, 1652, 1670, 1672, 1677, 1684–1685, 1687–1693, 1761–1765, 1773, 1944, 2007, 2036–2037, 2174, 2184, 2232
- M**
 Malaria, 39–41, 55–56, 58, 62–64, 66–69, 82, 84–85, 97, 104–106, 108–109, 164–166, 168, 170, 172, 176–177, 187, 211, 218, 220, 230, 232–234, 236, 239–242, 244–249, 257–258, 261, 264–267, 269–273, 275, 1258, 1321, 1323–1324, 1544–1545, 1555, 1557–1559, 1580, 1594–1608, 1809, 2162, 2174, 2176–2177, 2185
 Malnutrition, 40, 44–48, 50, 54, 65–66, 68–69, 71, 73, 75, 78, 90, 98–101, 104, 108–111, 155, 165, 172, 176, 182, 188, 200, 211–212, 275, 499, 1329, 1475, 1544–1545, 1555, 1557–1559, 1577, 1580–1583, 1605–1609, 1942, 1948, 1960, 1970–1971, 1979, 2069, 2099–2105, 2107–2111, 2116, 2151, 2233
 Marginal structural models, 2196, 2203, 2226
 Mass action model, 1809, 1811–1812, 1834, 1838
 Maternal health, 88, 220, 229, 234
 Maternal mortality, 40, 95, 110, 163–166, 168, 171–175, 183–184, 188, 197, 199, 201, 211, 218, 220, 232, 234, 236, 239, 243–248, 897, 1257, 1261–1262, 1287, 1304, 2161
 Measurement error, 27, 49, 603, 647–648, 699, 730, 743, 796, 827–830, 833, 837–840, 990,

- 1297, 1433, 1572, 1968, 2191, 2216–2217
- Mediated effect, 2139
- Mediated hazard, 2234
- Mental health, 568, 730–731, 798, 808, 848, 1032, 1119, 1267, 1742, 1943
- Mental retardation, 163–164, 168, 188, 190, 264, 1012, 1495–1496, 1506–1511, 1518–1520, 1523–1524, 1527
- Metabolic equivalent (METS), 541, 740, 747, 758, 761, 763
- Meteorology, 1565
- Micronutrient, 95, 110–111, 176, 202, 211, 213, 216, 218, 222–223, 226, 233, 258, 648, 1577, 1943, 1960, 2151–2152, 2155, 2162, 2170–2171
- Micronutrient deficiency, 222, 2151, 2171
- Mild mental retardation, 163, 168, 188, 1495–1496, 1507–1511, 1518–1520, 1523–1524, 1527
- Mistimed pregnancy, 1277–1278
- Modern contraception, 1283, 1289, 1302–1303, 1315
- Mortality displacement, 1567, 1606
- Motor vehicle accident, (see also road traffic accident) 1008, 1051–1052, 1093–1106, 1114, 1122, 1125, 1734, 1758, 2155
- Multi-risk, 13, 29–30, 2233
- Musculoskeletal, 731, 798, 806–807, 1651, 1653, 1730, 1736, 1742, 1747–1748, 1752, 1777
- N**
- Needle, 1116, 1124, 1158, 1810, 1839
- Neonatal, 41, 83–91, 93–94, 97, 104, 108–109, 166, 175, 178–180, 184, 187, 264, 897
- Neuropsychiatric, 960, 1057, 2155, 2172, 2174, 2185
- Never-smoker, 883–884, 888–889, 901, 903, 912–914
- Noise, 1586, 1651–1653, 1655–1660, 1662, 1666, 1670, 1707–1720, 1722, 1724–1727, 1761–1762, 1768–1769, 1774, 1777, 1779, 2142, 2144, 2154
- Non-contact abuse, 1851, 1853, 1861, 1865, 1915, 1919–1921, 2157
- O**
- Obesity, (see chapter 8, *Overweight and obesity*, pp. 497–596) 30, 289, 418, 801, 804, 808–809, 1960, 2038, 2043, 2048, 2052–2059, 2070, 2142, 2144, 2154, 2156, 2161, 2233
- Occupational injuries, 1042, 1653, 1666, 1670, 1752, 1757–1760, 1771, 1775–1776
- Occupational risk, (see chapter 21, *Selected occupational risk factors*, pp. 1651–1802) 4, 2036, 2142, 2144, 2154, 2176, 2179, 2181
- Opioids, 1109, 1111–1116, 1118–1119, 1125–1127, 1129, 1134, 1136–1138, 1140–1141, 1143–1145, 1147–1150, 1154, 1156, 1159, 1164–1165
- Optimal exposure, 7–9, 2131
- Oral contraceptive, 1258
- Oral tobacco, 883, 885, 917–918, 940–942, 948, 1058, 2154
- Osteoarthritis, 498, 504, 535, 557–560, 571–574, 730, 798, 801, 807–808, 848, 2181
- Osteoporosis, 730, 798, 801, 806–807, 809, 848
- Overdose, 1109–1110, 1112–1114, 1116, 1121–1126, 1131–1134, 1136, 1138, 1151–1159, 1161

- Overweight, (see chapter 8, *Overweight and obesity*, pp. 497–596) 1941–1943, 1960, 2015, 2018–2020, 2054–2058, 2070, 2142, 2144, 2154
- Ozone, 1357–1359, 1392, 1415, 1556–1557
- P
- Paint, 1437, 1506, 1525, 1676, 2063, 2065–2066
- Particulate matter, 9, 25, 1353–1354, 1360, 1362, 1364–1365, 1370, 1373–1374, 1438, 1481
- Particulates, 913, 1360, 1363, 1365–1366, 1368, 1438, 1454, 1547, 1651, 1653, 1655, 1659, 1693–1695, 1773, 2142, 2144, 2154
- Passive smoking, 1672
- Pathogen, 1182, 1321–1323, 1325–1326, 1333–1334, 1337, 1339–1340, 1343, 1810–1811, 1839
- Patterns of drinking, 959–960, 963–971, 973–974, 976, 978, 985–986, 989, 992, 994, 996, 999, 1007, 1011, 1018, 1022–1024, 1026–1028, 1041–1042, 1048–1052, 1054–1056
- Perinatal, 40–41, 55, 83–84, 86–87, 90, 95–96, 105, 107–108, 163–169, 175–179, 183–188, 197, 893, 896–897, 1040, 1055–1057, 1258, 1300, 1388, 1453, 1654, 2049, 2151, 2174, 2176, 2178–2179, 2181, 2183, 2185
- Physical activity, (see chapter 10, *Physical inactivity*, pp. 729–882) 540, 550–552, 560–562, 569, 575, 2049, 2052, 2055, 2058–2063, 2167, 2212, 2216, 2233
- Physical inactivity, (see chapter 10, *Physical inactivity*, pp. 729–882) 540, 550, 575, 1943, 1960, 1974, 1979, 2038, 2043, 2048, 2053, 2059–2063, 2142, 2144, 2153–2155, 2157, 2160, 2169–2170, 2172, 2175, 2177–2180
- Plausible minimum risk, 6
- Population attributable fraction, (see also attributable fraction) 4, 2130–2131, 2139, 2168
- Potential impact fraction, 5, 2129, 2168
- Poverty, (see chapter 24, *Distribution of risks by poverty*, pp. 1941–2128) 9, 11, 42–43, 54, 64, 101, 104, 1419, 1577, 1583, 1607
- Precipitation, 13, 1367–1368, 1543–1544, 1546–1548, 1550, 1553, 1555, 1571, 1577–1578, 1583–1584, 1590, 1593, 1597, 1604, 1607–1608
- Pregnancy, 40–42, 45, 55, 67, 85–88, 90, 92–93, 95, 97, 164–165, 167, 171–177, 179–180, 184, 186–187, 197, 201–202, 219, 223, 243, 264, 274, 883, 897, 1012–1013, 1179–1180, 1255–1263, 1268–1270, 1273–1282, 1284, 1298–1299, 1301, 1303–1305, 1307, 1436, 1453, 1498, 2018, 2044–2045
- Preterm birth, 84–86, 165, 167, 187, 202, 218–219
- Protective effect, 228–231, 234, 238–242, 244, 597, 599, 627, 629, 632, 634, 636, 639, 645–646, 650, 655, 668, 674–675, 680, 695, 698–699, 731, 804–805, 842, 964, 1010–1011, 1013, 1015–1020, 1028, 1205, 1560, 1586, 2225
- Protein–energy malnutrition, 155
- Proximal, 10, 14, 26, 680, 823, 2153, 2160, 2167, 2231, 2233

- Psychosocial, 97–98, 101–103, 580, 1653, 1655, 1729, 1739, 1754, 1774, 2039, 2048, 2054
- R**
- Recall bias, 603, 638, 648, 1189
- Regression dilution bias, 283, 291, 314, 318, 320–321, 338, 413, 421, 423–424, 1007, 2152
- Relative poverty, 1946
- Reproductive age, 39, 45, 52, 54, 87, 90, 195, 197, 213, 216–217, 225, 227, 243, 249–250, 274, 1221, 1261, 1304
- Reproductive health, 1186–1187, 1264, 2142, 2144, 2154
- Risk behaviour, 11, 1178, 1182, 1189, 1197, 1214, 1236, 1903, 1945, 2064
- Risk factor correlation, 2172–2173
- Risk reversibility, 17, 104, 282, 328–329, 333, 392, 432, 569, 695, 697–698, 843–845, 903, 905–906, 909–910, 916, 1054, 1475, 1560, 1693, 1706–1707, 1728, 1755, 1921
- Risky sex, 1177, 1181–1182, 1186, 1201, 1205, 1211
- Road traffic accident, (see also motor vehicle accident) 1039, 1139, 1142, 2153, 2176, 2179, 2181
- Rural population, 233, 1444–1445, 1469, 1480–1481, 2047, 2051
- S**
- Salt, 289, 418, 569, 646, 2048
- Sanitation, (see also unsafe water and sanitation) (see chapter 16, *Unsafe water, sanitation and hygiene*, pp. 1321–1352) 101, 1562, 1570, 1573, 1577, 1942, 1987–1989, 2021–2022, 2033, 2067–2069, 2078, 2084, 2099, 2120–2121, 2156–2157, 2161–2162, 2170–2172, 2175, 2177, 2183, 2233
- Schistosomiasis, 164, 1321–1322, 1324, 1329–1330, 1342, 1595
- Seasonality, 627, 739, 1571
- Serum retinol, 214–217, 221–234, 237–240, 242–244, 250
- Sedentary, 733, 746, 760, 763, 806, 822, 829, 845, 1743, 1750, 2060, 2063
- Sewage, 1332–1333, 1337, 1948, 2157
- Sex worker, 1193, 1196, 1199
- Sexual and reproductive health, 2142, 2144, 2154
- Sexual partner, 1183–1184, 1197, 1201, 1212
- Sexually transmitted disease (STD), 1129, 1136, 1140, 1143, 1148
- Sexually transmitted infection (STI), 1177–1182, 1184, 1186, 1188–1189, 1197–1198, 1200, 1203–1205, 1224, 1226, 1228, 1257
- Skewness, 50, 623, 626, 1859, 2139, 2159
- Smoking, (see chapter 11, *Smoking and oral tobacco use*, pp. 883–958) 85, 540–542, 599, 667–668, 686, 1058, 1380–1381, 1388–1391, 1418–1419, 1455, 1458, 1460–1461, 1464–1475, 1477–1478, 1672–1673, 2008, 2033–2039, 2048, 2052–2053, 2065–2066, 2070–2071, 2142, 2144, 2154, 2160, 2165, 2167, 2170–2171, 2192, 2194–2195, 2212–2213, 2215, 2218–2224, 2227–2228
- Smoking impact ratio (SIR), 18, 883–884, 888–892, 895, 888, 890, 903–910, 912, 914–918, 921–924, 926–927, 938, 943, 947, 2160

- Smoking intensity, 12, 668
- Socioeconomic status, 9, 54, 1261, 1300, 1331, 1449, 1558, 1945, 1947, 1980, 2033, 2153, 2194
- Solid fuel, (see chapter 18, *Indoor air pollution from household use of solid fuels*, pp. 1435–1494) 1960
- Spirits, 966, 1012
- Statin, 418, 432, 436, 438
- Stomach cancer, 597, 629, 631–632, 668–669, 674, 680–681, 686, 706–709, 894
- Stove, 1449, 1451, 1459–1460, 1465–1466, 1472, 1479–1480
- Stroke, (see also haemorrhagic stroke, ischaemic stroke) 281–286, 288, 318–330, 332–337, 391–392, 394–395, 419, 422–423, 426, 428–434, 436, 439–442, 498, 504, 543–546, 549, 569–573, 597, 629–630, 643, 646, 655–659, 689, 698, 700, 798, 801–803, 809–811, 815, 830, 894–895, 960, 992, 994, 1008, 1011, 1013, 1055, 2048, 2160, 2170, 2174–2175, 2178, 2180, 2184, 2232
- Structural model, 9–10, 30, 2220, 2224
- Stunting, 44–45, 85, 99, 110, 275, 499, 503, 1580, 1979
- Substance abuse, 1048, 1116, 1857, 1891, 1915, 2043
- Summary measures of population health (SMPH), 3–4, 20
- Syringe, 1116, 1124, 1158, 1225, 1655, 1810–1811
- Systolic blood pressure, 281, 335, 538, 831, 843, 898, 1511–1512, 1521, 2131–2132, 2158, 2212, 2218
- T**
- Temperature, 13, 30, 1367, 1543–1544, 1546, 1548, 1550–1553, 1555, 1559, 1562–1567, 1569–1574, 1577–1578, 1595–1600, 1603–1604, 1608–1609
- Theoretical-minimum-risk, 6–7, 9, 2131–2134, 2173
- Threshold, 17, 27, 31, 318, 321–322, 325, 417–418, 420, 425, 600, 741, 802, 915, 1043, 1377, 1497, 1509, 1513–1514, 1517, 1564–1566, 1596, 1603, 1631, 1640–1641, 1676, 1710–1713, 1717, 1726
- Time-series, 1354, 1381–1384, 1387, 1392–1393, 1395, 1398–1401, 1413, 1419–1420, 1433, 1547, 1562, 1564, 1570–1571, 1573–1574, 1593–1594
- Time-varying exposure, 2
- Tobacco, (see also oral tobacco, tobacco chewing) (see chapter 11, *Smoking and oral tobacco use*, pp. 883–958) 1057–1058, 1437, 1464, 1478, 1941–1944, 1960, 1975, 1977, 1979, 2007–2013, 2021–2022, 2025–2028, 2030, 2032–2039, 2067–2068, 2070–2071, 2142, 2144, 2151–2152, 2154–2156, 2158, 2161, 2175–2181, 2183–2185, 2231
- Tobacco chewing, 917–920, 940–941
- Trachoma, 1321–1322, 1324–1325, 1330, 1342, 1453
- Tracking, 18, 2132
- Traditional contraception, 1283
- Transportation, 10, 13, 25, 738, 745–746, 755–757, 759, 764, 766, 784–785, 848–849, 964, 1357, 1366, 1389, 1525–1526, 1701, 1714, 2153

- Transport-related activity, 730, 738, 744, 749, 754, 756, 767, 783, 788
- Tuberculosis, 220, 893–894, 896, 1258, 1436, 1455, 1468, 1471, 1474, 1478, 2174, 2176–2177, 2179, 2185, 2231
- Twin studies, 558, 1851, 1854–1855, 1888, 1893, 1895, 1897, 1899–1900, 1914
- Type II diabetes, 393, 498–499, 535, 540, 548–558, 569, 742, 571–575, 581, 597, 629, 650, 730, 798, 801, 803–804, 810, 814–816, 824–826, 830, 833, 838, 840–842, 844–846, 960, 992, 1008, 1013, 1015–1016, 1040, 1055, 1057
- U
- Uncertainty, 24–29, 51, 314–315, 318, 412–414, 626–629, 689, 698–699, 797–800, 847, 883–886, 910, 912–916, 941–942, 981, 985–989, 1052–1054, 1110, 1161–1162, 1235, 1237–1239, 1295, 1297–1298, 1301–1302, 1314–1316, 1322, 1341–1343, 1353–1356, 1371, 1376, 1380, 1399, 1401, 1403, 1414–1415, 1419, 1444, 1451, 1475, 1477, 1515–1518, 1527, 1549–1550, 1552, 1554–1557, 1559–1561, 1567, 1570, 1574, 1577, 1580, 1590, 1597, 1600, 1608, 1652, 1689, 1761, 1772, 1830, 1836–1838, 1883–1884, 1923, 2160–2161, 2181, 2185–2186, 2226, 2228
- Underreporting, 990–991, 1281, 1283, 1297, 1339, 1585, 1590, 1760, 1776
- Underweight, (see chapter 2, *Childhood and maternal underweight*, pp. 39–162) 275, 499, 519, 536–538, 557, 567–568, 576, 587, 1580, 1941–1942, 1959–1960, 1971–1973, 1977, 1979, 1981–1988, 2021–2022, 2024–2028, 2030, 2032–2033, 2056, 2068–2069, 2099–2104, 2106–2108, 2110, 2112, 2114, 2141–2142, 2144, 2151–2152, 2154–2157, 2160, 2170–2172, 2175–2177, 2179, 2183, 2231
- Unintended pregnancy, 1256, 1260, 1263, 1284, 1301
- Unsafe water and sanitation, (see chapter 16, *Unsafe water, sanitation and hygiene*, pp. 1321–1352) 1941–1942, 2024, 2067
- Unwanted birth, 1255–1256, 1280–1281, 1284–1287, 1289, 1291, 1299–1301, 1310, 1312
- Unwanted pregnancy, 1179, 1275–1280, 1305
- Urban air pollution, (see also ambient air pollution) (see chapter 17, *Urban air pollution*, pp. 1353–1433) 901, 903, 913, 1978, 2142, 2144, 2154
- Urban life, 1357
- Urban population, 1254, 1363–1364, 1374–1377, 1469, 1502–1503, 2047, 2049
- Urbanization, 19, 771, 941, 1380, 1435, 1481, 1526–1527, 1756, 2053
- V
- Vector-borne disease, 1594, 1600
- Vegetable, (see chapter 9, *Low fruit and vegetable consumption*, pp. 597–728) 289, 340, 550, 1445, 1577, 2059, 2139, 2142, 2144, 2152, 2154, 2156, 2170, 2172, 2175, 2177–2181
- Vigorous activity, 802, 805, 829, 2153
- Violence, 962, 964, 969, 1039, 1042, 1046–1047, 1110, 1162,

- 1179, 1258, 1496, 1505, 1507, 1524, 1655, 1887, 1890
- Vitamin A, (see chapter 4, *Vitamin A deficiency*, pp. 211–256) 43, 80, 110, 155, 176, 187, 202, 266, 637, 699, 721, 1577, 1943, 1960, 2142, 2144, 2151, 2154–2155, 2171–2172, 2175–2177
- W**
- Waist circumference, 502–503
- Wasting, 44–45, 128, 499, 1580, 1979
- Water supply, 1321–1322, 1324, 1327, 1331–1336, 1339–1346, 1947, 1987, 1990–1992, 2157
- Weight-for-age, 39–42, 44–47, 49, 52–56, 60, 62–64, 66–82, 84, 95, 100, 104–107, 109, 112, 266, 271, 275, 1959–1960, 1977, 1979, 1981, 1984–1986, 2100–2103, 2106, 2108–2112, 2116, 2119, 2157, 2160, 2170–2171
- Weight-for-height, 44–47, 49, 99, 266, 500–501, 1979, 2100–2103, 2105–2106, 2108–2109, 2112, 2114–2115, 2117
- Wine, 609, 963, 966, 1018, 1020, 2053
- Work-related activity, 738, 741, 748, 754–755, 763, 766, 780–782, 787–788, 828
- X**
- Xerophthalmia, 155, 213–215, 222, 225, 237
- Z**
- Zinc deficiency, (see chapter 5, *Zinc deficiency*, pp. 252–280) 104, 2142, 2144, 2151, 2153–2154, 2170–2172, 2175, 2177, 2179