

# Index of countries and territories

- Afghanistan, 62, 150, 156  
Albania, 156  
Algeria, 62, 150, 156  
American Samoa, 156  
Andorra, 157  
Angola, 150, 157  
Anguilla, 157  
Antigua and Barbuda, 157  
Argentina, 71, 150, 157  
Armenia, 150, 157  
Australia, 22, 37, 54, 61, 157  
Austria, 69, 157  
Azerbaijan, 150, 157
- Bahamas, 157  
Bahrain, 157  
Bangladesh, 62, 150, 157–158  
Barbados, 158  
Belarus, 158  
Belgium, 158  
Belize, 150, 158  
Benin, 150, 158  
Bermuda, 158  
Bhutan, 150, 158  
Bolivia, 150, 159  
Bosnia and Herzegovina, 159  
Botswana, 70, 150, 159  
Brazil, 62, 69, 133, 142, 150, 159, 182  
British Virgin Islands, 159  
Brunei Darussalam, 159–160  
Bulgaria, 160  
Burkina Faso, 150, 160  
Burma *see* Myanmar  
Burundi, 73, 150, 160
- Cambodia, 142, 150, 160  
Cameroon, 150, 160  
Canada, 160  
Cape Verde, 150, 160  
Cayman Islands, 160  
Central African Republic, 150, 160
- Chad, 150, 161  
Channel Islands, 179  
Chile, 71, 161  
China, 69, 150, 161  
Christmas Island, 161  
Colombia, 150, 161  
Comoros, 150, 161  
Congo, 150, 162  
Congo, Democratic Republic of  
(formerly Zaire), 150, 162  
Cook Islands, 162  
Costa Rica, 150, 162  
Côte d'Ivoire, 150, 162  
Croatia, 162  
Cuba, 162  
Cyprus, 162  
Czech Republic, 69, 162
- Denmark, 162  
Djibouti, 150, 162  
Dominica, 163  
Dominican Republic, 150, 163
- Ecuador, 150, 163  
Egypt, 150, 163  
El Salvador, 150, 163  
Equatorial Guinea, 150, 163  
Eritrea, 150, 163–164  
Estonia, 69, 164  
Ethiopia, 64, 73, 150, 164
- Falkland Islands, 164  
Faroe Islands, 164  
Fiji, 164  
Finland, 164  
France, 164, 182  
French Guiana, 150, 164  
French Polynesia, 164

Gabon, 150, 164  
 Gambia, 150, 164–165  
 Georgia, 150, 165  
 Germany, 165  
 Ghana, 150, 165  
 Gibraltar, 165  
 Greece, 165  
 Greenland, 165  
 Grenada, 165  
 Guadeloupe, 165  
 Guam, 165  
 Guatemala, 133, 150, 165  
 Guinea, 150, 165–166  
 Guinea-Bissau, 150, 166  
 Guyana, 133, 150, 166

Haiti, 150, 166  
 Honduras, 150, 166  
 Hong Kong Special Administrative  
 Region of China, 161  
 Hungary, 69, 166

Iceland, 166  
 India, 62, 133, 150, 167  
 Indonesia, 69, 133, 150, 167  
 Iran, Islamic Republic of, 62, 150, 167  
 Iraq, 150, 167  
 Ireland, 168  
 Isle of Man, 179  
 Israel, 168  
 Italy, 168

Jamaica, 168  
 Japan, 69, 168  
 Jordan, 168

Kazakhstan, 168  
 Kenya, 150, 168  
 Kiribati, 168  
 Korea, Democratic People's Republic of,  
 150, 168  
 Korea, Republic of, 133, 150, 168  
 Kuwait, 168  
 Kyrgyzstan, 150, 168–169

Lao People's Democratic Republic, 150,  
 169  
 Latvia, 69, 169  
 Lebanon, 169  
 Lesotho, 169  
 Liberia, 150, 169  
 Libyan Arab Jamahiriya, 169

Liechtenstein, 169  
 Lithuania, 69, 169  
 Luxembourg, 169

Macao Special Administrative Region of  
 China, 161  
 Macedonia, The Former Yugoslav  
 Republic of, 169  
 Madagascar, 150, 169  
 Malawi, 150, 170  
 Malaysia, 150, 170  
 Maldives, 170  
 Mali, 150, 170  
 Malta, 170  
 Malvinas, 164  
 Marshall Islands, 170  
 Martinique, 170  
 Mauritania, 150, 170  
 Mauritius, 150, 170  
 Mayotte (French Territorial  
 Collectivity), 150, 171  
 Mexico, 71, 150, 171  
 Micronesia, Federated States of, 171  
 Moldova, Republic of, 171  
 Monaco, 171  
 Mongolia, 171  
 Montserrat, 171  
 Morocco, 150, 171  
 Mozambique, 150, 171  
 Myanmar (formerly Burma), 133, 142,  
 150, 171–172

Namibia, 150, 172  
 Nauru, 172  
 Nepal, 62, 150, 172  
 Netherlands, 172  
 Netherlands Antilles, 172  
 New Caledonia and Dependencies, 172  
 New Zealand, 22, 54, 172  
 Nicaragua, 150, 172–173  
 Niger, 150, 173  
 Nigeria, 150, 173  
 Niue, 173  
 Northern Mariana Islands, 173  
 Norway, 173

Oman, 150, 173

Pakistan, 150, 173  
 Palau, 173  
 Panama, 150, 173–174  
 Papua New Guinea, 133, 150, 174

- Paraguay, 150, 174  
 Peru, 72, 150, 174  
 Philippines, 69, 150, 174  
 Pitcairn, 174  
 Poland, 174  
 Portugal, 174  
 Puerto Rico, 175
- Qatar, 175
- Reunion, 175  
 Romania, 175  
 Russian Federation, 69, 175  
 Rwanda, 72, 150, 175
- Saint Helena, 175  
 Saint Kitts and Nevis, 175  
 Saint Lucia, 175  
 Saint Pierre and Miquelon, 175  
 Saint Vincent and the Grenadines, 175  
 Samoa, 175  
 San Marino, 175  
 Sao Tome and Principe, 150, 175–176  
 Saudi Arabia, 53, 62, 90, 91, 109, 120, 150, 176  
 Senegal, 64, 150, 176, 182  
 Seychelles, 176  
 Sierra Leone, 150, 176  
 Singapore, 176  
 Slovakia, 176  
 Slovenia, 176  
 Solomon Islands, 150, 176–177  
 Somalia, 150, 177  
 South Africa, 150, 177  
 Spain, 177  
 Sri Lanka, 150, 177  
 Sudan, 62, 150, 177  
 Suriname, 69, 150, 177  
 Swaziland, 150, 177–178  
 Sweden, 178
- Switzerland, 139, 178  
 Syrian Arab Republic, 62, 150, 178
- Tajikistan, 150, 178  
 Tanzania, United Republic of, 150, 178  
 Thailand, 142, 150, 178  
 Timor Leste, 150, 178  
 Togo, 150, 178–179  
 Tokelau, 179  
 Tonga, 179  
 Trinidad and Tobago, 179  
 Tunisia, 179  
 Turkey, 150, 179  
 Turkmenistan, 150, 179  
 Tuvalu, 179
- Uganda, 150, 179  
 Ukraine, 179  
 United Arab Emirates, 179  
 United Kingdom (UK), 179  
 United States of America (USA), 18, 63, 100–101, 107, 111, 117, 118, 137, 144, 179  
 Uruguay, 180  
 Uzbekistan, 180
- Vanuatu, 150, 180  
 Venezuela, Bolivarian Republic of, 69, 150, 180  
 Viet Nam, 150, 180  
 Virgin Islands (USA), 180
- Wake Island, 180
- Yemen, 150, 180  
 Yugoslavia, Federal Republic of, 180
- Zaire *see* Congo, Democratic Republic of  
 Zambia, 150, 181  
 Zimbabwe, 150, 181

# Index by subject

- Accidents, 10, 42–44
  - in recreational waters, 43–44
  - traffic, 42–43
- Accommodation, quality of, 1–2
- Acupuncture, 56, 59
- Adolescents, 121
- Adventure travellers, 38
- Aedes* mosquitoes, 40, 50, 73–74
- Age
  - health risks and, 5
  - thromboembolism risk and, 16
  - see also* Children; Elderly; Infants
- AIDS *see* HIV/AIDS
- Air
  - pressure, aircraft cabin, 12
  - quality, aircraft cabin, 22
- Airborne diseases, 47
- Air-conditioning, 40
- Aircraft
  - cabin air pressure, 12–13
  - cabin air quality, 22
  - cabin humidity, 14
  - disinsection, 22–23
- Air rage, 19
- Air travel, 12–24
  - communicable diseases, 22
  - contraindications, 23–24
  - dehydration, 14
  - in-flight medical assistance, 23
  - immobility, circulatory problems and Deep Vein Thrombosis (DVT), 15–16
  - jet lag, 17
  - medical restrictions, 24
  - motion sickness, 14, 15
  - ozone and cosmic radiation, 14
  - passengers with special needs, 5, 18–19
  - psychological aspects, 18–19
- Alcohol consumption
  - air travellers, 13, 19
  - water activity risks, 33, 34, 44
- Altitude, 25–26
  - sickness, 25
- Amodiaquine, 146
- Anaemia, 6, 20, 26
- Anaphylactic reactions, 125, 129
- Ancylostoma*, 30
- Angina pectoris, 24
- Animals, 34–41
  - aquatic, 36–37
  - bites, 34–36, 66, 112
  - diseases transmitted from, 47
  - travelling with, 35
- Anopheles* mosquitoes, 40, 132
- Anthrax, 49
- Antidiarrhoeal medicines, 31
- Antimalarial drugs
  - adverse effects, 136–137
  - in children, 141–142
  - contraindications, 136
  - long-term use, 137
  - in pregnant women, 140–141
  - prophylaxis, 135–137, 143, 144–145
  - in *P. vivax*, *P. ovale* and *P. malariae* infections, 139–140
  - resistance to, 133, 142
  - stand-by emergency treatment, 137–139, 143
  - in uncomplicated malaria, 146–149
  - in women who may become pregnant, 141
- Antimicrobial agents, 31, 59
- Antiretroviral drugs, 58, 59
- Antivenom, 36
- Anxiety, 19
- Aquatic animals, 36–37
- Artemether, 141
- Artemether/lumefantrine, 141, 146
- Artemisinin/derivatives, 141, 146
- Artesunate, 141
- Ascaris*, 30
- Aspirin, 16

- Asplenia (absent spleen), 124  
 Athlete's foot, 26, 34  
 Atovaquone/proguanil  
   in children, 142  
   prophylaxis, 135, 136, 143, 144  
   treatment, 146  
 Aventis Pasteur, 182  
 Azithromycin, 31
- Bacillus anthracis*, 49  
 Backpackers, 38  
 BCG vaccine, 71, 115–116  
   adverse reactions, 116, 126, 127  
   contraindications, 122, 124, 125, 129  
 Behaviour, traveller's, 2  
 Beta-blocking drugs, 19  
 Bilharziasis *see* Schistosomiasis  
 BioManguinhos, 182  
 Bites/stings  
   animal (mammal), 34–35, 66, 112  
   aquatic animals, 36–37  
   insects/vectors, 37–40  
   snake/scorpion/spider, 35–36  
 Blackflies, 40  
 Blood  
   accidental exposure, 58  
   loss, sudden massive, 152  
   transfusion, 152–153  
 Bloodborne diseases, 47, 56–57, 152  
 Blood-clotting abnormalities, 15  
 Body fluids, accidental exposure, 58  
 Boots *see* Footwear  
*Bordetella pertussis*, 93  
 Borreliosis *see* Lyme disease  
 Breastfeeding  
   malaria chemoprophylaxis, 144–145  
   malaria treatment, 146–149  
 Brucellosis, 49–50  
 Business travellers, 2, 38
- Cancer, 15, 20, 124  
 Cardiovascular disease, 6, 8  
   air travel, 20, 23–24  
   altitude travel, 26  
   vaccinations, 124  
 Certificate, international vaccination, 91,  
   130, 131, 155  
 Chagas disease, 40, 70  
 Chancroid, 56, 59  
 Checklist, traveller's, 30  
 Chemicals, toxic, 29  
 Chest pain, 24
- Children, 5  
   in hot climates, 26  
   malaria, 133, 141–142  
     chemoprophylaxis, 141, 144–145  
     treatment, 146–149  
   oral rehydration solution, 31  
   sun exposure, 27  
   vaccinations, 89–91, 120–122  
   water activities, 32, 43–44  
   *see also* Infants  
*Chironex fleckeri*, 37  
 Chlamydial infection, 56, 57, 59  
 Chloroquine  
   side effects, 137  
   in children, 141  
   in pregnant women, 140  
   prophylaxis, 135, 136, 143, 144  
   stand-by emergency treatment, 139,  
     143  
   treatment, 140, 147  
 Cholera, 50, 102–103, 188  
   geographical distribution, 50, 75  
   vaccine, 102–103, 155  
     adverse reactions, 126, 127  
     in pregnancy, 122  
 Chronic disease, 6, 8  
   air travel, 20, 24  
   vaccinations, 124  
 Ciprofloxacin, 31  
 Circulatory problems, air travellers, 15–16  
 Clindamycin, 147  
 Clinic, travel medicine, 2  
*Clostridium tetani*, 92  
 Clothing, 27, 39  
 Cnidaria, venomous, 36, 37  
 Coastal waters *see* Recreational waters  
 Cold water immersion, 32–33  
 Condoms, 56–59  
 Conger eels, 36  
 Convulsions, vaccine-associated, 129  
*Corynebacterium diphtheriae*, 91  
 Crime, violent, 44–45  
 Crimean–Congo haemorrhagic fever  
   (CCHF), 40, 52–53  
 Crocodiles, 37  
*Cryptosporidium* infections, 33–34  
*Culex* mosquitoes, 40, 60  
 Cysticercosis, 30
- Death, 6  
 DEET (diethyltoluamide), 38  
 Deep Vein Thrombosis (DVT), 15–16

- Defibrillators  
 automated external, 23  
 automatic implanted, 21, 23
- Dehydration, 14, 26
- Dengue, 38, 50–51, 52  
 fever, 40, 50  
 geographical distribution, 51, 76  
 haemorrhagic fever, 50  
 shock syndrome, 51
- Dental check-up, pre-travel, 2
- Dental instruments, 59
- Destination, 1–2, 10
- Diabetes mellitus, 6, 8, 124
- Dialysis, renal, 6
- Diarrhoea  
 travellers' *see* Travellers' diarrhoea  
 water activity risks, 33
- Diethyltoluamide (DEET), 38
- Diphtheria, 89, 90–92
- Diphtheria/tetanus/pertussis (DTP)  
 vaccine, 89, 90–92  
 adverse reactions, 94, 126, 127  
 contraindications, 94, 129
- Diphtheria–tetanus vaccine (DT), 91, 94, 122, 123  
 with reduced diphtheria (Td), 89, 90–92, 93, 94, 127
- Disability, 5, 21
- Disinsection, aircraft, 22–23
- Divers, 17, 36–37, 44
- Dogs, 33, 65, 110
- Doxycycline  
 in children, 141–142  
 malaria prophylaxis, 135, 136, 144  
 malaria therapy, 143, 147  
 stand-by emergency treatment, 143
- Drinks  
 avoiding unsafe, 29–30  
 health risks, 28–29  
*see also* Alcohol consumption; Fluid intake; Water
- Driving, 42–43, 45
- Drowning, 32, 43–44
- Drugs *see* Medicines
- DTP vaccine *see* Diphtheria/tetanus/pertussis (DTP) vaccine
- Duration, visit, 2
- Ear  
 gas expansion in, 13  
 infections, 13, 24, 33
- Ebola haemorrhagic fever, 52–53
- Echinococcus granulosum*, 30
- Eggs  
 allergy, 106, 119, 129  
 precautions, 29
- Elderly, 5, 26  
 vaccination, 111, 125
- Emergency travel, 104, 121–122
- Encephalitis/encephalopathy  
 vaccine-associated, 99, 119, 126, 129  
*see also* Japanese encephalitis; Tick-borne encephalitis
- Enteric fever *see* Typhoid fever
- Environmental health risks, 25–41
- Epilepsy, 6, 11
- Erythema migrans, 108
- Espundia, 61–62
- Estrogen therapy, 15
- Exercises, in-flight, 16
- Eyes  
 contact with blood/body fluids, 58  
 envenoming, 36  
 problems, 27
- Fear of flying, 18–19
- Female condom, 59
- Fever  
 in children, 141–142  
 in returned travellers, 9, 132
- Filariasis, 51  
 lymphatic, 40, 51
- Fire corals, 36
- First aid  
 animal bites, 35, 66  
 in-flight, 23  
 kits, 4, 23  
 snake/scorpion/spider bites, 36
- Fish  
 poisoning, 28, 29  
 venomous, 36, 37
- Fishing, 33, 44
- Fleas, 40
- Flies, bloodsucking, 37, 38
- Flight phobia, 18–19
- Flotation aids, 32, 44
- Fluid intake  
 air travellers, 21  
 in hot climates, 26  
 in travellers' diarrhoea, 31  
*see also* Drinks; Water
- Flying *see* Air travel
- Food  
 borne health risks, 28–30, 46

- hygiene, 10
  - safety precautions, 29–30
- Footwear, 34, 36, 39, 41
- Frequent travellers, 121
- Fruit, 29
- Fungal skin infections, 26, 34
  
- Gas expansion, in-flight, 13
- Gastroenteritis, 33
  - see also* Travellers' diarrhoea
- Genital herpes, 56, 57, 59
- Genital ulcers, 56, 57
- Genital warts, 56, 59
- Giardiasis (*Giardia* infections), 28, 33–34, 51–52
- Glucose-6-phosphate dehydrogenase (G6PD) deficiency, 140, 148, 149
- Gonorrhoea, 56, 57, 59
  
- Haemophilia, 153
- Haemophilus influenzae* type b (Hib), 94–96
  - meningitis, 52, 94, 95
  - vaccination, 124
  - vaccine, 95, 96, 126–127
- Haemorrhagic fever with renal syndrome (HFRS), 53
- Haemorrhagic fevers, 52–53
- Hajj, 90–91, 109–110, 120
- Halofantrine, 139, 145, 147, 148
- Hantavirus diseases, 53
- Hantavirus pulmonary syndrome (HPS), 53
- Head injuries, 43, 44, 45
- Heart failure, congestive, 15
- Heat, 26
  - exhaustion, 26
  - prickly, 26
- Helminth infections, intestinal, 30
- Heparin, low-molecular-weight, 15
- Hepatitis, chronic, 6
- Hepatitis A, 54, 103–104
  - geographical distribution, 54, 77
  - immunoglobulin, 104
  - vaccine, 103–104, 154
    - adverse reactions, 104, 126, 127
    - combinations, 89, 104
    - in pregnancy, 122
- Hepatitis B, 54–55, 96–97
  - exposure to blood/body fluids and, 58
  - geographical distribution, 54, 78
  - prophylaxis, 57
    - transmission, 54, 56, 57
    - treatment, 59
    - vaccine, 96–97
      - adverse reactions, 96, 126, 127
      - combination, 89, 96
      - in elderly, 123
      - in pregnancy, 122
      - rapid administration schedules, 97
- Hepatitis C, 55, 58, 79
- Hepatitis E, 55–56
- Herpes, genital, 56, 57, 59
- Hib *see Haemophilus influenzae* type b
- High altitude, 25–26
- Hijacking, vehicle, 45
- HIV/AIDS, 56–59
  - exposure to blood/body fluids and, 58
  - geographical distribution, 57, 80
  - precautions, 57–59
  - risk for travellers, 57
  - transmission, 40, 56, 57
  - treatment, 59
  - vaccination, 99, 116, 119, 124–125
- Hookworms, 30
- Hormone replacement therapy, 15
- Human immunodeficiency virus *see* HIV
- Human papillomavirus, 56, 57
  - see also* Warts
- Humidity, 26
  - aircraft cabin, 14
- Hydatid disease, 30
- Hygiene
  - food, 10
  - standards, 1–2, 28–30
- Hypertension, uncontrolled arterial, 24
- Hypothermia, immersion, 32–33
- Hypoxia, 13, 25
  
- Ice, 30
- Ice cream, 29
- Immersion hypothermia, 32–33
- Immobility, air travellers, 15–16
- Immunization, 87
  - see also* Vaccination
- Immunocompromised travellers, 6
  - vaccination, 99, 119, 124–125, 129
- Implanted defibrillators, automatic, 21, 23
- Incubation periods, 49
- Infantile paralysis *see* Poliomyelitis
- Infants, 5
  - air travel, 20
  - environmental health risks, 26

- vaccination, 120–121  
*see also* Children
- Infections, water activity risks, 33–34
- Infectious diseases, 46–74, 154  
 bloodborne, 47, 56, 57, 152  
 contraindicating air travel, 23–24  
 food- and waterborne, 28, 46  
 modes of transmission, 46–48  
 notifiable, 188  
 prevention, 87  
 sexually transmitted, 47, 56, 58, 121  
 transmission during air travel, 20  
 vector-borne, 40, 46–47  
*see also Specific diseases*
- Inflammatory bowel disease, 6
- Influenza, 59–60, 105–106  
 transmission during air travel, 19  
 vaccination, 123, 124  
 vaccine, 105–106, 122, 129
- Injections  
 safe, 59, 88  
 transmission of disease, 56, 59
- Injuries *see* Traumatic injuries
- Insecticides  
 aircraft disinsection, 22  
 impregnated nets, 39  
 sprays, 39  
 vaporizers, 39
- Insect repellents, 38, 140, 141
- Insects, 37–41, 46–47
- Institut Pasteur Dakar, 182
- Insurance, 6–7, 42
- International Health Regulations, 90,  
 155, 188, 189
- International vaccination certificate, 90,  
 130–131, 155
- Intestinal parasites, 30, 48
- Intracranial pressure, increased, 24
- Japanese encephalitis (JE), 60–61, 106–107  
 geographical distribution, 61, 80  
 transmission, 40, 60  
 vaccine, 106–107  
 adverse reactions, 106, 126, 127  
 in pregnancy, 122
- Jellyfish, 36, 37
- Jet lag, 17
- Kala-azar, 61–62
- Keratitis, acute, 27
- Lakes *see* Recreational waters
- Larva migrans, cutaneous, 30
- Lassa fever, 52–53
- Last-minute travellers, 121–122
- Legionellosis (*Legionella* infections), 34,  
 61
- Legionnaires disease, 61
- Leishmaniasis, 40, 61–62
- Leptospirosis, 33, 62
- Letter, physician's, 3, 6
- Life jackets, 32, 44
- Listeriosis, 63
- Loperamide, 31
- Louse-borne typhus, epidemic, 71–72
- Lyme disease (borreliosis), 63–64, 107–108  
 transmission, 40, 63  
 vaccine, 107–108, 126, 127
- Malaria, 132–149, 154–155  
 aircraft disinsection, 22–23  
 chemoprophylaxis, 135–136, 142, 144  
 long-term, 135  
 in children *see* Children, malaria  
 clinical features, 132–133  
 country-specific information, 156–  
 181  
 geographical distribution, 82, 132, 149  
 precautions, 10, 134  
 in pregnancy *see* Pregnancy, malaria  
 rapid diagnostic tests (dipsticks), 138  
 risk for travellers, 134  
 table of recommended prevention  
 for each country, 136, 156  
 transmission, 40, 132  
 treatment  
 multidrug-resistant disease, 142  
*P. vivax*, *P. ovale* and *P. malariae*  
 infections, 139–140  
 stand-by emergency, 137, 138, 139  
 uncomplicated disease, 146–149  
*see also* Antimalarial drugs  
 in women of childbearing age, 140
- Mammals, 34–35
- Marburg haemorrhagic fever, 52–53
- Measles, 98–99
- Measles/mumps/rubella (MMR) vaccine,  
 88, 98, 99  
 adverse reactions, 99, 125, 126, 128  
 contraindications, 99, 128  
 in pregnancy, 99, 122
- Measles/rubella (MR) vaccine, 98, 99
- Measles vaccine, 98, 99  
 adverse reactions, 99, 125, 126, 128

- contraindications, 99, 122, 124
- Mecca, pilgrims to, 91, 109, 120
- Medical assistance, in-flight, 23
- Medical card, frequent traveller's, 21
- Medical care, quality of, 1–2
- Medical clearance, by airline, 19–20
- Medical conditions, pre-existing, 6, 20
  - see also* Chronic disease
- Medical consultation
  - post-travel, 8–9
  - pre-travel, 2–3, 88
- Medical kits
  - aircraft, 21
  - travellers', 2, 3–4
- Medical questionnaire, predeparture, 11
- Medicines
  - photosensitizing, 27
  - travelling with, 3, 6, 20
- Mefloquine
  - adverse effects, 136
  - in children, 141
  - in pregnant women, 140
  - prophylaxis, 135, 136, 144
  - stand-by emergency treatment, 138, 142
  - treatment, 142, 148
- Melatonin, 17, 18
- Meningitis
  - Haemophilus influenzae* type b (Hib), 52, 94, 95
- Meningococcal disease, 64, 108–110, 120
- Meningococcal vaccines, 109–110
  - adverse reactions, 109–110, 127, 128
  - in asplenia, 124
  - mandatory use, 91, 109, 120
  - in pregnancy, 122
- Mental disorders, 6
- Milk, 27
- MMR vaccine *see* Measles/mumps/rubella (MMR) vaccine
- Molluscum contagiosum, 34
- Moray eels, 36
- Mosquito coils, 39
- Mosquitoes, 38
  - aircraft disinsection, 22–23
  - diseases transmitted by, 40, 72–73, 132
  - protection against, 38–41, 141–142
- Mosquito nets, 39–40
- Motion sickness, 14
- Motor vehicle
  - accidents, 42–43
  - hijackings, 45
- Mountain sickness, acute, 25
- Mucous membranes, contact with blood/body fluids, 58
- Muggings, 45
- Mumps vaccine
  - adverse reactions, 99, 128
  - see also* Measles/mumps/rubella (MMR) vaccine
- Mycobacterium tuberculosis*, 71
- Myocardial infarction, recent, 24
- Necator*, 30
- Needles
  - safe use, 59, 88
  - transmission of disease, 56, 59
- Neisseria meningitidis*, 64, 120
  - see also* Meningococcal disease
- Neurological disease, evolving, 94, 129
- Nicotine replacement, 21
- Nose infections, 13, 24
- Notifiable diseases, 188
- Obesity, 16
- Octopus, 36, 37
- Oestrogen therapy, 15
- Onchocerciasis, 40, 51
- Oral contraceptive use, 15
- Oral rehydration solution (ORS), 31
- Otitis externa, 34
- Oxygen, in aircraft cabin air, 13
- Ozone, 14
- Pacemakers, 21
- Papillomas *see* Warts
- Parasites, intestinal, 30, 48
- Paratyphoid fever, 72
- Pelvic inflammatory disease, 56
- Pertussis, 93–94
  - vaccines, 93–94, 129
  - see also* Diphtheria/tetanus/pertussis (DTP) vaccine
- Phlebotomus* fever, 40
- Phobia, flight, 18–19
- Photosensitization, 27
- Physician's letter, 3, 6
- Piercing, skin, 56, 59
- Piranhas, 36
- Plague, 40, 65, 188
- Plasmodium falciparum*, 132
  - in children, 141
  - malaria, 132–133
  - multidrug-resistant, 133, 142

- in pregnancy, 139–140
  - risk for travellers, 134
- Plasmodium malariae*, 132, 140
- Plasmodium ovale*, 132, 140
- Plasmodium vivax*, 132–133
  - chemoprophylaxis, 135–136
  - treatment of infections, 140
- Pneumococcal disease, 110–112
- Pneumococcal vaccine, 110–112
  - adverse reactions, 126, 128
  - recommended use, 111, 123, 124
- Pneumonia
  - Haemophilus influenzae* type b (Hib), 94
  - pneumococcal, 111
- Pneumothorax, 24
- Poliomyelitis, 90, 100–102
  - geographical distribution, 81, 100
  - vaccine-associated paralytic (VAPP), 101
  - vaccines
    - adverse reactions, 101, 126, 128
    - contraindications/precautions, 101, 122, 124
    - in elderly, 123
    - inactivated (IPV), 100–101
    - oral (OPV), 100–101
- Pontiac fever, 61
- Post-travel medical examination, 8–9
- Predeparture medical questionnaire, 11
- Pregnancy, 5
  - air travel, 15, 20, 24
  - malaria, 5, 139–140
    - chemoprophylaxis, 140, 143–144
    - hazards, 133, 134, 141
    - treatment, 139–140, 145–148
  - possible, avoiding antimalarials, 140
  - vaccination in, 122–123, 129
  - yellow fever vaccination, 118–119, 120, 120, 122, 154–155
- Premature babies, 20
- Pre-travel advice, 7
- Pre-travel medical consultation, 2–3, 88
- Prickly heat, 26
- Primaquine, 139, 147
- Proguanil
  - in children, 141
  - in pregnant women, 140
  - prophylaxis, 135, 136, 142, 143, 144
  - see also Atovaquone/proguanil
- Pseudomonas aeruginosa*, 34
- Psychological aspects, air travel, 18–19
- Pulmonary embolism, 15
- Q fever, 40
- Quinine
  - in pregnant women, 140
  - stand-by emergency treatment, 140, 142
  - treatment, 141, 148
- Rabies, 65–67, 112–114
  - geographical distribution, 67, 84
  - immunoglobulin (RIG), 66
  - post-exposure treatment, 66, 112–114
  - risk for travellers, 34–35, 67, 112
  - vaccine, 112–114
    - adverse reactions, 112, 126, 128
    - post-exposure use, 66, 112–114
    - pre-exposure use, 35, 112–114
    - in pregnancy, 122
- Radiation
  - cosmic, 14
  - therapy, 129
  - ultraviolet (UV), 26–28
- Rats, 62, 65
- Records, vaccination, 3, 91
- Recreational waters, 32–34
  - animal-related hazards, 36–37
  - health hazards, 29, 32–34
  - injuries and accidents, 43–44
  - safety precautions, 31, 34
- Relapsing fever, 40
- Renal dialysis, 6
- Repatriation, 6
- Respiratory disease, chronic, 6, 8
  - air travel, 18, 24
  - high altitude travel, 25
  - vaccinations, 124
- Respiratory tract infections
  - air travel, 13, 24
  - risks for travellers, 26, 33
- Resuscitation, in-flight, 23
- Retinal detachment, 44
- Rickettsial diseases, 40
- Rickettsia prowazekii*, 72–73
- Rift Valley fever (RVF), 40, 52–53
- Risks
  - pre-travel assessment, 3
  - travel-related, 1–2
- River blindness, 40, 51
- Rivers see Recreational waters
- Road-traffic accidents, 42–43

- Rodents, 52–53, 61, 62, 65, 69  
 Roundworms, 30  
 Rubella vaccine  
   adverse reactions, 99, 128  
   *see also* Measles/mumps/rubella  
   (MMR) vaccine
- Safari tours, 38  
*Salmonella typhi*, 72, 117  
 Salt consumption, 26  
 Sandflies, 40, 61  
 Sandfly fever, 40  
 Sanitation, 1–2, 29, 30  
 SARS *see* Severe acute respiratory  
 syndrome  
 Schistosomiasis, 33, 40, 41, 69  
 Scorpionfish, 36  
 Scorpions, 35–36  
 Scuba divers, 17, 36  
 Sea anemones, 36  
 Seafood, 28  
 Seals, 36  
 Sea urchins, 37  
 Severe acute respiratory syndrome, 12,  
 67–68  
 Sewage-contaminated water, 29, 31  
 Sexually transmitted diseases, 47, 56–58,  
 121  
 Sharks, 36  
 Shellfish, 28, 29, 70  
 Shipping companies, 7  
 Shoes, 34, 36, 39, 41  
 Sickle-cell disease, 24  
 Sinus infections, 13, 24  
 Skating, 33  
 Skin  
   ageing, 27  
   cancer, 27  
   contact with blood/body fluids, 58  
   infections, 26, 34  
   piercing, 56, 59  
   problems, 26, 27  
 Sleeping pills, 18  
 Sleeping sickness, 40, 70–71  
 Smallpox vaccination, 155  
 Smokers, 21  
 Snails, aquatic, 38, 40, 67  
 Snakes, 35–36  
 “Snow blindness”, 27  
 Soil-borne diseases, 48  
 Special needs, travellers with, 4–6, 19–21  
 Spiders, 35–36  
 Spinal injuries, 43, 44  
 Spleen, absent, 124  
 Spotted fevers, 40  
 Spring–summer encephalitis *see* Tick-  
 borne encephalitis  
 Stingrays, 36  
 Stings *see* Bites/stings  
 Stockings, graduated-compression, 16  
 Stonefish, 36  
*Streptococcus pneumoniae* (pneumo-  
 coccus), 110–112  
 Stroke, recent, 24  
 Sulfadoxine–pyrimethamine  
   malaria treatment, 149  
 Sun, 26–28  
 Sunburn, 27  
 Sunglasses, 27  
 Sun hats, 27  
 Sunscreens, 27  
 Sunstroke, 27, 32  
 Surgery, recent, 13, 14, 15, 20, 24  
 Surgical instruments, 59  
 Sweating, excessive, 26  
 Swimmers itch, 69  
 Swimming, 32–34, 36–37, 43–44  
 Syphilis, 47, 56, 59  
 Syringes  
   safe use, 59, 88  
   transmission of disease, 56, 59
- Taenia saginata*, 30  
*Taenia solium*, 30  
 Tapeworms, 30  
 Tattooing, 47, 54, 55, 56, 59  
 Telemedicine, 23  
 Temperature, high, 26  
 Tetanus, 92–93  
   toxoid (TT), 92–93  
   vaccines, 92–93  
     adverse reactions, 93, 127, 128  
     in pregnancy, 122  
     *see also* Diphtheria/tetanus/  
     pertussis (DTP) vaccine;  
     Diphtheria–tetanus vaccine  
 Tetracycline, malaria therapy, 143, 144,  
 148, 149  
 Throat infections, 33  
 Thromboembolism  
   in air travellers, 15–16  
   previous, 6, 16  
 Thrombosis, venous, 15–16  
 Tick-borne encephalitis (TBE), 69–70,  
 114–115

- transmission, 40, 69–70
- vaccine, 114–115, 127, 128
- Ticks, 38, 46–47
  - diseases transmitted, 40, 64, 69–70
  - precautions, 64, 69–70, 107–108
- Tinea pedis, 26, 34
- Toilet items, 3–4
- Tooth brushing, 30
- Tourists, 2
- Tour operators, 7
- Traffic accidents, 42–43
- Tranquillizers, 18–19
- Transfusion, blood, 152–153
- Traumatic injuries
  - recent, 14, 15, 24
  - risks for travellers, 42–44
- Travel agents, 7
- Travel industry professionals, 7
- Travellers
  - checklist, 10
  - elderly, 123
  - frequent, 121
  - health risks, 1–2
  - insurance, 6–7, 42
  - last-minute, 121–122
  - post-travel medical check, 8–9
  - pre-travel medical consultation, 2–3
  - responsibility, 8
  - with special needs, 4–6, 19–21
- Travellers' diarrhoea, 28–29, 33, 48
  - cholera vaccine and, 102
  - safety precautions, 28–29
  - treatment, 31
- Travel medicine clinic, 2
- Triatomine bugs, 40, 70
- Trichomoniasis, 56, 57
- Trichuris*, 28
- Trypanosomiasis, 70–71
  - African, 40, 70
  - American, 40, 70–71
- Tsetse flies, 40, 70, 71
- Tuberculosis (TB), 71–72, 115–116
  - geographical distribution, 71, 85
  - transmission in aircraft, 21
  - vaccine *see* BCG vaccine
- Tularaemia, 40
- Typhoid fever, 72, 116–118
- Typhoid vaccines, 104, 116–118
  - adverse reactions, 118, 127, 128
  - combined with hepatitis A, 89, 117
  - injectable Vi (Vi CPS), 117, 118
  - oral Ty21a, 117, 118, 122
- Typhus fever, 72–73
- Ultraviolet (UV) radiation, 26–28
- Umrah, 91, 120
- Urethral discharge, 56
- Vaccination, 87–131
  - adolescents and young adults, 121
  - booster, 89
  - in chronic illness, 124
  - elderly, 111, 123
  - frequent travellers, 121
  - HIV-positive/immunocompromised travellers, 124–125
  - infants and young children, 120–121
  - international certificate, 90–91, 155
  - last-minute travellers, 121–122
  - mandatory, 89–90, 120
  - in pregnancy, 122–123, 129
  - pre-travel planning, 10, 88
  - records, 3, 91
  - routine, 89, 90, 91–101, 155
  - selective, 90, 102–119
  - see also Specific diseases*
- Vaccines, 48, 87–131
  - adverse reactions, 125–129
  - contraindications, 125–129
  - multiple administration, 88–89
  - schedules and administration, 88
  - for travellers, 89–91
  - travel with, 121–122
  - see also Specific vaccines*
- Vaginal discharge, 56
- Varicella vaccine, 122
- Varicose veins, 16
- Vectors, 37–41
  - borne diseases, 40, 46–47
  - protection against, 38–41
- Vegetables, 29
- Venous insufficiency, chronic, 16
- Venous thrombosis, 15–16
- Vibrio cholerae*, 50
- Violence, 42, 44–45
- Warts
  - cutaneous, 34
  - genital, 56, 59
- Water
  - borne health risks, 28–30
  - drinking, 10, 29–30
  - quality, 1–2
  - recreational *see* Recreational waters
  - safety precautions, 29–30

- in schistosomiasis areas, 41
  - vector-borne diseases and, 38
  - see also* Fluid intake
- Weekly Epidemiological Record*
  - infected areas list, 155
- Weever fish, 36, 37
- Weil disease, 62
- West Nile fever, 40
- Whooping cough *see* Pertussis
- Yellow fever, 52, 73–74, 118
  - aircraft disinsection, 22–23
  - list of countries endemic for, 183–187
  - countries requesting yellow fever vaccination for travellers coming from endemic countries, 183–187
  - “endemic areas”, 155
  - geographical distribution, 74, 86
  - “infected areas”, 155
  - notification, 155, 188
  - transmission, 40, 73
  - vaccination, 90–91, 120, 154–155
    - certificate, 120, 130–131, 155
    - country-specific information, 156–181
    - exemption certificate, 120, 124–125
    - in pregnancy, 119, 122, 123
  - vaccine, 118
    - adverse reactions, 119, 126, 127, 128
    - approved producers, 182
    - contraindications, 119, 124–125, 129
- Yersinia pestis*, 65
- Young adults, 121
- Zoonoses, 47