

## ANNEX 2

# Contributors to the development of the third edition of the *Guidelines for drinking-water quality* and addenda

- Mr M. Abbaszadegan, (21: iv), American Water Works Services Inc., Belleville, IL, USA
- Dr M. Abdurraheem, (9), United Nations Environment Programme, Manama, Bahrain
- Dr H. Abouzaid, (1, 7, 9, 15, 23, 25, 27), WHO, Regional Office for the Eastern Mediterranean, Cairo, Egypt
- Mr R. Abrams, (19), WHO, Regional Office for the Western Pacific, Manila, Philippines
- Mr J. Adams, (5), (formerly of Oxfam, Oxford, UK)
- Dr Z. Adeel, (15), The United Nations University, Tokyo, Japan
- Mr M. Adriaanse, (5), United Nations Environment Programme, The Hague, Netherlands
- Mr R. Aertgeerts, (7, 15, 23, 25, 27), European Centre for Environment and Health, Rome, Italy
- Dr F. Ahmed, (30), Bangladesh University of Engineering and Technology, Bangladesh
- Dr R. Ainsworth, (12, 20, 23, 25), Water Science and Technology, Bucklebury, UK
- Dr A. Aitio, (26, 30), WHO, Geneva, Switzerland
- Ms M. Al Alili, (9), Abu Dhabi Water and Electricity Authority, Abu Dhabi, United Arab Emirates
- Dr F. Al Awadhi, (9), United Nations Environment Programme, Bahrain, and Regional Organization for the Protection of the Marine Environment, Kuwait
- Dr M.M.Z. Al-Ghali, (21), Ministry of Health, Damascus, Syria
- Dr B. Ali, (27), Kwame Nkrumah University of Science and Technology, Kumasi, Ghana
- Dr M. Ali, (27), Water, Engineering and Development Centre, Loughborough University, Loughborough, UK
- Dr A. Ali Alawadhi, (9), Ministry of Electricity and Water, Manama, Bahrain
- Mr M. Al Jabri, (9), Ministry of Regional Municipalities, Environment and Water Resources, Muscat, Oman
- Dr A. Allen, (27), University of York, Ireland
- Dr M. Allen, (14), American Water Works Association, Denver, CO, USA

Mr H. Al Motairy, (9), Ministry of Defence and Aviation, Jeddah, Saudi Arabia

- Ms E. Al Nakhi, (9), Abu Dhabi Water and Electricity Authority, Abu Dhabi, United Arab Emirates
- Dr M. Al Rashed, (9), Kuwait Institute for Scientific Research, Safat, Kuwait
- Mr M. Al Sofi, (9), House of Sofia, Al Khobar, Saudi Arabia
- Dr M. Al Sulaiti, (9), Qatar Electricity and Water Corporation, Doha, Qatar
- Dr S. Ambu, (11), Ministry of Health, Kuala Lumpur, Malaysia
- American Chemistry Council, (19), Washington, DC, USA
- Dr L.K. Andersen, (31: vii), The Danish Environmental Protection Agency, Copenhagen, Denmark
- Ms Y. Andersson, (6), Swedish Institute for Infectious Disease Control, Solna, Sweden
- Dr M. Ando, (15), Ministry of Health, Labour and Welfare, Tokyo, Japan
- Dr M. Asami, (11, 15), National Institute of Public Health, Tokyo, Japan
- Dr N. Ashbolt, (6, 8, 13, 14, 23, 28), University of New South Wales, Sydney, Australia
- Ms K. Asora, (10), Samoa Water Supply, Apia, Samoa
- Dr K.-K. Au, (24), Greeley and Hansen, Limited Liability Company, Chicago, USA
- Dr S. Azevedo, (29), Federal University of Rio de Janeiro, Rio de Janeiro, Brazil
- Dr L. Backer, (19), National Center for Environmental Health, Atlanta, USA
- Mr D. Bahadur Shrestha, (15), Department of Water Supply and Sewerage, Kathmandu, Nepal
- Dr K. Bailey, (5), WRc-NSF Ltd, Marlow, UK (now retired)
- Dr H. Bakir, (9), Centre for Environmental Health Activities, Amman, Jordan
- Dr G. Ball, (3), NSF International, Ann Arbor, MI, USA
- Dr M. Balonov, (20), International Atomic Energy Agency, Vienna, Austria
- Mr R. Bannerman, (27), Water Resources Consultancy Service, Accra, Ghana
- Dr M. Baril, (31: ii), Institut de Recherche Robert-Sauvé en Santé et en Sécurité du Travail, Montreal, Canada
- Dr J. Bartram, (1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 18, 19: xiii–lii, liv–lxviii, 21: i–v, 22, 23, 24, 25, 29, 30), WHO, Geneva, Switzerland
- Dr A. Basaran, (10, 11, 12, 15, 25), WHO, Regional Office for the Western Pacific, Manila, Philippines
- Dr H. Bates, (31: vii), Nickel Producers Environmental Research Association, Durham, NC, USA
- Dr A. Bathija, (19: xxvi, 30), US Environmental Protection Agency, Washington, DC, USA
- Mr U. Bayar, (11), State Inspectorate for Health, Ulaanbaatar, Mongolia
- Mr A. Beaudoin, (31: ii), Health Canada, Ottawa, Canada
- Mr G. Bellen, (2), NSF International, Ann Arbor, MI, USA
- Dr R. Belmar, (15), Ministry of Health of Chile, Santiago, Chile
- Dr R. Benson, (31: viii), US Environmental Protection Agency, Denver, CO, USA
- Dr R. Bentham, (16), Department of Environmental Health, Adelaide, Australia
- Dr K. Bentley, (4), Centre for Environmental Health, Woden, Australia

GUIDELINES FOR DRINKING-WATER QUALITY

Mrs U. Bera, (10), Ministry of Health, Suva, Fiji

Dr P. Berger, (21: iv, 27), US Environmental Protection Agency, Washington, DC, USA

Dr U. Blumenthal, (6, 28), London School of Hygiene and Tropical Medicine, London,  
UK

Dr A. Boehncke, (19: vii), Fraunhofer Institute of Toxicology and Experimental Medicine, Hanover, Germany

Ms E. Bolt, (27), International Research Centre on Water and Sanitation, Delft,  
Netherlands

Dr L. Bonadonna, (14, 21: i), Istituto Superiore di Sanità, Rome, Italy

- Dr X. Bonnefoy, (19: xii, liii, lxix), WHO European Center for Environment and Health, Bonn, Germany (formerly of WHO Regional Office for Europe, Copenhagen, Denmark)
- Mr L. Bontoux, (6), European Commission, Brussels, Belgium
- Ms T. Boonyakarnkul, (8, 12, 15, 22, 25), Ministry of Public Health, Nonthaburi, Thailand
- Mr R. Bos, (30, 31: xiii), WHO, Geneva, Switzerland
- Professor K. Botzenhart, (5, 16, 21: iii), Tuebingen University, Tuebingen, Germany
- Dr L. Bowling, (29), Department of Land and Water Conservation, Parramatta, Australia
- Dr E. Briand, (16), Centre Scientifique et Technique du Bâtiment, Marne-la Vallée, France
- Dr S. Bumaa, (11), Health Inspection Services, Ulaanbaatar, Mongolia
- Mr M. Burch, (8, 29), Australian Water Quality Centre, Salisbury, Australia
- Dr T. Burns, (19), The Vinyl Institute, Inc., Arlington, VA, USA
- Professor D. Bursill, (8), Australian Water Quality Centre, Salisbury, Australia
- Dr J. Butler, (21: iii), Centers for Disease Control and Prevention, Atlanta, GA, USA
- Dr P. Byleveld, (10), New South Wales Department of Health, Gladesville, Australia
- Mr P. Callan, (7, 8, 13, 15, 17, 19: xiii–lii, liv–lxviii, 22, 25), National Health and Medical Research Council, Canberra, Australia
- Professor G. Cangelosi, (18), Seattle Biomedical Research Institute, Seattle, USA
- Professor W. Carmichael, (29), Wright State University, Ohio, USA
- Mr R. Carr, (23), WHO, Geneva, Switzerland
- Mr R. Carrier, (31: ii, viii, ix, xi), Health Canada, Ottawa, Canada
- Dr R. Carter, (27), Cranfield University, Silsoe, UK
- Dr C. Castell-Exner, (27), The German Technical and Scientific Association for Gas and Water, Bonn, Germany
- Dr M. Cavaliere, (29), Local Agency for Electricity and Water Supply, Rome, Italy
- Dr R. Chalmers, (26), Public Health Laboratory Service, Swansea, UK
- Dr K. Chambers, (23), WRc-NSF Ltd, Swindon, UK
- Professor P. Chambon, (1, 4, 19: i–xii), University of Lyon, Lyon, France,
- Mr C.K.R. Chan, (11), Shatin Treatment Works, Shatin, Hong Kong, Special Administrative Region of China
- Mr S. Chantaphone, (11), Ministry of Health, Vientiane, Lao People's Democratic Republic
- Dr D. Chapman, (29), Cork, Ireland
- Mr G.P.R. Chaney, (7), International Association of Plumbing and Mechanical Officials, Ontario, CA, USA
- Ms L. Channan, (10), South Pacific Applied Geoscience Commission, Suva, Fiji
- Professor W. Chee Woon, (11), University of Malaya, Kuala Lumpur, Malaysia
- Dr R.S. Chhabra, (31: ii), National Institute of Environmental Health Sciences, Research Triangle Park, NC, USA

ANNEX 2. CONTRIBUTORS TO THE THIRD EDITION AND ADDENDA

Dr T. Chi Ho, (11), Health Department, Macao, Macao, People's Republic of China  
Dr N. Chiu, (15, 19: xlvi), US Environmental Protection Agency, Washington, DC,  
USA  
Dr Y.-G. Cho, (11), Waterworks Gwangju, Gwangju City, Republic of Korea

- Dr I. Chorus, (2, 5, 7, 8, 15, 20, 22, 25, 27, 29), Umweltbundesamt, Berlin, Germany
- Dr W.T. Chung, (11), Department of Health, Wan Chai, Hong Kong, Special Administrative Region of China
- Dr M. Cikrt, (31: ii), National Institute of Public Health, Prague, Czech Republic
- Dr J. Clancy, (23), Clancy Environmental Consultants, St. Albans, VT, USA
- Dr J. Clark-Curtiss, (18), Washington University, St. Louis, MO, USA
- Dr E. Clayton, (21: ii), US Armed Forces Research Institute of Medical Sciences, Bangkok, Thailand
- Professor G. Codd, (29), University of Dundee, Dundee, UK
- Dr O. Conerly, (19), US Environmental Protection Agency, Washington, DC, USA
- Dr M. Cooper, (19), Envirorad Services Pty Ltd, Victoria, Australia
- Dr C. Corvalan, (26), WHO, Geneva, Switzerland
- Dr A.L. Corwin, (21: ii), US Armed Forces Research Institute of Medical Sciences, Jakarta, Indonesia
- Dr J. Cotruvo, (3, 5, 7, 9, 14, 18, 22, 23, 25, 30), Joseph Cotruvo & Associates, Limited Liability Company, and NSF International, Washington, DC, USA
- Professor D. Crawford-Brown, (26), University of North Carolina, Chapel Hill, NC, USA
- Dr J. Creasy, (23), WRc-NSF Ltd, Swindon, UK
- Dr S. Crespi, (16), Policlinica Miramar, Palma, Spain
- Dr G. Cronberg, (29), Lund University, Lund, Sweden
- Dr D. Cunliffe, (8, 13, 19, 20, 21: iv, 22, 23, 25, 27, 30), Environmental Health Service, Adelaide, Australia
- Dr F. Dagensdorf, (16), Institute for Hygiene and Public Health, Bonn, Germany
- Dr J.L. Daroussin, (20), European Commission, Luxembourg
- Dr H. Darpito, (19, 20, 22), Ministry of Health, Jakarta Pusat, Indonesia
- Dr A. Davison, (13, 25), Water Futures, Dundas Valley, NSW, Australia (formerly of the Ministry of Energy and Utilities, Parramatta, NSW, Australia)
- Dr F. de Buttet, (19, 20), Gisenec-Unesen, Paris, France
- Dr M.-A. DeGroote, (18), University of Colorado, Denver, CO, USA
- Dr G. de Hollander, (26), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands
- Dr D. Deere, (6, 8, 12, 13, 23, 25, 27), Water Futures, Dundas Valley, Australia (formerly of South East Water Ltd, Moorabbin, Australia)
- Mr W. Delai, (10), Ministry of Health, Suva, Fiji
- Dr J.M. Delattre, (14, 21: i), Institut Pasteur de Lille, Lille, France
- Dr A.M. de Roda Husman, (30), National Institute of Public Health and the Environment, Bilthoven, Netherlands
- Dr S. Dethoudom, (11), Water Supply Authority, Ventiane, Lao People's Democratic Republic
- Professor B. De Villiers, (27), Potchefstroom University for CHE, Potchefstroom, South Africa
- Mr I. Deyab, (9), Environment Public Authority, Safat, Kuwait

GUIDELINES FOR DRINKING-WATER QUALITY

Professor H. Dieter, (19: xxii), Federal Environment Agency, Berlin, Germany

Dr P. Dillon, (27), Commonwealth Scientific and Industrial Research Organisation,  
Land and Water, Glen Osmond, Australia

Dr B.A. Dmytrasz, (31: xii), Petroleum Products CONCAWE, Brussels, Belgium

- Dr J. Donohue, (7, 19: xxxvi, 31: iii), US Environmental Protection Agency, Washington, DC, USA
- Dr J. Doss, (19, 20), International Bottled Water Association, Alexandria, USA
- Dr V. Drasar, (16), OHS-National Legionella Reference Laboratory, Vyskov, Czech Republic
- Dr M. Drikas, (19, 29), Australian Water Quality Center, Salisbury, Australia
- Dr J. Du, (19: lii), US Environmental Protection Agency, Washington, DC, USA
- Dr A. Dufour, (6, 8, 14, 16, 27), US Environmental Protection Agency, Cincinnati, OH, USA
- Dr S. Edberg, (14), Yale University, New Haven, CT, USA
- Dr N. Edmonds, (19: xxxi), Health Canada, Ottawa, Canada
- Dr J. Eisenberg, (6, 28), University of California, Berkeley, CA, USA
- Dr M. El Desouky, (9), Kuwait Institute for Scientific Research, Safat, Kuwait
- Dr H. El Habr, (9), United Nations Environment Programme, Managa, Bahrain
- Professor F. El Zaatari, (18), Baylor College of Medicine, Houston, TX, USA
- Dr M. Ema, (19: xlii, xlix, 31: x), National Institute of Health Sciences, Tokyo, Japan
- Mr P. Emile, (10), Ministry of Health, Rarotonga, Cook Islands
- Dr R. Enderlein, (29), United Nations Economic Commission for Europe, Geneva, Switzerland
- Dr T. Endo, (5, 7, 14, 15, 19, 22, 30), Ministry of Health, Labor and Welfare, Tokyo, Japan
- Mr H. Enevoldsen, (9), Intergovernmental Oceanographic Commission of UNESCO, IOC Science and Communication Centre on Harmful Algae, Copenhagen, Denmark
- Dr S. Enkhsetseg, (15), Ministry of Health, Ulaanbaatar, Mongolia
- Dr O. Espinoza, (19: xii, liii, lxix), WHO Regional Office for Europe, Copenhagen, Denmark
- Mr S. Esrey, (6), deceased (formerly of UNICEF, New York, USA)
- Mr G. Ethier, (4), International Council of Metals and the Environment, Ottawa, Canada
- Dr C. Evins, (23), Drinking Water Inspectorate, London, UK
- Dr M. Exner, (14, 16, 22), Universität Bonn, Bonn, Germany
- Professor I. Falconer, (29), University of Adelaide, Adelaide, Australia
- Dr J. Falkinham, (18), Fralin Biotechnology Center, Blacksburg, VA, USA
- Dr M. Farrimond, (23), UK Water Industry Research, London, UK
- Dr J. Fastner, (15, 29), Federal Environmental Agency, Berlin, Germany
- Professor B. Fattal, (6), Hebrew University of Jerusalem, Jerusalem, Israel
- Mr J. Fawell, (4, 5, 7, 15, 17, 19: vi, xii–lxix, 20, 22, 29, 30, 31: iv–vii, xii), independent consultant, High Wycombe, UK
- Ms F. Feagai, (10), Princess Margaret Hospital, Funafuti, Tuvalu
- Dr T. Fengthong, (15), Ministry of Health, Vientiane, Lao People's Democratic Republic
- Dr I. Feuerpfeil, (21: iv), Umweltbundesamt, Bad Elster, Germany

Dr L. Fewtrell, (6, 12), Center for Research into Environment & Health, University of Wales, Aberystwyth, UK

Dr B. Fields, (16), Centers for Disease Control and Prevention, Atlanta, GA, USA

Mr J. Filiomea, (10), Ministry of Health and Medical Service, Honiara, Solomon Islands

Dr J. Fitch, (20), South Australian Health Commission, Adelaide, Australia

Dr J. Fitzgerald, (29), South Australian Health Commission, Adelaide, Australia

Dr J. Fleisher, (6), State University of New York, Downstate Medical Center, New York, NY, USA

Dr L. Forbes, (23), Leith Forbes & Associates Pty Ltd, Victoria, Australia

Dr T. Ford, (18), Montana State University, Bozeman, MT, USA

Dr R. Franceys, (27), Cranfield University, Silsoe, UK

Ms P. Franz, (10), Paulau Environment Quality Protection Agency, Koror, Republic of Palau

Dr I. Fraser, (19, 20), Department of Health, London, UK

Dr C. Fricker, (14, 21: iv), CRF Consulting, Reading, UK

Dr A. Friday, (22), Ministry of Health, Kampala, Uganda

Dr E. Funari, (7), Istituto Superiore di Sanità, Rome, Italy

Dr H. Galal-Gorchev, (1, 2, 4, 5, 19: i–xii, liii, lxi), US Environmental Protection Agency, Washington, DC (formerly of WHO, Geneva, Switzerland)

Dr P. Gale, (8), WRc-NSF Ltd, Marlow, UK

Dr Luiz Augusto Galvao, (30), Regional Office for the Americas/Pan American Health Organization, Washington, DC, USA

Dr Y. Ganou, (22), Ministry of Health, Ougadougou, Burkino Faso

Dr M. Gardner, (19), WRc-NSF Ltd, Marlow, UK

Dr A.E.H. Gassim, (22), Ministry of Health, Makkah, Saudi Arabia

Dr R. Gaunt, (4), International Council of Metals and the Environment, Ottawa, Canada

Dr A.-M. Gebhart, (3), NSF International, Ann Arbor, MI, USA

Dr B. Genthe, (27), Division Environment, Pretoria, South Africa

Dr C. Gerba, (14, 28), Arizona University, Tucson, AZ, USA

Dr T. Gerschel, (19), European Copper Institute, Brussels, Belgium

Dr A. Geyid, (30), Ethiopian Health and Nutrition Research Institute, Addis Ababa, Ethiopia

Dr H. Gezairy, (9), WHO, Regional Office for the Eastern Mediterranean, Cairo, Egypt

Ms M. Giddings, (15, 19: xiii–lii, liv–lxviii, 20, 22, 29, 30, 31: ii, viii, ix, xi), Health Canada, Ottawa, Canada

Professor W. Giger, (27), Swiss Federal Institute for Environmental Science and Technology, Dübendorf, Switzerland

Dr N. Gjølme, (29), National Institute for Public Health, Oslo, Norway

Dr A. Glasmacher, (14), Universität Bonn, Bonn, Germany

Dr A. Godfree, (23, 25, 27), United Utilities Water, Warrington, UK

GUIDELINES FOR DRINKING-WATER QUALITY

Mr S. Godfrey, (10, 12), Water, Engineering and Development Centre, Loughborough University, Loughborough, UK

Dr M.I. Gonzalez, (19, 20, 22), National Institute of Hygiene, Epidemiology and Microbiology, Havana, Cuba

Mr B. Gordon, (30), WHO, Geneva, Switzerland

Ms F. Gore, (22, 30), WHO, Geneva, Switzerland

- Dr P. Gosling, (21: i), Department of Health, London, UK
- Dr P. Gowin, (9), International Atomic Energy Agency, Vienna, Austria
- Professor W. Grabow, (5, 6, 8, 13, 19, 20, 21: ii, 22, 25), retired (formerly of University of Pretoria, Pretoria, South Africa)
- Professor R.C. Grafström, (31: v), Institute of Environmental Medicine, Stockholm, Sweden
- Mr W. Graham, (4), CropLife International, Brussels, Belgium
- Dr P. Grandjean, (19, 20), Institute of Public Health, Odense, Denmark
- Ms S. Grant-Trusdale, (19: xxxiv, 31: ix, xi), Health Canada, Ottawa, Canada
- Dr R. Gregory, (29), WRc-NSF Ltd, Swindon, UK
- Professor A. Grohmann, (19, 27), independent, Berlin, Germany
- Professor J. Gunnar, (31: xi), Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden
- Dr S. Gupta, (19: v), Health Canada, Ottawa, Canada
- Professor C. Haas, (6, 28), Drexel University, Philadelphia, PA, USA
- Dr W. Haas, (18), Robert Koch Institute, Berlin, Germany
- Ms L. Haller, (12), WHO, Geneva, Switzerland
- Mr F. Hannecart, (10), Noumea City Hygiene Service, Noumea, New Caledonia
- Dr K.-I. Harada, (29), Meijo University, Nagoya, Japan
- Dr M. Hardiman, (20), WHO, Geneva, Switzerland
- Mr H. Hashizume, (5, 9, 15, 17, 19: xiii–lii, liv–lxviii, 22), Ministry of the Environment, Tokyo, Japan (formerly of WHO, Geneva, Switzerland)
- Dr A. Havelaar, (1, 2, 5, 6, 7, 8, 20, 21: i–v, 22, 25, 26, 28), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands
- Mr T. Hayakawa, (1, 5), Ministry of Health & Welfare, Tokyo, Japan
- Mr J. Hayes, (16), Institute for Healthcare Management, High Wycombe, UK
- Mr P. Hecq, (22), European Commission, Brussels, Belgium
- Mr H. Heijnen, (30), WHO, New Delhi, India
- Mr P. Heinsbroek, (10, 11, 15), WHO, Regional Office for the South Pacific, Manila, Philippines
- Dr R. Heinze, (29), Umweltbundesamt, Bad Elster, Germany
- Mr E. Hellan, (10), Pohnpei Environment Protection Agency, Kolonia, Federated States of Micronesia
- Dr R. Helmer, (1, 4, 19: xii, liii, lxix, 22), retired (formerly of WHO, Geneva, Switzerland)
- Dr P. Henriksen, (29), National Environmental Research Institute, Roskilde, Denmark
- Dr N. Hepworth, (27), Lancaster, UK
- Professor J. Hermon-Taylor, (18), St George's Hospital Medical School, London, UK
- Mr A. Hicking, (10), Marshall Islands Environment Protection Agency, Majuro, Marshall Islands
- Dr R. Hilton, (31: vii), Inco Limited, Toronto, Ontario, Canada
- Dr G. Hoetzel, (29), La Trobe University, Victoria, Australia

Dr A. Hogue, (6), US Department of Agriculture, Washington, DC, USA (formerly of WHO, Geneva, Switzerland)

Dr D. Holt, (23), Thames Water Utilities Ltd, Reading, UK

Mr M. Hori, (7), Ministry of Health and Welfare, Tokyo, Japan

Professor H. Höring, (2), Umweltbundesamt, Bad Elster, Germany

Ms M. Hoshino, (15), UNICEF, Tokyo, Japan

- Dr G. Howard, (2, 5, 7, 8, 12, 13, 15, 19, 20, 22, 23, 25, 30), DFID Bangladesh, Dhaka, Bangladesh (formerly of Water Engineering and Development Centre, Loughborough University, Loughborough, UK)
- Dr P. Howsam, (27), Cranfield University, Silsoe, UK
- Professor S. Hrudey, (8, 29), University of Alberta, Edmonton, Canada
- Mr J. Hueb, (20, 21: v, 23, 30), WHO, Geneva, Switzerland
- Dr J. Hulka, (19, 20), National Radiation Protection Institute, Prague, Czech Republic
- Dr N. Hung Long, (15), Ministry of Health, Han Noi, Viet Nam
- Dr P. Hunter, (14, 23), University of East Anglia, Norwich, UK
- Dr K. Hussain, (9), Ministry of Health, Manama, Bahrain
- Mr O.D. Hydes, (4, 5, 7), independent consultant, West Sussex, UK (formerly of Drinking Water Inspectorate, London, UK)
- Dr A. Iannucci, (3), NSF International, Ann Arbor, MI, USA
- Mr S. Iddings, (11, 15), WHO, Phnom Penh, Cambodia
- Dr M. Ince, (12, 25), independent consultant, Loughborough, UK (formerly of Water, Engineering and Development Centre, Loughborough University, Loughborough, UK)
- International Bottled Water Association, (19), Alexandria, VA, USA
- Mr K. Ishii, (15), Japan Water Works Association, Tokyo, Japan
- Mr J. Ishiwata, (11), Ministry of Health, Labour and Welfare, Tokyo, Japan
- Mr P. Jackson, (2, 5, 7, 15, 19: xiii–lii, liv–lxviii, 22, 25, 30, 31: i, xiv), WRc-NSF Ltd, Marlow, UK
- Dr J. Jacob, (21: v), (formerly of Umweltbundesamt, Bad Elster, Germany)
- Dr M. Janda, (21: i), Health and Welfare Agency, Berkeley, CA, USA
- Mr A. Jensen, (1, 2), DHI Water and Environment, Horsholm, Denmark
- Dr R. Johnson, (19), Rohm and Haas Company, USA
- Dr D. Jonas, (7), Industry Council for Development, Ramsgate, UK
- Dr G. Jones, (29), Commonwealth Scientific and Industrial Research Organisation, Brisbane, Australia
- Mr C. Jörgensen, (5), DHI Water and Environment, Horsholm, Denmark
- Dr C. Joseph, (16), Communicable Disease Surveillance Control, London, UK
- Mr H. Kai-Chye, (10), Canberra, Australia
- Ms R. Kalmet, (10), Mines and Water Resources, Port Vila, Vanuatu
- Mr I. Karnjanareka, (15), Ministry of Public Health, Nonthaburi, Thailand
- Dr D. Kay, (6), University of Wales, Aberystwyth, UK
- Dr H. Kerndorff, (27), Umweltbundesamt, Berlin, Germany
- Dr S. Khamdan, (9), Ministry of State for Municipalities and Environment Affairs, Manama, Bahrain
- Mr P. Khanna, (21: ii), National Environmental Engineering Institute, Nagpur, India
- Mr M. Kidanu, (22), WHO, Regional Office for Africa, Harare, Zimbabwe
- Dr J. Kielhorn, (4, 19: vii, xv, lxvii), Fraunhofer Institute of Toxicology and Experimental Medicine, Hanover, Germany

- Dr R. Kirby, (8, 25), Industry Council for Development, Ramsgate, UK
- Dr G. Klein, (1), WHO, Bonn, Germany (formerly of Umweltbundesamt, Bad Elster, Germany)
- Dr J. Komarkova, (29), Hydrobiological Institute of the Czech Academy of Sciences, České Budejovice, Czech Republic
- Dr H. Komulainen, (22), National Public Health Institute, Kuopio, Finland
- Dr F. Kondo, (29), Aichi Prefectural Institute of Public Health, Nagoya, Japan
- Dr M. Koopmans, (26), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands
- Dr F. Kozisek, (19), National Institute of Public Health, Prague, Czech Republic
- Dr A. Kozma-Törökne, (29), National Institute for Public Health, Budapest, Hungary
- Dr T. Kuiper-Goodman, (29), Health Canada, Ottawa, Canada
- Dr S. Kumar, (30), University of Malaya, Kuala Lumpur, Malaysia
- Dr S. Kunikane, (7, 15, 17, 22, 30), Ministry of Health, Labour and Welfare, Tokyo, Japan
- Dr T. Kwader, (27), URS Corporation, Tallahassee, FL, USA
- Miss K. Kwee-Chu, (11), Ministry of Health, Kuala Lumpur, Malaysia
- Mr P. Lafitaga, (10), Department of Health, Pago-pago, American Samoa
- Dr B. Lang, (4), Novartis Crop Protection AG, Basel, Switzerland
- Dr J. Langford, (8), Water Services Association, Melbourne, Australia
- Dr P.B. Larsen, (31: vii), The Danish Environmental Protection Agency, Copenhagen, Denmark
- Dr J. Latorre Monterro, (25, 30), Universidad del Valle, Cali, Colombia
- Dr L. Lawton, (29), Robert Gordon University of Aberdeen, Aberdeen, UK
- Dr M. LeChevallier, (7, 8, 14, 18, 23, 24), American Water Works Service Company, Inc., Voorhees, NJ, USA
- Dr H. Leclerc, (14, 19, 20), University of Lille, Lille, France
- Dr J. Lee, (5, 16, 21: iii), Queen's Medical Centre, Nottingham, UK
- Mr F. Leitz, (9), Water Treatment Engineering and Research Group, Denver, CO, USA
- Professor Le The Thu, (11), Institute of Hygiene and Public Health, Ho Chi Minh City, Viet Nam
- Dr Y. Levi, (23), Laboratoire Santé Publique – Environnement, Université Paris XI, Chatenay-Malabry, France
- Dr D. Levy, (19, 20), Centers for Disease Control and Prevention, Atlanta, GA, USA
- Dr N. Lightfoot, (14), UK Public Health Laboratory Service, Newcastle-upon-Tyne, UK
- Dr P. Literathy, (2, 5, 29, 31: xii), Kuwait Institute for Scientific Research, Safat, Kuwait (formerly of Water Resource Research Centre VITUKI, Budapest, Hungary)
- Mr S. Loau, (15), Preventive Health Services, Apia, Samoa
- Dr J.F. Luna, (26), Secretariat of Health, Mexico City, Mexico
- Dr U. Lund, (4, 7, 19: i–xii, liii, lxix), DHI Water and Environment, Horsholm, Denmark

ANNEX 2. CONTRIBUTORS TO THE THIRD EDITION AND ADDENDA

- | Dr Y. Magara, (1, 4, 5, 7, 14, 15, 19: xiii–lii, liv–lxviii, 21: iv, 22, 30, 31: x), Hokkaido University, Sapporo, Japan
- | Mr T. Magno, (10), WHO Representative’s Office in Papua New Guinea, Port Moresby, Papua New Guinea

- Dr B. Magtibay, (11, 22), Bureau of International Health Cooperation, Manila, Philippines
- Dr I. Mäkeläinen, (20), Radiation and Nuclear Safety Authority, Helsinki, Finland
- Mr M. Malkawi, (30), WHO, Regional Office for the Eastern Mediterranean, Cairo, Egypt
- Dr A.K. Mallett, (31: xii), Consultant, Woking, UK
- Dr D. Mangino, (3), NSF International, Ann Arbor, MI, USA
- Dr A. Marandi, (19), University of Tartu, Tartu, Estonia
- Dr T. Mariee, (21: iii), Queen Elizabeth II Health Science Centre, Halifax, Canada
- Mr A. Marquez, (10), Guam Environmental Protection Agency, Barrigada, Guam
- Dr B. Marsalek, (29), Institute of Botany, Brno, Czech Republic
- Professor M. Martin, (27), Bangladesh University of Engineering and Technology, Dhaka, Bangladesh
- Dr R. Mascarenhas, (19: xxiii, xxiv, xxx, lvi, lxii, lxiii), Metcalf and Eddy, Devizes, UK
- Dr D. McFadden, (3), NSF International, Ann Arbor, MI, USA
- Dr D. McGregor, (31: xi), Toxicity Evaluation Consultants, Aberdour, UK
- Dr M. McLaughlin, (27), Commonwealth Scientific and Industrial Research Organisation, Land and Water, Glen Osmond, Australia
- Dr B. McRae, (8), Australian Water Association, Artarmon, Australia
- Dr D. Medeiros, (26), Health Canada, Ottawa, Canada
- Dr G. Medema, (5, 7, 8, 21: iv), KIWA N.V, Nieuwegein, Netherlands
- Ms M.E. Meek, (4), Health Canada, Ottawa, Canada
- Dr J. Meheus, (4), International Water Supply Association, Antwerpen, Belgium
- Ms G. Melix, (10), Papeete, French Polynesia
- Dr J.M. Melse, (26), National Institute for Public Health and the Environment (RIVM), Utrecht, Netherlands
- Dr T. Meredith, (22), WHO, Geneva, Switzerland
- Mr T. Metutera, (10), Public Utilities Board, Tarawa, Kiribati
- Dr E. Meyer, (3), Umweltbundesamt, Berlin, Germany
- Dr S. Miller, (27), US Department of Agriculture – Agricultural Research Service (USDA-ARS), Tucson, AZ, USA
- Dr B. Mintz, (19: xii, liii, lxix), Centers for Disease Control and Prevention (CDC), Atlanta, GA, USA
- Mr M.Z. bin Mohd Talha, (11), Ministry of Health, Kuala Lumpur, Malaysia
- Ms M.N. Mons, (7), KIWA Research and Consultancy, Nieuwegein, Netherlands
- Professor M.R. Moore, (19), National Research Centre for Environmental Toxicology, Queensland, University of Queensland, Queensland, Australia
- Dr G. Morace, (21: ii), Istituto Superiore di Sanità, Rome, Italy
- Dr A. Moreau, (14, 19, 20), Danone Water Technology Centre, Evian, France
- Dr R. Morris, (5, 7, 23), IWA, London, UK
- Dr D. Mossel, (14), Eijkman Foundation, Utrecht, Netherlands
- Ms G. Motturi, (2, 5), WHO, Regional Office for Europe, Copenhagen, Denmark

GUIDELINES FOR DRINKING-WATER QUALITY

Dr G. Moy, (4, 29), WHO, Geneva, Switzerland

Dr L. Mur, (29), University of Amsterdam, Amsterdam, Netherlands

Ms S. Murcott, (19, 20), Massachusetts Institute of Technology, Massachusetts, USA

Dr P. Murphy, (26), US Environmental Protection Agency, Edison, NJ, USA

- Dr S. Murphy, (3), NSF International, Ann Arbor, MI, USA  
 Dr F.J. Murray, (4), International Life Sciences Institute, San José, CA, USA  
 Mr M.W. Muru, (10), Health Protection, Waigani, Papua New Guinea  
 Mr C. Mwesigye, (7), WHO, Kampala, Uganda  
 Dr D. Nabarro, (22), WHO, Geneva, Switzerland  
 Dr G.B. Nair, (21: v), National Institute of Cholera and Enteric Diseases, Calcutta, India  
 Pr. K. Nath, (19), Institution of Public Health Engineering, Calcutta, India  
 Mr P. Navuth, (11), Ministry of Industry, Mines and Energy, Phnom Penh, Cambodia  
 Mr M. Neal, (19), Invista, Teesside, UK  
 Dr A. Neller, (8), University of Sunshine Coast, Maroochydore, Australia  
 Mr J. Newbold, (16), Health and Safety Executive, Bootle, UK  
 Dr E. Ngoni Mudege, (27), Institute of Water and Sanitation Development, Harare, Zimbabwe  
 Dr C. Nhachi, (15), WHO, Regional Office for Africa, Harare, Zimbabwe  
 Dr G. Nichols, (18), Health Protection Agency, London, UK  
 Dr T. Nishimura, (15, 19: xix, xlii, xlix, lvii, 31: x), Ministry of Health, Labour and Welfare, Tokyo, Japan  
 Ms S. Nofal, (9), WHO, Cairo, Egypt  
 Dr C. Nokes, (25), Environmental Science and Research Ltd, Christchurch, New Zealand  
 Dr N. Nwachuku, (30), US Environmental Protection Agency, Washington, DC, USA  
 Dr L. Ofanoa, (10), Ministry of Health, Nuku'olofa, Tonga  
 Dr H. Ogawa, (23, 30), WHO, Regional Office for the Western Pacific, Manila, Philippines  
 Dr E. Ohanian, (4, 7, 19: i–lii; liv–lxviii, 22), US Environmental Protection Agency, Washington, DC, USA  
 Dr Y. Okumura, (20), Nagasaki University, Japan  
 Ms J. Orme-Zavaleta, (1), US Environmental Protection Agency, Washington, DC, USA  
 Dr Y. Ortega, (21: iv), University of Arizona, Tucson, AZ, USA  
 Dr M. Ouahdi, (22), Ministry of Health and Population, Alger, Algeria  
 Dr J. Padisák, (29), University of Veszprém, Veszprém, Hungary  
 Dr F. Pamminger, (23), Yarra Valley Water, Melbourne, Australia  
 Mr I. Papadopoulos, (5, 7), European Commission, Athens, Greece (formerly of European Commission, Brussels, Belgium)  
 Dr C.N. Paramasivan, (18), Indian Council of Medical Research, Chennai, India  
 Mr R. Paramasivan, (21: ii), National Environmental Engineering Research Institute, Nagpur, India  
 Mr D. Parish, (10), Pacific Water Association, Suva, Fiji  
 Dr C. Pastoris, (21: iii), Istituto Superiore di Sanità, Rome, Italy

Dr E. Pawlitzky, (29), Umweltbundesamt, Berlin, Germany

Dr P. Payment, (6, 14, 23), National Institute of Scientific Research, University of  
Quebec, Montreal, Canada

- Dr S. Pedley, (5, 21: ii, 29), Robens Centre, University of Surrey, Guildford, UK
- Dr H.K. bin Pengiran Haji Ismail, (11), Ministry of Health, Bandar Seri Begawan Negara 1210, Brunei Darussalam
- Dr G. Peralta, (10, 11, 15), University of the Philippines, Quezon City, Philippines
- Mr A. Percival, (8), Consumer Health Forum, Cobargo, Australia
- Dr K. Petersson Grawé, (4, 19: iii), National Food Administration, Uppsala, Sweden
- Dr M.S. Pillay, (11, 15, 27), Ministry of Health, Kuala Lumpur, Malaysia
- Mr S. Pita Helu, (15), Tonga Water Board, Nuku'alofa, Tonga
- Dr J. Plouffe, (21: iii), University Hospitals, Columbus, OH, USA
- Dr A. Pozniak, (18), Chelsea & Westminster Hospital, London, UK
- Dr E. Pozio, (21: iv), Istituto Superiore di Sanità, Rome, Italy
- Dr A. Pozniak, (18), Chelsea & Westminster Hospital, London, UK
- Mr M. Pretrick, (10), National Government, Palikir, Federated States of Micronesia
- Dr C. Price, (19, 20), American Chemical Council, Arlington, VA, USA
- Mr F. Properzi, (22, 30), WHO, Geneva, Switzerland
- Dr V. Puklova, (19), National Institute of Public Health, Prague, Czech Republic
- Mr T. Pule, (23, 25, 27), WHO, Regional Office for Africa, Harare, Zimbabwe
- Dr D. Purkiss, (3), NSF International, Ann Arbor, MI, USA
- Dr A. Pruess-Ustun, (6, 26), WHO, Geneva, Switzerland
- Dr L. Quiggle, (3), NSF International, Ann Arbor, MI, USA
- Dr P.P. Rainsey, (11), Ministry of Health, Phnom Penh, Cambodia
- Dr C. Ramsay, (22), Scottish Centre for Infection and Environmental Health, Glasgow, UK
- Dr P. Ravest-Weber, (3), NSF International, Ann Arbor, MI, USA
- Dr D. Reasoner, (14, 23), National Risk Management Research Laboratory, US Environmental Protection Agency, Cincinnati, OH, USA
- Dr G. Rees, (7, 18), Askham Bryan College, York, UK (formerly University of Surrey, Guildford, UK)
- Dr S. Regli, (21: iv, 23), US Environmental Protection Agency, Washington, DC, USA
- Dr R. Reilly, (26), Scottish Centre for Infection and Environmental Health, Glasgow, UK
- Dr M. Repacholi, (20, 22), WHO, Geneva, Switzerland
- Mrs M. Richold, (4), European Centre for Ecotoxicology and Toxicology, Sharnbrook, UK
- Dr J. Ridgway, (3, 5), WRC-NSF Ltd, Marlow, UK
- Ms J. Riego de Dios, (11, 15), National Center for Disease Prevention and Control, Manila, Philippines
- Mrs U. Ringelband, (5), Umweltbundesamt, Berlin, Germany
- Dr M. Rivett, (27), University of Birmingham, Birmingham, UK
- Mr W. Robertson, (3, 7, 8, 14, 23, 26), Health Canada, Ottawa, Canada
- Dr C. Robinson, (20), International Atomic Energy Agency, Vienna, Austria
- Dr J. Rocourt, (28), WHO, Geneva, Switzerland

- Ms R. Rooney, (12, 16), WHO, Geneva, Switzerland  
 Dr J. Rose, (14, 21: iv, 28), University of South Florida, St. Petersburg, FL, USA  
 Dr K. Rotert, (19, 20), US Environmental Protection Agency, Washington, DC, USA  
 Dr J. Rothel, (18), Cellestis Limited, Victoria, Australia  
 Mr H. Salas, (2), WHO, Regional Office for the Americas, Washington, DC, USA  
 Mr A. Salem, (9), Abu Dhabi Water and Electricity Authority, Abu Dhabi, United Arab Emirates  
 Dr P. Samnang, (15), Ministry of Health, Phnom Penh, Cambodia  
 Dr M. Santamaria, (16), WHO, Geneva, Switzerland  
 Mr M. Saray, (11), Ministry of Rural Development, Phnom Penh, Cambodia  
 Mr D. Sartory, (5, 21: i), Severn Trent Water Ltd, Shelton, UK  
 Dr M. Savkin, (20), Institut Biophysics, Moscow, Russian Federation  
 Dr S. Schaub, (6, 16, 21: iv, 28), US Environmental Protection Agency, Washington, DC, USA  
 Professor R. Schertenleib, (27), Swiss Federal Institute for Environmental Science and Technology, Dübendorf, Switzerland  
 Dr J. Schijven, (27), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands  
 Mrs G. Schlag, (5), Umweltbundesamt, Berlin, Germany  
 Mr O. Schmoll, (8, 15, 27), Umweltbundesamt, Berlin, Germany  
 Professor L. Schwartzbrod, (19, 20), WHO Collaborating Center for Microorganisms in Wastewater, Nancy, France  
 Mr P. Scott, (8), Melbourne Water, Melbourne, Australia  
 Professor K.-P. Seiler, (27), National Research Center for Environment and Health, Institut für Hydrologie, Neuherberg, Germany  
 Dr S. Semalulu, (31: viii, ix), Health Canada, Ottawa, Canada  
 Dr Y.-C. Seo, (11), Sangji University, Wonju, Republic of Korea  
 Dr I. Shalaru, (19, 20, 22), Ministry of Health, Chisinau, Republic of Moldova  
 Dr D. Sharp, (10, 15), WHO Representative Office in South Pacific, Suva, Fiji  
 Ms S. Shaw, (7, 21: iv), US Environmental Protection Agency, Washington, DC, USA  
 Ms F. Shoaie, (9), Department of the Environment, Tehran, Islamic Republic of Iran  
 Dr Y. Shun-Zhang, (29), Institute of Public Health, Shanghai, People's Republic of China  
 Dr E. Sievers, (19, 20), Kiel, Germany  
 Dr D. Simazaki, (15), National Institute of Public Health, Tokyo, Japan  
 Professor I. Simmers, (27), Vrije University, Amsterdam, Netherlands  
 Mr T. Simons, (1, 4), European Commission, Brussels, Belgium  
 Ms J. Sims, (30), WHO, Geneva, Switzerland  
 Dr M. Sinclair, (8), Monash University Medical School, Prahran, Australia  
 Dr K. Sivonen, (29), University of Helsinki, Helsinki, Finland  
 Dr B. Skinner, (12), Water, Engineering and Development Centre, Loughborough University, Loughborough, UK  
 Dr O. Skulberg, (29), Norwegian Institute for Public Health, Oslo, Norway

- Professor H.V. Smith, (5, 21: iv), Scottish Parasite Diagnostic Laboratory, Stobhill Hospital, Glasgow, UK
- Dr M. Smith, (23), Water, Engineering and Development Centre, Loughborough University, Loughborough, UK
- Dr M. Snozzi, (7), Swiss Federal Institute for Environmental Science and Technology, Dübendorf, Switzerland
- Professor M. Sobsey, (7, 8, 12, 13, 20, 22, 25, 28, 30), University of North Carolina, Chapel Hill, USA
- Professor J.A. Sokal, (19, 20, 22), Institute of Occupational Medicine and Environmental Health, Sosnowiec, Poland
- Dr R. Solecki, (30), Federal Institute for Risk Assessment, Thielallee, Berlin
- Dr F. Solsona, (15, 23, 25, 27), retired (formerly of WHO, Regional Office for the Americas/Centro Panamericano de Ingeniería Sanitaria Ciencias del Ambiente [CEPIS], Lima, Peru)
- Dr G.J.A. Speijers, (4, 19: iv), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands
- Dr D. Srinivasan, (10), University of the South Pacific, Suva, Fiji
- Dr G. Stanfield, (5, 7, 21: ii, 25), WRC-NSF Ltd, Marlow, UK
- Dr U. Stenius, (31: viii), Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden
- Dr T.A. Stenstrom, (6, 16, 22), Swedish Institute for Infectious Disease Control, Solna, Sweden
- Dr M. Stevens, (8, 12, 13, 14, 15, 19, 20, 23, 25), Melbourne Water Corporation, Melbourne, Australia
- Dr T. Stinear, (18), Institut Pasteur, Paris, France
- Dr M. Storey, (23), University of New South Wales, Sydney, Australia
- Mr M. Strauss, (6), Swiss Federal Institute for Environmental Science and Technology, Dübendorf, Switzerland
- Dr K. Subramanian, (7), Health Canada, Ottawa, Canada
- Dr S. Surman, (16), Health Protection Agency, London, UK
- Mr T. Taeuea, (10), Ministry of Health, Tarawa, Kiribati
- Mr P. Talota, (10), Ministry of Health and Medical Service, Honiara, Solomon Islands
- Mr C. Tan, (11), Ministry of Environment, Singapore
- Mr B. Tanner, (2), NSF International, Brussels, Belgium
- Mr H. Tano, (4), Ministry of Health and Welfare, Tokyo, Japan
- Professor I. Tartakovsky, (16), Gamaleya Research Institute for Epidemiology and Microbiology, Moscow, Russian Federation
- Dr A. Tayeh, (20), WHO, Geneva, Switzerland
- Dr M. Taylor, (8, 19, 20, 22, 27), Ministry of Health, Wellington, New Zealand
- Dr R. Taylor, (8, 10, 15), Health Surveillance and Disease Control, Rockhampton, Australia
- Mr J. Teio, (10), Department of Health, Waigani, Papua New Guinea

Dr P.F.M. Teunis, (7, 8, 28), National Institute for Public Health and the Environment  
(RIVM), Bilthoven, Netherlands

- Dr B.H. Thomas, (4, 31: xi), independent consultant (formerly Health Canada, Ottawa, Canada)
- Mr T. Thompson, (7, 12, 15, 17, 22, 23, 25, 27, 30), WHO, Regional Office for South-East Asia, New Delhi, India
- Dr F. Tiefenbrunner, (21: iii), Institute of Hygiene and Social Medicine, Innsbruck, Austria
- Mr Tiew King Nyau, (11), Public Utilities Board, Singapore
- Dr D. Till, (8, 28), Consultant Public Health Microbiologist, Wellington, New Zealand
- Mr T. Tipi, (10), Health Department, Apia, Samoa
- Mr T.Q. Toan, (11), National Institute of Occupational and Environmental Health, Hanoi, Viet Nam
- Dr P. Toft, (1, 4, 7, 15, 19: xiii–lii, liv–lxviii, 22, 31: xiii), independent consultant, Qualicum Beach, Canada
- Mr V. Tovv, (10), Ministry of Health, Port Vila, Vanuatu
- Dr A. Tritscher, (30), WHO, Geneva, Switzerland
- Mr L. Tu’itupou, (10), Ministry of Health, Nuku’olafo, Tonga
- Professor J. Tuomisto, (4, 19: x), National Public Health Institute, Kuopio, Finland
- Dr I. Turai, (20, 22), WHO, Geneva, Switzerland
- Dr R. Uaay, (4, 15, 19, 20), Instituto de Nutrición y Tecnología de los Alimentos, Santiago, Chile
- Mr S. Unisuga, (2), Ministry of Health and Welfare, Tokyo, Japan
- Dr H. Utkilen, (29), National Institute for Public Health, Oslo, Norway
- Dr J. van Den Berg, (3), KIWA N.V., Nieuwegein, Netherlands
- Dr D. van der Kooij, (14, 21: i, 23), KIWA N.V., Nieuwegein, Netherlands
- Ms K. VandeVelde, (19), International Antimony Oxide Industry Association, Campine, Beerse, Belgium
- Dr A.M. van Dijk-Looijaard, (4), KIWA N.V, Nieuwegein, Netherlands
- Dr F.X.R. van Leeuwen, (4), National Institute of Public Health and the Environment (RIVM), Bilthoven, Netherlands (formerly of WHO European Centre for Environment and Health, Netherlands)
- Dr M. van Raaij, (30), National Institute for Public Health and the Environment, Bilthoven, Netherlands
- Dr J. Vapnek, (29), Food and Agriculture Organization of the United Nations, Rome, Italy
- Mr A. Versteegh, (16), National Institute for Public Health and the Environment (RIVM), Bilthoven, Netherlands
- Ms C. Vickers, (15, 19: xiii–lii, liv–lxviii, 30), WHO, Geneva, Switzerland
- Dr V. Vincent, (18), Institut Pasteur, Paris, France
- The Vinyl Institute, (19), Arlington, VA, USA
- Dr D. Vitanage, (23), Sydney Water, Sydney, Australia
- Dr U. von Gunten, (19), Swiss Federal Institute for Environmental Science and Technology Dübendorf, Switzerland

Professor F. Von Reyn, (18), Dartmouth Hitchcock Medical Centre, Hanover, NH,  
USA

Professor M. Von Sperling, (6), Federal University of Minas Gerais, Belo Horizonte, Brazil

Dr T. Vourtsanis, (23), Sydney Water, Sydney, Australia

Dr P. Waggit, (27), Environment Australia, Darwin, Australia

Dr I. Wagner, (3), Technologie Zentrum Wasser, Karlsruhe, Germany

Mr M. Waite, (6), Drinking Water Inspectorate, London, UK

Dr G. Wallace, (31: xi), The European Fuel Oxygenates Association, Brussels, Belgium

Mr M. Waring, (19, 20), Department of Health, London, UK

Ms M. Whittaker, (3), NSF International, Ann Arbor, MI, USA

Dr B. Wilkins, (20), National Radiological Protection Board, UK

Dr C. Willert, (31: vii), Jacques Whitford Limited, Markham, Ontario, Canada

Dr J. Wilson, (3), NSF International, Ann Arbor, MI, USA

Dr R. Wolter, (27), Umweltbundesamt, Berlin, Germany

Dr D. Wong, (19: xxvii, xxxiii, lxviii, 31: iii), US Environmental Protection Agency, Washington, DC, USA

Dr A. Wrixon, (20), International Atomic Energy Agency, Vienna, Austria

Professor Y. Xu, (27), University of the Western Cape, Bellville, South Africa

Mr T. Yamamura, (7), (formerly of WHO, Geneva, Switzerland)

Dr S. Yamashita, (20), Nagasaki University, Japan

Dr C. Yayan, (15), Institute of Environmental Health Monitoring, Beijing, People's Republic of China

Dr B. Yessekin, (27), The Regional Environmental Centre for Central Asia, Almaty, Kazakhstan

Dr Z. Yinfa, (11), Ministry of Health, Beijing, People's Republic of China

Dr Abdul Sattar Yoosuf, (30), Regional Office for South-East Asia, New Delhi, India

Mr N. Yoshiguti, (1), Ministry of Health and Welfare, Tokyo, Japan

Dr M. Younes, (1, 7, 20), WHO, Geneva, Switzerland

Mr J. Youngson, (10), Crown Public Health, Christchurch, New Zealand

Dr V. Yu, (21: iii), Pittsburgh University, Pittsburgh, PA, USA

Professor Q. Yuhui, (11), Institute of Environmental Health Monitoring, Beijing, People's Republic of China

Mrs N. Zainuddin, (11), Ministry of Health, Kuala Lumpur, Malaysia

1. *Expert Consultation on Rolling Revision of WHO Guidelines for Drinking-water Quality, Geneva, 13–15 December 1995*
2. *Expert Consultation on Protection and Control of Water Quality for the Updating of the WHO Guidelines for Drinking-water Quality, Bad Elster, Germany, 17–19 June 1996*
3. *Expert Consultation on Safety of Materials and Chemicals Used in Production and Distribution of Drinking-water, Ann Arbor, Michigan, USA, 23–24 January 1997*

4. *Expert Consultation on Rolling Revision of the Guidelines for Drinking-water Quality: Report of Working Group Meeting on Chemical Substances for the Updating of WHO Guidelines for Drinking-water Quality, Geneva, Switzerland, 22–26 April 1997*

5. *Expert Consultation on Rolling Revision of the Guidelines for Drinking-water Quality: Aspects of Protection and Control and of Microbiological Quality*, Medmenham, UK, 17–21 March 1998
6. *Expert Consultation on Harmonized Risk Assessment for Water-related Microbiological Hazards*, Stockholm, Sweden, 12–16 September 1999
7. *Drinking-water Quality Committee Meeting*, Berlin, Germany, 5–9 June 2000
8. *Expert Consultation on Effective Approaches to Regulating Microbial Drinking-water Quality*, Adelaide, Australia, 14–18 May 2001
9. *Consultation on Planning of Water Quality Guidelines for Desalination*, Bahrain, 28–31 May 2001
10. *Workshop on Drinking-water Quality Surveillance and Safety*, Nadi, Fiji, 29 October–1 November 2001
11. *Workshop on Drinking-water Quality Surveillance and Safety*, Kuala Lumpur, Malaysia, 12–15 November 2001
12. *Expert Consultation on Preparation of Supporting Documents for the Updating of Microbial Aspects of WHO Guidelines for Drinking-water Quality*, Loughborough, UK, 18–23 November 2001
13. *WHO Meeting: Guidelines on Drinking-water Quality*, Micro Working Group, Melbourne, Australia, 13–14 April 2002
14. *Meeting on HPC Bacteria in Drinking-water*, Geneva, Switzerland, 25–26 April 2002
15. *Global Meeting on the Revision of WHO Guidelines for Drinking-water Quality*, Tokyo, Japan, 23–29 May 2002
16. *Meeting on Prevention and Control of Legionnaires' Disease*, London, 18–20 June 2002
17. *Chemical Safety of Drinking-water: Assessing Priorities for Risk Management*, Nyon, Switzerland, 26–30 August 2002
18. *Expert Consultation on Mycobacterium Avium Complex*, Guildford, UK, 18–20 September 2002
19. *Contributors to the chemical substantiation document on:*
  - i. Aluminium
  - ii. Boron
  - iii. Nickel
  - iv. Nitrate and Nitrite
  - v. Cyanobacterial Toxins: Microcystin-LR
  - vi. Edetic Acid (EDTA)
  - vii. Polynuclear aromatic hydrocarbons
  - viii. Cyanazine
  - ix. 1,2-Dichloropropane (1,2-DCP)
  - x. Pentachlorophenol
  - xi. Terbutylazine (TBA)
  - xii. Trihalomethanes

- xiii. *1,1,1-Trichloroethane*
- xiv. *1,2-Dibromoethane*
- xv. *1,2-Dichloroethane*
- xvi. *Di(2-ethylhexyl)adipate*
- xvii. *2-Phenylphenol*
- xviii. *2,4-Dichlorophenoxyacetic acid*
- xix. *Acrylamide*
- xx. *Aldicarb*
- xxi. *Aldrin and Dieldrin*
- xxii. *Antimony*
- xxiii. *Arsenic*
- xxiv. *Barium*
- xxv. *Bentazone*
- xxvi. *Bromate*
- xxvii. *Brominated Acetic Acids*
- xxviii. *Cadmium*
- xxix. *Carbofuran*
- xxx. *Carbon Tetrachloride*
- xxxi. *Monochloramine*
- xxxii. *Chlordane*
- xxxiii. *Monochloroacetic acid*
- xxxiv. *Chlorite and Chlorate*
- xxxv. *Chlorpyrifos*
- xxxvi. *Copper*
- xxxvii. *DDT and its Derivatives*
- xxxviii. *Dimethoate*
- xxxix. *Diquat*
- xl. *Endosulfan*
- xli. *Endrin*
- xlii. *Epichlorohydrin*
- xliii. *Fenitrothion*
- xliv. *Fluoride*
- xlv. *Glyphosate and AMPA*
- xlvi. *Halogenated Acetonitriles*
- xlvii. *Heptachlor and Heptachlor Epoxide*
- xlviii. *Hexachlorobenzene*
- xlix. *Hexachlorobutadiene*
- l. *Lindane*
- li. *Malathion*
- lii. *Manganese*
- liii. *Methoxychlor*
- liv. *Methyl Parathion*

- lv. *Monochlorobenzene*
  - lvi. *MX*
  - lvii. *Dialkyltins*
  - lviii. *Parathion*
  - lix. *Permethrin*
  - lx. *Propanil*
  - lxi. *Pyriproxyfen*
  - lxii. *Sulfate*
  - lxiii. *Inorganic Tin*
  - lxiv. *Toluene*
  - lxv. *Trichlorobenzenes*
  - lxvi. *Uranium*
  - lxvii. *Vinyl Chloride*
  - lxviii. *Trichloroacetic Acid*
  - lxix. *Dichloroacetic Acid*
20. *Provision of comments on drafts of the Guidelines for Drinking-water Quality (3rd edition)*
  21. *Contributor to Guidelines for Drinking-water Quality (2nd edition), Addendum, Microbiological Agents in Drinking-water*
    - i. *Aeromonas*
    - ii. *Enteric Hepatitis Viruses*
    - iii. *Legionella*
    - iv. *Protozoan Parasites (Cryptosporidium, Giardia, Cyclospora)*
    - v. *Vibrio cholerae*
  22. *Participant in Final Task Force Meeting for 3rd Edition of Guidelines on Drinking-water Quality, Geneva, Switzerland, 31 March – 4 April 2003*
  23. *Contributor to the background document “Safe Piped Water: Managing Microbial Water Quality in Piped Distribution Systems.”*
  24. *Contributor to the background document “Water Treatment and Pathogen Control: Process Efficiency in Achieving Safe Drinking-water.”*
  25. *Contributor to the background document “Water Safety Plans.”*
  26. *Contributor to the background document “Quantifying Public Health Risk in the WHO Guidelines for Drinking-Water Quality: A Burden of Disease Approach.”*
  27. *Contributor to the background document “Protecting Groundwaters for Health – Managing the Quality of Drinking-water Sources.”*
  28. *Contributor to the background document “Hazard Characterization for Pathogens in Food and Water: Guidelines.”*
  29. *Contributor to the background document “Toxic Cyanobacteria in Water.”*
  30. *Participant in Expert Consultation for the Rolling Revision of the Guidelines on Drinking-water Quality, Geneva, Switzerland, 17–21 May 2004*
  31. *Contributors to the chemical background document on:*
    - i. *Bromate*

- ii. *Chloral hydrate*
- iii. *Dichloroacetate*
- iv. *1,1-Dichloroethene*
- v. *Formaldehyde*
- vi. *Mercury*
- vii. *Nickel*
- viii. *Trichloroethene*
- ix. *Trihalomethanes*
- x. *1,4-Dioxane*
- xi. *MTBE*
- xii. *Petroleum oils*
- xiii. *Permethrin*
- xiv. *Chlorite and chlorate*